



NOTES
 Historical Coordinate System:
 North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Oregon South Zone. Distances in U.S. Survey Feet.
 Vertical Datum:
 Soundings are shown in feet and indicate depths below Mean Lower Low Water (MLLW). MLLW is 6.6 feet below the North American Vertical Datum of 1988 (NAVD88).
 River velocity conditions in the River Mile Index of the Hydrology and Hydraulics Commission, Pacific Northwest River Basin Commission, June 1988.
 The information depicted on this map represents the results of a survey conducted on the date indicated and can only be considered to represent the general condition existing at that time.
 ** Station Soundings per Quarter per Reach.
 STAFF GAGE: Northing: 418427 Easting: 384248

CONDITION PREDREDGE POSTREDREDGE
 2009 Aerial Photography data source: U.S.D.A., Service Center Agreement Reference to Navigation Chart No. 18099

LEGEND	
	Federal Navigation Channel
	Federal Navigation Channel Centerline
	Pylon, Submarine On Land Line
	Cable Overhead
	Cable Submarine
	Pylon, Underwater
	Archbridge Area
	Outrigged Material Placement Area
	Cable Area
	Pipeline Area
	Shading Area
	Beacon, General
	Contour Lines
	Benchmark
	Pylon Bridge Support
	Rock
	Obstruction Pile
	Atank Submerged
	Staff Gage
	Recording Gage
	Shaded Soundings**

THE EXISTING PROJECT
 The existing project provides for a mooring basin 100 feet deep, 90 feet wide and 700 feet long.

PORT ORFORD, OREGON & NEARSHORE DISPOSAL
 25 January 2017

SCALE: 1:5000

SUBMITTED	APPROVED
RECOMMENDED	OPERATIONAL MAINTENANCE SECTION
DATE: 25 JAN 2017	SURVIVED PLOTTED CHECKED

PO_01_POD_20170125_PA_15X15X7
 418,000