



Naval Facilities Engineering Systems Command Southwest
BRAC PMO West
San Diego, CA

Interim


Air Sampling Summary Report No. 20

Data Date Range: November 20, 2019 through
September 3, 2021

Parcel E Remedial Action—Phase 1

Hunters Point Naval Shipyard, San Francisco, CA

October 2021



Naval Facilities Engineering Systems Command Southwest
BRAC PMO West
San Diego, CA

Interim

Air Sampling Summary Report No. 20

Data Date Range: November 20, 2019 through
September 3, 2021

Parcel E Remedial Action—Phase 1

Hunters Point Naval Shipyard, San Francisco, CA

October 2021

DCN: APTM-2005-0024-0082

Prepared for:

Department of the Navy
Naval Facilities Engineering Systems Command Southwest
BRAC PMO West
33000 Nixie Way, Bldg. 50
San Diego, CA 92147

Prepared by:

Aptim Federal Services, LLC
4005 Port Chicago Highway, Suite 200
Concord, CA 94520
Contract Number: N62473-12-D-2005; Task Order: 0024

Table of Contents

Table of Contents.....	i
List of Attachments.....	ii
List of Figures.....	ii
List of Tables (in text).....	ii
Acronyms and Abbreviations.....	iii
1.0 Introduction.....	1-1
2.0 Sampling Site Locations.....	2-1
3.0 Analytical Methods.....	3-1
4.0 Analysis of Air Sampling Data.....	4-1
5.0 Air Sampling Results.....	5-1
5.1 Report 01.....	5-1
5.2 Report 02.....	5-2
5.3 Report 03.....	5-2
5.4 Report 04.....	5-2
5.5 Report 05.....	5-2
5.6 Report 06.....	5-2
5.7 Report 07.....	5-2
5.8 Report 08.....	5-3
5.9 Report 09.....	5-3
5.10 Report 10.....	5-3
5.11 Report 11.....	5-3
5.12 Report 12.....	5-3
5.13 Report 13.....	5-3
5.14 Report 14.....	5-4
5.15 Report 15.....	5-4
5.16 Report 16.....	5-4
5.17 Report 17.....	5-5
5.18 Report 18.....	5-5
5.19 Report 19.....	5-5
5.20 Report 20.....	5-6

Table of Contents (continued)

6.0 References 6-1

List of Attachments

Attachment 1: Air Sampling Results

Attachment 2: Analytical Laboratory Reports

List of Figures

Figure 1: Construction Site Layout and Air Sampling Location Map

List of Tables (in text)

Table 4-1: Air Sampling Action Levels..... 4-1

Table 5-1: Air Sampling Report Summary..... 5-1

Acronyms and Abbreviations

APTIM	Aptim Federal Services, LLC
DCP	dust control plan
EPA	U.S. Environmental Protection Agency
NIOSH.....	National Institute for Occupational Safety and Health
PM10	particulate matter larger than 10 microns in size
TSP	total suspended particulates
Work Plan.....	<i>Final Remedial Action Work Plan, Parcel E Remedial Action—Phase 1, Hunters Point Naval Shipyard, San Francisco, California</i>

This page intentionally left
blank

1.0 Introduction

Aptim Federal Services, LLC (APTIM) is providing environmental remediation services to the U.S. Department of the Navy under the Environmental Multiple Award Contract, Contract No. N62473-12-D-2005, Task Order 0024. APTIM is performing air sampling at Hunters Point Naval Shipyard in accordance with the dust control plan (DCP) included in Appendix C of the *Final Remedial Action Work Plan, Parcel E Remedial Action—Phase 1, Hunters Point Naval Shipyard, San Francisco, California* (Work Plan; APTIM, 2019). The DCP describes procedures that minimize dust during work activities and requires air sampling to ensure these procedures are effective. The DCP helps prevent exposure of residents and construction crews to potential airborne chemicals of concern, and dust from the work area.

This summary report describes the following:

- Where and how air samples are collected
- What test methods are used to analyze air samples
- How air sampling data are evaluated

This summary report also presents the air sampling analytical results from November 20, 2019 through September 3, 2021 and compares the results with the established action levels included in the Work Plan (APTIM, 2019).

This page intentionally left
blank

2.0 Sampling Site Locations

Air sampling stations were mobilized to collect air samples upwind and downwind of work areas for the duration of the project. The predominant wind direction at Hunters Point Naval Shipyard is from the west. Figure 1 shows locations of air sampling stations and wind direction. For the fieldwork conducted during this period, APTIM uses upwind and downwind sampling locations marked as “Air Sampling Station #1 B606 Upwind” near Crisp Road and “Air Sampling Station #2 12A Downwind” in Parcel D-1 near the Finger Piers (Figure 1). Air sampling is being performed to help ensure effective dust control. The locations of the air sampling stations were determined based on the prevailing wind direction and can be modified as needed. A windsock installed onsite is used to show wind direction and weather forecasts are checked daily at www.noaa.gov. Sampling stations remain stationary while sampling is being conducted. Each sampling station includes three separate air sampling systems for the following:

- Total suspended particulates (TSP) and for arsenic, lead, and manganese
- Particulate matter larger than 10 microns in size (PM10)
- Asbestos

This page intentionally left
blank

3.0 Analytical Methods

TSP, Arsenic, Lead, and Manganese: TSP samples are collected with a high-volume (39 to 60 cubic feet per minute) air sampler in accordance with U.S. Environmental Protection Agency's (EPA's) reference sampling method for TSP, described in Title 40 Code of Federal Regulations, Part 50, Appendix B. Each sample is collected on a filter over an approximately 8-hour workday period; the filter is then weighed to determine the amount of TSP collected. Once the amount of TSP has been determined, the sample is analyzed for arsenic, lead and manganese in accordance with one of the IO-3 methods identified in the *Compendium of Methods for the Determination of Inorganic Compounds in Ambient Air* (EPA, 1999a). The equipment specifications and sampling procedures used, including the sampling apparatus, filters, equipment accuracy, equipment calibration, and quality assurance checks, all conform to those specified in the analytical method.

PM10: Air samples are collected and analyzed for PM10 in accordance with EPA's reference sampling method for PM10, described in 40 Code of Federal Regulations Part 50, Appendix J. Each sample is collected on a filter over an approximately 8-hour workday period; the filter is then weighed to evaluate the concentrations of PM10 in ambient air.

Asbestos: Air samples are collected and analyzed for asbestos in accordance with the National Institute for Occupational Safety and Health (NIOSH) Method 7400, in the *NIOSH Manual of Analytical Methods* (1994). NIOSH Method 7400 requires that samples be collected on three-piece cellulose ester filters, which are fitted with conductive cowlings, at a sampling rate of between 0.5 liter per minute and 16 liters per minute. NIOSH Method 7400 measures bulk fiber count in the filter and does not differentiate between asbestos and non-asbestos fibers. High total (bulk) fiber exceedances can be re-analyzed using the NIOSH Method 7402, which will identify and differentiate between asbestos and non-asbestos fibers via transmission electron microscopy.

This page intentionally left
blank

4.0 Analysis of Air Sampling Data

Analytical results from air sampling samples are compared with the action levels listed in Table 4-1 and in accordance with the Work Plan (APTIM, 2019).

Table 4-1: Air Sampling Action Levels

Test Parameters	Action Level ^b	Basis
PM10 (by air sampling laboratory analysis)	5,000 µg/m ³ (basewide)	Cal/OSHA PEL ^a
TSP	0.5 mg/m ³	Basewide HPNS Level selected to minimize overall permissible dust release from sites
Arsenic	10 µg/m ³	Cal/OSHA PEL
Lead	50 µg/m ³	Cal/OSHA PEL
Manganese	200 µg/m ³	Cal/OSHA PEL
Asbestos	0.1 fiber/cm ³	Cal/OSHA PEL

Notes:

^a Cal/OSHA PEL for particulates not otherwise regulated (respiratory) used for PM10.

^b Basewide action levels are from the *Final Basewide Dust Control Plan, Revision 1, Hunters Point Shipyard, San Francisco, California* (TetraTech EC, Inc., 2010).

µg/m³ micrograms per cubic meter

Cal/OSHA California Occupational Safety and Health Administration

fiber/cm³ fibers per cubic centimeter

HPNS Hunters Point Naval Shipyard

mg/m³ milligrams per cubic meter

PEL permissible exposure limit

PM10 particulate matter smaller than 10 microns in diameter

TSP total suspended particulates

This page intentionally left
blank

5.0 Air Sampling Results

The tables included as Attachment 1 present weather information (including ambient pressure and temperature data) and air sampling results. Air sampling data were collected from the upwind sampling station and downwind sampling station, identified in Section 2.0. Attachment 2 includes analytical laboratory results. Table 5-1 lists each interim air sampling report, the dates covered in each report, and if there were anomalies in the sample collection/sample results. If there is an anomaly identified, further clarification is provided.

Table 5-1: Air Sampling Report Summary

Interim Report Number	New Data Date Range	Anomaly Noted (Yes/No)
01	11/20/2019–11/30/2019	Yes
02	12/02/2019–12/31/2019	Yes
03	01/02/2020–01/31/2020	Yes
04	02/03/2020–02/28/2020	Yes
05	03/02/2020–05/22/2020	Yes
06	05/25/2020–06/27/2020	Yes
07	06/27/2020–07/31/2020	Yes
08	08/03/2020–08/28/2020	No
09	08/31/2020–09/25/2020	Yes
10	09/28/2020–10/31/2020	No
11	11/02/2020–11/25/2020	Yes
12	11/30/2020–01/01/2021	Yes
13	01/04/2021-01/29/2021	Yes
14	02/01/2021-02/26/2021	Yes
15	03/01/2021-03/31/2021	Yes
16	04/01/2021-04/30/2021	Yes
17	05/03/2021-05/28/2021	Yes
18	06/01/2021-07/02/2021	Yes
19	07/06/2021-07/30/2021	Yes
20	08/02/2021-09/03/2021	No

5.1 Report 01

Air sampling samples were not collected on November 27, 2019, because rain and/or wet field conditions prohibited earth-moving activities. Due to the Thanksgiving holiday, samples were not collected November 28 and 29, 2019. Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.2 Report 02

Air samples were not collected on December 2 to 6 and December 11 to 20, 2019, as no earth-moving activities were conducted. Due to the Christmas holiday, samples were not collected December 25, 2019. Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.3 Report 03

Air samples were not collected on January 1 to 2 and January 8 to 31, 2020, as no earth-moving activities were conducted. Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.4 Report 04

Air samples were not collected on February 3 to 10 and February 20 to 28, 2020, as no earth-moving activities were conducted. Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.5 Report 05

Air samples were not collected from March 2 through April 28, 2020, as no earth-moving activities were conducted. Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.6 Report 06

Air samples were not collected on May 25, 2020, as no earth-moving activities were conducted. Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.7 Report 07

Air samples were not collected on July 03, 2020, as no earth-moving activities were conducted. Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.8 Report 08

Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.9 Report 09

Air samples were not collected on September 07, 2020, as no earth-moving activities were conducted. During the month of September, there were several local fires in the area that may have increased concentration results. Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.10 Report 10

Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.11 Report 11

Due to the Thanksgiving holiday, samples were not collected November 26 and 27, 2020. Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.12 Report 12

Due to Christmas and New Year's holidays, samples were not collected on December 24 and 25, 2020, and on January 1, 2021. Also, no air samples were collected on December 17, 23, and 28 through 31 as no earth-moving activities were conducted. Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.13 Report 13

Due to temporary site shutdown and no earth moving activities from January 4 through January 29, 2021, perimeter air monitoring samples were not collected for PM10, TSP, or metals. Perimeter air monitoring samples for asbestos were collected during this period with the following exceptions; no samples were collected on January 4, 22, 27, and 28, 2021, due to rain. And, no samples were collected on January 18, 2021, due to

the Martin Luther King Jr. holiday. Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.14 Report 14

Due to temporary site shutdown and no earth moving activities from February 1 through 8 and February 12 through 26, 2021, perimeter air monitoring samples were not collected for PM10, TSP, or metals. Perimeter air monitoring samples for asbestos were collected during this period except on February 2, 15, and 19, 2021, due to rain. Upwind asbestos data is not available for February 25 due to a damaged filter cassette. Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.15 Report 15

Due to temporary site shutdown and no earth moving activities from March 1 through March 31, 2021, perimeter air monitoring samples were not collected for PM10, TSP, or metals. Perimeter air monitoring samples for asbestos were collected during this period with the following exceptions; no samples were collected on March 10 and 18, 2021, due to rain. Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.16 Report 16

Due to temporary site shutdown and no earth moving activities from April 1 through April 30, 2021, perimeter air monitoring samples were not collected for PM10, TSP, or metals. Only perimeter air monitoring samples for asbestos were collected during this period. On April 20, the downwind Air Sampling Station #2-12A sample indicated a result of 0.114 fibers per cubic centimeter, slightly exceeding the 0.1 fibers per cubic centimeter action level. The sample was submitted to SGS Forensics for re-analysis, which confirmed a high bulk fiber count of 0.110 fibers per cubic centimeter. Because the method being used (NIOSH Method 7400) measures bulk fiber count in the filter and does not differentiate between asbestos and non-asbestos fibers, the sample was also analyzed using the NIOSH Method 7402, which can identify and differentiate between asbestos and non-asbestos fibers via transmission electron microscopy. The result was an asbestos fiber concentration of 0.0006 fibers/cubic centimeter. This indicates that the elevated bulk result reported using NIOSH Method 7400 was due to impurities (non-asbestos fibers) in the sample, not asbestos fibers. It should be noted that on the

day of the exceedance, there were no on-site activities being conducted and the daily average wind speed was 8.6 miles per hour and reached a monthly high of 30 miles per hour around 14:57, with the predominant wind originating from the west. All other air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.17 Report 17

Due to temporary site shutdown and no earth moving activities from May 3 through May 28, 2021, perimeter air monitoring samples were not collected for PM10, TSP, or metals. Only perimeter air monitoring samples for asbestos were collected during this period. Downwind asbestos data is not available for May 19 due to a damaged filter cassette. All other air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.18 Report 18

Due to temporary site shutdown and no earth moving activities from June 1 through July 2, 2021, perimeter air monitoring samples were not collected for PM10, TSP, or metals. Only perimeter air monitoring samples for asbestos were collected during this period except on May 31 due to a company holiday. On June 7, the downwind Air Sampling Station #2-12A sample indicated a result of 0.130 fibers per cubic centimeter, slightly exceeding the 0.1 fibers per cubic centimeter action level. The method used (NIOSH Method 7400) measures bulk fiber count in the filter and does not differentiate between asbestos and non-asbestos fibers, the sample was also analyzed using the NIOSH Method 7402, which can identify and differentiate between asbestos and non-asbestos fibers via transmission electron microscopy. No asbestos fibers were detected by the NIOSH Method 7402 with a result of <0.0022 fibers/cubic centimeter. This indicates that the elevated bulk result reported using NIOSH Method 7400 was due to impurities (non-asbestos fibers) in the sample, not asbestos fibers. All other air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.19 Report 19

Due to temporary site shutdown and no earth moving activities from July 6 through July 21, 2021, perimeter air monitoring samples were not collected for PM10, TSP, or metals. Only perimeter air monitoring samples for asbestos were collected during this period; with the exception of July 5 due to a company holiday. Since earth moving

activities resumed on July 22, PM10, TSP, metals and asbestos samples were collected from July 22 to July 30. Air sampling results during this sampling period were below the action levels identified in Table 4-1.

5.20 Report 20

Air sampling results during this sampling period were below the action levels identified in Table 4-1.


6.0 References

- Aptim Federal Services, LLC, 2019, *Final Remedial Action Work Plan, Parcel E Remedial Action—Phase 1, Hunters Point Naval Shipyard, San Francisco, California*, September.
- National Institute for Occupational Safety and Health, 1994, *NIOSH Manual of Analytical Methods*, Method 7400, August.
- Tetra Tech EC, Inc., 2010, *Final Basewide Dust Control Plan, Revision 1, Hunters Point Naval Shipyard, San Francisco, California*, November 29.
- U.S. Environmental Protection Agency (EPA), 1999a, *Compendium of Methods for the Determination of Inorganic Compounds in Ambient Air*.
- EPA, 1999b, *Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, Second Edition. Compendium Method TO-4A, Determination of Pesticides and Polychlorinated Biphenyls in Ambient Air Using High Volume Polyurethane Foam (PUF) Sampling Followed by Gas Chromatographic/Multi-Detector Detection (GC/MD)*. EPA/625/R-96-010b, Office of Research and Development, January. Available Online at: <<http://www.epa.gov/ttnamti1/files/ambient/airtox/to-4ar2r.pdf>>.
- EPA, 1999c, *Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, Second Edition. Compendium Method TO-13A, Determination of Polycyclic Aromatic Hydrocarbons in Ambient Air Using Gas Chromatography/Mass Spectrometry (GC/MS)*, EPA/625/R-96/010b, January. Available Online at: <<http://www.epa.gov/ttnamti1/files/ambient/airtox/to-13arr.pdf>>.

This page intentionally left
blank

FIGURE

This page intentionally left
blank



Notes:

1. Install silt fence and/or straw wattles and sand bags along shoreline during excavation and grading activities within 50 feet of shoreline.
2. Locations of turbidity curtain and bay water quality monitoring will change as project work progresses.
3. Locations of site support features and engineering controls are subject to change based on site conditions as work progresses.
4. Air monitoring will be performed at a minimum of two stations: one upwind and one downwind. Air monitoring locations may change as work progresses.
5. Install filter fabric at all storm drain inlets within 50 feet of planned excavation area and/or directly down slope of excavation area.
6. RCA Control Point Location may change as work progresses.

BMP = Best Management Practices
FH = Fire Hydrant
HFD = Hazardous Fragmentation Distance
MPPEH = Material Potentially Presenting an Explosive Hazard
RA = Remedial Action
RCA = Radiological Control Area
S3 = Soil Sorting System
TCRA = Time Critical Removal Action

References:

1. Construction Engineering Services (CES), LLC, 2018 *Design Basis Report, Parcel E, Hunters Point Naval Shipyard, San Francisco, California*
2. TetraTech, 2010. *Final Material Potentially Presenting an Explosive Hazard Processing and Removal Completion Report, June*

- Fire Hydrant
- ★ Air Monitoring Station
- ★ Building 606 Real-time Dust Monitor
- Temporary Water Line
- Existing Fence for Perimeter Control
- Planned Fence for Radiological Control
- Existing Fence for Radiological Control
- Approximate Location of Turbidity Curtain (See Note 2)
- Fuel Line to be Closed in Place or Removed (Phase 1 RA)
- Steam Line to be Closed in Place or Removed (Phase 1 RA)
- Planned Upland Excavation Area (Phase 1 RA)
- Planned Shoreline Excavation Area (Phase 3 RA)
- Nearshore Slurry Wall (Phase 3 RA)
- Planned Armored Shoreline Revetment (Phase 3 RA)
- Planned Hybrid Shoreline Stabilization (Phase 3 RA)
- Planned Armored Shoreline Revetment (Phase 2 RA)
- Planned Hybrid Shoreline Stabilization (Phase 2 RA)
- Radiologically Impacted Area
- Radiological S3 Screening Area
- Potential MPPEH Screening Area
- Mechanical Soil Processing Area
- IR-02 Slurry Wall Mix Plant Area
- Existing Radiological Screening Pad to be used for Soil and Debris Stockpile Areas (Phase 1 & 3)
- Existing Radiological Screening Pads (C1-C3) to be used during Phase 3 RA
- Debris and Soil Stockpile Areas to be Constructed (Phases 1 and 3 RA)
- Potential Additional Excavation Area to Remove Methane Generating Debris (if present - Phase 1 RA)
- Planned Soil Vapor Extraction Area within Building 406 (Phase 1 RA)
- IR-03 Mobile NAPL Treatment Zone (by others - Phase 2 RA)
- IR-03 Shoreline Excavation Area (by others - Phase 2 RA)
- Groundwater Plume (Phase 1 RA)
- Previous Parcel E TCRA Areas (2005-2007) where MPPEH was encountered (TetraTech, 2010)
- Existing Building
- Parcel E Boundary
- Other HPNS Parcel Boundaries
- Non-Navy Property
- Primary Parcel E Access Roads and Vehicle Haul Routes

U.S. Department of the Navy
 BRAC PMO West
 San Diego, California

FIGURE 1
CONSTRUCTION SITE LAYOUT
AND AIR MONITORING LOCATION MAP

REMEDIAL ACTION PHASES 1 AND 3 IN PARCEL E
 HUNTERS POINT NAVAL SHIPYARD, SAN FRANCISCO, CA

This page intentionally left
blank

ATTACHMENT 1

AIR SAMPLING RESULTS

This page intentionally left
blank

Attachment 1, Table 1: Ambient Pressure and Temperature Monitoring Results

Date	Ambient Pressure (in Hg)	Ambient Temperature (°C)
20-Nov-19	30.24	8.7
21-Nov-19	30.24	11.2
22-Nov-19	30.30	15.1
25-Nov-19	30.22	11.2
26-Nov-19	30.20	12.3
27-Nov-19	30.12	13.9
28-Nov-19	30.02	12.7
29-Nov-19	30.12	17.6
2-Dec-19	30.18	12.7
3-Dec-19	30.19	13.1
4-Dec-19	30.03	12.2
5-Dec-19	30.14	12.7
6-Dec-19	30.08	14.3
9-Dec-19	30.27	11.6
10-Dec-19	30.32	12.2
11-Dec-19	30.29	12.8
12-Dec-19	30.36	14.9
13-Dec-19	30.33	12.9
16-Dec-19	30.42	10.4
17-Dec-19	30.30	10.6
18-Dec-19	30.17	11.5
19-Dec-19	30.30	12.5
20-Dec-19	30.30	11.2
23-Dec-19	29.99	9.6
24-Dec-19	30.00	9.8
25-Dec-19	29.92	10.0
26-Dec-19	30.07	10.6
27-Dec-19	30.16	10.1
30-Dec-19	30.23	11.1
31-Dec-19	30.23	11.4
1-Jan-20	30.24	11.7
2-Jan-20	30.23	12.1
3-Jan-20	30.32	11.1
6-Jan-20	30.57	10.5
7-Jan-20	30.37	10.3
8-Jan-20	30.21	11.2
9-Jan-20	30.28	10.8
10-Jan-20	30.40	9.7
13-Jan-20	30.29	10.6

Attachment 1, Table 1: Ambient Pressure and Temperature Monitoring Results

Date	Ambient Pressure (in Hg)	Ambient Temperature (°C)
14-Jan-20	30.33	10.4
15-Jan-20	30.23	9.0
16-Jan-20	30.17	9.1
17-Jan-20	30.39	9.1
20-Jan-20	30.12	10.3
21-Jan-20	30.23	11.9
22-Jan-20	30.33	11.8
23-Jan-20	30.31	12.0
24-Jan-20	30.25	12.7
27-Jan-20	30.48	11.9
28-Jan-20	30.42	12.1
29-Jan-20	30.36	11.8
30-Jan-20	30.32	12.9
31-Jan-20	30.39	13.3
3-Feb-20	30.25	9.2
4-Feb-20	30.37	10.3
5-Feb-20	30.35	10.3
6-Feb-20	30.26	12.2
7-Feb-20	30.23	11.4
10-Feb-20	30.11	15.4
11-Feb-20	30.14	17.0
12-Feb-20	30.12	13.1
13-Feb-20	30.18	10.3
14-Feb-20	30.21	11.4
17-Feb-20	30.20	15.7
18-Feb-20	30.12	13.5
19-Feb-20	30.20	11.7
20-Feb-20	30.21	13.6
21-Feb-20	30.16	15.2
24-Feb-20	30.46	12.7
25-Feb-20	30.35	16.2
26-Feb-20	30.40	12.5
27-Feb-20	30.31	16.6
28-Feb-20	30.20	13.8
2-Mar-20	30.00	15.8
3-Mar-20	30.00	15.4
4-Mar-20	30.10	14.9
5-Mar-20	30.10	13.1
6-Mar-20	30.00	12.4

Attachment 1, Table 1: Ambient Pressure and Temperature Monitoring Results

Date	Ambient Pressure (in Hg)	Ambient Temperature (°C)
9-Mar-20	30.10	13.4
10-Mar-20	30.00	15.7
11-Mar-20	30.00	15.0
12-Mar-20	29.90	12.9
13-Mar-20	29.80	12.7
16-Mar-20	29.90	9.3
17-Mar-20	29.90	9.4
18-Mar-20	29.90	10.8
19-Mar-20	30.00	11.8
20-Mar-20	30.20	12.2
23-Mar-20	30.10	11.7
24-Mar-20	30.10	11.2
25-Mar-20	30.10	10.3
26-Mar-20	30.10	10.4
27-Mar-20	30.10	11.7
30-Mar-20	30.30	13.1
31-Mar-20	30.20	13.3
1-Apr-20	30.00	12.3
2-Apr-20	30.10	11.6
3-Apr-20	30.00	11.5
6-Apr-20	29.90	8.7
7-Apr-20	30.10	10.2
8-Apr-20	29.90	12.8
9-Apr-20	30.00	13.8
10-Apr-20	30.00	13.9
13-Apr-20	30.10	13.4
14-Apr-20	30.20	16.0
15-Apr-20	30.00	14.9
16-Apr-20	29.90	13.0
17-Apr-20	29.90	13.6
20-Apr-20	30.10	13.8
21-Apr-20	30.20	13.4
22-Apr-20	30.30	14.9
23-Apr-20	30.20	15.3
24-Apr-20	30.10	16.4
27-Apr-20	30.10	15.4
28-Apr-20	30.10	15.3
29-Apr-20	30.00	14.2
30-Apr-20	30.10	13.8

Attachment 1, Table 1: Ambient Pressure and Temperature Monitoring Results

Date	Ambient Pressure (in Hg)	Ambient Temperature (°C)
1-May-20	30.10	14.8
4-May-20	30.10	14.4
5-May-20	30.10	14.5
6-May-20	30.10	15.9
7-May-20	29.90	17.1
8-May-20	29.90	15.7
11-May-20	29.90	15.3
12-May-20	30.00	14.9
13-May-20	30.00	15.3
14-May-20	30.10	16.2
15-May-20	30.10	15.2
18-May-20	29.90	14.9
19-May-20	30.00	15.3
20-May-20	30.10	14.9
21-May-20	30.00	15.3
22-May-20	29.90	14.6
25-May-20	29.90	19.6
26-May-20	29.90	21.9
27-May-20	29.90	18.4
28-May-20	29.90	14.9
29-May-20	29.90	16.2
1-Jun-20	30.00	16.5
2-Jun-20	30.00	20.4
3-Jun-20	29.90	20.4
4-Jun-20	29.80	18.3
5-Jun-20	29.80	14.7
8-Jun-20	30.20	16.7
9-Jun-20	30.10	17.9
10-Jun-20	30.00	17.1
11-Jun-20	30.00	17.1
12-Jun-20	30.10	15.6
13-Jun-20	30.10	16.2
15-Jun-20	30.00	16.4
16-Jun-20	30.00	15.7
17-Jun-20	30.00	13.8
18-Jun-20	29.69	25.2
19-Jun-20	29.71	19.0
22-Jun-20	29.74	19.8
23-Jun-20	29.71	19.4
24-Jun-20	29.65	19.9

Attachment 1, Table 1: Ambient Pressure and Temperature Monitoring Results

Date	Ambient Pressure (in Hg)	Ambient Temperature (°C)
25-Jun-20	29.63	19.4
26-Jun-20	29.68	19.1
27-Jun-20	29.65	17.0
28-Jun-20	29.54	15.9
29-Jun-20	29.68	16.3
30-Jun-20	29.71	16.6
1-Jul-20	29.62	15.4
2-Jul-20	29.82	19.4
3-Jul-20	29.82	15.2
4-Jul-20	29.82	17.2
7-Jul-20	29.75	16.3
8-Jul-20	29.68	15.8
9-Jul-20	29.71	16.6
10-Jul-20	29.80	14.9
13-Jul-20	29.67	14.6
14-Jul-20	29.71	16.0
15-Jul-20	29.70	16.2
16-Jul-20	29.70	15.8
17-Jul-20	29.75	16.6
20-Jul-20	29.80	15.2
21-Jul-20	29.70	15.7
22-Jul-20	29.64	16.8
23-Jul-20	29.70	15.5
24-Jul-20	29.72	14.9
27-Jul-20	29.72	15.3
28-Jul-20	29.72	15.1
29-Jul-20	29.73	15.3
30-Jul-20	29.80	15.4
31-Jul-20	29.82	16.0
3-Aug-20	30.01	17.3
4-Aug-20	29.97	16.9
5-Aug-20	29.95	16.3
6-Aug-20	29.90	17.2
7-Aug-20	29.92	17.8
10-Aug-20	29.90	17.2
11-Aug-20	29.92	17.7
12-Aug-20	29.91	16.8
13-Aug-20	29.90	19.7
14-Aug-20	29.86	24.6
17-Aug-20	29.93	19.7
18-Aug-20	29.94	20.5

Attachment 1, Table 1: Ambient Pressure and Temperature Monitoring Results

Date	Ambient Pressure (in Hg)	Ambient Temperature (°C)
19-Aug-20	29.91	19.4
20-Aug-20	29.88	16.9
21-Aug-20	29.85	18.9
24-Aug-20	29.83	17.1
25-Aug-20	29.86	16.9
26-Aug-20	29.85	15.1
27-Aug-20	29.82	15.0
28-Aug-20	29.81	15.4
31-Aug-20	29.83	16.2
1-Sep-20	29.94	16.7
2-Sep-20	30.03	17.0
3-Sep-20	30.03	15.9
4-Sep-20	29.99	17.1
7-Sep-20	29.78	24.4
8-Sep-20	29.68	17.6
9-Sep-20	29.83	16.2
10-Sep-20	30.00	16.6
11-Sep-20	30.00	16.3
14-Sep-20	30.00	16.4
15-Sep-20	30.05	18.2
16-Sep-20	30.02	20.0
17-Sep-20	29.97	18.4
18-Sep-20	29.99	19.2
21-Sep-20	29.91	17.4
22-Sep-20	30.03	17.8
23-Sep-20	30.07	18.8
24-Sep-20	30.03	18.7
25-Sep-20	30.01	17.8
28-Sep-20	29.95	24.6
29-Sep-20	30.05	16.3
30-Sep-20	30.09	20.3
1-Oct-20	30.01	22.1
2-Oct-20	30.00	19.3
5-Oct-20	30.06	14.7
6-Oct-20	30.03	14.2
7-Oct-20	29.99	14.1
8-Oct-20	30.00	15.4
9-Oct-20	30.01	15.8
12-Oct-20	30.03	17.4
13-Oct-20	30.13	19.4
14-Oct-20	30.11	22.2

Attachment 1, Table 1: Ambient Pressure and Temperature Monitoring Results

Date	Ambient Pressure (in Hg)	Ambient Temperature (°C)
15-Oct-20	30.03	24.1
16-Oct-20	30.00	25.4
19-Oct-20	30.02	16.2
20-Oct-20	29.93	17.5
21-Oct-20	29.86	17.6
22-Oct-20	29.90	15.7
23-Oct-20	30.01	15.2
24-Oct-20	30.02	14.8
26-Oct-20	30.15	17.7
27-Oct-20	30.12	18.5
28-Oct-20	30.12	16.2
29-Oct-20	30.10	15.6
30-Oct-20	30.10	13.6
31-Oct-20	30.12	15.4
2-Nov-20	30.12	16.5
3-Nov-20	30.13	13.5
4-Nov-20	30.24	16.4
5-Nov-20	30.10	16.9
6-Nov-20	29.83	13.4
7-Nov-20	29.77	12.1
9-Nov-20	30.21	11.2
10-Nov-20	30.26	11.4
11-Nov-20	30.13	12.3
12-Nov-20	30.13	11.6
13-Nov-20	30.17	12.2
14-Nov-20	30.30	12.0
16-Nov-20	30.06	15.1
17-Nov-20	29.94	14.9
18-Nov-20	30.11	14.9
19-Nov-20	30.32	12.3
20-Nov-20	30.29	12.6
21-Nov-20	30.22	11.9
23-Nov-20	30.08	12.4
24-Nov-20	30.16	11.6
25-Nov-20	30.25	12.1
30-Nov-20	30.31	10.8
1-Dec-20	30.24	10.9
2-Dec-20	30.16	12.3
3-Dec-20	30.29	11.9
4-Dec-20	30.29	11.6
7-Dec-20	30.22	15.4

Attachment 1, Table 1: Ambient Pressure and Temperature Monitoring Results

Date	Ambient Pressure (in Hg)	Ambient Temperature (°C)
8-Dec-20	30.19	12.8
9-Dec-20	30.11	12.6
10-Dec-20	30.10	12.2
11-Dec-20	30.20	11.0
14-Dec-20	30.32	10.1
15-Dec-20	30.37	10.6
16-Dec-20	30.24	11.5
17-Dec-20	30.11	12.1
18-Dec-20	30.35	11.0
21-Dec-20	30.14	9.9
22-Dec-20	30.22	10.7
23-Dec-20	30.28	11.2
28-Dec-20	29.92	10.1
29-Dec-20	30.28	10.1
30-Dec-20	30.35	9.9
31-Dec-20	30.23	11.2
4-Jan-21	30.19	12.3
5-Jan-21	30.31	9.8
6-Jan-21	30.28	9.3
7-Jan-21	30.26	10.8
8-Jan-21	30.32	11.1
11-Jan-21	30.29	10.6
12-Jan-21	30.35	11.3
13-Jan-21	30.41	12.9
14-Jan-21	30.37	12.7
15-Jan-21	30.33	13.4
19-Jan-21	30.02	14.8
20-Jan-21	30.14	12.9
21-Jan-21	30.10	9.6
22-Jan-21	29.95	10.1
25-Jan-21	29.89	8.3
26-Jan-21	29.92	7.4
27-Jan-21	29.78	10.1
28-Jan-21	29.79	9.9
29-Jan-21	29.98	9.3
1-Feb-21	30.06	12.1
2-Feb-21	30.17	11.8
3-Feb-21	30.28	10.1
4-Feb-21	30.30	11.2
5-Feb-21	30.25	10.7
8-Feb-21	30.02	10.1

Attachment 1, Table 1: Ambient Pressure and Temperature Monitoring Results

Date	Ambient Pressure (in Hg)	Ambient Temperature (°C)
9-Feb-21	30.08	11.4
10-Feb-21	30.15	11.6
11-Feb-21	30.10	10.9
12-Feb-21	30.09	11.6
15-Feb-21	30.14	11.9
16-Feb-21	30.21	10.7
17-Feb-21	30.26	11.4
18-Feb-21	30.38	11.5
19-Feb-21	30.36	10.9
22-Feb-21	30.32	13.9
23-Feb-21	30.18	15.7
24-Feb-21	30.23	14.5
25-Feb-21	30.29	13.3
26-Feb-21	30.20	11.4
1-Mar-21	29.88	10.9
2-Mar-21	29.70	10.2
3-Mar-21	29.62	9.6
4-Mar-21	29.99	10.6
5-Mar-21	29.91	11.6
8-Mar-21	29.95	10.2
9-Mar-21	29.86	9.4
10-Mar-21	29.71	8.6
11-Mar-21	29.85	8.6
12-Mar-21	29.94	10.2
15-Mar-21	29.81	8.7
16-Mar-21	29.84	8.1
17-Mar-21	29.88	9.3
18-Mar-21	29.86	10.9
19-Mar-21	29.94	11.2
22-Mar-21	29.94	10.6
23-Mar-21	29.85	13.7
24-Mar-21	29.79	10.9
25-Mar-21	29.61	10.3
26-Mar-21	29.82	11.5
29-Mar-21	30.03	11.9
30-Mar-21	30.07	16.8
31-Mar-21	30.12	18.1
1-Apr-21	30.01	16.2
2-Apr-21	30.06	11.3
5-Apr-21	30.12	10.8
6-Apr-21	30.12	10.7

Attachment 1, Table 1: Ambient Pressure and Temperature Monitoring Results

Date	Ambient Pressure (in Hg)	Ambient Temperature (°C)
7-Apr-21	30.22	10.5
8-Apr-21	30.22	11.0
9-Apr-21	30.17	10.3
12-Apr-21	29.90	10.1
13-Apr-21	29.91	10.8
14-Apr-21	30.00	11.4
15-Apr-21	30.10	10.9
16-Apr-21	30.08	10.0
19-Apr-21	30.14	11.1
20-Apr-21	29.96	11.8
21-Apr-21	29.93	11.2
22-Apr-21	30.01	11.5
23-Apr-21	30.06	11.9
26-Apr-21	29.98	11.4
27-Apr-21	30.07	12.9
28-Apr-21	30.22	15.2
29-Apr-21	30.26	12.5
30-Apr-21	30.20	12.2
3-May-21	29.98	16.7
4-May-21	30.00	16.1
5-May-21	29.99	13.0
6-May-21	30.11	11.6
7-May-21	30.09	13.9
10-May-21	29.92	16.2
11-May-21	29.96	13.4
12-May-21	30.05	11.9
13-May-21	30.09	11.2
14-May-21	30.01	10.8
17-May-21	30.11	11.4
18-May-21	30.12	12.9
19-May-21	30.04	12.1
20-May-21	30.08	12.1
21-May-21	30.05	11.0
24-May-21	30.15	12.2
25-May-21	30.12	12.7
26-May-21	30.12	12.5
27-May-21	30.15	11.7
28-May-21	30.09	11.8
1-Jun-21	30.00	13.7
2-Jun-21	29.99	12.7
3-Jun-21	2992.00	14.5

Attachment 1, Table 1: Ambient Pressure and Temperature Monitoring Results

Date	Ambient Pressure (in Hg)	Ambient Temperature (°C)
4-Jun-21	30.00	12.8
7-Jun-21	29.95	13.8
8-Jun-21	30.10	13.5
9-Jun-21	30.24	14.5
10-Jun-21	30.27	14.0
11-Jun-21	30.15	15.3
14-Jun-21	30.11	17.5
15-Jun-21	30.12	20.3
16-Jun-21	30.04	19.0
17-Jun-21	29.85	21.5
18-Jun-21	29.77	17.7
21-Jun-21	29.98	16.7
22-Jun-21	29.96	18.1
23-Jun-21	29.99	16.9
24-Jun-21	30.07	16.2
25-Jun-21	30.05	14.0
28-Jun-21	29.87	14.7
29-Jun-21	29.86	15.3
30-Jun-21	29.94	14.9
1-Jul-21	29.97	15.8
2-Jul-21	29.98	15.6
6-Jul-21	30.07	14.3
7-Jul-21	29.99	13.5
8-Jul-21	29.90	16.1
9-Jul-21	29.95	16.8
12-Jul-21	29.97	12.8
13-Jul-21	29.97	13.4
14-Jul-21	29.99	14.2
15-Jul-21	30.05	13.0
16-Jul-21	30.00	13.1
19-Jul-21	30.07	14.9
20-Jul-21	30.08	14.1
21-Jul-21	30.00	14.7
22-Jul-21	30.02	14.3
23-Jul-21	30.05	15.1
26-Jul-21	29.98	15.5
27-Jul-21	30.03	16.6
28-Jul-21	30.08	16.6
29-Jul-21	29.99	16.5
30-Jul-21	29.99	15.1
2-Aug-21	30.12	16.6

Attachment 1, Table 1: Ambient Pressure and Temperature Monitoring Results

Date	Ambient Pressure (in Hg)	Ambient Temperature (°C)
3-Aug-21	30.10	14.3
4-Aug-21	30.05	16.5
5-Aug-21	30.08	15.7
6-Aug-21	30.01	18.7
9-Aug-21	29.96	17.2
10-Aug-21	29.98	16.9
11-Aug-21	30.03	16.0
12-Aug-21	30.04	17.3
13-Aug-21	30.11	16.7
16-Aug-21	29.87	16.4
17-Aug-21	29.84	16.2
18-Aug-21	29.89	16.9
19-Aug-21	29.97	16.8
20-Aug-21	29.89	16.7
23-Aug-21	29.91	15.6
24-Aug-21	29.98	15.8
25-Aug-21	30.05	15.2
26-Aug-21	30.00	17.1
27-Aug-21	29.82	20.3
30-Aug-21	29.82	16.7
31-Aug-21	29.80	16.3
1-Sep-21	29.88	16.1
2-Sep-21	30.00	15.0
3-Sep-21	30.01	14.7

Attachment 1, Table 1: Ambient Pressure and Temperature Monitoring Results

Notes:

Ambient pressure and ambient temperature data were gathered from the Wunderground weather website (www.wunderground.com).

Ambient pressure and ambient temperature data were gathered from the Ambient Weather website (www.ambientweather.net) starting August 3, 2020.

Data were collected from KSFO, San Francisco, San Francisco International Airport and the APTIM on-site MET Station.

°C - degrees Celsius

in Hg - inches of mercury

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
20-Nov-19	Upwind	9.8	0.076	No	0.096	No	<0.016	No	0.050	No
20-Nov-19	Downwind	9.9	0.072	No	0.130	No	<0.016	No	0.022	No
21-Nov-19	Upwind	7.5	0.071	No	0.148	No	<0.016	No	0.050	No
21-Nov-19	Downwind	7.5	0.041	No	0.164	No	<0.016	No	<0.016	No
22-Nov-19	Upwind	8.8	0.060	No	0.122	No	0.023	No	0.203	No
22-Nov-19	Downwind	8.8	0.045	No	0.142	No	<0.016	No	<0.016	No
25-Nov-19	Upwind	8.9	0.052	No	0.116	No	<0.016	No	0.051	No
25-Nov-19	Downwind	8.7	0.043	No	0.127	No	<0.016	No	<0.016	No
26-Nov-19	Upwind	7.4	0.038	No	0.145	No	<0.016	No	<0.016	No
26-Nov-19	Downwind	7.5	0.024	No	0.122	No	<0.016	No	<0.016	No
27-Nov-19	Upwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
27-Nov-19	Downwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
28-Nov-19	Upwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
28-Nov-19	Downwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
29-Nov-19	Upwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
29-Nov-19	Downwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
2-Dec-19	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Dec-19	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
3-Dec-19	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
3-Dec-19	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
4-Dec-19	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
4-Dec-19	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-Dec-19	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-Dec-19	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
6-Dec-19	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
6-Dec-19	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
9-Dec-19	Upwind	4.3	0.080	No	0.074	No	0.191	No	0.144	No
9-Dec-19	Downwind	4.1	0.105	No	<0.016	No	0.190	No	<0.016	No
10-Dec-19	Upwind	9.4	0.077	No	<0.016	No	0.056	No	0.099	No
10-Dec-19	Downwind	9.4	0.069	No	<0.016	No	0.064	No	<0.016	No
11-Dec-19	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
11-Dec-19	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
12-Dec-19	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
12-Dec-19	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-Dec-19	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-Dec-19	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Dec-19	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Dec-19	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-Dec-19	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
17-Dec-19	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
18-Dec-19	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
18-Dec-19	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
19-Dec-19	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
19-Dec-19	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-Dec-19	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-Dec-19	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Dec-19	Upwind	7.5	0.028	No	0.095	No	0.069	No	0.294	No
23-Dec-19	Downwind	7.5	0.013	No	0.083	No	0.050	No	0.063	No
24-Dec-19	Upwind	6.8	0.016	No	0.082	No	0.082	No	0.087	No
24-Dec-19	Downwind	6.9	0.018	No	0.090	No	0.090	No	0.060	No
25-Dec-19	Upwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
25-Dec-19	Downwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
26-Dec-19	Upwind	7.433	0.009	No	0.118	No	0.078	No	0.053	No
26-Dec-19	Downwind	7.5	<0.016	No	0.1	No	0.047	No	0.042	No
27-Dec-19	Upwind	7.517	0.019	No	0.049	No	0.036	No	0.054	No
27-Dec-19	Downwind	7.667	0.011	No	0.119	No	0.065	No	0.046	No
30-Dec-19	Upwind	7.317	<0.016	No	0.076	No	0.089	No	0.055	No
30-Dec-19	Downwind	7.3	0.007	No	0.1	No	0.065	No	0.046	No
31-Dec-19	Upwind	7.067	0.010	No	0.128	No	0.080	No	0.130	No
31-Dec-19	Downwind	7.1	0.0	No	0.1	No	0.1	No	0.0	No
1-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
1-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
3-Jan-20	Upwind	7.6	0.039	No	<0.016	No	<0.016	No	0.040	No
3-Jan-20	Downwind	7.6	0.024	No	0.050	No	0.044	No	0.054	No
6-Jan-20	Upwind	7.6	0.022	No	<0.016	No	<0.016	No	0.030	No
6-Jan-20	Downwind	7.6	0.017	No	<0.016	No	<0.016	No	0.017	No
7-Jan-20	Upwind	7.9	0.019	No	<0.016	No	<0.016	No	0.015	No
7-Jan-20	Downwind	8.0	0.016	No	<0.016	No	<0.016	No	0.016	No
8-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
9-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
9-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
10-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
10-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
14-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
14-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
15-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
15-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
22-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
22-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
27-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
27-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
28-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
28-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
29-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
29-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
30-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
30-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
31-Jan-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
31-Jan-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
3-Feb-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
3-Feb-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
4-Feb-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
4-Feb-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-Feb-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-Feb-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
6-Feb-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
6-Feb-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
7-Feb-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
7-Feb-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
10-Feb-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
10-Feb-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
11-Feb-20	Upwind	7.2	0.029	No	<0.016	No	<0.016	No	0.0203	No
11-Feb-20	Downwind	7.2	0.042	No	<0.016	No	<0.016	No	<0.016	No
12-Feb-20	Upwind	5.5	0.023	No	<0.016	No	0.0396	No	<0.016	No
12-Feb-20	Downwind	5.6	0.032	No	<0.016	No	<0.016	No	<0.016	No
13-Feb-20	Upwind	5.3	0.018	No	<0.016	No	<0.016	No	<0.016	No
13-Feb-20	Downwind	5.1	0.015	No	<0.016	No	<0.016	No	<0.016	No
14-Feb-20	Upwind	7.8	0.010	No	<0.016	No	<0.016	No	<0.016	No
14-Feb-20	Downwind	7.7	0.008	No	<0.016	No	<0.016	No	<0.016	No
17-Feb-20	Upwind	7.7	0.013	No	<0.016	No	<0.016	No	0.1849	No
17-Feb-20	Downwind	7.6	0.007	No	<0.016	No	0.0284	No	<0.016	No
18-Feb-20	Upwind	7.0	0.008	No	<0.016	No	<0.016	No	<0.016	No
18-Feb-20	Downwind	7.1	0.012	No	<0.016	No	<0.016	No	<0.016	No
19-Feb-20	Upwind	3.8	0.018	No	<0.016	No	0.0560	No	<0.016	No
19-Feb-20	Downwind	3.9	<0.016	No	<0.016	No	<0.016	No	<0.016	No
20-Feb-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-Feb-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-Feb-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-Feb-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-Feb-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-Feb-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
25-Feb-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
25-Feb-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
26-Feb-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
26-Feb-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
27-Feb-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
27-Feb-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
28-Feb-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
28-Feb-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
3-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
3-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
4-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
4-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
6-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
6-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
9-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
9-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
10-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
10-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
11-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
11-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
12-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
12-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
18-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
18-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
19-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
19-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
25-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
25-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
26-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
26-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
27-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
27-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
30-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
30-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
31-Mar-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
31-Mar-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
1-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
1-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
3-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
3-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
6-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
6-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
7-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
7-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
9-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
9-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
10-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
10-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
14-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
14-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
15-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
15-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
22-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
22-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
27-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
27-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
28-Apr-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
28-Apr-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
29-Apr-20	Upwind	9.5	0.0090	No	<0.016	No	<0.016	No	<0.016	No
29-Apr-20	Downwind	9.4	0.0394	No	<0.016	No	<0.016	No	0.0363	No
30-Apr-20	Upwind	9.5	0.0188	No	<0.016	No	0.0240	No	0.0150	No
30-Apr-20	Downwind	9.6	0.0699	No	<0.016	No	0.0351	No	0.0519	No

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
1-May-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
1-May-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
4-May-20	Upwind	9.6	0.0223	No	<0.016	No	<0.016	No	0.0136	No
4-May-20	Downwind	9.6	0.0049	No	<0.016	No	<0.016	No	0.0410	No
5-May-20	Upwind	9.5	0.0428	No	<0.016	No	<0.016	No	0.0225	No
5-May-20	Downwind	9.4	0.0568	No	<0.016	No	0.0226	No	0.0351	No
6-May-20	Upwind	9.6	0.0226	No	<0.016	No	0.0215	No	0.0141	No
6-May-20	Downwind	9.5	0.0507	No	<0.016	No	0.0247	No	0.0322	No
7-May-20	Upwind	9.4	0.0543	No	<0.016	No	0.0429	No	0.0334	No
7-May-20	Downwind	9.5	0.0541	No	<0.016	No	0.0390	No	0.0336	No
8-May-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-May-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
11-May-20	Upwind	9.7	0.0356	No	<0.016	No	<0.016	No	0.0344	No
11-May-20	Downwind	9.6	0.0315	No	<0.016	No	0.0	No	0.0238	No
12-May-20	Upwind	9.6	0.0181	No	<0.016	No	<0.016	No	0.0135	No
12-May-20	Downwind	9.5	0.0239	No	<0.016	No	<0.016	No	0.0159	No
13-May-20	Upwind	9.6	0.0179	No	<0.016	No	<0.016	No	0.0187	No
13-May-20	Downwind	9.5	0.0131	No	<0.016	No	<0.016	No	<0.016	No
14-May-20	Upwind	9.5	0.0123	No	<0.016	No	<0.016	No	0.0144	No
14-May-20	Downwind	9.5	0.0101	No	<0.016	No	<0.016	No	0.0144	No
15-May-20	Upwind	9.4	0.0289	No	<0.016	No	<0.016	No	0.0146	No
15-May-20	Downwind	9.4	0.0206	No	<0.016	No	<0.016	No	0.0129	No
18-May-20	Upwind	9.7	0.0146	No	<0.016	No	<0.016	No	0.0093	No
18-May-20	Downwind	9.7	0.0220	No	<0.016	No	0.020	No	0.0258	No
19-May-20	Upwind	9.6	0.0342	No	<0.016	No	0.022	No	0.0176	No
19-May-20	Downwind	9.6	0.0137	No	<0.016	No	0.022	No	0.0153	No
20-May-20	Upwind	9.6	0.0266	No	<0.016	No	<0.016	No	0.0136	No
20-May-20	Downwind	9.5	0.0221	No	<0.016	No	<0.016	No	0.0139	No
21-May-20	Upwind	9.6	0.0393	No	<0.016	No	<0.016	No	0.0217	No
21-May-20	Downwind	9.7	0.0266	No	<0.016	No	0.019	No	0.0153	No
22-May-20	Upwind	9.5	0.0216	No	<0.016	No	0.019	No	0.0128	No
22-May-20	Downwind	9.5	0.0232	No	<0.016	No	<0.016	No	0.0154	No
25-May-20	Upwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
25-May-20	Downwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
26-May-20	Upwind	9.7	0.0485	No	<0.027	No	0.019	No	<0.0091	No
26-May-20	Downwind	9.6	0.0332	No	<0.028	No	<0.018	No	<0.0092	No
27-May-20	Upwind	9.6	0.0478	No	<0.028	No	<0.018	No	<0.0092	No
27-May-20	Downwind	9.5	0.0427	No	<0.028	No	<0.018	No	<0.0092	No
28-May-20	Upwind	9.6	0.0229	No	<0.028	No	<0.018	No	<0.0092	No

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
28-May-20	Downwind	9.5	0.0265	No	<0.028	No	<0.019	No	<0.0093	No
29-May-20	Upwind	9.5	0.0341	No	<0.028	No	<0.019	No	0.0105	No
29-May-20	Downwind	9.5	0.0158	No	<0.028	No	<0.019	No	<0.0093	No
30-May-20	Upwind	7.5	0.0340	No	<0.035	No	<0.023	No	<0.0117	No
30-May-20	Downwind	7.4	0.0280	No	<0.036	No	<0.024	No	<0.0119	No
1-Jun-20	Upwind	7.6	0.0532	No	<0.035	No	<0.023	No	<0.0116	No
1-Jun-20	Downwind	7.6	0.0407	No	<0.035	No	<0.023	No	<0.0116	No
2-Jun-20	Upwind	7.6	0.0991	No	<0.035	No	<0.023	No	<0.0208	No
2-Jun-20	Downwind	7.6	0.0564	No	<0.035	No	<0.023	No	<0.0117	No
3-Jun-20	Upwind	8.6	0.0917	No	<0.031	No	<0.021	No	0.0202	No
3-Jun-20	Downwind	7.6	0.0924	No	<0.035	No	<0.023	No	<0.026	No
4-Jun-20	Upwind	7.5	0.1180	No	<0.035	No	<0.029	No	0.0440	No
4-Jun-20	Downwind	7.5	0.0364	No	<0.035	No	<0.023	No	0.0117	No
5-Jun-20	Upwind	9.8	0.0302	No	<0.027	No	0.029	No	0.0090	No
5-Jun-20	Downwind	9.7	0.0255	No	<0.027	No	<0.018	No	<0.0091	No
8-Jun-20	Upwind	9.7	0.0443	No	<0.027	No	<0.018	No	<0.0091	No
8-Jun-20	Downwind	9.8	0.0295	No	<0.027	No	<0.018	No	<0.0090	No
9-Jun-20	Upwind	9.7	0.0478	No	<0.027	No	<0.018	No	<0.0091	No
9-Jun-20	Downwind	9.8	0.0335	No	<0.027	No	<0.018	No	<0.0090	No
10-Jun-20	Upwind	9.8	0.0438	No	<0.027	No	<0.018	No	<0.0091	No
10-Jun-20	Downwind	9.8	0.0323	No	<0.027	No	<0.018	No	<0.0091	No
11-Jun-20	Upwind	9.6	0.0328	No	<0.027	No	<0.018	No	<0.0092	No
11-Jun-20	Downwind	9.8	0.0201	No	<0.027	No	<0.018	No	<0.0091	No
12-Jun-20	Upwind	9.5	0.0370	No	<0.028	No	<0.019	No	<0.0138	No
12-Jun-20	Downwind	9.6	0.0154	No	<0.028	No	<0.018	No	<0.0092	No
13-Jun-20	Upwind	9.7	0.0561	No	<0.027	No	<0.018	No	<0.0428	No
13-Jun-20	Downwind	9.7	0.0451	No	<0.027	No	<0.018	No	<0.0431	No
15-Jun-20	Upwind	9.8	0.0436	No	<0.027	No	<0.018	No	0.0208	No
15-Jun-20	Downwind	9.8	0.0325	No	<0.027	No	<0.018	No	0.0174	No
17-Jun-20	Upwind	9.6	0.0580	No	<0.028	No	<0.018	No	0.0370	No
17-Jun-20	Downwind	9.7	0.0331	No	<0.027	No	<0.018	No	0.0232	No
18-Jun-20	Upwind	9.7	0.0753	No	<0.027	No	<0.018	No	0.0418	No
18-Jun-20	Downwind	9.7	0.0625	No	<0.027	No	<0.018	No	0.0343	No
19-Jun-20	Upwind	9.8	0.0531	No	<0.027	No	<0.018	No	0.0275	No
19-Jun-20	Downwind	9.8	0.0380	No	<0.027	No	<0.018	No	0.0237	No
20-Jun-20	Upwind	9.8	0.0421	No	<0.027	No	<0.018	No	0.0406	No
20-Jun-20	Downwind	9.8	0.0171	No	<0.027	No	<0.018	No	0.0107	No
22-Jun-20	Upwind	9.6	0.0468	No	<0.028	No	<0.018	No	0.0359	No
22-Jun-20	Downwind	9.7	0.0335	No	<0.027	No	<0.018	No	0.0229	No

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
23-Jun-20	Upwind	9.7	0.0375	No	<0.027	No	<0.018	No	0.0281	No
23-Jun-20	Downwind	9.7	0.0273	No	<0.027	No	<0.018	No	0.0216	No
24-Jun-20	Upwind	9.7	0.0344	No	<0.027	No	<0.018	No	0.0206	No
24-Jun-20	Downwind	9.7	0.0297	No	<0.027	No	<0.018	No	0.0228	No
25-Jun-20	Upwind	9.7	0.0354	No	<0.027	No	<0.018	No	0.0251	No
25-Jun-20	Downwind	9.7	0.0201	No	<0.027	No	<0.018	No	0.0126	No
26-Jun-20	Upwind	9.6	0.0305	No	<0.027	No	<0.018	No	0.0108	No
26-Jun-20	Downwind	9.7	0.0229	No	<0.027	No	<0.018	No	0.0130	No
27-Jun-20	Upwind	9.7	0.0741	No	<0.027	No	0.028	No	0.0620	No
27-Jun-20	Downwind	9.5	0.0352	No	<0.027	No	<0.018	No	0.0162	No
29-Jun-20	Upwind	9.5	0.0615	No	<0.028	No	0.0112	No	0.0204	No
29-Jun-20	Downwind	9.6	0.0491	No	<0.028	No	0.0135	No	0.0167	No
30-Jun-20	Upwind	9.1	0.0622	No	<0.029	No	0.0147	No	0.0275	No
30-Jun-20	Downwind	9.0	0.0449	No	<0.029	No	0.0159	No	0.0163	No
1-Jul-20	Upwind	9.2	0.0665	No	<0.029	No	0.0173	No	0.0385	No
1-Jul-20	Downwind	9.3	0.0353	No	<0.029	No	0.0073	No	0.0152	No
2-Jul-20	Upwind	9.6	0.0279	No	<0.028	No	0.0183	No	0.0167	No
2-Jul-20	Downwind	9.3	0.0166	No	<0.028	No	0.0197	No	0.0240	No
3-Jul-20	Upwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
3-Jul-20	Downwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
6-Jul-20	Upwind	9.1	0.1110	No	0.02330	No	0.0190	No	<0.038	No
6-Jul-20	Downwind	9.1	0.0630	No	<0.029	No	0.0078	No	<0.010	No
7-Jul-20	Upwind	9.7	0.0460	No	<0.027	No	0.0088	No	<0.009	No
7-Jul-20	Downwind	9.7	0.0287	No	<0.027	No	0.0092	No	<0.009	No
8-Jul-20	Upwind	9.8	0.0690	No	<0.027	No	0.0130	No	<0.009	No
8-Jul-20	Downwind	9.5	0.0329	No	<0.028	No	0.0112	No	<0.009	No
9-Jul-20	Upwind	9.4	0.0462	No	<0.028	No	<0.019	No	<0.009	No
9-Jul-20	Downwind	9.4	0.0366	No	0.01090	No	<0.019	No	<0.009	No
10-Jul-20	Upwind	9.2	0.0302	No	<0.029	No	0.0069	No	<0.010	No
10-Jul-20	Downwind	9.1	0.0566	No	<0.029	No	0.0107	No	<0.010	No
13-Jul-20	Upwind	8.5	0.1370	No	<0.031	No	0.0312	No	0.1264	No
13-Jul-20	Downwind	8.4	0.0434	No	<0.031	No	0.0210	No	0.0107	No
14-Jul-20	Upwind	9.1	0.0612	No	<0.029	No	0.0092	No	0.0470	No
14-Jul-20	Downwind	8.8	0.0351	No	<0.030	No	0.0200	No	0.0090	No
15-Jul-20	Upwind	9.3	0.0497	No	<0.028	No	0.0050	No	0.0177	No
15-Jul-20	Downwind	8.8	0.0385	No	<0.030	No	0.0200	No	0.0157	No
16-Jul-20	Upwind	9.1	0.0486	No	<0.029	No	0.0194	No	0.0224	No
16-Jul-20	Downwind	8.9	0.0458	No	<0.030	No	0.0198	No	0.0262	No
17-Jul-20	Upwind	9.6	0.0380	No	<0.028	No	0.0073	No	0.0148	No

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
17-Jul-20	Downwind	9.2	0.0280	No	0.02386	No	0.0191	No	0.0235	No
20-Jul-20	Upwind	9.3	Note 4	NA	0.01086	No	0.0200	No	0.0218	No
20-Jul-20	Downwind	8.9	Note 4	NA	<0.03	No	0.0185	No	0.0178	No
21-Jul-20	Upwind	9.5	Note 4	NA	<0.028	No	0.0076	No	0.0143	No
21-Jul-20	Downwind	9.1	Note 4	NA	<0.029	No	0.0277	No	0.0321	No
22-Jul-20	Upwind	8.6	Note 4	NA	<0.031	No	0.0294	No	0.0795	No
22-Jul-20	Downwind	9.1	Note 4	NA	<0.029	No	0.0309	No	0.0159	No
23-Jul-20	Upwind	9.7	Note 4	NA	0.01198	No	0.0266	No	0.0233	No
23-Jul-20	Downwind	9.7	Note 4	NA	<0.028	No	0.0125	No	0.0225	No
24-Jul-20	Upwind	9.8	Note 4	NA	<0.027	No	0.0217	No	0.0904	No
24-Jul-20	Downwind	9.3	Note 4	NA	<0.028	No	0.0166	No	0.0268	No
27-Jul-20	Upwind	9.8	0.0361	No	0.01000	No	0.0145	No	0.0172	No
27-Jul-20	Downwind	9.3	0.0398	No	0.01500	No	0.0201	No	0.0315	No
28-Jul-20	Upwind	9.7	0.0447	No	<0.027	No	0.0236	No	0.0274	No
28-Jul-20	Downwind	9.4	0.0250	No	0.03300	No	0.0206	No	0.0155	No
29-Jul-20	Upwind	9.7	0.0313	No	0.01500	No	0.0116	No	0.0180	No
29-Jul-20	Downwind	9.4	0.0276	No	<0.028	No	0.0201	No	0.0176	No
30-Jul-20	Upwind	9.8	0.0314	No	<0.027	No	0.0196	No	0.0147	No
30-Jul-20	Downwind	9.4	0.0212	No	0.01052	No	0.0167	No	0.0142	No
31-Jul-20	Upwind	9.7	0.0364	No	<0.027	No	0.0159	No	0.0136	No
31-Jul-20	Downwind	9.3	0.0215	No	0.02626	No	0.0226	No	0.0127	No
3-Aug-20	Upwind	9.7	0.0569	No	<0.027	No	0.0242	No	0.0280	No
3-Aug-20	Downwind	9.3	0.0883	No	<0.028	No	0.0463	No	0.0599	No
4-Aug-20	Upwind	9.5	0.0503	No	<0.028	No	0.0358	No	0.0278	No
4-Aug-20	Downwind	9.2	0.0458	No	<0.029	No	0.0359	No	0.0195	No
5-Aug-20	Upwind	9.7	0.0741	No	<0.027	No	0.0346	No	0.0357	No
5-Aug-20	Downwind	9.3	0.0391	No	<0.029	No	0.0299	No	0.0208	No
6-Aug-20	Upwind	9.7	0.0499	No	<0.027	No	0.0310	No	0.0235	No
6-Aug-20	Downwind	9.3	0.0452	No	<0.028	No	0.0388	No	0.0223	No
7-Aug-20	Upwind	9.6	0.0669	No	<0.028	No	0.0349	No	0.0192	No
7-Aug-20	Downwind	9.3	0.0756	No	<0.029	No	0.0270	No	0.0239	No
10-Aug-20	Upwind	8.8	0.0539	No	0.01631	No	0.0352	No	0.0537	No
10-Aug-20	Downwind	8.5	0.0568	No	0.01513	No	0.0312	No	0.0573	No
11-Aug-20	Upwind	9.8	0.0395	No	0.00994	No	0.0346	No	0.0578	No
11-Aug-20	Downwind	9.4	0.0224	No	<0.028	No	0.0374	No	0.0244	No
12-Aug-20	Upwind	9.8	0.0373	No	0.03365	No	0.0235	No	0.0231	No
12-Aug-20	Downwind	9.4	0.0347	No	<0.028	No	0.0287	No	0.0320	No
13-Aug-20	Upwind	9.8	0.0598	No	<0.027	No	0.0373	No	0.0341	No
13-Aug-20	Downwind	9.5	0.0590	No	<0.028	No	0.0300	No	0.0363	No

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
14-Aug-20	Upwind	9.8	0.0708	No	0.01277	No	0.0534	No	0.0521	No
14-Aug-20	Downwind	9.4	0.0519	No	0.01341	No	0.0391	No	0.0361	No
17-Aug-20	Upwind	4.9	0.0731	No	<0.054	No	0.0240	No	0.0811	No
17-Aug-20	Downwind	4.7	0.0371	No	<0.057	No	0.0327	No	0.0619	No
18-Aug-20	Upwind	8.2	0.0663	No	<0.032	No	0.0184	No	0.0764	No
18-Aug-20	Downwind	7.8	0.0748	No	<0.034	No	0.0301	No	0.0789	No
19-Aug-20	Upwind	10.7	0.0899	No	<0.025	No	0.0225	No	0.1014	No
19-Aug-20	Downwind	10.3	0.1090	No	<0.026	No	0.0236	No	0.1175	No
20-Aug-20	Upwind	10.7	0.0447	No	<0.025	No	<0.017	No	0.0510	No
20-Aug-20	Downwind	10.3	0.0382	No	<0.026	No	0.0066	No	0.0439	No
21-Aug-20	Upwind	10.7	0.0430	No	<0.025	No	0.0083	No	0.0322	No
21-Aug-20	Downwind	10.4	0.0608	No	<0.026	No	0.0063	No	0.0427	No
24-Aug-20	Upwind	7.4	0.1020	No	0.02400	No	<0.024	No	0.0637	No
24-Aug-20	Downwind	7.5	0.0918	No	0.01659	No	0.0187	No	0.0719	No
25-Aug-20	Upwind	7.6	0.0846	No	<0.035	No	0.0069	No	0.0541	No
25-Aug-20	Downwind	8.3	0.0744	No	<0.032	No	0.0122	No	0.0519	No
26-Aug-20	Upwind	9.7	0.0438	No	<0.027	No	0.0160	No	0.0560	No
26-Aug-20	Downwind	9.4	0.0307	No	<0.028	No	0.0073	No	0.1356	No
27-Aug-20	Upwind	7.6	0.0710	No	0.02188	No	0.0124	No	0.0689	No
27-Aug-20	Downwind	7.2	0.0374	No	<0.037	No	<0.026	No	0.0424	No
28-Aug-20	Upwind	9.8	0.0917	No	<0.027	No	0.0125	No	0.0352	No
28-Aug-20	Downwind	9.4	0.1080	No	<0.028	No	0.0142	No	0.0590	No
31-Aug-20	Upwind	8.8	0.0670	No	<0.030	No	<0.020	No	0.0245	No
31-Aug-20	Downwind	8.4	0.0790	No	<0.031	No	<0.021	No	0.0382	No
1-Sep-20	Upwind	7.9	0.0804	No	0.0127	No	<0.023	No	0.0380	No
1-Sep-20	Downwind	8.4	0.0673	No	<0.0315	No	<0.021	No	0.0407	No
2-Sep-20	Upwind	8.8	0.0528	No	<0.03	No	<0.019	No	0.0287	No
2-Sep-20	Downwind	8.4	0.0782	No	<0.031	No	<0.021	No	0.0334	No
3-Sep-20	Upwind	8.4	0.0485	No	<0.031	No	<0.021	No	0.0263	No
3-Sep-20	Downwind	8.0	0.0398	No	<0.033	No	<0.022	No	0.0298	No
4-Sep-20	Upwind	10.1	0.0463	No	0.01608	No	<0.018	No	0.0263	No
4-Sep-20	Downwind	9.8	0.0366	No	<0.027	No	<0.018	No	0.0151	No
7-Sep-20	Upwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
7-Sep-20	Downwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
8-Sep-20	Upwind	9.8	0.1370	No	<0.027	No	0.0056	No	0.3248	No
8-Sep-20	Downwind	9.5	0.1690	No	<0.028	No	0.0239	No	0.5864	No
9-Sep-20	Upwind	5.4	0.1670	No	<0.049	No	<0.033	No	1.0838	No
9-Sep-20	Downwind	5.1	0.1950	No	<0.052	No	<0.035	No	1.0651	No
10-Sep-20	Upwind	7.5	0.2340	No	<0.035	No	0.0261	No	0.4716	No

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
10-Sep-20	Downwind	7.2	0.2130	No	<0.037	No	<0.025	No	0.4823	No
11-Sep-20	Upwind	8.2	0.2230	No	<0.032	No	<0.022	No	0.2054	No
11-Sep-20	Downwind	7.8	0.2540	No	<0.034	No	<0.023	No	0.2066	No
14-Sep-20	Upwind	7.1	0.1830	No	<0.037	No	0.0126	No	0.1464	No
14-Sep-20	Downwind	7.1	0.1500	No	<0.0373	No	<0.025	No	0.0305	No
15-Sep-20	Upwind	6.8	0.0571	No	<0.039	No	<0.026	No	<0.013	No
15-Sep-20	Downwind	7.0	0.0490	No	<0.038	No	0.0102	No	<0.013	No
16-Sep-20	Upwind	7.5	0.0198	No	<0.035	No	<0.024	No	<0.012	No
16-Sep-20	Downwind	7.5	0.0506	No	<0.035	No	<0.024	No	0.0073	No
17-Sep-20	Upwind	7.4	0.0498	No	0.02052	No	<0.024	No	0.0261	No
17-Sep-20	Downwind	7.1	0.0579	No	<0.037	No	<0.025	No	0.0081	No
18-Sep-20	Upwind	9.7	0.0406	No	0.01320	No	<0.018	No	0.0094	No
18-Sep-20	Downwind	9.4	0.0311	No	<0.028	No	<0.019	No	<0.009	No
21-Sep-20	Upwind	9.7	0.0589	No	<0.027	No	<0.018	No	0.0339	No
21-Sep-20	Downwind	9.3	0.0454	No	<0.029	No	<0.019	No	0.0368	No
22-Sep-20	Upwind	9.6	0.0296	No	<0.027	No	<0.018	No	0.0413	No
22-Sep-20	Downwind	9.2	0.0486	No	<0.029	No	0.0095	No	0.0509	No
23-Sep-20	Upwind	9.7	0.0319	No	<0.027	No	0.0053	No	0.0201	No
23-Sep-20	Downwind	9.4	0.0394	No	<0.028	No	0.0075	No	0.0317	No
24-Sep-20	Upwind	9.4	0.1040	No	<0.028	No	0.0105	No	0.0624	No
24-Sep-20	Downwind	9.1	0.0912	No	<0.029	No	0.0130	No	0.0405	No
25-Sep-20	Upwind	9.6	0.0468	No	0.01000	No	0.0071	No	0.0118	No
25-Sep-20	Downwind	9.3	0.0722	No	<0.028	No	<0.019	No	0.0504	No
28-Sep-20	Upwind	7.6	0.1280	No	0.01276	No	<0.023	No	0.3797	No
28-Sep-20	Downwind	7.6	0.1190	No	<0.035	No	0.0174	No	0.3958	No
29-Sep-20	Upwind	7.6	0.0526	No	<0.035	No	0.0244	No	0.0549	No
29-Sep-20	Downwind	7.2	0.0452	No	<0.037	No	0.0169	No	0.0640	No
30-Sep-20	Upwind	7.7	0.0496	No	<0.034	No	0.0135	No	0.0507	No
30-Sep-20	Downwind	7.4	0.0389	No	<0.036	No	0.0121	No	0.0389	No
1-Oct-20	Upwind	7.4	0.0971	No	<0.036	No	0.0158	No	0.1108	No
1-Oct-20	Downwind	7.1	0.0812	No	0.01460	No	0.0116	No	0.0773	No
2-Oct-20	Upwind	7.5	0.1120	No	<0.036	No	0.0101	No	0.0806	No
2-Oct-20	Downwind	7.5	0.1040	No	<0.035	No	0.0109	No	0.0824	No
5-Oct-20	Upwind	7.5	0.0618	No	<0.035	No	0.0131	No	0.0541	No
5-Oct-20	Downwind	7.3	0.0453	No	<0.036	No	0.0102	No	0.0363	No
6-Oct-20	Upwind	7.4	0.0418	No	<0.036	No	0.0079	No	0.0283	No
6-Oct-20	Downwind	7.2	0.0469	No	<0.037	No	0.0085	No	0.0414	No
7-Oct-20	Upwind	7.0	0.0611	No	<0.038	No	<0.025	No	0.0263	No
7-Oct-20	Downwind	6.5	0.0844	No	0.02018	No	0.0170	No	0.0833	No

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
8-Oct-20	Upwind	7.1	0.0467	No	0.02708	No	0.0116	No	0.0312	No
8-Oct-20	Downwind	7.0	0.0121	No	<0.038	No	0.0433	No	0.1123	No
9-Oct-20	Upwind	7.7	0.0143	No	0.02751	No	<0.023	No	0.0122	No
9-Oct-20	Downwind	7.5	0.0107	No	<0.035	No	0.0118	No	0.0101	No
12-Oct-20	Upwind	7.5	0.0357	No	<0.036	No	<0.024	No	0.0367	No
12-Oct-20	Downwind	7.5	0.0397	No	<0.035	No	<0.024	No	0.0387	No
13-Oct-20	Upwind	7.6	0.0659	No	<0.035	No	0.0202	No	0.0651	No
13-Oct-20	Downwind	7.6	0.0484	No	<0.035	No	0.0115	No	0.0381	No
14-Oct-20	Upwind	7.5	0.0667	No	<0.035	No	0.0112	No	0.0605	No
14-Oct-20	Downwind	7.5	0.0479	No	<0.035	No	0.0180	No	0.0508	No
15-Oct-20	Upwind	7.6	0.1200	No	<0.035	No	0.0191	No	0.1742	No
15-Oct-20	Downwind	7.6	0.3540	No	<0.035	No	0.0268	No	0.1857	No
16-Oct-20	Upwind	7.8	0.1250	No	<0.034	No	0.0350	No	0.2368	No
16-Oct-20	Downwind	7.5	0.0735	No	<0.035	No	0.0186	No	0.1417	No
19-Oct-20	Upwind	7.8	0.0484	No	<0.034	No	0.0068	No	0.0394	No
19-Oct-20	Downwind	7.5	0.0585	No	<0.035	No	0.0138	No	0.0587	No
20-Oct-20	Upwind	7.7	0.0588	No	<0.034	No	0.0080	No	0.0547	No
20-Oct-20	Downwind	7.4	0.0615	No	<0.036	No	0.0236	No	0.0508	No
21-Oct-20	Upwind	19.1	0.0596	No	<0.014	No	0.0083	No	0.0334	No
21-Oct-20	Downwind	19.1	0.0662	No	<0.014	No	0.0154	No	0.0532	No
22-Oct-20	Upwind	18.0	0.0591	No	<0.015	No	0.0047	No	0.0378	No
22-Oct-20	Downwind	18.0	0.0742	No	<0.015	No	0.0167	No	0.0612	No
23-Oct-20	Upwind	17.4	0.0712	No	<0.015	No	0.0107	No	0.0610	No
23-Oct-20	Downwind	17.4	0.0622	No	<0.015	No	0.0032	No	0.0479	No
24-Oct-20	Upwind	4.2	0.0968	No	<0.064	No	0.0182	No	0.0999	No
24-Oct-20	Downwind	5.2	0.0399	No	<0.051	No	<0.034	No	0.0367	No
26-Oct-20	Upwind	7.6	0.1690	No	<0.035	No	0.0237	No	0.3997	No
26-Oct-20	Downwind	7.2	0.1160	No	<0.037	No	0.0104	No	0.3937	No
27-Oct-20	Upwind	7.7	0.1010	No	<0.034	No	0.0176	No	0.1174	No
27-Oct-20	Downwind	7.3	0.0552	No	<0.036	No	<0.024	No	0.1136	No
28-Oct-20	Upwind	7.7	0.2390	No	<0.034	No	0.0356	No	0.3120	No
28-Oct-20	Downwind	7.4	0.1140	No	<0.036	No	0.0087	No	0.1502	No
29-Oct-20	Upwind	12.5	0.1280	No	<0.021	No	0.0121	No	0.1575	No
29-Oct-20	Downwind	12.3	0.0824	No	<0.022	No	0.0072	No	0.1374	No
30-Oct-20	Upwind	17.3	0.0520	No	<0.015	No	0.0090	No	0.0515	No
30-Oct-20	Downwind	17.2	0.0337	No	<0.015	No	0.0038	No	0.0480	No
31-Oct-20	Upwind	7.7	0.0681	No	<0.035	No	0.0246	No	0.1457	No
31-Oct-20	Downwind	7.7	0.0399	No	<0.035	No	<0.023	No	0.0652	No
2-Nov-20	Upwind	15.5	0.1290	No	0.00750	No	0.0199	No	0.1276	No

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
2-Nov-20	Downwind	15.4	0.0693	No	<0.017	No	0.0164	No	0.0736	No
3-Nov-20	Upwind	17.3	0.0253	No	0.00795	No	0.0046	No	0.0164	No
3-Nov-20	Downwind	17.4	0.0334	No	0.00843	No	0.0043	No	0.0333	No
4-Nov-20	Upwind	18.3	0.0488	No	0.00549	No	0.0133	No	0.0338	No
4-Nov-20	Downwind	18.2	0.0189	No	0.00895	No	0.0065	No	0.0132	No
5-Nov-20	Upwind	19.3	0.0391	No	<0.014	No	0.0106	No	0.0295	No
5-Nov-20	Downwind	19.3	0.0470	No	<0.014	No	0.0092	No	0.0490	No
6-Nov-20	Upwind	17.3	0.0755	No	<0.015	No	0.0147	No	0.0757	No
6-Nov-20	Downwind	20.2	0.0592	No	0.00656	No	0.0080	No	0.0487	No
7-Nov-20	Upwind	21.2	0.0327	No	<0.012	No	0.0026	No	0.0247	No
7-Nov-20	Downwind	21.2	0.0603	No	<0.012	No	0.0114	No	0.0691	No
9-Nov-20	Upwind	12.3	0.0263	No	<0.021	No	0.0079	No	0.0260	No
9-Nov-20	Downwind	12.3	0.0135	No	<0.022	No	<0.014	No	0.0200	No
10-Nov-20	Upwind	12.2	0.0369	No	<0.022	No	<0.014	No	0.0189	No
10-Nov-20	Downwind	12.2	0.0239	No	<1.302	No	<0.868	No	0.5955	No
11-Nov-20	Upwind	12.4	0.0472	No	<0.021	No	<0.014	No	0.0444	No
11-Nov-20	Downwind	12.4	0.0284	No	<0.021	No	<0.014	No	0.0149	No
12-Nov-20	Upwind	12.4	0.0365	No	<0.021	No	<0.014	No	0.0231	No
12-Nov-20	Downwind	12.3	0.0359	No	<0.022	No	<0.014	No	0.0204	No
13-Nov-20	Upwind	6.3	0.0320	No	<0.042	No	<0.028	No	0.0282	No
13-Nov-20	Downwind	5.9	0.0164	No	<0.045	No	<0.029	No	<0.015	No
14-Nov-20	Upwind	12.5	0.0154	No	<0.021	No	<0.014	No	<0.007	No
14-Nov-20	Downwind	12.5	0.0173	No	<0.021	No	<0.014	No	0.0061	No
16-Nov-20	Upwind	7.5	0.0666	No	<0.036	No	0.0164	No	0.0765	No
16-Nov-20	Downwind	7.1	0.0349	No	<0.037	No	<0.025	No	0.0281	No
17-Nov-20	Upwind	2.6	0.1780	No	<0.102	No	0.0435	No	0.0945	No
17-Nov-20	Downwind	3.4	<0.0130	No	<0.078	No	0.0177	No	0.0296	No
18-Nov-20	Upwind	16.5	0.0246	No	<0.016	No	<0.011	No	0.0085	No
18-Nov-20	Downwind	16.7	0.0080	No	<0.016	No	<0.011	No	0.0034	No
19-Nov-20	Upwind	18.9	0.0344	No	<0.014	No	0.0036	No	0.0086	No
19-Nov-20	Downwind	18.8	0.0123	No	<0.014	No	0.0056	No	0.0053	No
20-Nov-20	Upwind	18.8	0.0969	No	<0.014	No	0.0043	No	0.0162	No
20-Nov-20	Downwind	18.7	0.0336	No	<0.014	No	0.0062	No	0.0126	No
21-Nov-20	Upwind	18.2	0.0194	No	<0.014	No	0.0106	No	0.0210	No
21-Nov-20	Downwind	18.1	0.0647	No	<0.014	No	0.0078	No	0.0114	No
23-Nov-20	Upwind	7.3	0.0150	No	<0.036	No	0.0088	No	0.0178	No
23-Nov-20	Downwind	7.3	0.0301	No	<0.036	No	0.0219	No	0.0275	No
24-Nov-20	Upwind	6.8	0.0157	No	<0.039	No	0.0090	No	0.0170	No
24-Nov-20	Downwind	6.8	0.0173	No	<0.039	No	0.0092	No	0.0191	No

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
25-Nov-20	Upwind	7.5	0.0236	No	<0.035	No	0.0178	No	0.0207	No
25-Nov-20	Downwind	7.4	0.0176	No	<0.036	No	0.0115	No	0.0230	No
26-Nov-20	Upwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
26-Nov-20	Downwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
27-Nov-20	Upwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
27-Nov-20	Downwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
30-Nov-20	Upwind	14.38	0.0507	No	<0.0184	No	0.00906	No	0.0376	No
30-Nov-20	Downwind	14.33	0.0416	No	<0.0185	No	0.0153	No	0.0295	No
1-Dec-20	Upwind	15.83	0.0444	No	<0.0167	No	0.00717	No	0.0344	No
1-Dec-20	Downwind	15.83	0.0366	No	<0.0167	No	0.00804	No	0.0243	No
2-Dec-20	Upwind	15.92	0.111	No	<0.0166	No	0.0188	No	0.0816	No
2-Dec-20	Downwind	15.83	0.0341	No	<0.0167	No	<0.0112	No	0.0176	No
3-Dec-20	Upwind	16.58	0.0711	No	<0.0160	No	0.00531	No	0.0334	No
3-Dec-20	Downwind	16.60	0.131	No	<0.0160	No	0.0202	No	0.114	No
4-Dec-20	Upwind	16.75	0.0666	No	<0.0158	No	0.0101	No	0.0456	No
4-Dec-20	Downwind	16.53	0.0781	No	<0.0160	No	0.00721	No	0.0448	No
5-Dec-20	Upwind	8.07	0.0575	No	0.0173	No	0.00598	No	0.0345	No
5-Dec-20	Downwind	7.80	0.0553	No	<0.0340	No	0.0110	No	0.0398	No
7-Dec-20	Upwind	7.55	0.0758	No	<0.0351	No	0.0139	No	0.109	No
7-Dec-20	Downwind	7.55	0.0688	No	<0.0351	No	0.0337	No	0.0805	No
8-Dec-20	Upwind	7.37	0.0663	No	<0.0359	No	0.0266	No	0.0817	No
8-Dec-20	Downwind	7.33	0.0544	No	<0.0361	No	<0.0241	No	0.0518	No
9-Dec-20	Upwind	7.42	0.147	No	<0.0357	No	0.0389	No	0.130	No
9-Dec-20	Downwind	7.42	0.116	No	<0.0357	No	0.0252	No	0.0930	No
10-Dec-20	Upwind	7.42	0.0926	No	<0.0357	No	0.0155	No	0.0702	No
10-Dec-20	Downwind	7.42	0.0938	No	<0.0357	No	0.0118	No	0.0661	No
11-Dec-20	Upwind	7.25	0.0359	No	<0.0365	No	<0.0244	No	0.0414	No
11-Dec-20	Downwind	7.17	0.190	No	<0.0370	No	0.0359	No	0.234	No
14-Dec-20	Upwind	7.38	0.0136	No	<0.0359	No	<0.0239	No	0.00945	No
14-Dec-20	Downwind	7.32	0.00603	No	<0.0362	No	0.0172	No	0.00794	No
15-Dec-20	Upwind	6.90	0.0119	No	<0.0384	No	<0.0256	No	0.0161	No
15-Dec-20	Downwind	6.78	0.00651	No	<0.0390	No	<0.0260	No	0.0130	No
16-Dec-20	Upwind	7.25	0.0227	No	<0.0365	No	0.0180	No	0.0215	No
16-Dec-20	Downwind	7.08	0.0193	No	<0.0374	No	0.00663	No	0.00989	No
17-Dec-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-Dec-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
18-Dec-20	Upwind	7.83	0.0131	No	0.0257	No	<0.0225	No	0.0175	No
18-Dec-20	Downwind	7.50	0.00588	No	<0.0353	No	0.00626	No	0.0113	No
21-Dec-20	Upwind	7.38	0.0351	No	0.0191	No	0.0184	No	0.0245	No
21-Dec-20	Downwind	6.83	0.0254	No	<0.0388	No	<0.0258	No	0.0103	No
22-Dec-20	Upwind	7.32	0.00744	No	<0.0362	No	<0.0241	No	0.0171	No
22-Dec-20	Downwind	7.20	0.00613	No	0.0175	No	<0.0245	No	0.00944	No
23-Dec-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Dec-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-Dec-20	Upwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
24-Dec-20	Downwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
25-Dec-20	Upwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
25-Dec-20	Downwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
28-Dec-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
28-Dec-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
29-Dec-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
29-Dec-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
30-Dec-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
30-Dec-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
31-Dec-20	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
31-Dec-20	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
1-Jan-21	Upwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
1-Jan-21	Downwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
4-Jan-21	Upwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
4-Jan-21	Downwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
5-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
6-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
6-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
7-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
7-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
11-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
11-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
12-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
12-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
14-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
14-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
15-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
15-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
18-Jan-21	Upwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
18-Jan-21	Downwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
19-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
19-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
22-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
22-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
25-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
25-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
26-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
26-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
27-Jan-21	Upwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
27-Jan-21	Downwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
28-Jan-21	Upwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
28-Jan-21	Downwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
29-Jan-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
29-Jan-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
1-Feb-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
1-Feb-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Feb-21	Upwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
2-Feb-21	Downwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
3-Feb-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
3-Feb-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
4-Feb-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
4-Feb-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-Feb-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-Feb-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-Feb-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-Feb-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
9-Feb-21	Upwind	5.75	0.065	No	<0.046	No	0.0266J	No	0.0555	No
9-Feb-21	Downwind	5.75	0.0202	No	<0.046	No	0.0218J	No	0.0315	No
10-Feb-21	Upwind	6.17	0.0267	No	<0.043	No	0.0129J	No	0.0188	No
10-Feb-21	Downwind	6.45	<0.0068	No	<0.041	No	0.0123J	No	<0.014	No

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
11-Feb-21	Upwind	4.43	0.0252	No	<0.060	No	0.0269J	No	0.0242	No
11-Feb-21	Downwind	4.68	<0.0094	No	<0.057	No	<0.038	No	0.0198	No
12-Feb-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
12-Feb-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
15-Feb-21	Upwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
15-Feb-21	Downwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
16-Feb-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Feb-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-Feb-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-Feb-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
18-Feb-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
18-Feb-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
19-Feb-21	Upwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
19-Feb-21	Downwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
22-Feb-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
22-Feb-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Feb-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Feb-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-Feb-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-Feb-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
25-Feb-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
25-Feb-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
26-Feb-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
26-Feb-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
1-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
1-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
3-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
3-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
4-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
4-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
9-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
9-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
10-Mar-21	Upwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
10-Mar-21	Downwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
11-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
11-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
12-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
12-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
15-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
15-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
18-Mar-21	Upwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
18-Mar-21	Downwind	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1	Note 1
19-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
19-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
22-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
22-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
25-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
25-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
26-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
26-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
29-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
29-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
30-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
30-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
31-Mar-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
31-Mar-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
1-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
1-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
6-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
6-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
7-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
7-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
9-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
9-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
12-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
12-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
14-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
14-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
15-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
15-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
19-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
19-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
22-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
22-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
26-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
26-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
27-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
27-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
28-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
28-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
29-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
29-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
30-Apr-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
30-Apr-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
3-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
3-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
4-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
4-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
6-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
6-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
7-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
7-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
10-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
10-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
11-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
11-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
12-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
12-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
14-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
14-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
18-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
18-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
19-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
19-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
25-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
25-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
26-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
26-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
27-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
27-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
28-May-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
28-May-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
31-May-21	Upwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
31-May-21	Downwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
1-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
1-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
3-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
3-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
4-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
4-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
7-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
7-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
9-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
9-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
10-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
10-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
11-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
11-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
14-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
14-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
15-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
15-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
17-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
18-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
18-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
22-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
22-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
23-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
24-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
25-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
25-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
28-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
28-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
29-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
29-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
30-Jun-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
30-Jun-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
1-Jul-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
1-Jul-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Jul-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
2-Jul-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
5-Jul-21	Upwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
6-Jul-21	Downwind	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2
6-Jul-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
6-Jul-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
7-Jul-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
7-Jul-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-Jul-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
8-Jul-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
9-Jul-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
9-Jul-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
12-Jul-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
12-Jul-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-Jul-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
13-Jul-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
14-Jul-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
14-Jul-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
15-Jul-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
15-Jul-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Jul-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
16-Jul-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
19-Jul-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
19-Jul-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-Jul-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
20-Jul-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-Jul-21	Upwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
21-Jul-21	Downwind	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3	Note 3
22-Jul-21	Upwind	6.6	0.0970	No	0.0332J	No	0.0256J	No	0.0495	No
22-Jul-21	Downwind	6.6	0.0704	No	<0.0402	No	0.0120J	No	0.0248	No
23-Jul-21	Upwind	8.7	0.0673	No	<0.0304	No	0.0220	No	0.0340	No
23-Jul-21	Downwind	8.7	0.0584	No	0.0182J	No	<0.0204	No	0.0199	No

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
24-Jul-21	Upwind	3.3	0.0419	No	<0.0803	No	0.0624	No	0.0154J	No
24-Jul-21	Downwind	2.9	0.0375	No	<0.0924	No	0.0211J	No	0.0178J	No
26-Jul-21	Upwind	6.8	0.0580	No	<0.0392	No	<0.0262	No	0.0133	No
26-Jul-21	Downwind	6.8	0.0581	No	<0.0388	No	<0.0258	No	0.0185	No
27-Jul-21	Upwind	7.4	0.0402	No	<0.0356	No	0.0093J	No	0.0163	No
27-Jul-21	Downwind	7.3	0.0489	No	<0.0361	No	0.0331	No	0.0303	No
28-Jul-21	Upwind	7.4	0.0468	No	<0.0357	No	<0.0238	No	0.0264	No
28-Jul-21	Downwind	7.4	0.0686	No	<0.0357	No	0.0075J	No	0.0359	No
29-Jul-21	Upwind	7.2	0.0553	No	<0.0366	No	<0.0244	No	0.0107J	No
29-Jul-21	Downwind	7.2	0.0413	No	<0.0370	No	<0.0246	No	0.0185	No
30-Jul-21	Upwind	7.1	0.0314	No	<0.0371	No	<0.0248	No	0.0095J	No
30-Jul-21	Downwind	7.0	0.0437	No	<0.0378	No	<0.0252	No	0.0238	No
2-Aug-21	Upwind	7.20	0.0429	No	<0.0368	No	0.0148 J	No	0.0260	No
2-Aug-21	Downwind	6.88	0.0237	No	<0.0385	No	0.0301	No	0.0660	No
3-Aug-21	Upwind	7.33	0.0241	No	<0.0361	No	0.00807 J	No	0.0166	No
3-Aug-21	Downwind	7.33	0.0455	No	<0.0361	No	0.0130 J	No	0.0257	No
4-Aug-21	Upwind	7.40	0.038	No	<0.0358	No	0.0140 J	No	0.0231	No
4-Aug-21	Downwind	7.42	0.0661	No	<0.0357	No	0.0167 J	No	0.0375	No
5-Aug-21	Upwind	7.37	0.0208	No	<0.0359	No	0.0152 J	No	0.0103 J	No
5-Aug-21	Downwind	7.38	0.0307	No	<0.0359	No	0.0122 J	No	0.0277	No
6-Aug-21	Upwind	7.97	0.0417	No	<0.0332	No	0.00951 J	No	0.0238	No
6-Aug-21	Downwind	7.00	0.0349	No	<0.0378	No	0.0141 J	No	0.0242	No
9-Aug-21	Upwind	7.33	0.0474	No	<0.0361	No	0.0111 J	No	0.0235	No
9-Aug-21	Downwind	7.25	0.0296	No	<0.0365	No	0.0132 J	No	0.0164	No
10-Aug-21	Upwind	7.33	0.0656	No	<0.0361	No	0.0197 J	No	0.0335	No
10-Aug-21	Downwind	7.33	0.0401	No	<0.0361	No	0.0219 J	No	0.0213	No
11-Aug-21	Upwind	7.33	0.0395	No	<0.0361	No	0.0170 J	No	0.0186	No
11-Aug-21	Downwind	7.33	0.0510	No	<0.0361	No	0.0245	No	0.0359	No
12-Aug-21	Upwind	7.25	0.0408	No	<0.0375	No	0.0101 J	No	0.0212	No
12-Aug-21	Downwind	7.28	0.0574	No	<0.0364	No	0.0161 J	No	0.0319	No
13-Aug-21	Upwind	7.58	0.0352	No	<0.0358	No	0.0219 J	No	0.0231	No
13-Aug-21	Downwind	7.12	0.0277	No	<0.0372	No	0.0105 J	No	0.0207	No
16-Aug-21	Upwind	7.50	0.0722	No	0.0262 J	No	<0.0241	No	0.0190	No
16-Aug-21	Downwind	7.17	0.109	No	<0.0370	No	0.0114 J	No	0.0454	No
17-Aug-21	Upwind	7.37	0.0703	No	<0.0359	No	0.0214 J	No	0.0278	No
17-Aug-21	Downwind	7.42	0.073	No	0.0216 J	No	<0.0238	No	0.0234	No
18-Aug-21	Upwind	7.32	0.104	No	<0.0362	No	0.0160 J	No	0.0975	No
18-Aug-21	Downwind	7.33	0.0853	No	0.0227 J	No	0.0192 J	No	0.0770	No
19-Aug-21	Upwind	7.67	0.0821	No	0.0148 J	No	0.0102 J	No	0.0860	No

Attachment 1, Table 2: TSP and Metals Sampling Results

Date	Sample Location	Sampling Period (hours)	TSP (mg/m ³)	TSP Exceedance? (Yes/No)	Arsenic (µg/m ³)	Arsenic Exceedance? (Yes/No)	Lead (µg/m ³)	Lead Exceedance? (Yes/No)	Manganese (µg/m ³)	Manganese Exceedance? (Yes/No)
19-Aug-21	Downwind	7.17	0.0891	No	<0.03670	No	0.00977 J	No	0.0846	No
20-Aug-21	Upwind	7.48	0.0653	No	<0.0354	No	0.0098 J	No	0.0474	No
20-Aug-21	Downwind	7.57	0.0515	No	0.0259 J	No	0.0102 J	No	0.0385	No
23-Aug-21	Upwind	7.20	0.0521	No	<0.0368	No	<0.0245	No	0.0266	No
23-Aug-21	Downwind	7.60	0.0348	No	0.0135 J	No	<0.0232	No	0.0177	No
24-Aug-21	Upwind	7.08	0.0568	No	<0.0374	No	<0.0249	No	0.0182	No
24-Aug-21	Downwind	7.53	0.0574	No	<0.0352	No	<0.0234	No	0.0271	No
25-Aug-21	Upwind	7.67	0.0553	No	0.0246 J	No	0.0200 J	No	0.0174	No
25-Aug-21	Downwind	7.70	0.0409	No	<0.0344	No	<0.0229	No	0.0367	No
26-Aug-21	Upwind	7.58	0.0609	No	<0.0349	No	<0.0233	No	0.0138	No
26-Aug-21	Downwind	7.62	0.0411	No	<0.0348	No	<0.0232	No	0.0130	No
27-Aug-21	Upwind	7.33	0.0716	No	<0.0361	No	<0.0241	No	0.0279	No
27-Aug-21	Downwind	7.75	0.0573	No	<0.0342	No	<0.0228	No	0.0205	No
30-Aug-21	Upwind	9.58	0.0637	No	<0.0276	No	<0.0184	No	0.0103	No
30-Aug-21	Downwind	9.42	0.0606	No	<0.0281	No	<0.0187	No	0.0104	No
31-Aug-21	Upwind	9.73	0.120	No	<0.0272	No	<0.0181	No	0.0130	No
31-Aug-21	Downwind	9.58	0.0652	No	<0.0276	No	0.0075 J	No	0.0127	No
1-Sep-21	Upwind	9.48	0.127	No	<0.0279	No	0.0137 J	No	0.0482	No
1-Sep-21	Downwind	9.75	0.0798	No	<0.0272	No	<0.0181	No	0.0175	No
2-Sep-21	Upwind	9.45	0.0713	No	<0.0280	No	0.0184 J	No	0.0721	No
2-Sep-21	Downwind	9.72	0.0589	No	<0.0273	No	0.00746 J	No	0.00751 J	No
3-Sep-21	Upwind	7.50	0.0651	No	<0.0353	No	0.00743 J	No	0.0181	No
3-Sep-21	Downwind	7.05	0.0480	No	<0.0376	No	<0.0250	No	0.0255	No

Attachment 1, Table 2: TSP and Metals Sampling Results

Notes:

Note 1: Sample not collected due to inclement conditions: Rain.

Note 2: Samples were not collected as project site was closed for holidays.

Note 3: Samples were not collected as no excavation was conducted.

Sample locations are shown on Figure 1.

Upwind station is located at Air Sampling Station #1; Downwind station is located at Air Sampling Station #2

Prevailing winds come out of the northwest

The action limits are as follows: TSP = 0.5 mg/m³, arsenic = 10 µg/m³, lead = 50 µg/m³, manganese = 200 µg/m³.

The detection limit for TSP is 0.06 µg/m³ assuming a minimum sample volume of 1,600 m³. The detection limits for arsenic, lead and manganese are 16 ng/m³ assuming J - the concentration is an estimated value

µg/m³ - microgram per cubic meter

mg/m³ - milligram per cubic meter

N/A - not applicable

ng/m³ - nanogram per cubic meter

TSP - total suspended particulates

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
20-Nov-19	Upwind	9.8	43.7	No
20-Nov-19	Downwind	9.9	29.7	No
21-Nov-19	Upwind	7.5	45.5	No
21-Nov-19	Downwind	7.5	33.4	No
22-Nov-19	Upwind	8.8	5.35	No
22-Nov-19	Downwind	8.8	38.8	No
25-Nov-19	Upwind	8.9	31.3	No
25-Nov-19	Downwind	8.7	24.1	No
26-Nov-19	Upwind	7.4	23.1	No
26-Nov-19	Downwind	7.5	16.4	No
27-Nov-19	Upwind	Note 1	Note 1	Note 1
27-Nov-19	Downwind	Note 1	Note 1	Note 1
28-Nov-19	Upwind	Note 2	Note 2	Note 2
28-Nov-19	Downwind	Note 2	Note 2	Note 2
29-Nov-19	Upwind	Note 2	Note 2	Note 2
29-Nov-19	Downwind	Note 2	Note 2	Note 2
2-Dec-19	Upwind	Note 3	Note 3	Note 3
2-Dec-19	Downwind	Note 3	Note 3	Note 3
3-Dec-19	Upwind	Note 3	Note 3	Note 3
3-Dec-19	Downwind	Note 3	Note 3	Note 3
4-Dec-19	Upwind	Note 3	Note 3	Note 3
4-Dec-19	Downwind	Note 3	Note 3	Note 3
5-Dec-19	Upwind	Note 3	Note 3	Note 3
5-Dec-19	Downwind	Note 3	Note 3	Note 3
6-Dec-19	Upwind	Note 3	Note 3	Note 3
6-Dec-19	Downwind	Note 3	Note 3	Note 3
9-Dec-19	Upwind	4.3	3.960	No
9-Dec-19	Downwind	4.1	<0.06	No
10-Dec-19	Upwind	9.4	4.3	No
10-Dec-19	Downwind	9.4	7.5	No
11-Dec-19	Upwind	Note 3	Note 3	Note 3
11-Dec-19	Downwind	Note 3	Note 3	Note 3
12-Dec-19	Upwind	Note 3	Note 3	Note 3
12-Dec-19	Downwind	Note 3	Note 3	Note 3
13-Dec-19	Upwind	Note 3	Note 3	Note 3
13-Dec-19	Downwind	Note 3	Note 3	Note 3
16-Dec-19	Upwind	Note 3	Note 3	Note 3
16-Dec-19	Downwind	Note 3	Note 3	Note 3
17-Dec-19	Upwind	Note 3	Note 3	Note 3
17-Dec-19	Downwind	Note 3	Note 3	Note 3

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
18-Dec-19	Upwind	Note 3	Note 3	Note 3
18-Dec-19	Downwind	Note 3	Note 3	Note 3
19-Dec-19	Upwind	Note 3	Note 3	Note 3
19-Dec-19	Downwind	Note 3	Note 3	Note 3
20-Dec-19	Upwind	Note 3	Note 3	Note 3
20-Dec-19	Downwind	Note 3	Note 3	Note 3
23-Dec-19	Upwind	7.5	<0.06	No
23-Dec-19	Downwind	7.5	<0.06	No
24-Dec-19	Upwind	6.8	<0.06	No
24-Dec-19	Downwind	6.9	<0.06	No
25-Dec-19	Upwind	Note 2	Note 2	Note 2
25-Dec-19	Downwind	Note 2	Note 2	Note 2
26-Dec-19	Upwind	7.433	<0.06	No
26-Dec-19	Downwind	7.5	<0.06	No
27-Dec-19	Upwind	7.517	<0.06	No
27-Dec-19	Downwind	7.667	<0.06	No
30-Dec-19	Upwind	7.317	<0.06	No
30-Dec-19	Downwind	7.3	<0.06	No
31-Dec-19	Upwind	7.067	<0.06	No
31-Dec-19	Downwind	7.1	10.8	No
1-Jan-20	Upwind	Note 3	Note 3	Note 3
1-Jan-20	Downwind	Note 3	Note 3	Note 3
2-Jan-20	Upwind	Note 3	Note 3	Note 3
2-Jan-20	Downwind	Note 3	Note 3	Note 3
3-Jan-20	Upwind	7.6	<0.06	No
3-Jan-20	Downwind	7.6	18.5	No
6-Jan-20	Upwind	7.6	<0.06	No
6-Jan-20	Downwind	7.6	9.2	No
7-Jan-20	Upwind	7.9	10.4	No
7-Jan-20	Downwind	8.0	7.8	No
8-Jan-20	Upwind	Note 3	Note 3	Note 3
8-Jan-20	Downwind	Note 3	Note 3	Note 3
9-Jan-20	Upwind	Note 3	Note 3	Note 3
9-Jan-20	Downwind	Note 3	Note 3	Note 3
10-Jan-20	Upwind	Note 3	Note 3	Note 3
10-Jan-20	Downwind	Note 3	Note 3	Note 3
13-Jan-20	Upwind	Note 3	Note 3	Note 3
13-Jan-20	Downwind	Note 3	Note 3	Note 3
14-Jan-20	Upwind	Note 3	Note 3	Note 3
14-Jan-20	Downwind	Note 3	Note 3	Note 3

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
15-Jan-20	Upwind	Note 3	Note 3	Note 3
15-Jan-20	Downwind	Note 3	Note 3	Note 3
16-Jan-20	Upwind	Note 3	Note 3	Note 3
16-Jan-20	Downwind	Note 3	Note 3	Note 3
17-Jan-20	Upwind	Note 3	Note 3	Note 3
17-Jan-20	Downwind	Note 3	Note 3	Note 3
20-Jan-20	Upwind	Note 3	Note 3	Note 3
20-Jan-20	Downwind	Note 3	Note 3	Note 3
21-Jan-20	Upwind	Note 3	Note 3	Note 3
21-Jan-20	Downwind	Note 3	Note 3	Note 3
22-Jan-20	Upwind	Note 3	Note 3	Note 3
22-Jan-20	Downwind	Note 3	Note 3	Note 3
23-Jan-20	Upwind	Note 3	Note 3	Note 3
23-Jan-20	Downwind	Note 3	Note 3	Note 3
24-Jan-20	Upwind	Note 3	Note 3	Note 3
24-Jan-20	Downwind	Note 3	Note 3	Note 3
27-Jan-20	Upwind	Note 3	Note 3	Note 3
27-Jan-20	Downwind	Note 3	Note 3	Note 3
28-Jan-20	Upwind	Note 3	Note 3	Note 3
28-Jan-20	Downwind	Note 3	Note 3	Note 3
29-Jan-20	Upwind	Note 3	Note 3	Note 3
29-Jan-20	Downwind	Note 3	Note 3	Note 3
30-Jan-20	Upwind	Note 3	Note 3	Note 3
30-Jan-20	Downwind	Note 3	Note 3	Note 3
31-Jan-20	Upwind	Note 3	Note 3	Note 3
31-Jan-20	Downwind	Note 3	Note 3	Note 3
3-Feb-20	Upwind	Note 3	Note 3	Note 3
3-Feb-20	Downwind	Note 3	Note 3	Note 3
4-Feb-20	Upwind	Note 3	Note 3	Note 3
4-Feb-20	Downwind	Note 3	Note 3	Note 3
5-Feb-20	Upwind	Note 3	Note 3	Note 3
5-Feb-20	Downwind	Note 3	Note 3	Note 3
6-Feb-20	Upwind	Note 3	Note 3	Note 3
6-Feb-20	Downwind	Note 3	Note 3	Note 3
7-Feb-20	Upwind	Note 3	Note 3	Note 3
7-Feb-20	Downwind	Note 3	Note 3	Note 3
10-Feb-20	Upwind	Note 3	Note 3	Note 3
10-Feb-20	Downwind	Note 3	Note 3	Note 3
11-Feb-20	Upwind	7.2	<0.06	No
11-Feb-20	Downwind	7.2	21.7	No

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
12-Feb-20	Upwind	5.5	<0.06	No
12-Feb-20	Downwind	5.6	<0.06	No
13-Feb-20	Upwind	5.3	25.0	No
13-Feb-20	Downwind	5.1	<0.06	No
14-Feb-20	Upwind	7.8	<0.06	No
14-Feb-20	Downwind	7.7	<0.06	No
17-Feb-20	Upwind	7.7	<0.06	No
17-Feb-20	Downwind	7.6	<0.06	No
18-Feb-20	Upwind	7.0	<0.06	No
18-Feb-20	Downwind	7.1	14.0	No
19-Feb-20	Upwind	3.8	<0.06	No
19-Feb-20	Downwind	3.9	<0.06	No
20-Feb-20	Upwind	Note 3	Note 3	Note 3
20-Feb-20	Downwind	Note 3	Note 3	Note 3
21-Feb-20	Upwind	Note 3	Note 3	Note 3
21-Feb-20	Downwind	Note 3	Note 3	Note 3
24-Feb-20	Upwind	Note 3	Note 3	Note 3
24-Feb-20	Downwind	Note 3	Note 3	Note 3
25-Feb-20	Upwind	Note 3	Note 3	Note 3
25-Feb-20	Downwind	Note 3	Note 3	Note 3
26-Feb-20	Upwind	Note 3	Note 3	Note 3
26-Feb-20	Downwind	Note 3	Note 3	Note 3
27-Feb-20	Upwind	Note 3	Note 3	Note 3
27-Feb-20	Downwind	Note 3	Note 3	Note 3
28-Feb-20	Upwind	Note 3	Note 3	Note 3
28-Feb-20	Downwind	Note 3	Note 3	Note 3
2-Mar-20	Upwind	Note 3	Note 3	Note 3
2-Mar-20	Downwind	Note 3	Note 3	Note 3
3-Mar-20	Upwind	Note 3	Note 3	Note 3
3-Mar-20	Downwind	Note 3	Note 3	Note 3
4-Mar-20	Upwind	Note 3	Note 3	Note 3
4-Mar-20	Downwind	Note 3	Note 3	Note 3
5-Mar-20	Upwind	Note 3	Note 3	Note 3
5-Mar-20	Downwind	Note 3	Note 3	Note 3
6-Mar-20	Upwind	Note 3	Note 3	Note 3
6-Mar-20	Downwind	Note 3	Note 3	Note 3
9-Mar-20	Upwind	Note 3	Note 3	Note 3
9-Mar-20	Downwind	Note 3	Note 3	Note 3
10-Mar-20	Upwind	Note 3	Note 3	Note 3
10-Mar-20	Downwind	Note 3	Note 3	Note 3

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
11-Mar-20	Upwind	Note 3	Note 3	Note 3
11-Mar-20	Downwind	Note 3	Note 3	Note 3
12-Mar-20	Upwind	Note 3	Note 3	Note 3
12-Mar-20	Downwind	Note 3	Note 3	Note 3
13-Mar-20	Upwind	Note 3	Note 3	Note 3
13-Mar-20	Downwind	Note 3	Note 3	Note 3
16-Mar-20	Upwind	Note 3	Note 3	Note 3
16-Mar-20	Downwind	Note 3	Note 3	Note 3
17-Mar-20	Upwind	Note 3	Note 3	Note 3
17-Mar-20	Downwind	Note 3	Note 3	Note 3
18-Mar-20	Upwind	Note 3	Note 3	Note 3
18-Mar-20	Downwind	Note 3	Note 3	Note 3
19-Mar-20	Upwind	Note 3	Note 3	Note 3
19-Mar-20	Downwind	Note 3	Note 3	Note 3
20-Mar-20	Upwind	Note 3	Note 3	Note 3
20-Mar-20	Downwind	Note 3	Note 3	Note 3
23-Mar-20	Upwind	Note 3	Note 3	Note 3
23-Mar-20	Downwind	Note 3	Note 3	Note 3
24-Mar-20	Upwind	Note 3	Note 3	Note 3
24-Mar-20	Downwind	Note 3	Note 3	Note 3
25-Mar-20	Upwind	Note 3	Note 3	Note 3
25-Mar-20	Downwind	Note 3	Note 3	Note 3
26-Mar-20	Upwind	Note 3	Note 3	Note 3
26-Mar-20	Downwind	Note 3	Note 3	Note 3
27-Mar-20	Upwind	Note 3	Note 3	Note 3
27-Mar-20	Downwind	Note 3	Note 3	Note 3
30-Mar-20	Upwind	Note 3	Note 3	Note 3
30-Mar-20	Downwind	Note 3	Note 3	Note 3
31-Mar-20	Upwind	Note 3	Note 3	Note 3
31-Mar-20	Downwind	Note 3	Note 3	Note 3
1-Apr-20	Upwind	Note 3	Note 3	Note 3
1-Apr-20	Downwind	Note 3	Note 3	Note 3
2-Apr-20	Upwind	Note 3	Note 3	Note 3
2-Apr-20	Downwind	Note 3	Note 3	Note 3
3-Apr-20	Upwind	Note 3	Note 3	Note 3
3-Apr-20	Downwind	Note 3	Note 3	Note 3
6-Apr-20	Upwind	Note 3	Note 3	Note 3
6-Apr-20	Downwind	Note 3	Note 3	Note 3
7-Apr-20	Upwind	Note 3	Note 3	Note 3
7-Apr-20	Downwind	Note 3	Note 3	Note 3

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
8-Apr-20	Upwind	Note 3	Note 3	Note 3
8-Apr-20	Downwind	Note 3	Note 3	Note 3
9-Apr-20	Upwind	Note 3	Note 3	Note 3
9-Apr-20	Downwind	Note 3	Note 3	Note 3
10-Apr-20	Upwind	Note 3	Note 3	Note 3
10-Apr-20	Downwind	Note 3	Note 3	Note 3
13-Apr-20	Upwind	Note 3	Note 3	Note 3
13-Apr-20	Downwind	Note 3	Note 3	Note 3
14-Apr-20	Upwind	Note 3	Note 3	Note 3
14-Apr-20	Downwind	Note 3	Note 3	Note 3
15-Apr-20	Upwind	Note 3	Note 3	Note 3
15-Apr-20	Downwind	Note 3	Note 3	Note 3
16-Apr-20	Upwind	Note 3	Note 3	Note 3
16-Apr-20	Downwind	Note 3	Note 3	Note 3
17-Apr-20	Upwind	Note 3	Note 3	Note 3
17-Apr-20	Downwind	Note 3	Note 3	Note 3
20-Apr-20	Upwind	Note 3	Note 3	Note 3
20-Apr-20	Downwind	Note 3	Note 3	Note 3
21-Apr-20	Upwind	Note 3	Note 3	Note 3
21-Apr-20	Downwind	Note 3	Note 3	Note 3
22-Apr-20	Upwind	Note 3	Note 3	Note 3
22-Apr-20	Downwind	Note 3	Note 3	Note 3
23-Apr-20	Upwind	Note 3	Note 3	Note 3
23-Apr-20	Downwind	Note 3	Note 3	Note 3
24-Apr-20	Upwind	Note 3	Note 3	Note 3
24-Apr-20	Downwind	Note 3	Note 3	Note 3
27-Apr-20	Upwind	Note 3	Note 3	Note 3
27-Apr-20	Downwind	Note 3	Note 3	Note 3
28-Apr-20	Upwind	Note 3	Note 3	Note 3
28-Apr-20	Downwind	Note 3	Note 3	Note 3
29-Apr-20	Upwind	9.5	<0.06	No
29-Apr-20	Downwind	9.4	13.9	No
30-Apr-20	Upwind	9.5	5.6	No
30-Apr-20	Downwind	9.6	12.1	No
1-May-20	Upwind	Note 3	Note 3	Note 3
1-May-20	Downwind	Note 3	Note 3	Note 3
4-May-20	Upwind	9.6	15.4	No
4-May-20	Downwind	9.6	27.1	No
5-May-20	Upwind	9.5	10.5	No
5-May-20	Downwind	9.4	26.8	No

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
6-May-20	Upwind	9.6	11.1	No
6-May-20	Downwind	9.5	33.7	No
7-May-20	Upwind	9.4	22.6	No
7-May-20	Downwind	9.5	43.7	No
8-May-20	Upwind	Note 3	Note 3	Note 3
8-May-20	Downwind	Note 3	Note 3	Note 3
11-May-20	Upwind	9.7	9.4	No
11-May-20	Downwind	9.6	17.4	No
12-May-20	Upwind	9.6	6.8	No
12-May-20	Downwind	9.5	13.1	No
13-May-20	Upwind	9.6	7.7	No
13-May-20	Downwind	9.5	10.8	No
14-May-20	Upwind	9.5	5.9	No
14-May-20	Downwind	9.5	10.4	No
15-May-20	Upwind	9.4	10.6	No
15-May-20	Downwind	9.4	13.7	No
18-May-20	Upwind	9.7	5.9	No
18-May-20	Downwind	9.7	14.9	No
19-May-20	Upwind	9.6	11.0	No
19-May-20	Downwind	9.6	6.5	No
20-May-20	Upwind	9.6	11.7	No
20-May-20	Downwind	9.5	19.0	No
21-May-20	Upwind	9.6	14.8	No
21-May-20	Downwind	9.7	22.0	No
22-May-20	Upwind	9.5	4.8	No
22-May-20	Downwind	9.5	11.1	No
25-May-20	Upwind	Note 2	Note 2	Note 2
25-May-20	Downwind	Note 2	Note 2	Note 2
26-May-20	Upwind	9.7	20.9	No
26-May-20	Downwind	9.6	40.1	No
27-May-20	Upwind	9.6	28.8	No
27-May-20	Downwind	9.5	40.5	No
28-May-20	Upwind	9.6	14.1	No
28-May-20	Downwind	9.5	22.5	No
29-May-20	Upwind	9.5	15.5	No
29-May-20	Downwind	9.5	15.3	No
1-Jun-20	Upwind	7.5	24.4	No
1-Jun-20	Downwind	7.4	30.8	No
2-Jun-20	Upwind	7.6	32.9	No
2-Jun-20	Downwind	7.6	45.9	No

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
3-Jun-20	Upwind	7.6	49.1	No
3-Jun-20	Downwind	7.6	75.2	No
4-Jun-20	Upwind	8.6	49.9	No
4-Jun-20	Downwind	7.6	86.7	No
5-Jun-20	Upwind	7.5	31.5	No
5-Jun-20	Downwind	7.5	32.3	No
8-Jun-20	Upwind	9.8	20.0	No
8-Jun-20	Downwind	9.7	25.7	No
9-Jun-20	Upwind	9.7	28.3	No
9-Jun-20	Downwind	9.8	35.7	No
10-Jun-20	Upwind	9.7	26.0	No
10-Jun-20	Downwind	9.8	35.0	No
11-Jun-20	Upwind	9.8	24.8	No
11-Jun-20	Downwind	9.8	32.7	No
12-Jun-20	Upwind	9.6	20.9	No
12-Jun-20	Downwind	9.8	22.0	No
13-Jun-20	Upwind	9.5	20.8	No
13-Jun-20	Downwind	9.6	17.3	No
15-Jun-20	Upwind	9.7	27.8	No
15-Jun-20	Downwind	9.7	31.7	No
16-Jun-20	Upwind	9.8	27.4	No
16-Jun-20	Downwind	9.8	31.7	No
17-Jun-20	Upwind	9.6	33.4	No
17-Jun-20	Downwind	9.7	37.7	No
18-Jun-20	Upwind	9.7	50.3	No
18-Jun-20	Downwind	9.7	68.5	No
19-Jun-20	Upwind	9.8	32.3	No
19-Jun-20	Downwind	9.8	40.6	No
20-Jun-20	Upwind	9.8	23.8	No
20-Jun-20	Downwind	9.8	24.7	No
22-Jun-20	Upwind	9.6	34.5	No
22-Jun-20	Downwind	9.7	43.3	No
23-Jun-20	Upwind	9.7	27.3	No
23-Jun-20	Downwind	9.7	33.7	No
24-Jun-20	Upwind	9.7	28.8	No
24-Jun-20	Downwind	9.7	35.6	No
25-Jun-20	Upwind	9.7	27.3	No
25-Jun-20	Downwind	9.7	30.4	No
26-Jun-20	Upwind	9.6	32.8	No
26-Jun-20	Downwind	9.7	36.8	No

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
27-Jun-20	Upwind	9.7	21.2	No
27-Jun-20	Downwind	9.5	24.0	No
29-Jun-20	Upwind	9.5	41.9	No
29-Jun-20	Downwind	9.6	49.6	No
30-Jun-20	Upwind	9.1	42.9	No
30-Jun-20	Downwind	9.0	100	No
1-Jul-20	Upwind	9.2	55.7	No
1-Jul-20	Downwind	9.3	40.7	No
2-Jul-20	Upwind	9.6	25.9	No
2-Jul-20	Downwind	9.3	26.8	No
6-Jul-20	Upwind	9.1	31.4	No
6-Jul-20	Downwind	9.1	43.1	No
7-Jul-20	Upwind	9.7	29.0	No
7-Jul-20	Downwind	9.7	32.0	No
8-Jul-20	Upwind	9.8	33.7	No
8-Jul-20	Downwind	9.5	32.5	No
9-Jul-20	Upwind	9.4	29.8	No
9-Jul-20	Downwind	9.4	42.5	No
10-Jul-20	Upwind	9.2	10.5	No
10-Jul-20	Downwind	9.1	23.2	No
13-Jul-20	Upwind	6.3	54.3	No
13-Jul-20	Downwind	8.4	168	No
14-Jul-20	Upwind	9.1	62.4	No
14-Jul-20	Downwind	8.8	44.8	No
15-Jul-20	Upwind	9.3	40.2	No
15-Jul-20	Downwind	8.8	39.4	No
16-Jul-20	Upwind	9.1	35.5	No
16-Jul-20	Downwind	8.9	33.0	No
17-Jul-20	Upwind	9.6	28.6	No
17-Jul-20	Downwind	9.2	26.2	No
20-Jul-20	Upwind	9.3	25.4	No
20-Jul-20	Downwind	8.9	23.6	No
21-Jul-20	Upwind	9.5	23.7	No
21-Jul-20	Downwind	9.1	25.9	No
22-Jul-20	Upwind	8.6	13.2	No
22-Jul-20	Downwind	9.1	26.1	No
23-Jul-20	Upwind	9.7	14.4	No
23-Jul-20	Downwind	9.4	30.5	No
24-Jul-20	Upwind	9.8	13.7	No
24-Jul-20	Downwind	9.3	37.5	No

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
27-Jul-20	Upwind	9.8	17.3	No
27-Jul-20	Downwind	9.3	31.3	No
28-Jul-20	Upwind	9.7	16.1	No
28-Jul-20	Downwind	9.4	27.5	No
29-Jul-20	Upwind	9.7	15.9	No
29-Jul-20	Downwind	9.4	26.1	No
30-Jul-20	Upwind	9.8	15.0	No
30-Jul-20	Downwind	9.4	23.7	No
31-Jul-20	Upwind	9.7	15.0	No
31-Jul-20	Downwind	9.3	26.4	No
3-Aug-20	Upwind	9.7	127	No
3-Aug-20	Downwind	9.3	19.9	No
4-Aug-20	Upwind	9.5	34.4	No
4-Aug-20	Downwind	9.2	39.4	No
5-Aug-20	Upwind	9.7	39.9	No
5-Aug-20	Downwind	9.3	41.8	No
6-Aug-20	Upwind	9.7	32.5	No
6-Aug-20	Downwind	9.3	42.3	No
7-Aug-20	Upwind	9.6	49.1	No
7-Aug-20	Downwind	9.3	65.2	No
10-Aug-20	Upwind	8.8	127.0	No
10-Aug-20	Downwind	8.5	19.9	No
11-Aug-20	Upwind	9.8	34.4	No
11-Aug-20	Downwind	9.4	39.4	No
12-Aug-20	Upwind	9.8	39.9	No
12-Aug-20	Downwind	9.4	41.8	No
13-Aug-20	Upwind	9.8	32.5	No
13-Aug-20	Downwind	9.5	42.3	No
14-Aug-20	Upwind	9.8	49.1	No
14-Aug-20	Downwind	9.4	65.2	No
17-Aug-20	Upwind	4.9	28.3	No
17-Aug-20	Downwind	4.7	33.0	No
18-Aug-20	Upwind	8.2	14.6	No
18-Aug-20	Downwind	7.8	28.9	No
19-Aug-20	Upwind	10.7	20.7	No
19-Aug-20	Downwind	10.3	66.4	No
20-Aug-20	Upwind	10.7	13.1	No
20-Aug-20	Downwind	10.3	15.9	No
21-Aug-20	Upwind	10.7	20.2	No
21-Aug-20	Downwind	10.4	46.3	No

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
24-Aug-20	Upwind	7.4	37.3	No
24-Aug-20	Downwind	7.5	64.6	No
25-Aug-20	Upwind	7.6	32.1	No
25-Aug-20	Downwind	8.3	58.4	No
26-Aug-20	Upwind	9.7	16.5	No
26-Aug-20	Downwind	9.4	19.5	No
27-Aug-20	Upwind	7.6	27.9	No
27-Aug-20	Downwind	7.2	24.8	No
28-Aug-20	Upwind	9.8	67.4	No
28-Aug-20	Downwind	9.4	98.1	No
31-Aug-20	Upwind	8.8	44.2	No
31-Aug-20	Downwind	8.4	62.5	No
1-Sep-20	Upwind	7.9	46.7	No
1-Sep-20	Downwind	8.4	54.1	No
2-Sep-20	Upwind	8.8	19.3	No
2-Sep-20	Downwind	8.4	28.2	No
3-Sep-20	Upwind	8.4	21.6	No
3-Sep-20	Downwind	8.0	37.0	No
4-Sep-20	Upwind	10.1	20.9	No
4-Sep-20	Downwind	9.8	28.0	No
7-Sep-20	Upwind	Note 2	Note 2	Note 2
7-Sep-20	Downwind	Note 2	Note 2	Note 2
8-Sep-20	Upwind	9.8	49.5	No
8-Sep-20	Downwind	9.5	94.5	No
9-Sep-20	Upwind	5.4	58.9	No
9-Sep-20	Downwind	5.1	95.2	No
10-Sep-20	Upwind	7.5	20.5	No
10-Sep-20	Downwind	7.2	157	No
11-Sep-20	Upwind	8.2	141	No
11-Sep-20	Downwind	7.8	237	No
14-Sep-20	Upwind	7.1	72.9	No
14-Sep-20	Downwind	7.1	137	No
15-Sep-20	Upwind	6.8	49.3	No
15-Sep-20	Downwind	7.0	38.0	No
16-Sep-20	Upwind	7.5	13.7	No
16-Sep-20	Downwind	7.5	19.2	No
17-Sep-20	Upwind	7.4	9.57	No
17-Sep-20	Downwind	7.1	21.7	No
18-Sep-20	Upwind	9.7	9.56	No
18-Sep-20	Downwind	9.4	15.1	No

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
21-Sep-20	Upwind	9.7	23.2	No
21-Sep-20	Downwind	9.3	42.2	No
22-Sep-20	Upwind	9.6	21.0	No
22-Sep-20	Downwind	9.2	10.2	No
23-Sep-20	Upwind	9.7	11.7	No
23-Sep-20	Downwind	9.4	19.6	No
24-Sep-20	Upwind	9.4	53.5	No
24-Sep-20	Downwind	9.1	50.0	No
25-Sep-20	Upwind	9.6	<4.59	No
25-Sep-20	Downwind	9.3	36.1	No
28-Sep-20	Upwind	7.6	24.1	No
28-Sep-20	Downwind	7.6	52.6	No
29-Sep-20	Upwind	7.6	6.40	No
29-Sep-20	Downwind	7.2	12.3	No
30-Sep-20	Upwind	7.7	16.9	No
30-Sep-20	Downwind	7.4	12.4	No
1-Oct-20	Upwind	7.4	40.1	No
1-Oct-20	Downwind	7.1	69.2	No
2-Oct-20	Upwind	7.5	58.3	No
2-Oct-20	Downwind	7.5	87.3	No
5-Oct-20	Upwind	7.5	17.1	No
5-Oct-20	Downwind	7.3	21.5	No
6-Oct-20	Upwind	7.4	13.6	No
6-Oct-20	Downwind	7.2	20.5	No
7-Oct-20	Upwind	7.0	32.9	No
7-Oct-20	Downwind	6.5	52.6	No
8-Oct-20	Upwind	7.1	24.6	No
8-Oct-20	Downwind	7.0	52.8	No
9-Oct-20	Upwind	7.7	<5.73	No
9-Oct-20	Downwind	7.5	<5.88	No
12-Oct-20	Upwind	7.5	12.8	No
12-Oct-20	Downwind	7.5	25.1	No
13-Oct-20	Upwind	7.6	21.2	No
13-Oct-20	Downwind	7.6	<5.83	No
14-Oct-20	Upwind	7.5	15.5	No
14-Oct-20	Downwind	7.5	65.8	No
15-Oct-20	Upwind	7.6	42.2	No
15-Oct-20	Downwind	7.6	193	No
16-Oct-20	Upwind	7.8	43.4	No
16-Oct-20	Downwind	7.5	37.6	No

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
19-Oct-20	Upwind	7.8	21.7	No
19-Oct-20	Downwind	7.5	27.0	No
20-Oct-20	Upwind	7.7	34.4	No
20-Oct-20	Downwind	7.4	25.4	No
21-Oct-20	Upwind	19.1	39.1	No
21-Oct-20	Downwind	19.1	40.4	No
22-Oct-20	Upwind	18.0	27.0	No
22-Oct-20	Downwind	18.0	33.5	No
23-Oct-20	Upwind	17.4	30.6	No
23-Oct-20	Downwind	17.4	35.4	No
24-Oct-20	Upwind	4.2	37.4	No
24-Oct-20	Downwind	5.2	19.6	No
26-Oct-20	Upwind	7.6	81.7	No
26-Oct-20	Downwind	7.2	47.3	No
27-Oct-20	Upwind	7.7	67.0	No
27-Oct-20	Downwind	7.3	20.5	No
28-Oct-20	Upwind	7.7	127.0	No
28-Oct-20	Downwind	7.4	76.6	No
29-Oct-20	Upwind	12.5	71.2	No
29-Oct-20	Downwind	12.3	47.4	No
30-Oct-20	Upwind	17.3	24.9	No
30-Oct-20	Downwind	17.2	19.4	No
31-Oct-20	Upwind	7.7	37.6	No
31-Oct-20	Downwind	7.7	25.5	No
2-Nov-20	Upwind	15.5	67.2	No
2-Nov-20	Downwind	15.4	32.4	No
3-Nov-20	Upwind	17.3	13.1	No
3-Nov-20	Downwind	17.4	5.67	No
4-Nov-20	Upwind	18.3	21.8	No
4-Nov-20	Downwind	18.2	11.3	No
5-Nov-20	Upwind	19.3	22.1	No
5-Nov-20	Downwind	19.3	21.6	No
6-Nov-20	Upwind	17.3	33.1	No
6-Nov-20	Downwind	20.2	21.0	No
7-Nov-20	Upwind	21.2	20.4	No
7-Nov-20	Downwind	21.2	25.9	No
9-Nov-20	Upwind	12.3	17.6	No
9-Nov-20	Downwind	12.3	10.4	No
10-Nov-20	Upwind	12.2	29.9	No
10-Nov-20	Downwind	12.2	20.3	No

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
11-Nov-20	Upwind	12.4	26.0	No
11-Nov-20	Downwind	12.4	20.7	No
12-Nov-20	Upwind	12.4	31.5	No
12-Nov-20	Downwind	12.3	29.5	No
13-Nov-20	Upwind	6.3	13.8	No
13-Nov-20	Downwind	5.9	10.9	No
14-Nov-20	Upwind	12.5	12.8	No
14-Nov-20	Downwind	12.5	14.2	No
16-Nov-20	Upwind	7.5	54.0	No
16-Nov-20	Downwind	7.1	71.4	No
17-Nov-20	Upwind	2.6	137	No
17-Nov-20	Downwind	3.4	70.6	No
18-Nov-20	Upwind	16.5	15.4	No
18-Nov-20	Downwind	16.7	18.6	No
19-Nov-20	Upwind	18.9	13.2	No
19-Nov-20	Downwind	18.8	37.3	No
20-Nov-20	Upwind	18.8	17.9	No
20-Nov-20	Downwind	18.7	38.6	No
21-Nov-20	Upwind	18.2	16.4	No
21-Nov-20	Downwind	18.1	35.9	No
23-Nov-20	Upwind	7.3	7.00	No
23-Nov-20	Downwind	7.3	8.83	No
24-Nov-20	Upwind	6.8	18.3	No
24-Nov-20	Downwind	6.8	13.4	No
25-Nov-20	Upwind	7.5	8.08	No
25-Nov-20	Downwind	7.4	7.99	No
26-Nov-20	Upwind	Note 2	Note 2	Note 2
26-Nov-20	Downwind	Note 2	Note 2	Note 2
27-Nov-20	Upwind	Note 2	Note 2	Note 2
27-Nov-20	Downwind	Note 2	Note 2	Note 2
30-Nov-20	Upwind	14.4	39.2	No
30-Nov-20	Downwind	14.3	24.3	No
1-Dec-20	Upwind	15.8	35.4	No
1-Dec-20	Downwind	15.8	19.5	No
2-Dec-20	Upwind	15.9	65.8	No
2-Dec-20	Downwind	15.8	28.2	No
3-Dec-20	Upwind	16.6	54.0	No
3-Dec-20	Downwind	16.6	105	No
4-Dec-20	Upwind	16.8	80.1	No
4-Dec-20	Downwind	16.5	61.8	No

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
5-Dec-20	Upwind	8.1	58.7	No
5-Dec-20	Downwind	7.8	34.3	No
7-Dec-20	Upwind	7.6	43.1	No
7-Dec-20	Downwind	7.6	21.8	No
8-Dec-20	Upwind	7.4	57.5	No
8-Dec-20	Downwind	7.3	19.9	No
9-Dec-20	Upwind	7.4	123	No
9-Dec-20	Downwind	7.4	53.8	No
10-Dec-20	Upwind	7.4	61.1	No
10-Dec-20	Downwind	7.4	31.3	No
11-Dec-20	Upwind	7.3	14.8	No
11-Dec-20	Downwind	7.2	58.7	No
14-Dec-20	Upwind	7.4	5.98	No
14-Dec-20	Downwind	7.3	6.03	No
15-Dec-20	Upwind	6.9	10.0	No
15-Dec-20	Downwind	6.8	6.51	No
16-Dec-20	Upwind	7.3	22.9	No
16-Dec-20	Downwind	7.1	13.4	No
17-Dec-20	Upwind	Note 3	Note 3	Note 3
17-Dec-20	Downwind	Note 3	Note 3	Note 3
18-Dec-20	Upwind	7.8	5.63	No
18-Dec-20	Downwind	7.5	7.24	No
21-Dec-20	Upwind	7.4	20.7	No
21-Dec-20	Downwind	6.4	11.8	No
22-Dec-20	Upwind	7.3	6.03	No
22-Dec-20	Downwind	7.2	6.13	No
23-Dec-20	Upwind	Note 3	Note 3	Note 3
23-Dec-20	Downwind	Note 3	Note 3	Note 3
24-Dec-20	Upwind	Note 2	Note 2	Note 3
24-Dec-20	Downwind	Note 2	Note 2	Note 3
25-Dec-20	Upwind	Note 2	Note 2	Note 3
25-Dec-20	Downwind	Note 2	Note 2	Note 3
28-Dec-20	Upwind	Note 3	Note 3	Note 3
28-Dec-20	Downwind	Note 3	Note 3	Note 3
29-Dec-20	Upwind	Note 3	Note 3	Note 3
29-Dec-20	Downwind	Note 3	Note 3	Note 3
30-Dec-20	Upwind	Note 3	Note 3	Note 3
30-Dec-20	Downwind	Note 3	Note 3	Note 3
31-Dec-20	Upwind	Note 3	Note 3	Note 3
31-Dec-20	Downwind	Note 3	Note 3	Note 3

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
1-Jan-21	Upwind	Note 2	Note 2	Note 2
1-Jan-21	Downwind	Note 2	Note 2	Note 2
4-Jan-21	Upwind	Note 1	Note 1	Note 1
4-Jan-21	Downwind	Note 1	Note 1	Note 1
5-Jan-21	Upwind	Note 3	Note 3	Note 3
5-Jan-21	Downwind	Note 3	Note 3	Note 3
6-Jan-21	Upwind	Note 3	Note 3	Note 3
6-Jan-21	Downwind	Note 3	Note 3	Note 3
7-Jan-21	Upwind	Note 3	Note 3	Note 3
7-Jan-21	Downwind	Note 3	Note 3	Note 3
8-Jan-21	Upwind	Note 3	Note 3	Note 3
8-Jan-21	Downwind	Note 3	Note 3	Note 3
11-Jan-21	Upwind	Note 3	Note 3	Note 3
11-Jan-21	Downwind	Note 3	Note 3	Note 3
12-Jan-21	Upwind	Note 3	Note 3	Note 3
12-Jan-21	Downwind	Note 3	Note 3	Note 3
13-Jan-21	Upwind	Note 3	Note 3	Note 3
13-Jan-21	Downwind	Note 3	Note 3	Note 3
14-Jan-21	Upwind	Note 3	Note 3	Note 3
14-Jan-21	Downwind	Note 3	Note 3	Note 3
15-Jan-21	Upwind	Note 3	Note 3	Note 3
15-Jan-21	Downwind	Note 3	Note 3	Note 3
18-Jan-21	Upwind	Note 2	Note 2	Note 2
18-Jan-21	Downwind	Note 2	Note 2	Note 2
19-Jan-21	Upwind	Note 3	Note 3	Note 3
19-Jan-21	Downwind	Note 3	Note 3	Note 3
20-Jan-21	Upwind	Note 3	Note 3	Note 3
20-Jan-21	Downwind	Note 3	Note 3	Note 3
21-Jan-21	Upwind	Note 3	Note 3	Note 3
21-Jan-21	Downwind	Note 3	Note 3	Note 3
22-Jan-21	Upwind	Note 3	Note 3	Note 3
22-Jan-21	Downwind	Note 3	Note 3	Note 3
25-Jan-21	Upwind	Note 3	Note 3	Note 3
25-Jan-21	Downwind	Note 3	Note 3	Note 3
26-Jan-21	Upwind	Note 3	Note 3	Note 3
26-Jan-21	Downwind	Note 3	Note 3	Note 3
27-Jan-21	Upwind	Note 1	Note 1	Note 1
27-Jan-21	Downwind	Note 1	Note 1	Note 1
28-Jan-21	Upwind	Note 1	Note 1	Note 1
28-Jan-21	Downwind	Note 1	Note 1	Note 1

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
29-Jan-21	Upwind	Note 3	Note 3	Note 3
29-Jan-21	Downwind	Note 3	Note 3	Note 3
1-Feb-21	Upwind	Note 3	Note 3	Note 3
1-Feb-21	Downwind	Note 3	Note 3	Note 3
2-Feb-21	Upwind	Note 1	Note 1	Note 1
2-Feb-21	Downwind	Note 1	Note 1	Note 1
3-Feb-21	Upwind	Note 3	Note 3	Note 3
3-Feb-21	Downwind	Note 3	Note 3	Note 3
4-Feb-21	Upwind	Note 3	Note 3	Note 3
4-Feb-21	Downwind	Note 3	Note 3	Note 3
5-Feb-21	Upwind	Note 3	Note 3	Note 3
5-Feb-21	Downwind	Note 3	Note 3	Note 3
8-Feb-21	Upwind	Note 3	Note 3	Note 3
8-Feb-21	Downwind	Note 3	Note 3	Note 3
9-Feb-21	Upwind	5.8	35.8	No
9-Feb-21	Downwind	5.8	11.0	No
10-Feb-21	Upwind	6.2	<7.16	No
10-Feb-21	Downwind	6.5	<6.84	No
11-Feb-21	Upwind	4.4	10.3	No
11-Feb-21	Downwind	4.7	10.3	No
12-Feb-21	Upwind	Note 3	Note 3	Note 3
12-Feb-21	Downwind	Note 3	Note 3	Note 3
15-Feb-21	Upwind	Note 1	Note 1	Note 1
15-Feb-21	Downwind	Note 1	Note 1	Note 1
16-Feb-21	Upwind	Note 3	Note 3	Note 3
16-Feb-21	Downwind	Note 3	Note 3	Note 3
17-Feb-21	Upwind	Note 3	Note 3	Note 3
17-Feb-21	Downwind	Note 3	Note 3	Note 3
18-Feb-21	Upwind	Note 3	Note 3	Note 3
18-Feb-21	Downwind	Note 3	Note 3	Note 3
19-Feb-21	Upwind	Note 1	Note 1	Note 1
19-Feb-21	Downwind	Note 1	Note 1	Note 1
22-Feb-21	Upwind	Note 3	Note 3	Note 3
22-Feb-21	Downwind	Note 3	Note 3	Note 3
23-Feb-21	Upwind	Note 3	Note 3	Note 3
23-Feb-21	Downwind	Note 3	Note 3	Note 3
24-Feb-21	Upwind	Note 3	Note 3	Note 3
24-Feb-21	Downwind	Note 3	Note 3	Note 3
25-Feb-21	Upwind	Note 3	Note 3	Note 3
25-Feb-21	Downwind	Note 3	Note 3	Note 3

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
26-Feb-21	Upwind	Note 3	Note 3	Note 3
26-Feb-21	Downwind	Note 3	Note 3	Note 3
1-Mar-21	Upwind	Note 3	Note 3	Note 3
1-Mar-21	Downwind	Note 3	Note 3	Note 3
2-Mar-21	Upwind	Note 3	Note 3	Note 3
2-Mar-21	Downwind	Note 3	Note 3	Note 3
3-Mar-21	Upwind	Note 3	Note 3	Note 3
3-Mar-21	Downwind	Note 3	Note 3	Note 3
4-Mar-21	Upwind	Note 3	Note 3	Note 3
4-Mar-21	Downwind	Note 3	Note 3	Note 3
5-Mar-21	Upwind	Note 3	Note 3	Note 3
5-Mar-21	Downwind	Note 3	Note 3	Note 3
8-Mar-21	Upwind	Note 3	Note 3	Note 3
8-Mar-21	Downwind	Note 3	Note 3	Note 3
9-Mar-21	Upwind	Note 3	Note 3	Note 3
9-Mar-21	Downwind	Note 3	Note 3	Note 3
10-Mar-21	Upwind	Note 1	Note 1	Note 1
10-Mar-21	Downwind	Note 1	Note 1	Note 1
11-Mar-21	Upwind	Note 3	Note 3	Note 3
11-Mar-21	Downwind	Note 3	Note 3	Note 3
12-Mar-21	Upwind	Note 3	Note 3	Note 3
12-Mar-21	Downwind	Note 3	Note 3	Note 3
15-Mar-21	Upwind	Note 3	Note 3	Note 3
15-Mar-21	Downwind	Note 3	Note 3	Note 3
16-Mar-21	Upwind	Note 3	Note 3	Note 3
16-Mar-21	Downwind	Note 3	Note 3	Note 3
17-Mar-21	Upwind	Note 3	Note 3	Note 3
17-Mar-21	Downwind	Note 3	Note 3	Note 3
18-Mar-21	Upwind	Note 1	Note 1	Note 1
18-Mar-21	Downwind	Note 1	Note 1	Note 1
19-Mar-21	Upwind	Note 3	Note 3	Note 3
19-Mar-21	Downwind	Note 3	Note 3	Note 3
22-Mar-21	Upwind	Note 3	Note 3	Note 3
22-Mar-21	Downwind	Note 3	Note 3	Note 3
23-Mar-21	Upwind	Note 3	Note 3	Note 3
23-Mar-21	Downwind	Note 3	Note 3	Note 3
24-Mar-21	Upwind	Note 3	Note 3	Note 3
24-Mar-21	Downwind	Note 3	Note 3	Note 3
25-Mar-21	Upwind	Note 3	Note 3	Note 3
25-Mar-21	Downwind	Note 3	Note 3	Note 3

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
26-Mar-21	Upwind	Note 3	Note 3	Note 3
26-Mar-21	Downwind	Note 3	Note 3	Note 3
29-Mar-21	Upwind	Note 3	Note 3	Note 3
29-Mar-21	Downwind	Note 3	Note 3	Note 3
30-Mar-21	Upwind	Note 3	Note 3	Note 3
30-Mar-21	Downwind	Note 3	Note 3	Note 3
31-Mar-21	Upwind	Note 3	Note 3	Note 3
31-Mar-21	Downwind	Note 3	Note 3	Note 3
1-Apr-21	Upwind	Note 3	Note 3	Note 3
1-Apr-21	Downwind	Note 3	Note 3	Note 3
2-Apr-21	Upwind	Note 3	Note 3	Note 3
2-Apr-21	Downwind	Note 3	Note 3	Note 3
5-Apr-21	Upwind	Note 3	Note 3	Note 3
5-Apr-21	Downwind	Note 3	Note 3	Note 3
6-Apr-21	Upwind	Note 3	Note 3	Note 3
6-Apr-21	Downwind	Note 3	Note 3	Note 3
7-Apr-21	Upwind	Note 3	Note 3	Note 3
7-Apr-21	Downwind	Note 3	Note 3	Note 3
8-Apr-21	Upwind	Note 3	Note 3	Note 3
8-Apr-21	Downwind	Note 3	Note 3	Note 3
9-Apr-21	Upwind	Note 3	Note 3	Note 3
9-Apr-21	Downwind	Note 3	Note 3	Note 3
12-Apr-21	Upwind	Note 3	Note 3	Note 3
12-Apr-21	Downwind	Note 3	Note 3	Note 3
13-Apr-21	Upwind	Note 3	Note 3	Note 3
13-Apr-21	Downwind	Note 3	Note 3	Note 3
14-Apr-21	Upwind	Note 3	Note 3	Note 3
14-Apr-21	Downwind	Note 3	Note 3	Note 3
15-Apr-21	Upwind	Note 3	Note 3	Note 3
15-Apr-21	Downwind	Note 3	Note 3	Note 3
16-Apr-21	Upwind	Note 3	Note 3	Note 3
16-Apr-21	Downwind	Note 3	Note 3	Note 3
19-Apr-21	Upwind	Note 3	Note 3	Note 3
19-Apr-21	Downwind	Note 3	Note 3	Note 3
20-Apr-21	Upwind	Note 3	Note 3	Note 3
20-Apr-21	Downwind	Note 3	Note 3	Note 3
21-Apr-21	Upwind	Note 3	Note 3	Note 3
21-Apr-21	Downwind	Note 3	Note 3	Note 3
22-Apr-21	Upwind	Note 3	Note 3	Note 3
22-Apr-21	Downwind	Note 3	Note 3	Note 3

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
23-Apr-21	Upwind	Note 3	Note 3	Note 3
23-Apr-21	Downwind	Note 3	Note 3	Note 3
26-Apr-21	Upwind	Note 3	Note 3	Note 3
26-Apr-21	Downwind	Note 3	Note 3	Note 3
27-Apr-21	Upwind	Note 3	Note 3	Note 3
27-Apr-21	Downwind	Note 3	Note 3	Note 3
28-Apr-21	Upwind	Note 3	Note 3	Note 3
28-Apr-21	Downwind	Note 3	Note 3	Note 3
29-Apr-21	Upwind	Note 3	Note 3	Note 3
29-Apr-21	Downwind	Note 3	Note 3	Note 3
30-Apr-21	Upwind	Note 3	Note 3	Note 3
30-Apr-21	Downwind	Note 3	Note 3	Note 3
3-May-21	Upwind	Note 3	Note 3	Note 3
3-May-21	Downwind	Note 3	Note 3	Note 3
4-May-21	Upwind	Note 3	Note 3	Note 3
4-May-21	Downwind	Note 3	Note 3	Note 3
5-May-21	Upwind	Note 3	Note 3	Note 3
5-May-21	Downwind	Note 3	Note 3	Note 3
6-May-21	Upwind	Note 3	Note 3	Note 3
6-May-21	Downwind	Note 3	Note 3	Note 3
7-May-21	Upwind	Note 3	Note 3	Note 3
7-May-21	Downwind	Note 3	Note 3	Note 3
10-May-21	Upwind	Note 3	Note 3	Note 3
10-May-21	Downwind	Note 3	Note 3	Note 3
11-May-21	Upwind	Note 3	Note 3	Note 3
11-May-21	Downwind	Note 3	Note 3	Note 3
12-May-21	Upwind	Note 3	Note 3	Note 3
12-May-21	Downwind	Note 3	Note 3	Note 3
13-May-21	Upwind	Note 3	Note 3	Note 3
13-May-21	Downwind	Note 3	Note 3	Note 3
14-May-21	Upwind	Note 3	Note 3	Note 3
14-May-21	Downwind	Note 3	Note 3	Note 3
17-May-21	Upwind	Note 3	Note 3	Note 3
17-May-21	Downwind	Note 3	Note 3	Note 3
18-May-21	Upwind	Note 3	Note 3	Note 3
18-May-21	Downwind	Note 3	Note 3	Note 3
19-May-21	Upwind	Note 3	Note 3	Note 3
19-May-21	Downwind	Note 3	Note 3	Note 3
20-May-21	Upwind	Note 3	Note 3	Note 3
20-May-21	Downwind	Note 3	Note 3	Note 3

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
21-May-21	Upwind	Note 3	Note 3	Note 3
21-May-21	Downwind	Note 3	Note 3	Note 3
24-May-21	Upwind	Note 3	Note 3	Note 3
24-May-21	Downwind	Note 3	Note 3	Note 3
25-May-21	Upwind	Note 3	Note 3	Note 3
25-May-21	Downwind	Note 3	Note 3	Note 3
26-May-21	Upwind	Note 3	Note 3	Note 3
26-May-21	Downwind	Note 3	Note 3	Note 3
27-May-21	Upwind	Note 3	Note 3	Note 3
27-May-21	Downwind	Note 3	Note 3	Note 3
28-May-21	Upwind	Note 3	Note 3	Note 3
28-May-21	Downwind	Note 3	Note 3	Note 3
31-May-21	Upwind	Note 2	Note 2	Note 2
31-May-21	Downwind	Note 2	Note 2	Note 2
1-Jun-21	Upwind	Note 3	Note 3	Note 3
1-Jun-21	Downwind	Note 3	Note 3	Note 3
2-Jun-21	Upwind	Note 3	Note 3	Note 3
2-Jun-21	Downwind	Note 3	Note 3	Note 3
3-Jun-21	Upwind	Note 3	Note 3	Note 3
3-Jun-21	Downwind	Note 3	Note 3	Note 3
4-Jun-21	Upwind	Note 3	Note 3	Note 3
4-Jun-21	Downwind	Note 3	Note 3	Note 3
7-Jun-21	Upwind	Note 3	Note 3	Note 3
7-Jun-21	Downwind	Note 3	Note 3	Note 3
8-Jun-21	Upwind	Note 3	Note 3	Note 3
8-Jun-21	Downwind	Note 3	Note 3	Note 3
9-Jun-21	Upwind	Note 3	Note 3	Note 3
9-Jun-21	Downwind	Note 3	Note 3	Note 3
10-Jun-21	Upwind	Note 3	Note 3	Note 3
10-Jun-21	Downwind	Note 3	Note 3	Note 3
11-Jun-21	Upwind	Note 3	Note 3	Note 3
11-Jun-21	Downwind	Note 3	Note 3	Note 3
14-Jun-21	Upwind	Note 3	Note 3	Note 3
14-Jun-21	Downwind	Note 3	Note 3	Note 3
15-Jun-21	Upwind	Note 3	Note 3	Note 3
15-Jun-21	Downwind	Note 3	Note 3	Note 3
16-Jun-21	Upwind	Note 3	Note 3	Note 3
16-Jun-21	Downwind	Note 3	Note 3	Note 3
17-Jun-21	Upwind	Note 3	Note 3	Note 3
17-Jun-21	Downwind	Note 3	Note 3	Note 3

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
18-Jun-21	Upwind	Note 3	Note 3	Note 3
18-Jun-21	Downwind	Note 3	Note 3	Note 3
21-Jun-21	Upwind	Note 3	Note 3	Note 3
21-Jun-21	Downwind	Note 3	Note 3	Note 3
22-Jun-21	Upwind	Note 3	Note 3	Note 3
22-Jun-21	Downwind	Note 3	Note 3	Note 3
23-Jun-21	Upwind	Note 3	Note 3	Note 3
23-Jun-21	Downwind	Note 3	Note 3	Note 3
24-Jun-21	Upwind	Note 3	Note 3	Note 3
24-Jun-21	Downwind	Note 3	Note 3	Note 3
25-Jun-21	Upwind	Note 3	Note 3	Note 3
25-Jun-21	Downwind	Note 3	Note 3	Note 3
28-Jun-21	Upwind	Note 3	Note 3	Note 3
28-Jun-21	Downwind	Note 3	Note 3	Note 3
29-Jun-21	Upwind	Note 3	Note 3	Note 3
29-Jun-21	Downwind	Note 3	Note 3	Note 3
30-Jun-21	Upwind	Note 3	Note 3	Note 3
30-Jun-21	Downwind	Note 3	Note 3	Note 3
1-Jul-21	Upwind	Note 3	Note 3	Note 3
1-Jul-21	Downwind	Note 3	Note 3	Note 3
2-Jul-21	Upwind	Note 3	Note 3	Note 3
2-Jul-21	Downwind	Note 3	Note 3	Note 3
5-Jul-21	Upwind	Note 2	Note 2	Note 2
5-Jul-21	Downwind	Note 2	Note 2	Note 2
6-Jul-21	Upwind	Note 3	Note 3	Note 3
6-Jul-21	Downwind	Note 3	Note 3	Note 3
7-Jul-21	Upwind	Note 3	Note 3	Note 3
7-Jul-21	Downwind	Note 3	Note 3	Note 3
8-Jul-21	Upwind	Note 3	Note 3	Note 3
8-Jul-21	Downwind	Note 3	Note 3	Note 3
9-Jul-21	Upwind	Note 3	Note 3	Note 3
9-Jul-21	Downwind	Note 3	Note 3	Note 3
12-Jul-21	Upwind	Note 3	Note 3	Note 3
12-Jul-21	Downwind	Note 3	Note 3	Note 3
13-Jul-21	Upwind	Note 3	Note 3	Note 3
13-Jul-21	Downwind	Note 3	Note 3	Note 3
14-Jul-21	Upwind	Note 3	Note 3	Note 3
14-Jul-21	Downwind	Note 3	Note 3	Note 3
15-Jul-21	Upwind	Note 3	Note 3	Note 3
15-Jul-21	Downwind	Note 3	Note 3	Note 3

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
16-Jul-21	Upwind	Note 3	Note 3	Note 3
16-Jul-21	Downwind	Note 3	Note 3	Note 3
19-Jul-21	Upwind	Note 3	Note 3	Note 3
19-Jul-21	Downwind	Note 3	Note 3	Note 3
20-Jul-21	Upwind	Note 3	Note 3	Note 3
20-Jul-21	Downwind	Note 3	Note 3	Note 3
21-Jul-21	Upwind	Note 3	Note 3	Note 3
21-Jul-21	Downwind	Note 3	Note 3	Note 3
22-Jul-21	Upwind	6.6	43.7	No
22-Jul-21	Downwind	6.6	50.1	No
23-Jul-21	Upwind	8.7	47.0	No
23-Jul-21	Downwind	8.7	52.6	No
24-Jul-21	Upwind	3.3	47.7	No
24-Jul-21	Downwind	2.9	50.3	No
26-Jul-21	Upwind	6.8	29.0	No
26-Jul-21	Downwind	6.8	32.9	No
27-Jul-21	Upwind	7.4	35.2	No
27-Jul-21	Downwind	7.3	47.0	No
28-Jul-21	Upwind	7.4	19.0	No
28-Jul-21	Downwind	7.4	32.1	No
29-Jul-21	Upwind	7.2	31.5	No
29-Jul-21	Downwind	7.2	26.5	No
30-Jul-21	Upwind	7.1	7.63	No
30-Jul-21	Downwind	7.0	41.6	No
2-Aug-21	Upwind	7.20	10.0	No
2-Aug-21	Downwind	6.88	10.9	No
3-Aug-21	Upwind	7.33	11.0	No
3-Aug-21	Downwind	7.33	13.8	No
4-Aug-21	Upwind	7.40	13.9	No
4-Aug-21	Downwind	7.42	15.3	No
5-Aug-21	Upwind	7.37	11.8	No
5-Aug-21	Downwind	7.38	14.1	No
6-Aug-21	Upwind	7.97	24.9	No
6-Aug-21	Downwind	7.00	21.9	No
9-Aug-21	Upwind	7.33	28.5	No
9-Aug-21	Downwind	7.25	19.7	No
10-Aug-21	Upwind	7.33	40.7	No
10-Aug-21	Downwind	7.33	26.7	No
11-Aug-21	Upwind	7.33	21.7	No
11-Aug-21	Downwind	7.33	24.7	No

Attachment 1, Table 3: PM10 Air Sampling Results

Date	Sample Location	Sampling Period (hours)	PM10 ($\mu\text{g}/\text{m}^3$)	PM10 Exceedance? (Yes/No)
12-Aug-21	Upwind	7.25	25.4	No
12-Aug-21	Downwind	7.28	30.7	No
13-Aug-21	Upwind	7.58	14.9	No
13-Aug-21	Downwind	7.12	11.8	No
16-Aug-21	Upwind	7.50	40.8	No
16-Aug-21	Downwind	7.17	37.6	No
17-Aug-21	Upwind	7.37	39.1	No
17-Aug-21	Downwind	7.42	23.2	No
18-Aug-21	Upwind	7.32	58.3	No
18-Aug-21	Downwind	7.33	45.5	No
19-Aug-21	Upwind	7.67	45.5	No
19-Aug-21	Downwind	7.17	48.0	No
20-Aug-21	Upwind	7.48	44.6	No
20-Aug-21	Downwind	7.57	14.6	No
23-Aug-21	Upwind	7.20	24.7	No
23-Aug-21	Downwind	7.60	20.3	No
24-Aug-21	Upwind	7.08	30.3	No
24-Aug-21	Downwind	7.53	28.9	No
25-Aug-21	Upwind	7.67	53.3	No
25-Aug-21	Downwind	7.70	24.6	No
26-Aug-21	Upwind	7.58	38.6	No
26-Aug-21	Downwind	7.62	29.0	No
27-Aug-21	Upwind	7.33	57.4	No
27-Aug-21	Downwind	7.75	46.9	No
30-Aug-21	Upwind	9.58	46.1	No
30-Aug-21	Downwind	9.42	28.0	No
31-Aug-21	Upwind	9.73	66.1	No
31-Aug-21	Downwind	9.58	38.1	No
1-Sep-21	Upwind	9.48	57.7	No
1-Sep-21	Downwind	9.75	26.0	No
2-Sep-21	Upwind	9.45	53.2	No
2-Sep-21	Downwind	9.72	44.4	No
3-Sep-21	Upwind	7.50	44.7	No
3-Sep-21	Downwind	7.05	35.5	No

Attachment 1, Table 3: PM10 Air Sampling Results

Notes:

Note 1: Sample not collected due to inclement conditions: Rain.

Note 2: Samples were not collected as project site was closed for holidays.

Note 3: Samples were not collected as no excavation was conducted.

Sample locations are shown on Figure 1.

Upwind station is located at Air Sampling Station #1; Downwind station is located at Air Sampling Station #2.

Prevailing winds come out of the northwest

The action Level for PM10; Cal/OSHA PEL = 5,000 $\mu\text{g}/\text{m}^3$

The detection limit for PM10 is 0.06 $\mu\text{g}/\text{m}^3$ assuming a minimum sample volume of 1,600 m^3 .

$\mu\text{g}/\text{m}^3$ - microgram per cubic meter

N/A - not applicable

PM10 - particulate matter smaller than 10 microns in diameter

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
20-Nov-19	Upwind	9.8	0.0030	No
20-Nov-19	Downwind	9.9	<0.002	No
21-Nov-19	Upwind	7.5	<0.003	No
21-Nov-19	Downwind	7.5	<0.003	No
22-Nov-19	Upwind	8.8	<0.003	No
22-Nov-19	Downwind	8.8	<0.003	No
25-Nov-19	Upwind	8.9	<0.003	No
25-Nov-19	Downwind	8.7	<0.003	No
26-Nov-19	Upwind	7.4	<0.003	No
26-Nov-19	Downwind	7.5	<0.003	No
27-Nov-19	Upwind	Note 1	Note 1	Note 1
27-Nov-19	Downwind	Note 1	Note 1	Note 1
28-Nov-19	Upwind	Note 2	Note 2	Note 2
28-Nov-19	Downwind	Note 2	Note 2	Note 2
29-Nov-19	Upwind	Note 2	Note 2	Note 2
29-Nov-19	Downwind	Note 2	Note 2	Note 2
2-Dec-19	Upwind	Note 3	Note 3	Note 3
2-Dec-19	Downwind	Note 3	Note 3	Note 3
3-Dec-19	Upwind	Note 3	Note 3	Note 3
3-Dec-19	Downwind	Note 3	Note 3	Note 3
4-Dec-19	Upwind	Note 3	Note 3	Note 3
4-Dec-19	Downwind	Note 3	Note 3	Note 3
5-Dec-19	Upwind	Note 3	Note 3	Note 3
5-Dec-19	Downwind	Note 3	Note 3	Note 3
6-Dec-19	Upwind	Note 3	Note 3	Note 3
6-Dec-19	Downwind	Note 3	Note 3	Note 3
9-Dec-19	Upwind	4.3	<0.005	No
9-Dec-19	Downwind	4.1	<0.006	No
10-Dec-19	Upwind	9.4	<0.002	No
10-Dec-19	Downwind	9.4	<0.002	No
11-Dec-19	Upwind	Note 3	Note 3	Note 3
11-Dec-19	Downwind	Note 3	Note 3	Note 3
12-Dec-19	Upwind	Note 3	Note 3	Note 3
12-Dec-19	Downwind	Note 3	Note 3	Note 3
13-Dec-19	Upwind	Note 3	Note 3	Note 3
13-Dec-19	Downwind	Note 3	Note 3	Note 3
16-Dec-19	Upwind	Note 3	Note 3	Note 3
16-Dec-19	Downwind	Note 3	Note 3	Note 3
17-Dec-19	Upwind	Note 3	Note 3	Note 3

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
17-Dec-19	Downwind	Note 3	Note 3	Note 3
18-Dec-19	Upwind	Note 3	Note 3	Note 3
18-Dec-19	Downwind	Note 3	Note 3	Note 3
19-Dec-19	Upwind	Note 3	Note 3	Note 3
19-Dec-19	Downwind	Note 3	Note 3	Note 3
20-Dec-19	Upwind	Note 3	Note 3	Note 3
20-Dec-19	Downwind	Note 3	Note 3	Note 3
23-Dec-19	Upwind	7.5	<0.003	No
23-Dec-19	Downwind	7.5	<0.003	No
24-Dec-19	Upwind	6.8	<0.003	No
24-Dec-19	Downwind	6.9	<0.003	No
25-Dec-19	Upwind	Note 2	Note 2	Note 2
25-Dec-19	Downwind	Note 2	Note 2	Note 2
26-Dec-19	Upwind	7.4	<0.003	No
26-Dec-19	Downwind	7.5	<0.003	No
27-Dec-19	Upwind	7.5	<0.003	No
27-Dec-19	Downwind	7.7	<0.003	No
30-Dec-19	Upwind	7.3	<0.003	No
30-Dec-19	Downwind	7.3	<0.003	No
31-Dec-19	Upwind	7.067	<0.003	No
31-Dec-19	Downwind	7.1	0.0	No
1-Jan-20	Upwind	Note 3	Note 3	Note 3
1-Jan-20	Downwind	Note 3	Note 3	Note 3
2-Jan-20	Upwind	Note 3	Note 3	Note 3
2-Jan-20	Downwind	Note 3	Note 3	Note 3
3-Jan-20	Upwind	7.6	<0.003	No
3-Jan-20	Downwind	7.6	<0.003	No
6-Jan-20	Upwind	7.6	<0.003	No
6-Jan-20	Downwind	7.6	<0.003	No
7-Jan-20	Upwind	7.9	<0.003	No
7-Jan-20	Downwind	8.0	<0.003	No
8-Jan-20	Upwind	Note 3	Note 3	Note 3
8-Jan-20	Downwind	Note 3	Note 3	Note 3
9-Jan-20	Upwind	Note 3	Note 3	Note 3
9-Jan-20	Downwind	Note 3	Note 3	Note 3
10-Jan-20	Upwind	Note 3	Note 3	Note 3
10-Jan-20	Downwind	Note 3	Note 3	Note 3
13-Jan-20	Upwind	Note 3	Note 3	Note 3
13-Jan-20	Downwind	Note 3	Note 3	Note 3

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
14-Jan-20	Upwind	Note 3	Note 3	Note 3
14-Jan-20	Downwind	Note 3	Note 3	Note 3
15-Jan-20	Upwind	Note 3	Note 3	Note 3
15-Jan-20	Downwind	Note 3	Note 3	Note 3
16-Jan-20	Upwind	Note 3	Note 3	Note 3
16-Jan-20	Downwind	Note 3	Note 3	Note 3
17-Jan-20	Upwind	Note 3	Note 3	Note 3
17-Jan-20	Downwind	Note 3	Note 3	Note 3
20-Jan-20	Upwind	Note 3	Note 3	Note 3
20-Jan-20	Downwind	Note 3	Note 3	Note 3
21-Jan-20	Upwind	Note 3	Note 3	Note 3
21-Jan-20	Downwind	Note 3	Note 3	Note 3
22-Jan-20	Upwind	Note 3	Note 3	Note 3
22-Jan-20	Downwind	Note 3	Note 3	Note 3
23-Jan-20	Upwind	Note 3	Note 3	Note 3
23-Jan-20	Downwind	Note 3	Note 3	Note 3
24-Jan-20	Upwind	Note 3	Note 3	Note 3
24-Jan-20	Downwind	Note 3	Note 3	Note 3
27-Jan-20	Upwind	Note 3	Note 3	Note 3
27-Jan-20	Downwind	Note 3	Note 3	Note 3
28-Jan-20	Upwind	Note 3	Note 3	Note 3
28-Jan-20	Downwind	Note 3	Note 3	Note 3
29-Jan-20	Upwind	Note 3	Note 3	Note 3
29-Jan-20	Downwind	Note 3	Note 3	Note 3
30-Jan-20	Upwind	Note 3	Note 3	Note 3
30-Jan-20	Downwind	Note 3	Note 3	Note 3
31-Jan-20	Upwind	Note 3	Note 3	Note 3
31-Jan-20	Downwind	Note 3	Note 3	Note 3
3-Feb-20	Upwind	Note 3	Note 3	Note 3
3-Feb-20	Downwind	Note 3	Note 3	Note 3
4-Feb-20	Upwind	Note 3	Note 3	Note 3
4-Feb-20	Downwind	Note 3	Note 3	Note 3
5-Feb-20	Upwind	Note 3	Note 3	Note 3
5-Feb-20	Downwind	Note 3	Note 3	Note 3
6-Feb-20	Upwind	Note 3	Note 3	Note 3
6-Feb-20	Downwind	Note 3	Note 3	Note 3
7-Feb-20	Upwind	Note 3	Note 3	Note 3
7-Feb-20	Downwind	Note 3	Note 3	Note 3
10-Feb-20	Upwind	Note 3	Note 3	Note 3

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
10-Feb-20	Downwind	Note 3	Note 3	Note 3
11-Feb-20	Upwind	7.2	<0.0031	No
11-Feb-20	Downwind	7.2	<0.0031	No
12-Feb-20	Upwind	5.5	<0.0041	No
12-Feb-20	Downwind	5.6	<0.0040	No
13-Feb-20	Upwind	5.3	<0.0043	No
13-Feb-20	Downwind	5.1	<0.0044	No
14-Feb-20	Upwind	7.8	<0.0029	No
14-Feb-20	Downwind	7.7	<0.0029	No
17-Feb-20	Upwind	7.7	<0.0029	No
17-Feb-20	Downwind	7.6	<0.0029	No
18-Feb-20	Upwind	7.0	<0.0032	No
18-Feb-20	Downwind	7.1	<0.0032	No
19-Feb-20	Upwind	3.8	<0.0059	No
19-Feb-20	Downwind	3.9	<0.0058	No
20-Feb-20	Upwind	Note 3	Note 3	Note 3
20-Feb-20	Downwind	Note 3	Note 3	Note 3
21-Feb-20	Upwind	Note 3	Note 3	Note 3
21-Feb-20	Downwind	Note 3	Note 3	Note 3
24-Feb-20	Upwind	Note 3	Note 3	Note 3
24-Feb-20	Downwind	Note 3	Note 3	Note 3
25-Feb-20	Upwind	Note 3	Note 3	Note 3
25-Feb-20	Downwind	Note 3	Note 3	Note 3
26-Feb-20	Upwind	Note 3	Note 3	Note 3
26-Feb-20	Downwind	Note 3	Note 3	Note 3
27-Feb-20	Upwind	Note 3	Note 3	Note 3
27-Feb-20	Downwind	Note 3	Note 3	Note 3
28-Feb-20	Upwind	Note 3	Note 3	Note 3
28-Feb-20	Downwind	Note 3	Note 3	Note 3
2-Mar-20	Upwind	Note 3	Note 3	Note 3
2-Mar-20	Downwind	Note 3	Note 3	Note 3
3-Mar-20	Upwind	Note 3	Note 3	Note 3
3-Mar-20	Downwind	Note 3	Note 3	Note 3
4-Mar-20	Upwind	Note 3	Note 3	Note 3
4-Mar-20	Downwind	Note 3	Note 3	Note 3
5-Mar-20	Upwind	Note 3	Note 3	Note 3
5-Mar-20	Downwind	Note 3	Note 3	Note 3
6-Mar-20	Upwind	Note 3	Note 3	Note 3
6-Mar-20	Downwind	Note 3	Note 3	Note 3

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
9-Mar-20	Upwind	Note 3	Note 3	Note 3
9-Mar-20	Downwind	Note 3	Note 3	Note 3
10-Mar-20	Upwind	Note 3	Note 3	Note 3
10-Mar-20	Downwind	Note 3	Note 3	Note 3
11-Mar-20	Upwind	Note 3	Note 3	Note 3
11-Mar-20	Downwind	Note 3	Note 3	Note 3
12-Mar-20	Upwind	Note 3	Note 3	Note 3
12-Mar-20	Downwind	Note 3	Note 3	Note 3
13-Mar-20	Upwind	Note 3	Note 3	Note 3
13-Mar-20	Downwind	Note 3	Note 3	Note 3
16-Mar-20	Upwind	Note 3	Note 3	Note 3
16-Mar-20	Downwind	Note 3	Note 3	Note 3
17-Mar-20	Upwind	Note 3	Note 3	Note 3
17-Mar-20	Downwind	Note 3	Note 3	Note 3
18-Mar-20	Upwind	Note 3	Note 3	Note 3
18-Mar-20	Downwind	Note 3	Note 3	Note 3
19-Mar-20	Upwind	Note 3	Note 3	Note 3
19-Mar-20	Downwind	Note 3	Note 3	Note 3
20-Mar-20	Upwind	Note 3	Note 3	Note 3
20-Mar-20	Downwind	Note 3	Note 3	Note 3
23-Mar-20	Upwind	Note 3	Note 3	Note 3
23-Mar-20	Downwind	Note 3	Note 3	Note 3
24-Mar-20	Upwind	Note 3	Note 3	Note 3
24-Mar-20	Downwind	Note 3	Note 3	Note 3
25-Mar-20	Upwind	Note 3	Note 3	Note 3
25-Mar-20	Downwind	Note 3	Note 3	Note 3
26-Mar-20	Upwind	Note 3	Note 3	Note 3
26-Mar-20	Downwind	Note 3	Note 3	Note 3
27-Mar-20	Upwind	Note 3	Note 3	Note 3
27-Mar-20	Downwind	Note 3	Note 3	Note 3
30-Mar-20	Upwind	Note 3	Note 3	Note 3
30-Mar-20	Downwind	Note 3	Note 3	Note 3
31-Mar-20	Upwind	Note 3	Note 3	Note 3
31-Mar-20	Downwind	Note 3	Note 3	Note 3
1-Apr-20	Upwind	Note 3	Note 3	Note 3
1-Apr-20	Downwind	Note 3	Note 3	Note 3
2-Apr-20	Upwind	Note 3	Note 3	Note 3
2-Apr-20	Downwind	Note 3	Note 3	Note 3
3-Apr-20	Upwind	Note 3	Note 3	Note 3

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
3-Apr-20	Downwind	Note 3	Note 3	Note 3
6-Apr-20	Upwind	Note 3	Note 3	Note 3
6-Apr-20	Downwind	Note 3	Note 3	Note 3
7-Apr-20	Upwind	Note 3	Note 3	Note 3
7-Apr-20	Downwind	Note 3	Note 3	Note 3
8-Apr-20	Upwind	Note 3	Note 3	Note 3
8-Apr-20	Downwind	Note 3	Note 3	Note 3
9-Apr-20	Upwind	Note 3	Note 3	Note 3
9-Apr-20	Downwind	Note 3	Note 3	Note 3
10-Apr-20	Upwind	Note 3	Note 3	Note 3
10-Apr-20	Downwind	Note 3	Note 3	Note 3
13-Apr-20	Upwind	Note 3	Note 3	Note 3
13-Apr-20	Downwind	Note 3	Note 3	Note 3
14-Apr-20	Upwind	Note 3	Note 3	Note 3
14-Apr-20	Downwind	Note 3	Note 3	Note 3
15-Apr-20	Upwind	Note 3	Note 3	Note 3
15-Apr-20	Downwind	Note 3	Note 3	Note 3
16-Apr-20	Upwind	Note 3	Note 3	Note 3
16-Apr-20	Downwind	Note 3	Note 3	Note 3
17-Apr-20	Upwind	Note 3	Note 3	Note 3
17-Apr-20	Downwind	Note 3	Note 3	Note 3
20-Apr-20	Upwind	Note 3	Note 3	Note 3
20-Apr-20	Downwind	Note 3	Note 3	Note 3
21-Apr-20	Upwind	Note 3	Note 3	Note 3
21-Apr-20	Downwind	Note 3	Note 3	Note 3
22-Apr-20	Upwind	Note 3	Note 3	Note 3
22-Apr-20	Downwind	Note 3	Note 3	Note 3
23-Apr-20	Upwind	Note 3	Note 3	Note 3
23-Apr-20	Downwind	Note 3	Note 3	Note 3
24-Apr-20	Upwind	Note 3	Note 3	Note 3
24-Apr-20	Downwind	Note 3	Note 3	Note 3
27-Apr-20	Upwind	Note 3	Note 3	Note 3
27-Apr-20	Downwind	Note 3	Note 3	Note 3
28-Apr-20	Upwind	Note 3	Note 3	Note 3
28-Apr-20	Downwind	Note 3	Note 3	Note 3
29-Apr-20	Upwind	9.5	0.0026	No
29-Apr-20	Downwind	9.4	<0.0024	No
30-Apr-20	Upwind	9.5	<0.0024	No
30-Apr-20	Downwind	9.6	<0.0023	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
1-May-20	Upwind	Note 3	Note 3	Note 3
1-May-20	Downwind	Note 3	Note 3	Note 3
4-May-20	Upwind	9.6	0.0030	No
4-May-20	Downwind	9.6	<0.0024	No
5-May-20	Upwind	9.5	0.0026	No
5-May-20	Downwind	9.4	<0.0024	No
6-May-20	Upwind	9.6	<0.0023	No
6-May-20	Downwind	9.5	<0.0024	No
7-May-20	Upwind	9.4	<0.0024	No
7-May-20	Downwind	9.5	<0.0024	No
8-May-20	Upwind	Note 3	Note 3	Note 3
8-May-20	Downwind	Note 3	Note 3	Note 3
11-May-20	Upwind	9.7	<0.0023	No
11-May-20	Downwind	9.6	<0.0023	No
12-May-20	Upwind	9.6	<0.0023	No
12-May-20	Downwind	9.5	<0.0024	No
13-May-20	Upwind	9.6	<0.0023	No
13-May-20	Downwind	9.5	<0.0024	No
14-May-20	Upwind	9.5	<0.0024	No
14-May-20	Downwind	9.5	<0.0024	No
15-May-20	Upwind	9.4	<0.0024	No
15-May-20	Downwind	9.4	<0.0024	No
18-May-20	Upwind	9.7	<0.0023	No
18-May-20	Downwind	9.7	<0.0023	No
19-May-20	Upwind	9.6	<0.0023	No
19-May-20	Downwind	9.6	<0.0023	No
20-May-20	Upwind	9.6	<0.0023	No
20-May-20	Downwind	9.5	0.0030	No
21-May-20	Upwind	9.6	<0.0023	No
21-May-20	Downwind	9.7	<0.0023	No
22-May-20	Upwind	9.5	<0.0024	No
22-May-20	Downwind	9.5	<0.0024	No
25-May-20	Upwind	Note 2	Note 2	Note 2
25-May-20	Downwind	Note 2	Note 2	Note 2
26-May-20	Upwind	9.7	0.0038	No
26-May-20	Downwind	9.6	<0.0023	No
27-May-20	Upwind	9.6	0.0066	No
27-May-20	Downwind	9.5	<0.0024	No
28-May-20	Upwind	9.6	0.0068	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
28-May-20	Downwind	9.5	<0.0024	No
29-May-20	Upwind	9.5	<0.0024	No
29-May-20	Downwind	9.5	0.0125	No
1-Jun-20	Upwind	7.5	0.0038	No
1-Jun-20	Downwind	7.4	<0.0030	No
2-Jun-20	Upwind	7.6	<0.0030	No
2-Jun-20	Downwind	7.6	0.0035	No
3-Jun-20	Upwind	7.6	0.0059	No
3-Jun-20	Downwind	7.6	<0.0030	No
4-Jun-20	Upwind	8.6	0.0045	No
4-Jun-20	Downwind	7.6	<0.0030	No
5-Jun-20	Upwind	7.5	0.0033	No
5-Jun-20	Downwind	7.5	<0.0030	No
8-Jun-20	Upwind	9.8	0.0046	No
8-Jun-20	Downwind	9.7	<0.0023	No
9-Jun-20	Upwind	9.7	<0.0023	No
9-Jun-20	Downwind	9.8	0.0029	No
10-Jun-20	Upwind	9.7	0.0040	No
10-Jun-20	Downwind	9.8	<0.0023	No
11-Jun-20	Upwind	9.8	0.0126	No
11-Jun-20	Downwind	9.8	0.0033	No
12-Jun-20	Upwind	9.6	0.0047	No
12-Jun-20	Downwind	9.8	0.0034	No
13-Jun-20	Upwind	9.5	0.0026	No
13-Jun-20	Downwind	9.6	<0.0023	No
15-Jun-20	Upwind	9.7	0.0070	No
15-Jun-20	Downwind	9.7	0.0039	No
16-Jun-20	Upwind	9.8	0.0059	No
16-Jun-20	Downwind	9.8	0.0092	No
17-Jun-20	Upwind	9.6	0.0026	No
17-Jun-20	Downwind	9.7	<0.0023	No
18-Jun-20	Upwind	9.7	0.0030	No
18-Jun-20	Downwind	9.7	0.0026	No
19-Jun-20	Upwind	9.8	0.0047	No
19-Jun-20	Downwind	9.8	0.0030	No
20-Jun-20	Upwind	9.8	<0.0023	No
20-Jun-20	Downwind	9.8	<0.0023	No
22-Jun-20	Upwind	9.6	0.0116	No
22-Jun-20	Downwind	9.7	<0.0023	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
23-Jun-20	Upwind	9.7	0.0026	No
23-Jun-20	Downwind	9.7	<0.0023	No
24-Jun-20	Upwind	9.7	0.0026	No
24-Jun-20	Downwind	9.7	<0.0023	No
25-Jun-20	Upwind	9.7	<0.0023	No
25-Jun-20	Downwind	9.7	<0.0023	No
26-Jun-20	Upwind	9.6	0.0047	No
26-Jun-20	Downwind	9.7	<0.0023	No
27-Jun-20	Upwind	9.7	<0.0023	No
27-Jun-20	Downwind	9.5	0.0052	No
29-Jun-20	Upwind	9.5	0.0026	No
29-Jun-20	Downwind	9.6	0.0043	No
30-Jun-20	Upwind	9.1	0.0066	No
30-Jun-20	Downwind	9.0	0.0046	No
1-Jul-20	Upwind	9.2	0.0049	No
1-Jul-20	Downwind	9.3	0.0031	No
2-Jul-20	Upwind	9.6	<0.0025	No
2-Jul-20	Downwind	9.3	<0.0024	No
6-Jul-20	Upwind	9.1	0.0026	No
6-Jul-20	Downwind	9.1	<0.0024	No
7-Jul-20	Upwind	9.7	<0.0023	No
7-Jul-20	Downwind	9.7	0.0032	No
8-Jul-20	Upwind	9.8	<0.0023	No
8-Jul-20	Downwind	9.5	<0.0023	No
9-Jul-20	Upwind	9.4	0.0026	No
9-Jul-20	Downwind	9.4	<0.0023	No
10-Jul-20	Upwind	9.2	0.0047	No
10-Jul-20	Downwind	9.1	<0.0023	No
13-Jul-20	Upwind	8.5	<0.0026	No
13-Jul-20	Downwind	8.4	0.0047	No
14-Jul-20	Upwind	9.1	0.0066	No
14-Jul-20	Downwind	8.8	<0.0025	No
15-Jul-20	Upwind	9.3	<0.0013	No
15-Jul-20	Downwind	8.8	0.0018	No
16-Jul-20	Upwind	9.1	0.0037	No
16-Jul-20	Downwind	8.9	<0.0023	No
17-Jul-20	Upwind	9.6	0.0044	No
17-Jul-20	Downwind	9.2	<0.0024	No
20-Jul-20	Upwind	9.3	0.0029	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
20-Jul-20	Downwind	8.9	<0.0025	No
21-Jul-20	Upwind	9.5	0.0041	No
21-Jul-20	Downwind	9.1	<0.0025	No
22-Jul-20	Upwind	8.6	<0.0026	No
22-Jul-20	Downwind	14.7	<0.0015	No
23-Jul-20	Upwind	15.8	0.0040	No
23-Jul-20	Downwind	16.0	<0.0014	No
24-Jul-20	Upwind	9.7	<0.0023	No
24-Jul-20	Downwind	9.3	0.0024	No
27-Jul-20	Upwind	16.1	0.0034	No
27-Jul-20	Downwind	14.6	<0.0015	No
28-Jul-20	Upwind	16.8	0.0022	No
28-Jul-20	Downwind	16.2	<0.0014	No
29-Jul-20	Upwind	14.9	0.0018	No
29-Jul-20	Downwind	15.1	<0.0015	No
30-Jul-20	Upwind	15.9	0.0026	No
30-Jul-20	Downwind	21.7	Note 4	Note 4
31-Jul-20	Upwind	9.7	<0.0023	No
31-Jul-20	Downwind	9.3	<0.0024	No
3-Aug-20	Upwind	17.6	0.0037	No
3-Aug-20	Downwind	14.6	0.0020	No
4-Aug-20	Upwind	17.5	0.0016	No
4-Aug-20	Downwind	17.0	<0.0013	No
5-Aug-20	Upwind	15.7	0.0034	No
5-Aug-20	Downwind	14.1	<0.0016	No
6-Aug-20	Upwind	16.6	0.0027	No
6-Aug-20	Downwind	15.3	0.0020	No
7-Aug-20	Upwind	9.6	0.0040	No
7-Aug-20	Downwind	9.3	<0.0024	No
10-Aug-20	Upwind	16.1	0.0039	No
10-Aug-20	Downwind	16.3	<0.0014	No
11-Aug-20	Upwind	14.9	0.0020	No
11-Aug-20	Downwind	15.5	<0.0014	No
12-Aug-20	Upwind	8.9	0.0118	No
12-Aug-20	Downwind	15.6	<0.0014	No
13-Aug-20	Upwind	16.6	0.0022	No
13-Aug-20	Downwind	15.4	<0.0015	No
14-Aug-20	Upwind	16.9	0.0017	No
14-Aug-20	Downwind	16.4	<0.0014	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
17-Aug-20	Upwind	17.4	0.0031	No
17-Aug-20	Downwind	17.7	<0.0013	No
18-Aug-20	Upwind	14.4	0.0053	No
18-Aug-20	Downwind	14.0	0.0019	No
19-Aug-20	Upwind	9.8	0.0138	No
19-Aug-20	Downwind	16.5	0.0027	No
20-Aug-20	Upwind	17.5	0.0056	No
20-Aug-20	Downwind	16.3	0.0026	No
21-Aug-20	Upwind	17.9	0.0014	No
21-Aug-20	Downwind	17.3	<0.0013	No
24-Aug-20	Upwind	15.9	0.0034	No
24-Aug-20	Downwind	15.1	<0.0015	No
25-Aug-20	Upwind	17.6	0.0029	No
25-Aug-20	Downwind	15.8	<0.0014	No
26-Aug-20	Upwind	12.4	<0.0018	No
26-Aug-20	Downwind	13.4	<0.0017	No
27-Aug-20	Upwind	16.1	0.0017	No
27-Aug-20	Downwind	14.8	<0.0015	No
28-Aug-20	Upwind	9.8	0.0059	No
28-Aug-20	Downwind	9.5	<0.0024	No
31-Aug-20	Upwind	15.5	0.0016	No
31-Aug-20	Downwind	15.2	<0.0015	No
1-Sep-20	Upwind	16.5	<0.0014	No
1-Sep-20	Downwind	8.4	<0.0027	No
2-Sep-20	Upwind	16.3	0.0045	No
2-Sep-20	Downwind	15.1	<0.0015	No
3-Sep-20	Upwind	15.3	0.0021	No
3-Sep-20	Downwind	15.5	<0.0014	No
4-Sep-20	Upwind	10.1	<0.0022	No
4-Sep-20	Downwind	9.8	<0.0023	No
7-Sep-20	Upwind	Labor Day	Labor Day	No
7-Sep-20	Downwind	Labor Day	Labor Day	No
8-Sep-20	Upwind	9.8	0.0033	No
8-Sep-20	Downwind	15.1	0.0024	No
9-Sep-20	Upwind	5.4	0.0068	No
9-Sep-20	Downwind	5.1	0.0056	No
10-Sep-20	Upwind	14.5	<0.0015	No
10-Sep-20	Downwind	15.4	<0.0015	No
11-Sep-20	Upwind	8.0	<0.0028	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
11-Sep-20	Downwind	7.8	<0.0029	No
14-Sep-20	Upwind	15.8	<0.0014	No
14-Sep-20	Downwind	15.6	<0.0014	No
15-Sep-20	Upwind	16.7	<0.0013	No
15-Sep-20	Downwind	15.1	<0.0015	No
16-Sep-20	Upwind	13.7	<0.0016	No
16-Sep-20	Downwind	14.0	<0.0016	No
17-Sep-20	Upwind	16.0	<0.0014	No
17-Sep-20	Downwind	14.2	<0.0016	No
18-Sep-20	Upwind	9.7	<0.0023	No
18-Sep-20	Downwind	9.5	<0.0024	No
21-Sep-20	Upwind	16.0	0.0026	No
21-Sep-20	Downwind	14.4	0.0021	No
22-Sep-20	Upwind	17.0	<0.0013	No
22-Sep-20	Downwind	16.9	<0.0013	No
23-Sep-20	Upwind	15.4	0.0023	No
23-Sep-20	Downwind	15.3	<0.0015	No
24-Sep-20	Upwind	17.1	0.0023	No
24-Sep-20	Downwind	13.1	0.0017	No
25-Sep-20	Upwind	8.3	0.0064	No
25-Sep-20	Downwind	8.3	<0.0027	No
28-Sep-20	Upwind	14.9	0.0036	No
28-Sep-20	Downwind	14.9	0.0021	No
29-Sep-20	Upwind	17.0	0.0014	No
29-Sep-20	Downwind	17.0	<0.0013	No
30-Sep-20	Upwind	16.4	<0.0014	No
30-Sep-20	Downwind	16.7	<0.0013	No
1-Oct-20	Upwind	15.7	<0.0014	No
1-Oct-20	Downwind	15.7	<0.0014	No
2-Oct-20	Upwind	7.4	<0.0030	No
2-Oct-20	Downwind	7.4	<0.0031	No
5-Oct-20	Upwind	9.2	0.0054	No
5-Oct-20	Downwind	7.3	0.0059	No
6-Oct-20	Upwind	9.1	0.0063	No
6-Oct-20	Downwind	16.9	0.0019	No
7-Oct-20	Upwind	5.8	<0.0039	No
7-Oct-20	Downwind	14.8	<0.0015	No
8-Oct-20	Upwind	8.3	<0.0027	No
8-Oct-20	Downwind	15.2	0.0024	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
9-Oct-20	Upwind	7.7	<0.0029	No
9-Oct-20	Downwind	7.5	<0.0030	No
12-Oct-20	Upwind	18.1	<0.0012	No
12-Oct-20	Downwind	10.7	<0.0021	No
13-Oct-20	Upwind	10.9	<0.0021	No
13-Oct-20	Downwind	16.0	<0.0014	No
14-Oct-20	Upwind	12.4	0.0023	No
14-Oct-20	Downwind	16.5	<0.0014	No
15-Oct-20	Upwind	15.1	0.0035	No
15-Oct-20	Downwind	7.6	0.0059	No
16-Oct-20	Upwind	7.8	0.0032	No
16-Oct-20	Downwind	7.5	<0.0030	No
19-Oct-20	Upwind	7.8	0.0015	No
19-Oct-20	Downwind	7.5	<0.0021	No
20-Oct-20	Upwind	16.4	<0.0021	No
20-Oct-20	Downwind	7.7	<0.0014	No
21-Oct-20	Upwind	24.0	0.0018	No
21-Oct-20	Downwind	24.1	<0.0014	No
22-Oct-20	Upwind	23.6	0.0016	No
22-Oct-20	Downwind	21.8	<0.0030	No
23-Oct-20	Upwind	17.4	<0.0013	No
23-Oct-20	Downwind	17.5	<0.0013	No
24-Oct-20	Upwind	5.5	<0.0041	No
24-Oct-20	Downwind	5.2	<0.0043	No
26-Oct-20	Upwind	14.7	0.0035	No
26-Oct-20	Downwind	14.7	0.0025	No
27-Oct-20	Upwind	16.4	0.0050	No
27-Oct-20	Downwind	16.7	<0.0013	No
28-Oct-20	Upwind	14.1	0.0045	No
28-Oct-20	Downwind	14.9	<0.0015	No
29-Oct-20	Upwind	15.2	0.0026	No
29-Oct-20	Downwind	14.4	0.0040	No
30-Oct-20	Upwind	17.1	0.0025	No
30-Oct-20	Downwind	14.5	0.0017	No
31-Oct-20	Upwind	7.7	0.0029	No
31-Oct-20	Downwind	7.7	0.0040	No
2-Nov-20	Upwind	15.5	0.0021	No
2-Nov-20	Downwind	15.3	0.0020	No
3-Nov-20	Upwind	21.5	<0.0010	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
3-Nov-20	Downwind	17.4	<0.0013	No
4-Nov-20	Upwind	21.3	0.0020	No
4-Nov-20	Downwind	13.9	0.0016	No
5-Nov-20	Upwind	22.8	<0.0010	No
5-Nov-20	Downwind	23.1	<0.0010	No
6-Nov-20	Upwind	24.0	<0.0009	No
6-Nov-20	Downwind	23.5	<0.0010	No
7-Nov-20	Upwind	24.3	<0.0009	No
7-Nov-20	Downwind	23.1	<0.0010	No
9-Nov-20	Upwind	13.8	<0.0016	No
9-Nov-20	Downwind	13.8	<0.0016	No
10-Nov-20	Upwind	14.1	0.0025	No
10-Nov-20	Downwind	14.7	<0.0015	No
11-Nov-20	Upwind	13.5	0.0021	No
11-Nov-20	Downwind	13.8	<0.0016	No
12-Nov-20	Upwind	17.0	<0.0013	No
12-Nov-20	Downwind	14.8	0.0017	No
13-Nov-20	Upwind	6.3	<0.0036	No
13-Nov-20	Downwind	5.9	<0.0038	No
14-Nov-20	Upwind	15.3	<0.0015	No
14-Nov-20	Downwind	13.5	<0.0017	No
16-Nov-20	Upwind	17.6	<0.0013	No
16-Nov-20	Downwind	15.3	<0.0015	No
17-Nov-20	Upwind	2.6	<0.0087	No
17-Nov-20	Downwind	3.4	<0.0066	No
18-Nov-20	Upwind	16.5	<0.0014	No
18-Nov-20	Downwind	15.6	<0.0014	No
19-Nov-20	Upwind	24.2	<0.0009	No
19-Nov-20	Downwind	24.1	<0.0009	No
20-Nov-20	Upwind	22.6	<0.0010	No
20-Nov-20	Downwind	22.5	<0.0010	No
21-Nov-20	Upwind	16.6	0.0016	No
21-Nov-20	Downwind	13.4	<0.0017	No
23-Nov-20	Upwind	14.2	0.0036	No
23-Nov-20	Downwind	12.6	0.0026	No
24-Nov-20	Upwind	15.5	0.0016	No
24-Nov-20	Downwind	12.9	0.0035	No
25-Nov-20	Upwind	9.5	0.0030	No
25-Nov-20	Downwind	10.9	<0.0021	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
26-Nov-20	Upwind	Note 2	Note 2	Note 2
26-Nov-20	Downwind	Note 2	Note 2	Note 2
27-Nov-20	Upwind	Note 2	Note 2	Note 2
27-Nov-20	Downwind	Note 2	Note 2	Note 2
30-Nov-20	Upwind	16.7	0.0017	No
30-Nov-20	Downwind	14.2	<0.0016	No
1-Dec-20	Upwind	15.3	<0.0015	No
1-Dec-20	Downwind	13.4	<0.0017	No
2-Dec-20	Upwind	15.4	0.0016	No
2-Dec-20	Downwind	12.6	<0.0018	No
3-Dec-20	Upwind	14.8	<0.0015	No
3-Dec-20	Downwind	13.8	<0.0016	No
4-Dec-20	Upwind	15.9	<0.0014	No
4-Dec-20	Downwind	13.4	<0.0017	No
5-Dec-20	Upwind	8.1	<.0.0027	No
5-Dec-20	Downwind	7.8	<0.0030	No
7-Dec-20	Upwind	14.5	0.0017	No
7-Dec-20	Downwind	12.9	0.0021	No
8-Dec-20	Upwind	14.3	0.0022	No
8-Dec-20	Downwind	14.2	0.0022	No
9-Dec-20	Upwind	14.3	<0.0016	No
9-Dec-20	Downwind	12.1	0.0024	No
10-Dec-20	Upwind	15.5	<0.0014	No
10-Dec-20	Downwind	12.1	<0.0019	No
11-Dec-20	Upwind	7.3	0.0048	No
11-Dec-20	Downwind	7.2	<0.0031	No
14-Dec-20	Upwind	14.8	<0.0015	No
14-Dec-20	Downwind	12.0	<0.0019	No
15-Dec-20	Upwind	13.9	<0.0016	No
15-Dec-20	Downwind	13.6	<0.0016	No
16-Dec-20	Upwind	14.5	0.0017	No
16-Dec-20	Downwind	12.8	<0.0018	No
18-Dec-20	Upwind	7.8	<0.0029	No
18-Dec-20	Downwind	7.5	0.0033	No
21-Dec-20	Upwind	15.0	<0.0015	No
21-Dec-20	Downwind	15.8	<0.0014	No
22-Dec-20	Upwind	9.3	<0.0024	No
22-Dec-20	Downwind	9.2	<0.0025	No
23-Dec-20	Upwind	6.2	<0.0036	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
23-Dec-20	Downwind	5.9	<0.0038	No
24-Dec-20	Upwind	Note 2	Note 2	Note 2
24-Dec-20	Downwind	Note 2	Note 2	Note 2
25-Dec-20	Upwind	Note 2	Note 2	Note 2
25-Dec-20	Downwind	Note 2	Note 2	Note 2
28-Dec-20	Upwind	15.7	0.0030	No
28-Dec-20	Downwind	12.4	0.0049	No
29-Dec-20	Upwind	12.6	<0.0018	No
29-Dec-20	Downwind	11.5	<0.0020	No
30-Dec-20	Upwind	14.6	<0.0015	No
30-Dec-20	Downwind	14.2	<0.0016	No
31-Dec-20	Upwind	16.0	<0.0014	No
31-Dec-20	Downwind	10.9	<0.0021	No
1-Jan-21	Upwind	Note 2	Note 2	Note 2
1-Jan-21	Downwind	Note 2	Note 2	Note 2
4-Jan-21	Upwind	Note 1	Note 1	Note 1
4-Jan-21	Downwind	Note 1	Note 1	Note 1
5-Jan-21	Upwind	10.9	<0.0021	No
5-Jan-21	Downwind	10.0	0.0027	No
6-Jan-21	Upwind	5.0	<0.0045	No
6-Jan-21	Downwind	4.8	<0.0046	No
7-Jan-21	Upwind	8.1	<0.0028	No
7-Jan-21	Downwind	10.1	<0.0022	No
8-Jan-21	Upwind	12.8	<0.0018	No
8-Jan-21	Downwind	13.5	<0.0017	No
11-Jan-21	Upwind	15.4	<0.0015	No
11-Jan-21	Downwind	11.2	<0.0020	No
12-Jan-21	Upwind	10.6	<0.0021	No
12-Jan-21	Downwind	12.3	<0.0018	No
13-Jan-21	Upwind	15.4	<0.0015	No
13-Jan-21	Downwind	11.1	<0.0020	No
14-Jan-21	Upwind	10.9	<0.0021	No
14-Jan-21	Downwind	12.0	0.0061	No
15-Jan-21	Upwind	7.8	<0.0029	No
15-Jan-21	Downwind	7.6	<0.0030	No
18-Jan-21	Upwind	Note 2	Note 2	Note 2
18-Jan-21	Downwind	Note 2	Note 2	Note 2
19-Jan-21	Upwind	11.6	<0.0019	No
19-Jan-21	Downwind	14.3	<0.0016	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
20-Jan-21	Upwind	14.6	<0.0015	No
20-Jan-21	Downwind	16.3	<0.0014	No
21-Jan-21	Upwind	7.6	<0.0030	No
21-Jan-21	Downwind	7.6	<0.0030	No
22-Jan-21	Upwind	3.3	<0.0069	No
22-Jan-21	Downwind	3.0	<0.0074	No
25-Jan-21	Upwind	7.9	0.0036	No
25-Jan-21	Downwind	7.8	<0.0029	No
26-Jan-21	Upwind	4.9	<0.0046	No
26-Jan-21	Downwind	4.8	<0.0046	No
27-Jan-21	Upwind	Note 1	Note 1	Note 1
27-Jan-21	Downwind	Note 1	Note 1	Note 1
28-Jan-21	Upwind	Note 1	Note 1	Note 1
28-Jan-21	Downwind	Note 1	Note 1	Note 1
29-Jan-21	Upwind	5.8	<0.0039	No
29-Jan-21	Downwind	5.5	<0.0041	No
1-Feb-21	Upwind	7.5	<0.0030	No
1-Feb-21	Downwind	7.3	<0.0031	No
2-Feb-21	Upwind	Note 1	Note 1	Note 1
2-Feb-21	Downwind	Note 1	Note 1	Note 1
3-Feb-21	Upwind	12.7	<0.0018	No
3-Feb-21	Downwind	10.3	<0.0022	No
4-Feb-21	Upwind	12.6	<0.0018	No
4-Feb-21	Downwind	13.8	<0.0016	No
5-Feb-21	Upwind	7.0	<0.0032	No
5-Feb-21	Downwind	6.8	<0.0033	No
8-Feb-21	Upwind	9.7	<0.0023	No
8-Feb-21	Downwind	7.7	<0.0029	No
9-Feb-21	Upwind	16.2	<0.0014	No
9-Feb-21	Downwind	11.2	<0.0020	No
10-Feb-21	Upwind	10.0	<0.0022	No
10-Feb-21	Downwind	9.5	<0.0024	No
11-Feb-21	Upwind	5.2	<0.0043	No
11-Feb-21	Downwind	4.7	<0.0048	No
12-Feb-21	Upwind	4.6	<0.0048	No
12-Feb-21	Downwind	6.8	<0.0033	No
15-Feb-21	Upwind	Note 1	Note 1	Note 1
15-Feb-21	Downwind	Note 1	Note 1	Note 1
16-Feb-21	Upwind	5.2	<0.0043	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
16-Feb-21	Downwind	3.4	<0.0066	No
17-Feb-21	Upwind	7.5	<0.0030	No
17-Feb-21	Downwind	10.9	<0.0021	No
18-Feb-21	Upwind	7.3	<0.0031	No
18-Feb-21	Downwind	3.8	<0.0060	No
19-Feb-21	Upwind	Note 1	Note 1	Note 1
19-Feb-21	Downwind	Note 1	Note 1	Note 1
22-Feb-21	Upwind	16.5	<0.0014	No
22-Feb-21	Downwind	12.1	<0.0019	No
23-Feb-21	Upwind	13.1	<0.0017	No
23-Feb-21	Downwind	16.1	<0.0014	No
24-Feb-21	Upwind	14.8	<0.0015	No
24-Feb-21	Downwind	9.6	<0.0023	No
25-Feb-21	Upwind	Note 4	Note 4	Note 4
25-Feb-21	Downwind	15.0	<0.0015	No
26-Feb-21	Upwind	3.4	<0.0066	No
26-Feb-21	Downwind	14.1	<0.0016	No
1-Mar-21	Upwind	11.6	0.0023	No
1-Mar-21	Downwind	11.5	<0.0020	No
2-Mar-21	Upwind	3.5	<0.0064	No
2-Mar-21	Downwind	10.8	<0.0021	No
3-Mar-21	Upwind	7.8	0.0034	No
3-Mar-21	Downwind	16.3	<0.0014	No
4-Mar-21	Upwind	14.2	0.0016	No
4-Mar-21	Downwind	10.8	<0.0021	No
5-Mar-21	Upwind	8.7	<0.0026	No
5-Mar-21	Downwind	14.9	<0.0015	No
8-Mar-21	Upwind	14.0	<0.0016	No
8-Mar-21	Downwind	9.0	<0.0025	No
9-Mar-21	Upwind	3.8	<0.0059	No
9-Mar-21	Downwind	6.0	<0.0037	No
10-Mar-21	Upwind	Note 1	Note 1	Note 1
10-Mar-21	Downwind	Note 1	Note 1	Note 1
11-Mar-21	Upwind	13.5	<0.0017	No
11-Mar-21	Downwind	3.8	<0.0060	No
12-Mar-21	Upwind	10.3	<0.0022	No
12-Mar-21	Downwind	16.6	<0.0014	No
15-Mar-21	Upwind	14.2	0.0017	No
15-Mar-21	Downwind	3.0	<0.0075	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
16-Mar-21	Upwind	4.0	<0.0056	No
16-Mar-21	Downwind	14.9	<0.0015	No
17-Mar-21	Upwind	14.0	<0.0016	No
17-Mar-21	Downwind	6.9	<0.0032	No
18-Mar-21	Upwind	Note 1	Note 1	Note 1
18-Mar-21	Downwind	Note 1	Note 1	Note 1
19-Mar-21	Upwind	16.5	0.0015	No
19-Mar-21	Downwind	8.5	<0.0026	No
22-Mar-21	Upwind	17.8	<0.0013	No
22-Mar-21	Downwind	11.3	0.0029	No
23-Mar-21	Upwind	17.0	0.0022	No
23-Mar-21	Downwind	14.5	0.0017	No
24-Mar-21	Upwind	9.2	0.0038	No
24-Mar-21	Downwind	15.7	<0.0014	No
25-Mar-21	Upwind	16.6	0.0027	No
25-Mar-21	Downwind	9.0	<0.0025	No
26-Mar-21	Upwind	9.3	0.0027	No
26-Mar-21	Downwind	15.8	0.0018	No
29-Mar-21	Upwind	16.1	0.0017	No
29-Mar-21	Downwind	12.1	0.0036	No
30-Mar-21	Upwind	10.3	<0.0022	No
30-Mar-21	Downwind	18.1	0.0012	No
31-Mar-21	Upwind	15.6	<0.0014	No
31-Mar-21	Downwind	15.3	<0.0015	No
1-Apr-21	Upwind	11.0	<0.0020	No
1-Apr-21	Downwind	15.5	<0.0015	No
2-Apr-21	Upwind	13.8	0.0039	No
2-Apr-21	Downwind	15.8	<0.0014	No
5-Apr-21	Upwind	8.2	<0.0028	No
5-Apr-21	Downwind	16.0	<0.0014	No
6-Apr-21	Upwind	14.8	<0.0015	No
6-Apr-21	Downwind	15.1	<0.0015	No
7-Apr-21	Upwind	7.2	<0.0031	No
7-Apr-21	Downwind	14.8	<0.0015	No
8-Apr-21	Upwind	14.1	0.0017	No
8-Apr-21	Downwind	15.4	<0.0015	No
9-Apr-21	Upwind	14.9	<0.0015	No
9-Apr-21	Downwind	7.5	<0.0030	No
12-Apr-21	Upwind	17.1	<0.0013	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
12-Apr-21	Downwind	15.0	<0.0015	No
13-Apr-21	Upwind	14.9	<0.0015	No
13-Apr-21	Downwind	11.0	0.0037	No
14-Apr-21	Upwind	14.1	<0.0015	No
14-Apr-21	Downwind	15.4	0.0016	No
15-Apr-21	Upwind	9.7	<0.0023	No
15-Apr-21	Downwind	15.0	<0.0015	No
16-Apr-21	Upwind	14.2	<0.0016	No
16-Apr-21	Downwind	15.1	<0.0015	No
19-Apr-21	Upwind	7.1	<0.0032	No
19-Apr-21	Downwind	16.2	<0.0014	No
20-Apr-21	Upwind	14.7	0.0020	No
20-Apr-21	Downwind	15.0	0.0006	No (Note 5)
21-Apr-21	Upwind	7.6	<0.0030	No
21-Apr-21	Downwind	14.8	<0.0015	No
22-Apr-21	Upwind	14.5	<0.0016	No
22-Apr-21	Downwind	14.9	<0.0015	No
23-Apr-21	Upwind	14.7	<0.0015	No
23-Apr-21	Downwind	14.2	<0.0016	No
26-Apr-21	Upwind	8.4	<0.0027	No
26-Apr-21	Downwind	14.6	0.0043	No
27-Apr-21	Upwind	15.0	<0.0015	No
27-Apr-21	Downwind	17.2	0.0019	No
28-Apr-21	Upwind	10.1	<0.0022	No
28-Apr-21	Downwind	15.8	0.0016	No
29-Apr-21	Upwind	15.7	0.0060	No
29-Apr-21	Downwind	16.2	0.0018	No
30-Apr-21	Upwind	15.9	0.0019	No
30-Apr-21	Downwind	15.2	0.0016	No
3-May-21	Upwind	17.3	0.0013	No
3-May-21	Downwind	9.5	<0.0024	No
4-May-21	Upwind	17.3	0.0013	No
4-May-21	Downwind	15.5	<0.0015	No
5-May-21	Upwind	16.3	<0.0014	No
5-May-21	Downwind	8.6	<0.0026	No
6-May-21	Upwind	10.0	<0.0023	No
6-May-21	Downwind	10.0	<0.0022	No
7-May-21	Upwind	15.3	0.0017	No
7-May-21	Downwind	10.0	<0.0022	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
10-May-21	Upwind	10.0	<0.0022	No
10-May-21	Downwind	10.0	<0.0022	No
11-May-21	Upwind	10.0	<0.0022	No
11-May-21	Downwind	10.0	<0.0022	No
12-May-21	Upwind	10.0	0.0029	No
12-May-21	Downwind	10.0	<0.0022	No
13-May-21	Upwind	10.0	<0.0022	No
13-May-21	Downwind	10.0	<0.0022	No
14-May-21	Upwind	10.0	<0.0022	No
14-May-21	Downwind	10.0	<0.0022	No
17-May-21	Upwind	10.0	<0.0022	No
17-May-21	Downwind	10.0	<0.0022	No
18-May-21	Upwind	10.0	<0.0022	No
18-May-21	Downwind	10.0	0.0025	No
19-May-21	Upwind	10.0	0.0051	No
19-May-21	Downwind	10.0	Note 4	Note 4
20-May-21	Upwind	10.0	<0.0022	No
20-May-21	Downwind	10.0	0.0025	No
21-May-21	Upwind	10.0	0.0025	No
21-May-21	Downwind	10.0	<0.0022	No
24-May-21	Upwind	10.0	<0.0022	No
24-May-21	Downwind	10.0	<0.0022	No
25-May-21	Upwind	10.0	<0.0022	No
25-May-21	Downwind	10.0	<0.0022	No
26-May-21	Upwind	10.0	<0.0022	No
26-May-21	Downwind	10.0	<0.0022	No
27-May-21	Upwind	10.0	0.0029	No
27-May-21	Downwind	10.0	0.0027	No
28-May-21	Upwind	10.0	<0.0022	No
28-May-21	Downwind	10.0	<0.0022	No
31-May-21	Upwind	Note 2	Note 2	Note 2
31-May-21	Downwind	Note 2	Note 2	Note 2
1-Jun-21	Upwind	10.0	0.0025	No
1-Jun-21	Downwind	10.0	<0.0022	No
2-Jun-21	Upwind	10.0	<0.0022	No
2-Jun-21	Downwind	10.0	<0.0022	No
3-Jun-21	Upwind	10.0	0.0037	No
3-Jun-21	Downwind	10.0	<0.0022	No
4-Jun-21	Upwind	10.0	<0.0022	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
4-Jun-21	Downwind	10.0	0.0025	No
7-Jun-21	Upwind	10.0	0.0031	No
7-Jun-21	Downwind	10.0	<0.0022	No (Note 5)
8-Jun-21	Upwind	10.0	<0.0022	No
8-Jun-21	Downwind	10.0	<0.0022	No
9-Jun-21	Upwind	10.0	0.0025	No
9-Jun-21	Downwind	10.0	<0.0022	No
10-Jun-21	Upwind	10.0	0.0039	No
10-Jun-21	Downwind	10.0	<0.0022	No
11-Jun-21	Upwind	10.0	<0.0022	No
11-Jun-21	Downwind	10.0	<0.0022	No
14-Jun-21	Upwind	10.0	0.0037	No
14-Jun-21	Downwind	10.0	<0.0022	No
15-Jun-21	Upwind	10.0	0.0023	No
15-Jun-21	Downwind	10.0	<0.0022	No
16-Jun-21	Upwind	10.0	0.0025	No
16-Jun-21	Downwind	10.0	0.0025	No
17-Jun-21	Upwind	10.0	0.0031	No
17-Jun-21	Downwind	10.0	0.0033	No
18-Jun-21	Upwind	10.0	0.0029	No
18-Jun-21	Downwind	10.0	<0.0022	No
21-Jun-21	Upwind	10.0	<0.0022	No
21-Jun-21	Downwind	10.0	<0.0022	No
22-Jun-21	Upwind	10.0	<0.0022	No
22-Jun-21	Downwind	10.0	<0.0022	No
23-Jun-21	Upwind	10.0	<0.0022	No
23-Jun-21	Downwind	10.0	<0.0022	No
24-Jun-21	Upwind	10.0	<0.0022	No
24-Jun-21	Downwind	10.0	<0.0022	No
25-Jun-21	Upwind	10.0	<0.0022	No
25-Jun-21	Downwind	10.0	<0.0022	No
28-Jun-21	Upwind	10.0	<0.0022	No
28-Jun-21	Downwind	10.0	<0.0022	No
29-Jun-21	Upwind	10.0	0.0025	No
29-Jun-21	Downwind	10.0	<0.0022	No
30-Jun-21	Upwind	10.0	<0.0022	No
30-Jun-21	Downwind	10.0	<0.0022	No
1-Jul-21	Upwind	10.0	<0.0022	No
1-Jul-21	Downwind	10.0	<0.0022	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
2-Jul-21	Upwind	10.0	<0.0022	No
2-Jul-21	Downwind	10.0	<0.0022	No
5-Jul-21	Upwind	Note 2	Note 2	Note 2
5-Jul-21	Downwind	Note 2	Note 2	Note 2
6-Jul-21	Upwind	10.0	<0.0022	No
6-Jul-21	Downwind	10.0	<0.0022	No
7-Jul-21	Upwind	10.0	<0.0022	No
7-Jul-21	Downwind	10.0	<0.0022	No
8-Jul-21	Upwind	10.0	<0.0022	No
8-Jul-21	Downwind	10.0	<0.0022	No
9-Jul-21	Upwind	10.0	0.0029	No
9-Jul-21	Downwind	10.0	<0.0022	No
12-Jul-21	Upwind	10.0	<0.0022	No
12-Jul-21	Downwind	10.0	<0.0022	No
13-Jul-21	Upwind	10.0	<0.0022	No
13-Jul-21	Downwind	10.0	<0.0022	No
14-Jul-21	Upwind	10.0	<0.0022	No
14-Jul-21	Downwind	10.0	<0.0022	No
15-Jul-21	Upwind	10.0	<0.0022	No
15-Jul-21	Downwind	10.0	<0.0022	No
16-Jul-21	Upwind	10.0	<0.0022	No
16-Jul-21	Downwind	10.0	<0.0022	No
19-Jul-21	Upwind	10.0	0.0098	No
19-Jul-21	Downwind	10.0	<0.0022	No
20-Jul-21	Upwind	10.0	<0.0022	No
20-Jul-21	Downwind	10.0	<0.0022	No
21-Jul-21	Upwind	10.0	<0.0022	No
21-Jul-21	Downwind	10.0	<0.0022	No
22-Jul-21	Upwind	10.0	<0.0022	No
22-Jul-21	Downwind	10.0	0.0023	No
23-Jul-21	Upwind	10.0	0.0037	No
23-Jul-21	Downwind	10.0	<0.0022	No
24-Jul-21	Upwind	10.0	<0.0022	No
24-Jul-21	Downwind	10.0	<0.0022	No
26-Jul-21	Upwind	10.0	0.0033	No
26-Jul-21	Downwind	10.0	<0.0022	No
27-Jul-21	Upwind	10.0	0.0023	No
27-Jul-21	Downwind	10.0	0.0029	No
28-Jul-21	Upwind	10.0	0.0029	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
28-Jul-21	Downwind	10.0	0.0202	No
29-Jul-21	Upwind	10.0	0.0035	No
29-Jul-21	Downwind	10.0	0.0070	No
30-Jul-21	Upwind	10.0	<0.0022	No
30-Jul-21	Downwind	10.0	0.0601	No
2-Aug-21	Upwind	10.0	0.0025	No
2-Aug-21	Downwind	10.0	0.0029	No
3-Aug-21	Upwind	10.0	0.0029	No
3-Aug-21	Downwind	10.0	<0.0022	No
4-Aug-21	Upwind	10.0	<0.0022	No
4-Aug-21	Downwind	10.0	0.0498	No
5-Aug-21	Upwind	10.0	<0.0022	No
5-Aug-21	Downwind	10.0	0.0029	No
6-Aug-21	Upwind	10.0	0.0025	No
6-Aug-21	Downwind	10.0	<0.0022	No
9-Aug-21	Upwind	10.0	0.0047	No
9-Aug-21	Downwind	10.0	0.0027	No
10-Aug-21	Upwind	10.0	0.0037	No
10-Aug-21	Downwind	10.0	0.0025	No
11-Aug-21	Upwind	10.0	0.0033	No
11-Aug-21	Downwind	10.0	0.0049	No
12-Aug-21	Upwind	10.0	0.0078	No
12-Aug-21	Downwind	10.0	0.0110	No
13-Aug-21	Upwind	10.0	0.0025	No
13-Aug-21	Downwind	10.0	0.0090	No
16-Aug-21	Upwind	10.0	<0.0022	No
16-Aug-21	Downwind	10.0	0.0061	No
17-Aug-21	Upwind	10.0	<0.0022	No
17-Aug-21	Downwind	10.0	0.0033	No
18-Aug-21	Upwind	10.0	<0.0022	No
18-Aug-21	Downwind	10.0	<0.0022	No
19-Aug-21	Upwind	10.0	0.0031	No
19-Aug-21	Downwind	10.0	0.0033	No
20-Aug-21	Upwind	10.0	<0.0022	No
20-Aug-21	Downwind	10.0	<0.0022	No
23-Aug-21	Upwind	10.0	<0.0022	No
23-Aug-21	Downwind	10.0	<0.0022	No
24-Aug-21	Upwind	10.0	<0.0022	No
24-Aug-21	Downwind	10.0	0.0059	No

Attachment 1, Table 4: Asbestos Sampling Results

Date	Sample Location	Sampling Period (hours)	Asbestos (fibers/cm³)	Asbestos Exceedance? (Yes/No)
25-Aug-21	Upwind	10.0	<0.0022	No
25-Aug-21	Downwind	10.0	<0.0022	No
26-Aug-21	Upwind	10.0	<0.0022	No
26-Aug-21	Downwind	10.0	<0.0022	No
27-Aug-21	Upwind	10.0	<0.0022	No
27-Aug-21	Downwind	10.0	<0.0022	No
30-Aug-21	Upwind	10.0	0.0033	No
30-Aug-21	Downwind	10.0	0.0033	No
31-Aug-21	Upwind	10.0	0.0025	No
31-Aug-21	Downwind	10.0	0.0096	No
1-Sep-21	Upwind	10.0	<0.0022	No
1-Sep-21	Downwind	10.0	0.0139	No
2-Sep-21	Upwind	10.0	0.0037	No
2-Sep-21	Downwind	10.0	0.0045	No
3-Sep-21	Upwind	8.8	0.0056	No
3-Sep-21	Downwind	8.2	0.0050	No

Attachment 1, Table 4: Asbestos Sampling Results

Notes:

Note 1: Sample not collected due to inclement weather conditions: Rain.

Note 2: Samples were not collected as project site was closed for holidays.

Note 3: Samples were not collected as no excavation was conducted.

Note 4: Filter cartridge damaged, no Asbestos result.

Note 5: Sample was re-analyzed using TEM due to high bulk fiber result exceeding action limit.

Sample locations are shown on Figure 1.

Upwind station is located at Air Sampling Station #1; Downwind station is located at
Prevailing winds come out of the northwest

The action limit for asbestos is 0.1 fibers/cm³.

The detection limit is 0.003 fibers/cm³ assuming a minimum sample volume of 900
< - less than

fibers/cm³ - fibers per cubic centimeter

ATTACHMENT 2

ANALYTICAL LABORATORY REPORTS

This page intentionally left
blank

ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-67110-1
Client Project/Site: HPNS - Parcel E / 500712

For:

Aptim Federal Services LLC
Hunters Point Shipyard
200 Fisher Blvd
San Francisco, California 94124

Attn: Rose Condit



Authorized for release by:
8/27/2021 2:54:29 PM

Terri Chang, Project Manager I
(714)895-5494
Terri.Chang@eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
QC Sample Results	10
QC Association Summary	12
Lab Chronicle	15
Certification Summary	19
Method Summary	20
Sample Summary	21
Subcontract Data	22
Chain of Custody	24
Receipt Checklists	32

Definitions/Glossary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

Qualifiers

Metals

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

Job ID: 570-67110-1

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative
570-67110-1

Comments

No additional comments.

Receipt

The samples were received on 8/12/2021 10:30 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 22.0° C.

Metals

Method 6010B: The method blank for preparation batch 570-174303 and analytical batch 570-174448 contained Lead above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Lab Admin

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Subcontract Work

Method Asbestos - Low Flow: This method was subcontracted to EMSL - LA Testing - Huntington Beach. The subcontract laboratory certification is different from that of the facility issuing the final report.



Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

Method: 6010B - Metals (ICP)

Client Sample ID: PE-TSP080221-B606UPWIND

Lab Sample ID: 570-67110-12

Date Collected: 08/02/21 07:28

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/25/21 13:39	08/25/21 19:01	1
Lead	7.26	J B	12.0	3.16	ug/Sample		08/25/21 13:39	08/25/21 19:01	1
Manganese	12.7		6.00	3.34	ug/Sample		08/25/21 13:39	08/25/21 19:01	1

Client Sample ID: PE-TSP080221-12ADOWNWIND

Lab Sample ID: 570-67110-13

Date Collected: 08/02/21 07:37

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/25/21 13:39	08/25/21 19:09	1
Lead	14.1	B	12.0	3.16	ug/Sample		08/25/21 13:39	08/25/21 19:09	1
Manganese	30.9		6.00	3.34	ug/Sample		08/25/21 13:39	08/25/21 19:09	1

Client Sample ID: PE-TSP080321-B606UPWIND

Lab Sample ID: 570-67110-16

Date Collected: 08/03/21 07:20

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/25/21 13:39	08/25/21 19:12	1
Lead	4.02	J B	12.0	3.16	ug/Sample		08/25/21 13:39	08/25/21 19:12	1
Manganese	8.25		6.00	3.34	ug/Sample		08/25/21 13:39	08/25/21 19:12	1

Client Sample ID: PE-TSP080321-12ADOWNWIND

Lab Sample ID: 570-67110-17

Date Collected: 08/03/21 07:30

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/25/21 13:39	08/25/21 19:15	1
Lead	6.47	J B	12.0	3.16	ug/Sample		08/25/21 13:39	08/25/21 19:15	1
Manganese	12.8		6.00	3.34	ug/Sample		08/25/21 13:39	08/25/21 19:15	1

Client Sample ID: PE-TSP080421-B606UPWIND

Lab Sample ID: 570-67110-20

Date Collected: 08/04/21 07:16

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/25/21 13:39	08/25/21 19:17	1
Lead	7.04	J B	12.0	3.16	ug/Sample		08/25/21 13:39	08/25/21 19:17	1
Manganese	11.6		6.00	3.34	ug/Sample		08/25/21 13:39	08/25/21 19:17	1

Client Sample ID: PE-TSP080421-12ADOWNWIND

Lab Sample ID: 570-67110-21

Date Collected: 08/04/21 07:25

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/25/21 13:39	08/25/21 19:28	1
Lead	8.40	J B	12.0	3.16	ug/Sample		08/25/21 13:39	08/25/21 19:28	1
Manganese	18.9		6.00	3.34	ug/Sample		08/25/21 13:39	08/25/21 19:28	1

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

Method: 6010B - Metals (ICP)

Client Sample ID: PE-TSP080521-B606UPWIND

Lab Sample ID: 570-67110-24

Date Collected: 08/05/21 07:18

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/25/21 13:39	08/25/21 19:31	1
Lead	7.60	J B	12.0	3.16	ug/Sample		08/25/21 13:39	08/25/21 19:31	1
Manganese	5.18	J	6.00	3.34	ug/Sample		08/25/21 13:39	08/25/21 19:31	1

Client Sample ID: PE-TSP080521-12ADOWNWIND

Lab Sample ID: 570-67110-25

Date Collected: 08/05/21 07:27

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/25/21 13:39	08/25/21 19:34	1
Lead	6.13	J B	12.0	3.16	ug/Sample		08/25/21 13:39	08/25/21 19:34	1
Manganese	13.9		6.00	3.34	ug/Sample		08/25/21 13:39	08/25/21 19:34	1

Client Sample ID: PE-TSP080621-B606UPWIND

Lab Sample ID: 570-67110-28

Date Collected: 08/06/21 07:20

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/25/21 13:39	08/25/21 19:36	1
Lead	5.15	J B	12.0	3.16	ug/Sample		08/25/21 13:39	08/25/21 19:36	1
Manganese	12.9		6.00	3.34	ug/Sample		08/25/21 13:39	08/25/21 19:36	1

Client Sample ID: PE-TSP080621-12ADOWNWIND

Lab Sample ID: 570-67110-29

Date Collected: 08/06/21 07:30

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/25/21 13:39	08/25/21 19:39	1
Lead	6.73	J B	12.0	3.16	ug/Sample		08/25/21 13:39	08/25/21 19:39	1
Manganese	11.5		6.00	3.34	ug/Sample		08/25/21 13:39	08/25/21 19:39	1

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

General Chemistry

Client Sample ID: PE-TSP080221-B606UPWIND

Lab Sample ID: 570-67110-12

Date Collected: 08/02/21 07:28

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	42.9		10.5	10.5	ug/m3			08/25/21 12:18	1

Client Sample ID: PE-TSP080221-12ADOWNWIND

Lab Sample ID: 570-67110-13

Date Collected: 08/02/21 07:37

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	23.7		6.41	6.41	ug/m3			08/25/21 12:18	1

Client Sample ID: PE-PM10080221-B606UPWIND

Lab Sample ID: 570-67110-14

Date Collected: 08/02/21 07:28

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	10.0		6.13	6.13	ug/m3			08/26/21 09:47	1

Client Sample ID: PE-PM10080221-12ADOWNWIND

Lab Sample ID: 570-67110-15

Date Collected: 08/02/21 07:37

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	10.9		6.41	6.41	ug/m3			08/26/21 09:47	1

Client Sample ID: PE-TSP080321-B606UPWIND

Lab Sample ID: 570-67110-16

Date Collected: 08/03/21 07:20

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	24.1		6.02	6.02	ug/m3			08/25/21 12:18	1

Client Sample ID: PE-TSP080321-12ADOWNWIND

Lab Sample ID: 570-67110-17

Date Collected: 08/03/21 07:30

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	45.5		6.02	6.02	ug/m3			08/25/21 12:18	1

Client Sample ID: PE-PM10080321-B606UPWIND

Lab Sample ID: 570-67110-18

Date Collected: 08/03/21 07:20

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	11.0		6.02	6.02	ug/m3			08/26/21 09:47	1

Client Sample ID: PE-PM10080321-12ADOWNWIND

Lab Sample ID: 570-67110-19

Date Collected: 08/03/21 07:30

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	13.8		6.02	6.02	ug/m3			08/26/21 09:47	1

Euofins Calscience LLC

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

General Chemistry

Client Sample ID: PE-TSP080421-B606UPWIND

Lab Sample ID: 570-67110-20

Date Collected: 08/04/21 07:16

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	38.0		5.96	5.96	ug/m3			08/25/21 12:18	1

Client Sample ID: PE-TSP080421-12ADOWNWIND

Lab Sample ID: 570-67110-21

Date Collected: 08/04/21 07:25

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	66.1		5.95	5.95	ug/m3			08/25/21 12:18	1

Client Sample ID: PE-PM10080421-B606UPWIND

Lab Sample ID: 570-67110-22

Date Collected: 08/04/21 07:16

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	13.9		5.96	5.96	ug/m3			08/26/21 09:47	1

Client Sample ID: PE-PM10080421-12ADOWNWIND

Lab Sample ID: 570-67110-23

Date Collected: 08/04/21 07:25

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	15.3		5.95	5.95	ug/m3			08/26/21 09:47	1

Client Sample ID: PE-TSP080521-B606UPWIND

Lab Sample ID: 570-67110-24

Date Collected: 08/05/21 07:18

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	20.8		5.99	5.99	ug/m3			08/25/21 12:18	1

Client Sample ID: PE-TSP080521-12ADOWNWIND

Lab Sample ID: 570-67110-25

Date Collected: 08/05/21 07:27

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	30.7		5.98	5.98	ug/m3			08/25/21 12:18	1

Client Sample ID: PE-PM10080521-B606UPWIND

Lab Sample ID: 570-67110-26

Date Collected: 08/05/21 07:18

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	11.8		5.99	5.99	ug/m3			08/26/21 09:47	1

Client Sample ID: PE-PM10080521-12ADOWNWIND

Lab Sample ID: 570-67110-27

Date Collected: 08/05/21 07:27

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	14.1		5.98	5.98	ug/m3			08/26/21 09:47	1

Eurofins Calscience LLC

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

General Chemistry

Client Sample ID: PE-TSP080621-B606UPWIND

Lab Sample ID: 570-67110-28

Date Collected: 08/06/21 07:20

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	41.7		5.54	5.54	ug/m3			08/25/21 12:18	1

Client Sample ID: PE-TSP080621-12ADOWNWIND

Lab Sample ID: 570-67110-29

Date Collected: 08/06/21 07:30

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	34.9		6.31	6.31	ug/m3			08/25/21 12:18	1

Client Sample ID: PE-PM10080621-B606UPWIND

Lab Sample ID: 570-67110-30

Date Collected: 08/06/21 07:20

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	24.9		5.54	5.54	ug/m3			08/26/21 09:47	1

Client Sample ID: PE-PM10080621-12ADOWNWIND

Lab Sample ID: 570-67110-31

Date Collected: 08/06/21 07:30

Matrix: Air

Date Received: 08/12/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	21.9		6.31	6.31	ug/m3			08/26/21 09:47	1

QC Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 570-174303/1-A
 Matrix: Air
 Analysis Batch: 174448

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 174303

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Arsenic	ND		18.0	6.22	ug/Sample		08/25/21 13:39	08/25/21 18:54	1
Lead	3.521	J	12.0	3.16	ug/Sample		08/25/21 13:39	08/25/21 18:54	1
Manganese	ND		6.00	3.34	ug/Sample		08/25/21 13:39	08/25/21 18:54	1

Lab Sample ID: LCS 570-174303/2-A
 Matrix: Air
 Analysis Batch: 174448

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 174303

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	600	650.6		ug/Sample		108	80 - 120
Manganese	600	618.1		ug/Sample		103	80 - 120

Lab Sample ID: LCSD 570-174303/3-A
 Matrix: Air
 Analysis Batch: 174448

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 174303

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Lead	600	661.4		ug/Sample		110	80 - 120	2	20
Manganese	600	626.9		ug/Sample		104	80 - 120	1	20

Lab Sample ID: 570-67110-12 MS
 Matrix: Air
 Analysis Batch: 174448

Client Sample ID: PE-TSP080221-B606UPWIND
 Prep Type: Total/NA
 Prep Batch: 174303

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Lead	7.26	J B	600	608.5		ug/Sample		100	75 - 125
Manganese	12.7		600	607.0		ug/Sample		99	75 - 125

Lab Sample ID: 570-67110-12 MSD
 Matrix: Air
 Analysis Batch: 174448

Client Sample ID: PE-TSP080221-B606UPWIND
 Prep Type: Total/NA
 Prep Batch: 174303

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Lead	7.26	J B	600	614.3		ug/Sample		101	75 - 125	1	20
Manganese	12.7		600	616.3		ug/Sample		101	75 - 125	2	20

Method: 40CFR50 App B - Suspended Particulate Matter in Ambient Air

Lab Sample ID: MB 570-174265/1-A
 Matrix: Air
 Analysis Batch: 174274

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Total Suspended Particulates	ND		1.23	1.23	ug/m3			08/25/21 12:18	1

QC Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

Method: 40CFR50 App B - Suspended Particulate Matter in Ambient Air (Continued)

Lab Sample ID: 570-67110-12 DU
 Matrix: Air
 Analysis Batch: 174274

Client Sample ID: PE-TSP080221-B606UPWIND
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Total Suspended Particulates	42.9		42.90		ug/m3		0	25

Method: PM10 - Particulate Matter

Lab Sample ID: MB 570-174518/1
 Matrix: Air
 Analysis Batch: 174518

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	ND		1.23	1.23	ug/m3			08/26/21 09:47	1

Lab Sample ID: 570-67769-A-14 DU
 Matrix: Air
 Analysis Batch: 174518

Client Sample ID: Duplicate
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Particulate Matter	28.5		28.49		ug/m3		0	25

QC Association Summary

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

Metals

Prep Batch: 174303

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-67110-12	PE-TSP080221-B606UPWIND	Total/NA	Air	3050B	
570-67110-13	PE-TSP080221-12ADOWNWIND	Total/NA	Air	3050B	
570-67110-16	PE-TSP080321-B606UPWIND	Total/NA	Air	3050B	
570-67110-17	PE-TSP080321-12ADOWNWIND	Total/NA	Air	3050B	
570-67110-20	PE-TSP080421-B606UPWIND	Total/NA	Air	3050B	
570-67110-21	PE-TSP080421-12ADOWNWIND	Total/NA	Air	3050B	
570-67110-24	PE-TSP080521-B606UPWIND	Total/NA	Air	3050B	
570-67110-25	PE-TSP080521-12ADOWNWIND	Total/NA	Air	3050B	
570-67110-28	PE-TSP080621-B606UPWIND	Total/NA	Air	3050B	
570-67110-29	PE-TSP080621-12ADOWNWIND	Total/NA	Air	3050B	
MB 570-174303/1-A	Method Blank	Total/NA	Air	3050B	
LCS 570-174303/2-A	Lab Control Sample	Total/NA	Air	3050B	
LCSD 570-174303/3-A	Lab Control Sample Dup	Total/NA	Air	3050B	
570-67110-12 MS	PE-TSP080221-B606UPWIND	Total/NA	Air	3050B	
570-67110-12 MSD	PE-TSP080221-B606UPWIND	Total/NA	Air	3050B	

Analysis Batch: 174448

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-67110-12	PE-TSP080221-B606UPWIND	Total/NA	Air	6010B	174303
570-67110-13	PE-TSP080221-12ADOWNWIND	Total/NA	Air	6010B	174303
570-67110-16	PE-TSP080321-B606UPWIND	Total/NA	Air	6010B	174303
570-67110-17	PE-TSP080321-12ADOWNWIND	Total/NA	Air	6010B	174303
570-67110-20	PE-TSP080421-B606UPWIND	Total/NA	Air	6010B	174303
570-67110-21	PE-TSP080421-12ADOWNWIND	Total/NA	Air	6010B	174303
570-67110-24	PE-TSP080521-B606UPWIND	Total/NA	Air	6010B	174303
570-67110-25	PE-TSP080521-12ADOWNWIND	Total/NA	Air	6010B	174303
570-67110-28	PE-TSP080621-B606UPWIND	Total/NA	Air	6010B	174303
570-67110-29	PE-TSP080621-12ADOWNWIND	Total/NA	Air	6010B	174303
MB 570-174303/1-A	Method Blank	Total/NA	Air	6010B	174303
LCS 570-174303/2-A	Lab Control Sample	Total/NA	Air	6010B	174303
LCSD 570-174303/3-A	Lab Control Sample Dup	Total/NA	Air	6010B	174303
570-67110-12 MS	PE-TSP080221-B606UPWIND	Total/NA	Air	6010B	174303
570-67110-12 MSD	PE-TSP080221-B606UPWIND	Total/NA	Air	6010B	174303

General Chemistry

Pre Prep Batch: 174265

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-67110-12	PE-TSP080221-B606UPWIND	Total/NA	Air	Filter to Air	
570-67110-13	PE-TSP080221-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-67110-16	PE-TSP080321-B606UPWIND	Total/NA	Air	Filter to Air	
570-67110-17	PE-TSP080321-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-67110-20	PE-TSP080421-B606UPWIND	Total/NA	Air	Filter to Air	
570-67110-21	PE-TSP080421-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-67110-24	PE-TSP080521-B606UPWIND	Total/NA	Air	Filter to Air	
570-67110-25	PE-TSP080521-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-67110-28	PE-TSP080621-B606UPWIND	Total/NA	Air	Filter to Air	
570-67110-29	PE-TSP080621-12ADOWNWIND	Total/NA	Air	Filter to Air	
MB 570-174265/1-A	Method Blank	Total/NA	Air	Filter to Air	
570-67110-12 DU	PE-TSP080221-B606UPWIND	Total/NA	Air	Filter to Air	

QC Association Summary

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

General Chemistry

Analysis Batch: 174274

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-67110-12	PE-TSP080221-B606UPWIND	Total/NA	Air	40CFR50 App B	174265
570-67110-13	PE-TSP080221-12ADOWNWIND	Total/NA	Air	40CFR50 App B	174265
570-67110-16	PE-TSP080321-B606UPWIND	Total/NA	Air	40CFR50 App B	174265
570-67110-17	PE-TSP080321-12ADOWNWIND	Total/NA	Air	40CFR50 App B	174265
570-67110-20	PE-TSP080421-B606UPWIND	Total/NA	Air	40CFR50 App B	174265
570-67110-21	PE-TSP080421-12ADOWNWIND	Total/NA	Air	40CFR50 App B	174265
570-67110-24	PE-TSP080521-B606UPWIND	Total/NA	Air	40CFR50 App B	174265
570-67110-25	PE-TSP080521-12ADOWNWIND	Total/NA	Air	40CFR50 App B	174265
570-67110-28	PE-TSP080621-B606UPWIND	Total/NA	Air	40CFR50 App B	174265
570-67110-29	PE-TSP080621-12ADOWNWIND	Total/NA	Air	40CFR50 App B	174265
MB 570-174265/1-A	Method Blank	Total/NA	Air	40CFR50 App B	174265
570-67110-12 DU	PE-TSP080221-B606UPWIND	Total/NA	Air	40CFR50 App B	174265

Analysis Batch: 174518

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-67110-14	PE-PM10080221-B606UPWIND	Total/NA	Air	PM10	
570-67110-15	PE-PM10080221-12ADOWNWIND	Total/NA	Air	PM10	
570-67110-18	PE-PM10080321-B606UPWIND	Total/NA	Air	PM10	
570-67110-19	PE-PM10080321-12ADOWNWIND	Total/NA	Air	PM10	
570-67110-22	PE-PM10080421-B606UPWIND	Total/NA	Air	PM10	
570-67110-23	PE-PM10080421-12ADOWNWIND	Total/NA	Air	PM10	
570-67110-26	PE-PM10080521-B606UPWIND	Total/NA	Air	PM10	
570-67110-27	PE-PM10080521-12ADOWNWIND	Total/NA	Air	PM10	
570-67110-30	PE-PM10080621-B606UPWIND	Total/NA	Air	PM10	
570-67110-31	PE-PM10080621-12ADOWNWIND	Total/NA	Air	PM10	
MB 570-174518/1	Method Blank	Total/NA	Air	PM10	
570-67769-A-14 DU	Duplicate	Total/NA	Air	PM10	

BALANCE CALIBRATION CHECK LOG

Eurofins Calscience

Date performed: 08/25/21 Initials: ZAVS

ID	Class 2 Weight (g)	Reading (g)	Acceptance Range	Pass? (circle one)	Comment (If not passed, note removal or corrective action)
83	1	1.00	0.98 - 1.02	<input checked="" type="radio"/> N	IO Lab
	100	99.98	98.00 - 102.00	<input checked="" type="radio"/> N	
62	0.002	0.0020	0.0015 - 0.0025	<input checked="" type="radio"/> N	IO Lab
	1	1.0000	0.9990 - 1.0010	<input checked="" type="radio"/> N	
	100	99.9998	99.9000 - 100.1000	<input checked="" type="radio"/> N	
	11	1	1.00	0.98 - 1.02	<input checked="" type="radio"/> N
	100	100.00	98.00 - 102.00	<input checked="" type="radio"/> N	
55	1	1.00	0.98 - 1.02	<input checked="" type="radio"/> N	IO Lab
	100	99.98	98.00 - 102.00	<input checked="" type="radio"/> N	
	500	499.89	490.00 - 510.00	<input checked="" type="radio"/> N	
86	1	1.00	0.98 - 1.02	<input checked="" type="radio"/> N	IO Lab
	100	100.00	98.00 - 102.00	<input checked="" type="radio"/> N	
	500	500.00	490.00 - 510.00	<input checked="" type="radio"/> N	
71	0.002	0.0021	0.0015 - 0.0025	<input checked="" type="radio"/> N	BOD Room
	1	1.0000	0.9990 - 1.0010	<input checked="" type="radio"/> N	
	100	99.9996	99.9000 - 100.1000	<input checked="" type="radio"/> N	
63	0.1	0.10	0.08 - 0.12	Y N	BOD Room
	100	98.00	98.00 - 102.00	Y N	
73	0.1	0.10	0.08 - 0.12	<input checked="" type="radio"/> N	Oil & Grease Room
	1	0.99	0.98 - 1.02	<input checked="" type="radio"/> N	
	100	100.00	98.00 - 102.00	<input checked="" type="radio"/> N	
87	0.002	0.0020	0.0015 - 0.0025	<input checked="" type="radio"/> N	Solids Room
	1	0.9999	0.9990 - 1.0010	<input checked="" type="radio"/> N	
	100	99.9996	99.9000 - 100.1000	<input checked="" type="radio"/> N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	
				Y N	

Comments:

WT SET ID USED: 2 mg	25685	COMMENT:
WT SET ID USED: 10 mg - 100 g	69065	
WT SET ID USED: 500 g	64886	

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

Client Sample ID: PE-TSP080221-B606UPWIND

Lab Sample ID: 570-67110-12

Date Collected: 08/02/21 07:28

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	174303	08/25/21 13:39	WL8G	ECL 1
Total/NA	Analysis	6010B		1			174448	08/25/21 19:01	ULPF	ECL 1
Instrument ID: ICP9										
Total/NA	Pre Prep	Filter to Air					174265	08/25/21 11:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174274	08/25/21 12:18	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP080221-12ADOWNWIND

Lab Sample ID: 570-67110-13

Date Collected: 08/02/21 07:37

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	174303	08/25/21 13:39	WL8G	ECL 1
Total/NA	Analysis	6010B		1			174448	08/25/21 19:09	ULPF	ECL 1
Instrument ID: ICP9										
Total/NA	Pre Prep	Filter to Air					174265	08/25/21 11:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174274	08/25/21 12:18	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10080221-B606UPWIND

Lab Sample ID: 570-67110-14

Date Collected: 08/02/21 07:28

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3306 g	4.3355 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10080221-12ADOWNWIND

Lab Sample ID: 570-67110-15

Date Collected: 08/02/21 07:37

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3165 g	4.3216 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP080321-B606UPWIND

Lab Sample ID: 570-67110-16

Date Collected: 08/03/21 07:20

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	174303	08/25/21 13:39	WL8G	ECL 1
Total/NA	Analysis	6010B		1			174448	08/25/21 19:12	ULPF	ECL 1
Instrument ID: ICP9										
Total/NA	Pre Prep	Filter to Air					174265	08/25/21 11:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174274	08/25/21 12:18	UAPD	ECL 1
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

Client Sample ID: PE-TSP080321-12ADOWNWIND

Lab Sample ID: 570-67110-17

Date Collected: 08/03/21 07:30

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	174303	08/25/21 13:39	WL8G	ECL 1
Total/NA	Analysis	6010B		1			174448	08/25/21 19:15	ULPF	ECL 1
Instrument ID: ICP9										
Total/NA	Pre Prep	Filter to Air					174265	08/25/21 11:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174274	08/25/21 12:18	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10080321-B606UPWIND

Lab Sample ID: 570-67110-18

Date Collected: 08/03/21 07:20

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3145 g	4.3200 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10080321-12ADOWNWIND

Lab Sample ID: 570-67110-19

Date Collected: 08/03/21 07:30

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3089 g	4.3158 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP080421-B606UPWIND

Lab Sample ID: 570-67110-20

Date Collected: 08/04/21 07:16

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	174303	08/25/21 13:39	WL8G	ECL 1
Total/NA	Analysis	6010B		1			174448	08/25/21 19:17	ULPF	ECL 1
Instrument ID: ICP9										
Total/NA	Pre Prep	Filter to Air					174265	08/25/21 11:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174274	08/25/21 12:18	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP080421-12ADOWNWIND

Lab Sample ID: 570-67110-21

Date Collected: 08/04/21 07:25

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	174303	08/25/21 13:39	WL8G	ECL 1
Total/NA	Analysis	6010B		1			174448	08/25/21 19:28	ULPF	ECL 1
Instrument ID: ICP9										
Total/NA	Pre Prep	Filter to Air					174265	08/25/21 11:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174274	08/25/21 12:18	UAPD	ECL 1
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

Client Sample ID: PE-PM10080421-B606UPWIND

Lab Sample ID: 570-67110-22

Date Collected: 08/04/21 07:16

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3293 g	4.3363 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10080421-12ADOWNWIND

Lab Sample ID: 570-67110-23

Date Collected: 08/04/21 07:25

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3281 g	4.3358 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP080521-B606UPWIND

Lab Sample ID: 570-67110-24

Date Collected: 08/05/21 07:18

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	174303	08/25/21 13:39	WL8G	ECL 1
Total/NA	Analysis	6010B		1			174448	08/25/21 19:31	ULPF	ECL 1
Instrument ID: ICP9										
Total/NA	Pre Prep	Filter to Air					174265	08/25/21 11:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174274	08/25/21 12:18	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP080521-12ADOWNWIND

Lab Sample ID: 570-67110-25

Date Collected: 08/05/21 07:27

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	174303	08/25/21 13:39	WL8G	ECL 1
Total/NA	Analysis	6010B		1			174448	08/25/21 19:34	ULPF	ECL 1
Instrument ID: ICP9										
Total/NA	Pre Prep	Filter to Air					174265	08/25/21 11:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174274	08/25/21 12:18	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10080521-B606UPWIND

Lab Sample ID: 570-67110-26

Date Collected: 08/05/21 07:18

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3383 g	4.3442 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

Client Sample ID: PE-PM10080521-12ADOWNWIND

Lab Sample ID: 570-67110-27

Date Collected: 08/05/21 07:27

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3093 g	4.3164 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP080621-B606UPWIND

Lab Sample ID: 570-67110-28

Date Collected: 08/06/21 07:20

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	174303	08/25/21 13:39	WL8G	ECL 1
Total/NA	Analysis	6010B		1			174448	08/25/21 19:36	ULPF	ECL 1
Instrument ID: ICP9										
Total/NA	Pre Prep	Filter to Air					174265	08/25/21 11:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174274	08/25/21 12:18	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP080621-12ADOWNWIND

Lab Sample ID: 570-67110-29

Date Collected: 08/06/21 07:30

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	174303	08/25/21 13:39	WL8G	ECL 1
Total/NA	Analysis	6010B		1			174448	08/25/21 19:39	ULPF	ECL 1
Instrument ID: ICP9										
Total/NA	Pre Prep	Filter to Air					174265	08/25/21 11:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174274	08/25/21 12:18	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10080621-B606UPWIND

Lab Sample ID: 570-67110-30

Date Collected: 08/06/21 07:20

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3263 g	4.3398 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10080621-12ADOWNWIND

Lab Sample ID: 570-67110-31

Date Collected: 08/06/21 07:30

Matrix: Air

Date Received: 08/12/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3584 g	4.3688 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494
 EMSL = EMSL - LA Testing - Huntington Beach, 5431 Industrial Drive, Huntington Beach, CA 92649

Accreditation/Certification Summary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

Laboratory: Eurofins Calscience LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	CA300001	01-30-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
40CFR50 App B		Air	Total Suspended Particulates
6010B	3050B	Air	Arsenic
6010B	3050B	Air	Lead
6010B	3050B	Air	Manganese



Method Summary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

Method	Method Description	Protocol	Laboratory
6010B	Metals (ICP)	SW846	ECL 1
40CFR50 App B	Suspended Particulate Matter in Ambient Air	EPA	ECL 1
PM10	Particulate Matter	40CFR50J	ECL 1
NIOSH 7400 Rev	NIOSH 7400 Rev. 3	NIOSH	EMSL
3050B	Preparation, Metals	SW846	ECL 1
Filter to Air	Filter to Air volume ratio	None	ECL 1

Protocol References:

40CFR50J = 40 CFR Part 50 Appendix J

EPA = US Environmental Protection Agency

NIOSH = NIOSH Manual Of Analytical Methods, National Institute For Occupational Safety And Health, 4th Edition, August 1994 and it's Supplements

None = None

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

EMSL = EMSL - LA Testing - Huntington Beach, 5431 Industrial Drive, Huntington Beach, CA 92649

Sample Summary

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67110-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
570-67110-1	PE-ASB080221-B606UPWIND	Air	08/02/21 07:28	08/12/21 10:30
570-67110-2	PE-ASB080221-12ADOWNWIND	Air	08/02/21 07:37	08/12/21 10:30
570-67110-3	PE-ASB080321-B606UPWIND	Air	08/03/21 07:20	08/12/21 10:30
570-67110-4	PE-ASB080321-12ADOWNWIND	Air	08/03/21 07:30	08/12/21 10:30
570-67110-5	PE-ASB080421-B606UPWIND	Air	08/04/21 07:16	08/12/21 10:30
570-67110-6	PE-ASB080421-12ADOWNWIND	Air	08/04/21 07:25	08/12/21 10:30
570-67110-7	PE-ASB080521-B606UPWIND	Air	08/05/21 07:18	08/12/21 10:30
570-67110-8	PE-ASB080521-12ADOWNWIND	Air	08/05/21 07:27	08/12/21 10:30
570-67110-9	PE-ASB080621-B606UPWIND	Air	08/06/21 07:20	08/12/21 10:30
570-67110-10	PE-ASB080621-12ADOWNWIND	Air	08/06/21 07:30	08/12/21 10:30
570-67110-11	PE-ASB080621-BLANK	Air	08/06/21 07:00	08/12/21 10:30
570-67110-12	PE-TSP080221-B606UPWIND	Air	08/02/21 07:28	08/12/21 10:30
570-67110-13	PE-TSP080221-12ADOWNWIND	Air	08/02/21 07:37	08/12/21 10:30
570-67110-14	PE-PM10080221-B606UPWIND	Air	08/02/21 07:28	08/12/21 10:30
570-67110-15	PE-PM10080221-12ADOWNWIND	Air	08/02/21 07:37	08/12/21 10:30
570-67110-16	PE-TSP080321-B606UPWIND	Air	08/03/21 07:20	08/12/21 10:30
570-67110-17	PE-TSP080321-12ADOWNWIND	Air	08/03/21 07:30	08/12/21 10:30
570-67110-18	PE-PM10080321-B606UPWIND	Air	08/03/21 07:20	08/12/21 10:30
570-67110-19	PE-PM10080321-12ADOWNWIND	Air	08/03/21 07:30	08/12/21 10:30
570-67110-20	PE-TSP080421-B606UPWIND	Air	08/04/21 07:16	08/12/21 10:30
570-67110-21	PE-TSP080421-12ADOWNWIND	Air	08/04/21 07:25	08/12/21 10:30
570-67110-22	PE-PM10080421-B606UPWIND	Air	08/04/21 07:16	08/12/21 10:30
570-67110-23	PE-PM10080421-12ADOWNWIND	Air	08/04/21 07:25	08/12/21 10:30
570-67110-24	PE-TSP080521-B606UPWIND	Air	08/05/21 07:18	08/12/21 10:30
570-67110-25	PE-TSP080521-12ADOWNWIND	Air	08/05/21 07:27	08/12/21 10:30
570-67110-26	PE-PM10080521-B606UPWIND	Air	08/05/21 07:18	08/12/21 10:30
570-67110-27	PE-PM10080521-12ADOWNWIND	Air	08/05/21 07:27	08/12/21 10:30
570-67110-28	PE-TSP080621-B606UPWIND	Air	08/06/21 07:20	08/12/21 10:30
570-67110-29	PE-TSP080621-12ADOWNWIND	Air	08/06/21 07:30	08/12/21 10:30
570-67110-30	PE-PM10080621-B606UPWIND	Air	08/06/21 07:20	08/12/21 10:30
570-67110-31	PE-PM10080621-12ADOWNWIND	Air	08/06/21 07:30	08/12/21 10:30





LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / gardengrovelab@latesting.com

LA Testing Order: 332118804

Customer ID: 32CAL551

Customer PO:

Project ID:

Attention: Terri Chang
Eurofins Calscience, Inc.
7440 Lincoln Way
Garden Grove, CA 92841

Phone: (714) 895-5494
Fax: (714) 894-7501
Received Date: 08/13/2021 12:20 PM
Analysis Date: 08/19/2021
Collected Date: 08/02/2021 - 08/06/2021

Project: HPNS - Parcel E / 500712 / 570-67110

Test Report: Fiber Count by Phase Contrast Microscopy (PCM), NIOSH 7400 Method - A Rules, Revision 3, Issue 3, 6/15/2019

Sample	Location	Sample Date	Volume (L)	Fibers	Fields	LOD (fib/cc)	Fibers/mm ²	Fibers/cc	Notes
PE-ASB080221-B606UPW IND (570-67110-1) 332118804-0001		08/02/2021	1200	6	100	0.0022	7.64	0.0025	Sample pulled for 10% Recount.
PE-ASB080221-12ADOW NWIND (570-67110-2) 332118804-0002		08/02/2021	1200	7	100	0.0022	8.92	0.0029	
PE-ASB080321-B606UPW IND (570-67110-3) 332118804-0003		08/03/2021	1200	7	100	0.0022	8.92	0.0029	
PE-ASB080321-12ADOW NWIND (570-67110-4) 332118804-0004		08/03/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB080421-B606UPW IND (570-67110-5) 332118804-0005		08/04/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB080421-12ADOW NWIND (570-67110-6) 332118804-0006		08/04/2021	1200	100	82	0.0022	155	0.0498	
PE-ASB080521-B606UPW IND (570-67110-7) 332118804-0007		08/05/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB080521-12ADOW NWIND (570-67110-8) 332118804-0008		08/05/2021	1200	7	100	0.0022	8.92	0.0029	
PE-ASB080621-B606UPW IND (570-67110-9) 332118804-0009		08/06/2021	1200	6	100	0.0022	7.64	0.0025	
PE-ASB080621-12ADOW NWIND (570-67110-10) 332118804-0010		08/06/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB080621-BLANK (570-67110-11) 332118804-0011		08/06/2021		<5.5	100		<7.01		Field Blank Sample pulled for 10% Recount.
PE-ASB080221-B606UPW IND (570-67110-1) 332118804-0012		08/02/2021	1200	7	100	0.0022	8.92	0.0029	10% Recount; Individual-CV=0.28

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. Limit of detection is 7 fibers/mm². Fiber counts outside the recommended fiber density range of the method (100-1300 f/mm²) have greater than optimal variability and are probably biased. Field blank results, when available, are used to blank correct results. NIOSH 7400 requires field blanks be submitted at a rate of 10%, with a minimum of 2 per set. Measurement of uncertainty available upon request. The results in this report meet all requirements of the NELAC standards unless otherwise noted.

Intra-laboratory Sr values: 5-20 fibers = 0.35, 21-50 fibers = 0.24, 51-100 fibers = 0.19. Inter-laboratory Sr values (Average of EMSL round robin data) = 0.34.
Samples analyzed by LA Testing Huntington Beach, CA AIHA-LAP, LLC--IHLAP Accredited #101650

Initial report from: 08/19/2021 11:52 AM



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / gardengrovelab@latestesting.com

LA Testing Order: 332118804

Customer ID: 32CAL51

Customer PO:

Project ID:

Attention: Terri Chang
Eurofins Calscience, Inc.
7440 Lincoln Way
Garden Grove, CA 92841

Phone: (714) 895-5494
Fax: (714) 894-7501
Received Date: 08/13/2021 12:20 PM
Analysis Date: 08/19/2021
Collected Date: 08/02/2021 - 08/06/2021

Project: HPNS - Parcel E / 500712 / 570-67110

Test Report: Fiber Count by Phase Contrast Microscopy (PCM), NIOSH 7400 Method - A Rules, Revision 3, Issue 3, 6/15/2019

Sample	Location	Sample Date	Volume (L)	Fibers	Fields	LOD (fib/cc)	Fibers/mm ²	Fibers/cc	Notes
PE-ASB080621-BLANK (570-67110-11)		08/06/2021		<5.5	100		<7.01		Field Blank 10% Recount; Individual-CV=0.28

332118804-0013

The results reported have been blank corrected as applicable.


Analyst(s):
Alexis Rodriguez PCM 13

Michael Chapman, Laboratory Manager
or other Approved Signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. Limit of detection is 7 fibers/mm². Fiber counts outside the recommended fiber density range of the method (100-1300 f/mm²) have greater than optimal variability and are probably biased. Field blank results, when available, are used to blank correct results. NIOSH 7400 requires field blanks be submitted at a rate of 10%, with a minimum of 2 per set. Measurement of uncertainty available upon request. The results in this report meet all requirements of the NELAC standards unless otherwise noted.

Intra-laboratory Sr values: 5-20 fibers = 0.35, 21-50 fibers = 0.24, 51-100 fibers = 0.19. Inter-laboratory Sr values (Average of EMSL round robin data) = 0.34.
Samples analyzed by LA Testing Huntington Beach, CA AIHA-LAP, LLC--IHLAP Accredited #101650

Initial report from: 08/19/2021 11:52 AM



CHAIN OF CUSTODY

Loc 570
67110

Ref. Document # CTO 0024 - AIR 072
Page 1 of 2

APTIM Federal Services, LLC

4005 Port Chicago Hwy
Concord, CA 94520

Project Manager **Nels Johnson**
Send Report To: **Jose Maldonado**
Phone/Fax Number: **415-340-9637**

Address: **4005 Port Chicago Hwy**
City: **Concord, CA 94520**

Jose.Maldonado@aptim.com

Project Number: **500712**
Project Name: **HPNS - Parcel E**
Project Location: **San Francisco, CA**
Purchase Order #: **1168336**
Lab Destination: **Eurofins-Calscience**
7440 Lincoln Way
Garden Grove CA 92841
Lab Contact: **Terr Chang**

Analyses Requested											
PCB (EPA 8082 / TO-04)	PAH (EPA 8270-SIM / TO-13)	Asbestos (NIOSH 7400)	PM10 (40 CFR, Subpt J; BAAQMD Reg 6)	TSP, Mn, Pb, As (40 CFR 50 App B; NIOSH 7300/6010B)	Flow Rate (L/min.)	Sample Volume (m ³)					
		X			2.00	1.20					
		X			2.00	1.20					
		X			2.00	1.20					
		X			2.00	1.20					
		X			2.00	1.20					
		X			2.00	1.20					
		X			2.00	1.20					
		X			2.00	1.20					
		X			2.00	1.20					
		X			2.00	1.20					
		X			NA						
											X

Sample ID Number	Filter No.	Collection Information				Matrix	# of containers	Container Type
		Date	Time	Method				
PE-ASB080221-B606UPWIND	1	DA341095	08/02/21	7:28	G	A	1	PCM
PE-ASB080221-12ADOWNWIND	2	DA344654	08/02/21	7:37	G	A	1	PCM
PE-ASB080321-B606UPWIND	3	DA340987	08/03/21	7:20	G	A	1	PCM
PE-ASB080321-12ADOWNWIND	4	DA341062	08/03/21	7:30	G	A	1	PCM
PE-ASB080421-B606UPWIND	5	DA340941	08/04/21	7:16	G	A	1	PCM
PE-ASB080421-12ADOWNWIND	6	DA341432	08/04/21	7:25	G	A	1	PCM
PE-ASB080521-B606UPWIND	7	DA340917	08/05/21	7:18	G	A	1	PCM
PE-ASB080521-12ADOWNWIND	8	DA341502	08/05/21	7:27	G	A	1	PCM
PE-ASB080621-B606UPWIND	9	DA341040	08/06/21	7:20	G	A	1	PCM
PE-ASB080621-12ADOWNWIND	10	DA341411	08/06/21	7:30	G	A	1	PCM
PE-ASB080621-BLANK	11	DA341262	08/06/21	7:00	G	A	1	PCM
Temperature Blank								

Special Instructions: **J to MDL**

Turn Around Time: 24-hr 5-day 10-day

Level Of QC Required: I II III Project Specific.

Relinquished By: Jose Maldonado <i>Jose Maldonado</i>	Date: 8/11/21 Time: 9:30	Received By: <i>YV E F</i>	Date: 8/11/21 Time: 0930
Relinquished By: <i>Joe to G/S</i>	Date: 8/12/21 Time: 1630	Received By: <i>Mune</i>	Date: 08/12/21 Time: 1630
Relinquished By:	Date:	Received By:	Date:
Relinquished By:	Date:	Received By:	Date:

Method Codes
C = Composite
G = Grab

Matrix Codes
SO = Soil
DW = Drinking Water
SL = Sludge
GW = Ground Water
CP = Chip Samples
WW = Waste Water
A = Air

ABS=Asbestos, PO=Pipe Opening





APTIM Federal Services, LLC
4005 Port Chicago Hwy
Concord, CA 94520

CHAIN OF CUSTODY

Ref. Document # CTO 0024 - AIR 072
Page 2 of 2

Send Report To: *Jose Maldonado*
Phone/Fax Number: 415-340-9637
Address: 4005 Port Chicago Hwy
City: Concord, CA 94520
Jose.Maldonado@aptim.com

Project Number: 500712
Project Name: HPNS - Parcel E
Project Location: San Francisco, CA
Lab Destination: Calscience
7440 Lincoln Way
Garden Grove CA 92841
Lab Contact: Terri Chang

										Analyses Requested								
Sample ID Number	Lot No.	Collection Information			Matrix	# of containers	Container Type	PCB (EPA 8082 / TO-04)	PAH (EPA 8270-SIM / TO-13)	Asbestos (NIOSH 7400)	PM10 (40 CFR, Subpt J; BAAQMD Reg 6)	TSP, Min, Pb, As (40 CFR 50 App B; NIOSH)	Flow Rate (L/min.)	Sample Volume (m ³)				
		Date	Time	Method														
PE-TSP080221-B606UPWIND 12	Q0409712	08/02/21	7:28	G	A	1	8X10 EPM Whatman				X	1132.8	489.4					
PE-TSP080221-12ADOWNWIND 13	Q0409711	08/02/21	7:37	G	A	1	8X10 EPM Whatman				X	1132.8	467.8					
PE-PM10080221-B606UPWIND 14	Q0409710	08/02/21	7:28	G	A	1	8X10 EPM Whatman			X		1132.8	489.4					
PE-PM10080221-12ADOWNWIND 15	Q0409709	08/02/21	7:37	G	A	1	8X10 EPM Whatman			X		1132.8	467.8					
PE-TSP080321-B606UPWIND 16	Q0409720	08/03/21	7:20	G	A	1	8X10 EPM Whatman				X	1132.8	498.4					
PE-TSP080321-12ADOWNWIND 17	Q0409719	08/03/21	7:30	G	A	1	8X10 EPM Whatman				X	1132.8	498.4					
PE-PM10080321-B606UPWIND 18	Q0409718	08/03/21	7:20	G	A	1	8X10 EPM Whatman			X		1132.8	498.4					
PE-PM10080321-12ADOWNWIND 19	Q0409717	08/03/21	7:30	G	A	1	8X10 EPM Whatman			X		1132.8	498.4					
PE-TSP080421-B606UPWIND 20	Q0408881	08/04/21	7:16	G	A	1	8X10 EPM Whatman				X	1132.8	503.0					
PE-TSP080421-12ADOWNWIND 21	Q0408880	08/04/21	7:25	G	A	1	8X10 EPM Whatman				X	1132.8	504.1					
PE-PM10080421-B606UPWIND 22	Q0408879	08/04/21	7:16	G	A	1	8X10 EPM Whatman			X		1132.8	503.0					
PE-PM10080421-12ADOWNWIND 23	Q0408878	08/04/21	7:25	G	A	1	8X10 EPM Whatman			X		1132.8	504.1					
PE-TSP080521-B606UPWIND 24	Q0408885	08/05/21	7:18	G	A	1	8X10 EPM Whatman				X	1132.8	500.7					
PE-TSP080521-12ADOWNWIND 25	Q0408884	08/05/21	7:27	G	A	1	8X10 EPM Whatman				X	1132.8	501.8					
PE-PM10080521-B606UPWIND 26	Q0408883	08/05/21	7:18	G	A	1	8X10 EPM Whatman			X		1132.8	500.7					
PE-PM10080521-12ADOWNWIND 27	Q0408882	08/05/21	7:27	G	A	1	8X10 EPM Whatman			X		1132.8	501.8					
PE-TSP080621-B606UPWIND 28	Q0408893	08/06/21	7:20	G	A	1	8X10 EPM Whatman				X	1132.8	541.5					
PE-TSP080621-12ADOWNWIND 29	Q0408892	08/06/21	7:30	G	A	1	8X10 EPM Whatman				X	1132.8	475.8					
PE-PM10080621-B606UPWIND 30	Q0408891	08/06/21	7:20	G	A	1	8X10 EPM Whatman			X		1132.8	541.5					
PE-PM10080621-12ADOWNWIND 31	Q0408890	08/06/21	7:30	G	A	1	8X10 EPM Whatman			X		1132.8	475.8					



SAMPLE NO.		PE-ASB080621-B606UPWIND			8/6/2021 Building 606 Upwind		TOTAL	Analysis	Flow Rate
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	VOL. (std m ³)		(L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341040	2.000	2.000	2.0	8/06/21 07:20	8/06/21 17:20	600	1.2	Asbestos	2.00

SAMPLE NO.		PE-ASB080621-12ADOWNWIND			8/6/2021 12A Downwind		TOTAL	Analysis	Flow Rate
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	VOL. (std m ³)		(L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341411	2.000	2.000	2.0	8/06/21 07:30	8/06/21 17:30	600	1.2	Asbestos	2.00

SAMPLE NO.		PE-ASB080621-BLANK			8/6/2021 Building 606 Upwind		TOTAL	Analysis	Flow Rate
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	VOL. (std m ³)		(L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341262				8/06/21 07:00			0.0	Asbestos	

STATION COC# 072

SAMPLE NO. PE-TSP080221-B606UPWIND 8/2/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409712	40.0	40.0	40.0	8/02/21 07:28	8/02/21 14:40	432	489.4	TSP	1132.80

SAMPLE NO. PE-TSP080221-12ADOWNWIND 8/2/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409711	40.0	40.0	40.0	8/02/21 07:37	8/02/21 14:30	413	467.8	TSP	1132.80

SAMPLE NO. PE-PM10080221-B606UPWIND 8/2/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409710	40.0	40.0	40.0	8/02/21 07:28	8/02/21 14:40	432	489.4	PM-10	1132.80

SAMPLE NO. PE-PM10080221-12ADOWNWIND 8/2/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409709	40.0	40.0	40.0	8/02/21 07:37	8/02/21 14:30	413	467.8	PM-10	1132.80

SAMPLE NO. PE-TSP080321-B606UPWIND 8/3/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409720	40.0	40.0	40.0	8/03/21 07:20	8/03/21 14:40	440	498.4	TSP	1132.80

SAMPLE NO. PE-TSP080321-12ADOWNWIND 8/3/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409719	40.0	40.0	40.0	8/03/21 07:30	8/03/21 14:50	440	498.4	TSP	1132.80

SAMPLE NO. PE-PM10080321-B606UPWIND 8/3/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409718	40.0	40.0	40.0	8/03/21 07:20	8/03/21 14:40	440	498.4	PM-10	1132.80

SAMPLE NO. PE-PM10080321-12ADOWNWIND 8/3/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				

Q0409717	40.0	40.0	40.0	8/03/21 07:30	8/03/21 14:50	440	498.4	PM-10	1132.80
SAMPLE NO. PE-TSP080421-B606UPWIND 8/4/2021 <i>Building 606 Upwind</i>									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408881	40.0	40.0	40.0	8/04/21 07:16	8/04/21 14:40	444	503.0	TSP	1132.80
SAMPLE NO. PE-TSP080421-12ADOWNWIND 8/4/2021 <i>12A Downwind</i>									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408880	40.0	40.0	40.0	8/04/21 07:25	8/04/21 14:50	445	504.1	TSP	1132.80
SAMPLE NO. PE-PM10080421-B606UPWIND 8/4/2021 <i>Building 606 Upwind</i>									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408879	40.0	40.0	40.0	8/04/21 07:16	8/04/21 14:40	444	503.0	PM-10	1132.80
SAMPLE NO. PE-PM10080421-12ADOWNWIND 8/4/2021 <i>12A Downwind</i>									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408878	40.0	40.0	40.0	8/04/21 07:25	8/04/21 14:50	445	504.1	PM-10	1132.80
SAMPLE NO. PE-TSP080521-B606UPWIND 8/5/2021 <i>Building 606 Upwind</i>									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408885	40.0	40.0	40.0	8/05/21 07:18	8/05/21 14:40	442	500.7	TSP	1132.80
SAMPLE NO. PE-TSP080521-12ADOWNWIND 8/5/2021 <i>12A Downwind</i>									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408884	40.0	40.0	40.0	8/05/21 07:27	8/05/21 14:50	443	501.8	TSP	1132.80
SAMPLE NO. PE-PM10080521-B606UPWIND 8/5/2021 <i>Building 606 Upwind</i>									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408883	40.0	40.0	40.0	8/05/21 07:18	8/05/21 14:40	442	500.7	PM-10	1132.80
SAMPLE NO. PE-PM10080521-12ADOWNWIND 8/5/2021 <i>12A Downwind</i>									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408882	40.0	40.0	40.0	8/05/21 07:27	8/05/21 14:50	443	501.8	PM-10	1132.80

SAMPLE NO. PE-TSP080621-B606UPWIND 8/6/2021 Building 606 Upwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408893	40.0	40.0	40.0	8/06/21 07:20	8/06/21 15:18	478	541.5	TSP	1132.80

SAMPLE NO. PE-TSP080621-12ADOWNWIND 8/6/2021 12A Downwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408892	40.0	40.0	40.0	8/06/21 07:30	8/06/21 14:30	420	475.8	TSP	1132.80

SAMPLE NO. PE-PM10080621-B606UPWIND 8/6/2021 Building 606 Upwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408891	40.0	40.0	40.0	8/06/21 07:20	8/06/21 15:18	478	541.5	PM-10	1132.80

SAMPLE NO. PE-PM10080621-12ADOWNWIND 8/6/2021 12A Downwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408890	40.0	40.0	40.0	8/06/21 07:30	8/06/21 14:30	420	475.8	PM-10	1132.80



800-322-5555
www.gls-us.com

Ship From
EUROFINS CALSCIENCE, INC
ALAN KEMP
5063 COMMERCIAL CIRCLE
H
CONCORD, CA 94520


Tracking #: 554274298

NPS



Ship To
CEL
SAMPLE RECEIVING
7440 LINCOLN WAY
GARDEN GROVE, CA 92841


GARDEN GROVE



570-67110 Waybill

S10262D

COD: \$0.00
Weight: 0 lb(s)
Reference:
APTIM
Delivery Instructions:



47202655

Signature Type: STANDARD

ORC CA927-CD0

Print Date 8/11/2021 12:10 PM

LABEL INSTRUCTIONS:

- Do not copy or reprint this label for additional shipments - each package must have a unique barcode.
- Step 1: Use the "Print Label" button on this page to print the shipping label on a laser or inkjet printer.
- Step 2: Fold this page in half.
- Step 3: Securely attach this label to your package and do not cover the barcode.

TERMS AND CONDITIONS:

By giving us your shipment to deliver, you agree to all of the General Logistics Systems US, Inc. (GLS) service terms & conditions including, but not limited to, limits of liability, declared value conditions, and claim procedures which are available on our website at www.gls-us.com

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Login Sample Receipt Checklist

Client: Aptim Federal Services LLC

Job Number: 570-67110-1

Login Number: 67110

List Source: Eurofins Calscience LLC

List Number: 1

Creator: Cruise, Noel

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	


ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-67769-1
Client Project/Site: HPNS - Parcel E / 500712
Revision: 1

For:
Aptim Federal Services LLC
Hunters Point Shipyard
200 Fisher Blvd
San Francisco, California 94124

Attn: Rose Condit



Authorized for release by:
10/5/2021 9:31:52 AM
Kathleen Burney, Project Mgmt. Assistant
Kathleen.Burney@eurofinset.com

Designee for
Terri Chang, Project Manager I
(714)895-5494
Terri.Chang@eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
QC Sample Results	10
QC Association Summary	12
Lab Chronicle	15
Certification Summary	19
Method Summary	20
Sample Summary	21
Subcontract Data	22
Chain of Custody	24
Receipt Checklists	38

Definitions/Glossary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

Qualifiers

Metals

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

Job ID: 570-67769-1

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative 570-67769-1

Comments

No additional comments.

Revision

The report being provided is a revision of the original report sent on 9/1/2021. The report (revision 1) is being revised due to: Asbestos volume changed for sample #1; results were recalculated.

Receipt

The samples were received on 8/19/2021 10:15 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 22.0° C.

Metals

Method 6010B: The method blank for preparation batch 570-175218 and analytical batch 570-175483 contained Lead above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method 6010B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 570-175218 and analytical batch 570-175483 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Lab Admin

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Subcontract Work

Method Asbestos - Low Flow: This method was subcontracted to EMSL - LA Testing - Huntington Beach. The subcontract laboratory certification is different from that of the facility issuing the final report.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Lab Admin

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

Method: 6010B - Metals (ICP)

Client Sample ID: PE-TSP080921-B606UPWIND

Lab Sample ID: 570-67769-12

Date Collected: 08/09/21 07:10

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND	F1	18.0	6.22	ug/Sample		08/29/21 09:12	08/30/21 20:10	1
Lead	5.51	J B	12.0	3.16	ug/Sample		08/29/21 09:12	08/30/21 20:10	1
Manganese	11.7		6.00	3.34	ug/Sample		08/29/21 09:12	08/30/21 20:10	1

Client Sample ID: PE-TSP080921-12ADOWNWIND

Lab Sample ID: 570-67769-13

Date Collected: 08/09/21 07:25

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/29/21 09:12	08/30/21 20:17	1
Lead	6.51	J B	12.0	3.16	ug/Sample		08/29/21 09:12	08/30/21 20:17	1
Manganese	8.07		6.00	3.34	ug/Sample		08/29/21 09:12	08/30/21 20:17	1

Client Sample ID: PE-TSP081021-B606UPWIND

Lab Sample ID: 570-67769-16

Date Collected: 08/10/21 07:10

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/29/21 09:12	08/30/21 20:19	1
Lead	9.84	J B	12.0	3.16	ug/Sample		08/29/21 09:12	08/30/21 20:19	1
Manganese	16.7		6.00	3.34	ug/Sample		08/29/21 09:12	08/30/21 20:19	1

Client Sample ID: PE-TSP081021-12ADOWNWIND

Lab Sample ID: 570-67769-17

Date Collected: 08/10/21 07:20

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/29/21 09:12	08/30/21 20:21	1
Lead	10.9	J B	12.0	3.16	ug/Sample		08/29/21 09:12	08/30/21 20:21	1
Manganese	10.6		6.00	3.34	ug/Sample		08/29/21 09:12	08/30/21 20:21	1

Client Sample ID: PE-TSP081121-B606UPWIND

Lab Sample ID: 570-67769-20

Date Collected: 08/11/21 07:10

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/29/21 09:12	08/30/21 20:23	1
Lead	8.48	J B	12.0	3.16	ug/Sample		08/29/21 09:12	08/30/21 20:23	1
Manganese	9.28		6.00	3.34	ug/Sample		08/29/21 09:12	08/30/21 20:23	1

Client Sample ID: PE-TSP081121-12ADOWNWIND

Lab Sample ID: 570-67769-21

Date Collected: 08/11/21 07:20

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/29/21 09:12	08/30/21 20:35	1
Lead	12.2	B	12.0	3.16	ug/Sample		08/29/21 09:12	08/30/21 20:35	1
Manganese	17.9		6.00	3.34	ug/Sample		08/29/21 09:12	08/30/21 20:35	1

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

Method: 6010B - Metals (ICP)

Client Sample ID: PE-TSP081221-B606UPWIND

Lab Sample ID: 570-67769-24

Date Collected: 08/12/21 07:15

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/29/21 09:12	08/30/21 20:37	1
Lead	4.86	J B	12.0	3.16	ug/Sample		08/29/21 09:12	08/30/21 20:37	1
Manganese	10.2		6.00	3.34	ug/Sample		08/29/21 09:12	08/30/21 20:37	1

Client Sample ID: PE-TSP081221-12ADOWNWIND

Lab Sample ID: 570-67769-25

Date Collected: 08/12/21 07:23

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/29/21 09:12	08/30/21 20:39	1
Lead	7.99	J B	12.0	3.16	ug/Sample		08/29/21 09:12	08/30/21 20:39	1
Manganese	15.8		6.00	3.34	ug/Sample		08/29/21 09:12	08/30/21 20:39	1

Client Sample ID: PE-TSP081321-B606UPWIND

Lab Sample ID: 570-67769-28

Date Collected: 08/13/21 07:05

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/29/21 09:12	08/30/21 20:41	1
Lead	11.0	J B	12.0	3.16	ug/Sample		08/29/21 09:12	08/30/21 20:41	1
Manganese	11.6		6.00	3.34	ug/Sample		08/29/21 09:12	08/30/21 20:41	1

Client Sample ID: PE-TSP081321-12ADOWNWIND

Lab Sample ID: 570-67769-29

Date Collected: 08/13/21 07:23

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		08/29/21 09:12	08/30/21 20:44	1
Lead	5.07	J B	12.0	3.16	ug/Sample		08/29/21 09:12	08/30/21 20:44	1
Manganese	10.0		6.00	3.34	ug/Sample		08/29/21 09:12	08/30/21 20:44	1

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

General Chemistry

Client Sample ID: PE-TSP080921-B606UPWIND

Lab Sample ID: 570-67769-12

Date Collected: 08/09/21 07:10

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	47.4		6.02	6.02	ug/m3			08/26/21 09:28	1

Client Sample ID: PE-TSP080921-12ADOWNWIND

Lab Sample ID: 570-67769-13

Date Collected: 08/09/21 07:25

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	29.6		6.09	6.09	ug/m3			08/26/21 09:28	1

Client Sample ID: PE-PM10080921-B606UPWIND

Lab Sample ID: 570-67769-14

Date Collected: 08/09/21 07:10

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	28.5		6.02	6.02	ug/m3			08/26/21 09:47	1

Client Sample ID: PE-PM10080921-12ADOWNWIND

Lab Sample ID: 570-67769-15

Date Collected: 08/09/21 07:25

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	19.7		6.09	6.09	ug/m3			08/26/21 09:47	1

Client Sample ID: PE-TSP081021-B606UPWIND

Lab Sample ID: 570-67769-16

Date Collected: 08/10/21 07:10

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	65.6		6.02	6.02	ug/m3			08/26/21 09:28	1

Client Sample ID: PE-TSP081021-12ADOWNWIND

Lab Sample ID: 570-67769-17

Date Collected: 08/10/21 07:20

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	40.1		6.02	6.02	ug/m3			08/26/21 09:28	1

Client Sample ID: PE-PM10081021-B606UPWIND

Lab Sample ID: 570-67769-18

Date Collected: 08/10/21 07:10

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	40.7		6.02	6.02	ug/m3			08/26/21 09:47	1

Client Sample ID: PE-PM10081021-12ADOWNWIND

Lab Sample ID: 570-67769-19

Date Collected: 08/10/21 07:20

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	26.7		6.02	6.02	ug/m3			08/26/21 09:47	1

Eurofins Calscience LLC

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

General Chemistry

Client Sample ID: PE-TSP081121-B606UPWIND

Lab Sample ID: 570-67769-20

Date Collected: 08/11/21 07:10

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	39.5		6.02	6.02	ug/m3			08/26/21 09:28	1

Client Sample ID: PE-TSP081121-12ADOWNWIND

Lab Sample ID: 570-67769-21

Date Collected: 08/11/21 07:20

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	51.0		6.02	6.02	ug/m3			08/26/21 09:28	1

Client Sample ID: PE-PM10081121-B606UPWIND

Lab Sample ID: 570-67769-22

Date Collected: 08/11/21 07:10

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	21.7		6.02	6.02	ug/m3			08/26/21 09:47	1

Client Sample ID: PE-PM10081121-12ADOWNWIND

Lab Sample ID: 570-67769-23

Date Collected: 08/11/21 07:20

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	24.7		6.02	6.02	ug/m3			08/26/21 09:47	1

Client Sample ID: PE-TSP081221-B606UPWIND

Lab Sample ID: 570-67769-24

Date Collected: 08/12/21 07:15

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	40.8		6.24	6.24	ug/m3			08/26/21 09:28	1

Client Sample ID: PE-TSP081221-12ADOWNWIND

Lab Sample ID: 570-67769-25

Date Collected: 08/12/21 07:23

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	57.4		6.06	6.06	ug/m3			08/26/21 09:28	1

Client Sample ID: PE-PM10081221-B606UPWIND

Lab Sample ID: 570-67769-26

Date Collected: 08/12/21 07:15

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	25.4		6.09	6.09	ug/m3			08/26/21 09:47	1

Client Sample ID: PE-PM10081221-12ADOWNWIND

Lab Sample ID: 570-67769-27

Date Collected: 08/12/21 07:23

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	30.7		6.06	6.06	ug/m3			08/26/21 09:47	1

Eurofins Calscience LLC

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

General Chemistry

Client Sample ID: PE-TSP081321-B606UPWIND

Lab Sample ID: 570-67769-28

Date Collected: 08/13/21 07:05

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	35.2		5.97	5.97	ug/m3			08/26/21 09:28	1

Client Sample ID: PE-TSP081321-12ADOWNWIND

Lab Sample ID: 570-67769-29

Date Collected: 08/13/21 07:23

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	27.7		6.20	6.20	ug/m3			08/26/21 09:28	1

Client Sample ID: PE-PM10081321-B606UPWIND

Lab Sample ID: 570-67769-30

Date Collected: 08/13/21 07:05

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	14.9		5.82	5.82	ug/m3			08/26/21 09:47	1

Client Sample ID: PE-PM10081321-12ADOWNWIND

Lab Sample ID: 570-67769-31

Date Collected: 08/13/21 07:23

Matrix: Air

Date Received: 08/19/21 10:15

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	11.8		6.20	6.20	ug/m3			08/26/21 09:47	1

QC Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 570-175218/1-A
 Matrix: Air
 Analysis Batch: 175483

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 175218

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	7.044	J	18.0	6.22	ug/Sample		08/29/21 09:12	08/30/21 20:03	1
Lead	3.690	J	12.0	3.16	ug/Sample		08/29/21 09:12	08/30/21 20:03	1
Manganese	ND		6.00	3.34	ug/Sample		08/29/21 09:12	08/30/21 20:03	1

Lab Sample ID: LCS 570-175218/2-A
 Matrix: Air
 Analysis Batch: 175483

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 175218

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	600	582.6		ug/Sample		97	80 - 120
Lead	600	646.6		ug/Sample		108	80 - 120
Manganese	600	616.7		ug/Sample		103	80 - 120

Lab Sample ID: LCSD 570-175218/3-A
 Matrix: Air
 Analysis Batch: 175483

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 175218

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Arsenic	600	603.3		ug/Sample		101	80 - 120	4	20
Lead	600	652.2		ug/Sample		109	80 - 120	1	20
Manganese	600	616.9		ug/Sample		103	80 - 120	0	20

Lab Sample ID: 570-67769-12 MS
 Matrix: Air
 Analysis Batch: 175483

Client Sample ID: PE-TSP080921-B606UPWIND
 Prep Type: Total/NA
 Prep Batch: 175218

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	ND	F1	600	446.0	F1	ug/Sample		74	75 - 125
Lead	5.51	J B	600	526.1		ug/Sample		87	75 - 125
Manganese	11.7		600	492.2		ug/Sample		80	75 - 125

Lab Sample ID: 570-67769-12 MSD
 Matrix: Air
 Analysis Batch: 175483

Client Sample ID: PE-TSP080921-B606UPWIND
 Prep Type: Total/NA
 Prep Batch: 175218

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Arsenic	ND	F1	600	484.8		ug/Sample		81	75 - 125	8	20
Lead	5.51	J B	600	538.1		ug/Sample		89	75 - 125	2	20
Manganese	11.7		600	502.2		ug/Sample		82	75 - 125	2	20

Method: 40CFR50 App B - Suspended Particulate Matter in Ambient Air

Lab Sample ID: MB 570-174514/1-A
 Matrix: Air
 Analysis Batch: 174515

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	ND		1.23	1.23	ug/m3			08/26/21 09:28	1

Eurofins Calscience LLC

QC Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

Method: 40CFR50 App B - Suspended Particulate Matter in Ambient Air (Continued)

Lab Sample ID: 570-67769-12 DU
 Matrix: Air
 Analysis Batch: 174515

Client Sample ID: PE-TSP080921-B606UPWIND
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Suspended Particulates	47.4		47.35		ug/m3		0	25

Method: PM10 - Particulate Matter

Lab Sample ID: MB 570-174518/1
 Matrix: Air
 Analysis Batch: 174518

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	ND		1.23	1.23	ug/m3			08/26/21 09:47	1

Lab Sample ID: 570-67769-14 DU
 Matrix: Air
 Analysis Batch: 174518

Client Sample ID: PE-PM10080921-B606UPWIND
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Particulate Matter	28.5		28.49		ug/m3		0	25

QC Association Summary

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

Metals

Prep Batch: 175218

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-67769-12	PE-TSP080921-B606UPWIND	Total/NA	Air	3050B	
570-67769-13	PE-TSP080921-12ADOWNWIND	Total/NA	Air	3050B	
570-67769-16	PE-TSP081021-B606UPWIND	Total/NA	Air	3050B	
570-67769-17	PE-TSP081021-12ADOWNWIND	Total/NA	Air	3050B	
570-67769-20	PE-TSP081121-B606UPWIND	Total/NA	Air	3050B	
570-67769-21	PE-TSP081121-12ADOWNWIND	Total/NA	Air	3050B	
570-67769-24	PE-TSP081221-B606UPWIND	Total/NA	Air	3050B	
570-67769-25	PE-TSP081221-12ADOWNWIND	Total/NA	Air	3050B	
570-67769-28	PE-TSP081321-B606UPWIND	Total/NA	Air	3050B	
570-67769-29	PE-TSP081321-12ADOWNWIND	Total/NA	Air	3050B	
MB 570-175218/1-A	Method Blank	Total/NA	Air	3050B	
LCS 570-175218/2-A	Lab Control Sample	Total/NA	Air	3050B	
LCSD 570-175218/3-A	Lab Control Sample Dup	Total/NA	Air	3050B	
570-67769-12 MS	PE-TSP080921-B606UPWIND	Total/NA	Air	3050B	
570-67769-12 MSD	PE-TSP080921-B606UPWIND	Total/NA	Air	3050B	

Analysis Batch: 175483

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-67769-12	PE-TSP080921-B606UPWIND	Total/NA	Air	6010B	175218
570-67769-13	PE-TSP080921-12ADOWNWIND	Total/NA	Air	6010B	175218
570-67769-16	PE-TSP081021-B606UPWIND	Total/NA	Air	6010B	175218
570-67769-17	PE-TSP081021-12ADOWNWIND	Total/NA	Air	6010B	175218
570-67769-20	PE-TSP081121-B606UPWIND	Total/NA	Air	6010B	175218
570-67769-21	PE-TSP081121-12ADOWNWIND	Total/NA	Air	6010B	175218
570-67769-24	PE-TSP081221-B606UPWIND	Total/NA	Air	6010B	175218
570-67769-25	PE-TSP081221-12ADOWNWIND	Total/NA	Air	6010B	175218
570-67769-28	PE-TSP081321-B606UPWIND	Total/NA	Air	6010B	175218
570-67769-29	PE-TSP081321-12ADOWNWIND	Total/NA	Air	6010B	175218
MB 570-175218/1-A	Method Blank	Total/NA	Air	6010B	175218
LCS 570-175218/2-A	Lab Control Sample	Total/NA	Air	6010B	175218
LCSD 570-175218/3-A	Lab Control Sample Dup	Total/NA	Air	6010B	175218
570-67769-12 MS	PE-TSP080921-B606UPWIND	Total/NA	Air	6010B	175218
570-67769-12 MSD	PE-TSP080921-B606UPWIND	Total/NA	Air	6010B	175218

General Chemistry

Pre Prep Batch: 174514

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-67769-12	PE-TSP080921-B606UPWIND	Total/NA	Air	Filter to Air	
570-67769-13	PE-TSP080921-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-67769-16	PE-TSP081021-B606UPWIND	Total/NA	Air	Filter to Air	
570-67769-17	PE-TSP081021-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-67769-20	PE-TSP081121-B606UPWIND	Total/NA	Air	Filter to Air	
570-67769-21	PE-TSP081121-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-67769-24	PE-TSP081221-B606UPWIND	Total/NA	Air	Filter to Air	
570-67769-25	PE-TSP081221-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-67769-28	PE-TSP081321-B606UPWIND	Total/NA	Air	Filter to Air	
570-67769-29	PE-TSP081321-12ADOWNWIND	Total/NA	Air	Filter to Air	
MB 570-174514/1-A	Method Blank	Total/NA	Air	Filter to Air	
570-67769-12 DU	PE-TSP080921-B606UPWIND	Total/NA	Air	Filter to Air	

Eurofins Calscience LLC

QC Association Summary

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

General Chemistry

Analysis Batch: 174515

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-67769-12	PE-TSP080921-B606UPWIND	Total/NA	Air	40CFR50 App B	174514
570-67769-13	PE-TSP080921-12ADOWNWIND	Total/NA	Air	40CFR50 App B	174514
570-67769-16	PE-TSP081021-B606UPWIND	Total/NA	Air	40CFR50 App B	174514
570-67769-17	PE-TSP081021-12ADOWNWIND	Total/NA	Air	40CFR50 App B	174514
570-67769-20	PE-TSP081121-B606UPWIND	Total/NA	Air	40CFR50 App B	174514
570-67769-21	PE-TSP081121-12ADOWNWIND	Total/NA	Air	40CFR50 App B	174514
570-67769-24	PE-TSP081221-B606UPWIND	Total/NA	Air	40CFR50 App B	174514
570-67769-25	PE-TSP081221-12ADOWNWIND	Total/NA	Air	40CFR50 App B	174514
570-67769-28	PE-TSP081321-B606UPWIND	Total/NA	Air	40CFR50 App B	174514
570-67769-29	PE-TSP081321-12ADOWNWIND	Total/NA	Air	40CFR50 App B	174514
MB 570-174514/1-A	Method Blank	Total/NA	Air	40CFR50 App B	174514
570-67769-12 DU	PE-TSP080921-B606UPWIND	Total/NA	Air	40CFR50 App B	174514

Analysis Batch: 174518

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-67769-14	PE-PM10080921-B606UPWIND	Total/NA	Air	PM10	
570-67769-15	PE-PM10080921-12ADOWNWIND	Total/NA	Air	PM10	
570-67769-18	PE-PM10081021-B606UPWIND	Total/NA	Air	PM10	
570-67769-19	PE-PM10081021-12ADOWNWIND	Total/NA	Air	PM10	
570-67769-22	PE-PM10081121-B606UPWIND	Total/NA	Air	PM10	
570-67769-23	PE-PM10081121-12ADOWNWIND	Total/NA	Air	PM10	
570-67769-26	PE-PM10081221-B606UPWIND	Total/NA	Air	PM10	
570-67769-27	PE-PM10081221-12ADOWNWIND	Total/NA	Air	PM10	
570-67769-30	PE-PM10081321-B606UPWIND	Total/NA	Air	PM10	
570-67769-31	PE-PM10081321-12ADOWNWIND	Total/NA	Air	PM10	
MB 570-174518/1	Method Blank	Total/NA	Air	PM10	
570-67769-14 DU	PE-PM10080921-B606UPWIND	Total/NA	Air	PM10	

BALANCE CALIBRATION CHECK LOG

Eurofins Calscience

Date performed: 08/26/21 Initials: ZHU8

ID	Class 2 Weight (g)	Reading (g)	Acceptance Range	Pass? (circle one)	Comment (if not passed, note removal or corrective action)
83	1	0.99	0.98 - 1.02	<input checked="" type="radio"/> Y <input type="radio"/> N	IO Lab
	100	99.95	98.00 - 102.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
62	0.002	0.0018	0.0015 - 0.0025	<input checked="" type="radio"/> Y <input type="radio"/> N	IO Lab
	1	0.9998	0.9990 - 1.0010	<input checked="" type="radio"/> Y <input type="radio"/> N	
	100	99.9996	99.9000 - 100.1000	<input checked="" type="radio"/> Y <input type="radio"/> N	
11	1	1.00	0.98 - 1.02	<input checked="" type="radio"/> Y <input type="radio"/> N	IO Lab
	100	99.99	98.00 - 102.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
55	1	1.00	0.98 - 1.02	<input checked="" type="radio"/> Y <input type="radio"/> N	IO Lab
	100	99.99	98.00 - 102.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
	500	499.81	490.00 - 510.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
86	1	1.00	0.98 - 1.02	<input checked="" type="radio"/> Y <input type="radio"/> N	IO Lab
	100	100.00	98.00 - 102.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
	500	500.00	490.00 - 510.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
71	0.002	0.0020	0.0015 - 0.0025	<input checked="" type="radio"/> Y <input type="radio"/> N	BOD Room
	1	0.9999	0.9990 - 1.0010	<input checked="" type="radio"/> Y <input type="radio"/> N	
	100	99.9995	99.9000 - 100.1000	<input checked="" type="radio"/> Y <input type="radio"/> N	
63	0.1	/	0.08 - 0.12	<input type="radio"/> Y <input checked="" type="radio"/> N	BOD Room
	100	/	98.00 - 102.00	<input type="radio"/> Y <input checked="" type="radio"/> N	
73	0.1	0.10	0.08 - 0.12	<input type="radio"/> Y <input checked="" type="radio"/> N	Oil & Grease Room
	1	1.00	0.98 - 1.02	<input type="radio"/> Y <input checked="" type="radio"/> N	
	100	100.00	98.00 - 102.00	<input type="radio"/> Y <input checked="" type="radio"/> N	
87	0.002	0.0017	0.0015 - 0.0025	<input checked="" type="radio"/> Y <input type="radio"/> N	Solids Room
	1	0.9999	0.9990 - 1.0010	<input checked="" type="radio"/> Y <input type="radio"/> N	
	100	99.9993	99.9000 - 100.1000	<input checked="" type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input checked="" type="radio"/> N	
				<input type="radio"/> Y <input checked="" type="radio"/> N	
				<input type="radio"/> Y <input checked="" type="radio"/> N	
				<input type="radio"/> Y <input checked="" type="radio"/> N	
				<input type="radio"/> Y <input checked="" type="radio"/> N	
				<input type="radio"/> Y <input checked="" type="radio"/> N	
				<input type="radio"/> Y <input checked="" type="radio"/> N	
				<input type="radio"/> Y <input checked="" type="radio"/> N	
				<input type="radio"/> Y <input checked="" type="radio"/> N	

Comments:

WT SET ID USED: 2 mg	25055	COMMENT:
WT SET ID USED: 10 mg - 100 g	62065	
WT SET ID USED: 500 g	62886	

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

Client Sample ID: PE-TSP080921-B606UPWIND

Lab Sample ID: 570-67769-12

Date Collected: 08/09/21 07:10

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	175218	08/29/21 09:12	WL8G	ECL 1
Total/NA	Analysis	6010B		1			175483	08/30/21 20:10	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					174514	08/26/21 09:13	UWCT	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174515	08/26/21 09:28	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP080921-12ADOWNWIND

Lab Sample ID: 570-67769-13

Date Collected: 08/09/21 07:25

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	175218	08/29/21 09:12	WL8G	ECL 1
Total/NA	Analysis	6010B		1			175483	08/30/21 20:17	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					174514	08/26/21 09:13	UWCT	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174515	08/26/21 09:28	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10080921-B606UPWIND

Lab Sample ID: 570-67769-14

Date Collected: 08/09/21 07:10

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3592 g	4.3734 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10080921-12ADOWNWIND

Lab Sample ID: 570-67769-15

Date Collected: 08/09/21 07:25

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3315 g	4.3412 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP081021-B606UPWIND

Lab Sample ID: 570-67769-16

Date Collected: 08/10/21 07:10

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	175218	08/29/21 09:12	WL8G	ECL 1
Total/NA	Analysis	6010B		1			175483	08/30/21 20:19	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					174514	08/26/21 09:13	UWCT	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174515	08/26/21 09:28	UWCT	ECL 1
Instrument ID: BAL62										

Eurofins Calscience LLC

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

Client Sample ID: PE-TSP081021-12ADOWNWIND

Lab Sample ID: 570-67769-17

Date Collected: 08/10/21 07:20

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	175218	08/29/21 09:12	WL8G	ECL 1
Total/NA	Analysis	6010B		1			175483	08/30/21 20:21	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					174514	08/26/21 09:13	UWCT	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174515	08/26/21 09:28	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10081021-B606UPWIND

Lab Sample ID: 570-67769-18

Date Collected: 08/10/21 07:10

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3667 g	4.3870 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10081021-12ADOWNWIND

Lab Sample ID: 570-67769-19

Date Collected: 08/10/21 07:20

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.2791 g	4.2924 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP081121-B606UPWIND

Lab Sample ID: 570-67769-20

Date Collected: 08/11/21 07:10

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	175218	08/29/21 09:12	WL8G	ECL 1
Total/NA	Analysis	6010B		1			175483	08/30/21 20:23	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					174514	08/26/21 09:13	UWCT	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174515	08/26/21 09:28	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP081121-12ADOWNWIND

Lab Sample ID: 570-67769-21

Date Collected: 08/11/21 07:20

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	175218	08/29/21 09:12	WL8G	ECL 1
Total/NA	Analysis	6010B		1			175483	08/30/21 20:35	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					174514	08/26/21 09:13	UWCT	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174515	08/26/21 09:28	UWCT	ECL 1
Instrument ID: BAL62										

Eurofins Calscience LLC

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

Client Sample ID: PE-PM10081121-B606UPWIND

Lab Sample ID: 570-67769-22

Date Collected: 08/11/21 07:10

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3493 g	4.3601 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10081121-12ADOWNWIND

Lab Sample ID: 570-67769-23

Date Collected: 08/11/21 07:20

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3022 g	4.3145 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP081221-B606UPWIND

Lab Sample ID: 570-67769-24

Date Collected: 08/12/21 07:15

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	175218	08/29/21 09:12	WL8G	ECL 1
Total/NA	Analysis	6010B		1			175483	08/30/21 20:37	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					174514	08/26/21 09:13	UWCT	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174515	08/26/21 09:28	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP081221-12ADOWNWIND

Lab Sample ID: 570-67769-25

Date Collected: 08/12/21 07:23

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	175218	08/29/21 09:12	WL8G	ECL 1
Total/NA	Analysis	6010B		1			175483	08/30/21 20:39	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					174514	08/26/21 09:13	UWCT	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174515	08/26/21 09:28	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10081221-B606UPWIND

Lab Sample ID: 570-67769-26

Date Collected: 08/12/21 07:15

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.2953 g	4.3078 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

Client Sample ID: PE-PM10081221-12ADOWNWIND

Lab Sample ID: 570-67769-27

Date Collected: 08/12/21 07:23

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.4572 g	4.4724 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP081321-B606UPWIND

Lab Sample ID: 570-67769-28

Date Collected: 08/13/21 07:05

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	175218	08/29/21 09:12	WL8G	ECL 1
Total/NA	Analysis	6010B		1			175483	08/30/21 20:41	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					174514	08/26/21 09:13	UWCT	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174515	08/26/21 09:28	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP081321-12ADOWNWIND

Lab Sample ID: 570-67769-29

Date Collected: 08/13/21 07:23

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	175218	08/29/21 09:12	WL8G	ECL 1
Total/NA	Analysis	6010B		1			175483	08/30/21 20:44	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					174514	08/26/21 09:13	UWCT	ECL 1
Total/NA	Analysis	40CFR50 App B		1			174515	08/26/21 09:28	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10081321-B606UPWIND

Lab Sample ID: 570-67769-30

Date Collected: 08/13/21 07:05

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3313 g	4.3390 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10081321-12ADOWNWIND

Lab Sample ID: 570-67769-31

Date Collected: 08/13/21 07:23

Matrix: Air

Date Received: 08/19/21 10:15

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3593 g	4.3650 g	174518	08/26/21 09:47	UWCT	ECL 1
Instrument ID: BAL62										

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

EMSL = EMSL - LA Testing - Huntington Beach, 5431 Industrial Drive, Huntington Beach, CA 92649

Eurofins Calscience LLC

Accreditation/Certification Summary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

Laboratory: Eurofins Calscience LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	CA300001	01-30-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
40CFR50 App B		Air	Total Suspended Particulates
6010B	3050B	Air	Arsenic
6010B	3050B	Air	Lead
6010B	3050B	Air	Manganese

Method Summary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

Method	Method Description	Protocol	Laboratory
6010B	Metals (ICP)	SW846	ECL 1
40CFR50 App B	Suspended Particulate Matter in Ambient Air	EPA	ECL 1
PM10	Particulate Matter	40CFR50J	ECL 1
NIOSH 7400 Rev	NIOSH 7400 Rev. 3	NIOSH	EMSL
3050B	Preparation, Metals	SW846	ECL 1
Filter to Air	Filter to Air volume ratio	None	ECL 1

Protocol References:

40CFR50J = 40 CFR Part 50 Appendix J

EPA = US Environmental Protection Agency

NIOSH = NIOSH Manual Of Analytical Methods, National Institute For Occupational Safety And Health, 4th Edition, August 1994 and it's Supplements

None = None

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

EMSL = EMSL - LA Testing - Huntington Beach, 5431 Industrial Drive, Huntington Beach, CA 92649

Sample Summary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-67769-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
570-67769-1	PE-ASB080921-B606UPWIND	Air	08/09/21 07:10	08/19/21 10:15
570-67769-2	PE-ASB080921-12ADOWNWIND	Air	08/09/21 07:25	08/19/21 10:15
570-67769-3	PE-ASB081021-B606UPWIND	Air	08/10/21 07:10	08/19/21 10:15
570-67769-4	PE-ASB081021-12ADOWNWIND	Air	08/10/21 07:20	08/19/21 10:15
570-67769-5	PE-ASB081121-B606UPWIND	Air	08/11/21 07:10	08/19/21 10:15
570-67769-6	PE-ASB081121-12ADOWNWIND	Air	08/11/21 07:20	08/19/21 10:15
570-67769-7	PE-ASB081221-B606UPWIND	Air	08/12/21 07:15	08/19/21 10:15
570-67769-8	PE-ASB081221-12ADOWNWIND	Air	08/12/21 07:23	08/19/21 10:15
570-67769-9	PE-ASB081321-B606UPWIND	Air	08/13/21 07:05	08/19/21 10:15
570-67769-10	PE-ASB081321-12ADOWNWIND	Air	08/13/21 07:23	08/19/21 10:15
570-67769-11	PE-ASB081321-BLANK	Air	08/13/21 07:00	08/19/21 10:15
570-67769-12	PE-TSP080921-B606UPWIND	Air	08/09/21 07:10	08/19/21 10:15
570-67769-13	PE-TSP080921-12ADOWNWIND	Air	08/09/21 07:25	08/19/21 10:15
570-67769-14	PE-PM10080921-B606UPWIND	Air	08/09/21 07:10	08/19/21 10:15
570-67769-15	PE-PM10080921-12ADOWNWIND	Air	08/09/21 07:25	08/19/21 10:15
570-67769-16	PE-TSP081021-B606UPWIND	Air	08/10/21 07:10	08/19/21 10:15
570-67769-17	PE-TSP081021-12ADOWNWIND	Air	08/10/21 07:20	08/19/21 10:15
570-67769-18	PE-PM10081021-B606UPWIND	Air	08/10/21 07:10	08/19/21 10:15
570-67769-19	PE-PM10081021-12ADOWNWIND	Air	08/10/21 07:20	08/19/21 10:15
570-67769-20	PE-TSP081121-B606UPWIND	Air	08/11/21 07:10	08/19/21 10:15
570-67769-21	PE-TSP081121-12ADOWNWIND	Air	08/11/21 07:20	08/19/21 10:15
570-67769-22	PE-PM10081121-B606UPWIND	Air	08/11/21 07:10	08/19/21 10:15
570-67769-23	PE-PM10081121-12ADOWNWIND	Air	08/11/21 07:20	08/19/21 10:15
570-67769-24	PE-TSP081221-B606UPWIND	Air	08/12/21 07:15	08/19/21 10:15
570-67769-25	PE-TSP081221-12ADOWNWIND	Air	08/12/21 07:23	08/19/21 10:15
570-67769-26	PE-PM10081221-B606UPWIND	Air	08/12/21 07:15	08/19/21 10:15
570-67769-27	PE-PM10081221-12ADOWNWIND	Air	08/12/21 07:23	08/19/21 10:15
570-67769-28	PE-TSP081321-B606UPWIND	Air	08/13/21 07:05	08/19/21 10:15
570-67769-29	PE-TSP081321-12ADOWNWIND	Air	08/13/21 07:23	08/19/21 10:15
570-67769-30	PE-PM10081321-B606UPWIND	Air	08/13/21 07:05	08/19/21 10:15
570-67769-31	PE-PM10081321-12ADOWNWIND	Air	08/13/21 07:23	08/19/21 10:15





LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / gardengrovelab@latesting.com

LA Testing Order: 332119603

Customer ID: 32CAL51

Customer PO:

Project ID:

Attention: Terri Chang
Eurofins Calscience, Inc.
7440 Lincoln Way
Garden Grove, CA 92841

Phone: (714) 895-5494
Fax: (714) 894-7501
Received Date: 08/20/2021 03:30 PM
Analysis Date: 09/01/2021
Collected Date: 08/09/2021 - 08/13/2021

Project: 570-67769/HPNS - Parcel E/ 500712

Test Report: Fiber Count by Phase Contrast Microscopy (PCM), NIOSH 7400 Method - A Rules, Revision 3, Issue 3, 6/15/2019

Sample	Location	Sample Date	Volume (L)	Fibers	Fields	LOD (fib/cc)	Fibers/mm ²	Fibers/cc	Notes
PE-ASB080921-B606UPW IND (570-67769-1) 332119603-0001		08/09/2021	1200	11.5	100	0.0022	14.6	0.0047	sample pulled for 10% recount
PE-ASB080921-12ADOW NWIND (570-67769-2) 332119603-0002		08/09/2021	1200	6.5	100	0.0022	8.28	0.0027	
PE-ASB081021-B606UPW IND (570-67769-3) 332119603-0003		08/10/2021	1200	9	100	0.0022	11.5	0.0037	
PE-ASB081021-12ADOW NWIND (570-67769-4) 332119603-0004		08/10/2021	1200	6	100	0.0022	7.64	0.0025	
PE-ASB081121-B606UPW IND (570-67769-5) 332119603-0005		08/11/2021	1200	8	100	0.0022	10.2	0.0033	
PE-ASB081121-12ADOW NWIND (570-67769-6) 332119603-0006		08/11/2021	1200	12	100	0.0022	15.3	0.0049	
PE-ASB081221-B606UPW IND (570-67769-7) 332119603-0007		08/12/2021	1200	19	100	0.0022	24.2	0.0078	
PE-ASB081221-12ADOW NWIND (57067769-8) 332119603-0008		08/12/2021	1200	27	100	0.0022	34.4	0.0110	
PE-ASB081321-B606UPW IND (570-67769-9) 332119603-0009		08/13/2021	1200	6	100	0.0022	7.64	0.0025	
PE-ASB081321-12ADOW NWIND (570-67769-10) 332119603-0010		08/13/2021	1200	22	100	0.0022	28.0	0.0090	sample pulled for 10% recount
PE-ASB081321-BLANK (570-67769-11) 332119603-0011		08/13/2021		<5.5	100		<7.01		Field Blank
PE-ASB080921-B606UPW IND (570-67769-1) 332119603-0012		08/09/2021	1200	8	100	0.0022	10.2	0.0033	10% Recount; Individual-CV=0.32
PE-ASB081321-12ADOW NWIND (570-67769-10)		08/13/2021	1200	20.5	100	0.0022	26.1	0.0084	10% Recount; Individual-CV=0.19

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. Limit of detection is 7 fibers/mm². Fiber counts outside the recommended fiber density range of the method (100-1300 f/mm²) have greater than optimal variability and are probably biased. Field blank results, when available, are used to blank correct results. NIOSH 7400 requires field blanks be submitted at a rate of 10%, with a minimum of 2 per set. Measurement of uncertainty available upon request. The results in this report meet all requirements of the NELAC standards unless otherwise noted.

Intra-laboratory Sr values: 5-20 fibers = 0.35, 21-50 fibers = 0.24, 51-100 fibers = 0.19. Inter-laboratory Sr values (Average of EMSL round robin data) = 0.34.
Samples analyzed by LA Testing Huntington Beach, CA AIHA-LAP, LLC--IHLAP Accredited #101650

Report Amended: 10/04/2021 07:45 PM Replaces amended report from: 10/04/2021 07:41 PM Reason Code: Client-Change to Sample Volume



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / gardengrovelab@latestesting.com

LA Testing Order: 332119603

Customer ID: 32CAL51

Customer PO:

Project ID:

Attention: Terri Chang
Eurofins Calscience, Inc.
7440 Lincoln Way
Garden Grove, CA 92841

Phone: (714) 895-5494
Fax: (714) 894-7501
Received Date: 08/20/2021 03:30 PM
Analysis Date: 09/01/2021
Collected Date: 08/09/2021 - 08/13/2021

Project: 570-67769/HPNS - Parcel E/ 500712

Test Report: Fiber Count by Phase Contrast Microscopy (PCM), NIOSH 7400 Method - A Rules, Revision 3, Issue 3, 6/15/2019

Sample	Location	Sample Date	Volume (L)	Fibers	Fields	LOD (fib/cc)	Fibers/mm ²	Fibers/cc	Notes
332119603-0013									

The results reported have been blank corrected as applicable.

Analyst(s):
Sotheyary Son PCM 13

Michael Chapman, Laboratory Manager
or other Approved Signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. Limit of detection is 7 fibers/mm². Fiber counts outside the recommended fiber density range of the method (100-1300 f/mm²) have greater than optimal variability and are probably biased. Field blank results, when available, are used to blank correct results. NIOSH 7400 requires field blanks be submitted at a rate of 10%, with a minimum of 2 per set. Measurement of uncertainty available upon request. The results in this report meet all requirements of the NELAC standards unless otherwise noted.
Intra-laboratory Sr values: 5-20 fibers = 0.35, 21-50 fibers = 0.24, 51-100 fibers = 0.19. Inter-laboratory Sr values (Average of EMSL round robin data) = 0.34.
Samples analyzed by LA Testing Huntington Beach, CA AIHA-LAP, LLC--IHLAP Accredited #101650

Report Amended: 10/04/2021 07:45 PM Replaces amended report from: 10/04/2021 07:41 PM Reason Code: Client-Change to Sample Volume



APTIM Federal Services, LLC
4005 Port Chicago Hwy
Concord, CA 94520

CHAIN OF CUSTODY

Ref. Document # **CTO 0024 - AIR 073**
Page 1 of 2

REVISION 1 JM 9/31/21

Project Manager: Nels Johnson
Send Report To: Jose Maldonado
Phone/Fax Number: 415-340-9637
Address: 4005 Port Chicago Hwy
City: Concord, CA 94520
Jose.Maldonado@aptim.com

Project Number: 500712
Project Name: HPNS - Parcel E
Project Location: San Francisco, CA
Purchase Order #: 1168336
Lab Destination: Eurofins-Calscience
7440 Lincoln Way
Garden Grove CA 92841
Lab Contact: Terri Chang

Analyses Requested																			
Sample ID Number	Filter No.	Date	Time	Method	Matrix	# of containers	Container Type	PCB (EPA 8082 / TO-04)	PAH (EPA 8270-SIM / TO-13)	Asbestos (NIOSH 7400)	PM10 (40 CFR, Subpt. J; BAAQMD Reg 6)	TSP, Min, Pb, As (40 CFR 50 App B; NIOSH 7300/6010B)	Flow Rate (L/min.)	Sample Volume (m ³)					
PE-ASB080921-B606UPWIND	DA341005	08/09/21	7:10	G	A	1	PCM			X			2.00	1.26	1.20				
PE-ASB080921-12ADOWNWIND	DA341097	08/09/21	7:25	G	A	1	PCM			X			2.00	1.20					
PE-ASB081021-B606UPWIND	DA341208	08/10/21	7:10	G	A	1	PCM			X			2.00	1.20					
PE-ASB081021-12ADOWNWIND	DA341304	08/10/21	7:20	G	A	1	PCM			X			2.00	1.20					
PE-ASB081121-B606UPWIND	DA344656	08/11/21	7:10	G	A	1	PCM			X			2.00	1.20					
PE-ASB081121-12ADOWNWIND	DA344657	08/11/21	7:20	G	A	1	PCM			X			2.00	1.20					
PE-ASB081221-B606UPWIND	DA341541	08/12/21	7:15	G	A	1	PCM			X			2.00	1.20					
PE-ASB081221-12ADOWNWIND	DA341619	08/12/21	7:23	G	A	1	PCM			X			2.00	1.20					
PE-ASB081321-B606UPWIND	DA341623	08/13/21	7:05	G	A	1	PCM			X			2.00	1.20					
PE-ASB081321-12ADOWNWIND	DA341926	08/13/21	7:23	G	A	1	PCM			X			2.00	1.20					
PE-ASB081321-BLANK	DB170278	08/13/21	7:00	G	A	1	PCM			X			NA						
Temperature Blank															x				

Sampler's Name(s): JM

Collection Information

Special Instructions: J to MDL

Turn Around Time: 24-hr 5-day 10-day

Level Of QC Required: I II III Project Specific:

Relinquished By: Jose Maldonado	Date:	Received By:	Date:
	Time:		Time:
Relinquished By:	Date:	Received By:	Date:
	Time:		Time:
Relinquished By:	Date:	Received By:	Date:
	Time:		Time:
Relinquished By:	Date:	Received By:	Date:
	Time:		Time:

Method Codes
C = Composite
G = Grab
DW = Drinking Water
GW = Ground Water
WW = Waste Water
A=Air

Matrix Codes
SO = Soil
SL = Sludge
CP = Chip Samples

ABS=Asbestos, PO=Pipe Opening

AIR MONITORING LOG

PROJECT NAME: **HPNS Parcel E** PROJ. NO. **500712** **Asbestos** **TSP** **PM-10**

STATION **REVISED JM 9/31/21** **COC# 073**

SAMPLE NO.		PE-ASB080921-B606UPWIND			8/9/2021 Building 606 Upwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341005	2.000	2.000	2.000	8/09/21 07:10	8/09/21 17:40	630	1.26	Asbestos	2.00
						8/9/2021 17:10	600	1.20	

SAMPLE NO.		PE-ASB080921-12ADOWNWIND			8/9/2021 12A Downwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341097	2.000	2.000	2.000	8/09/21 07:25	8/09/21 17:25	600	1.20	Asbestos	2.00

SAMPLE NO.		PE-ASB081021-B606UPWIND			8/10/2021 Building 606 Upwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341208	2.000	2.000	2.000	8/10/21 07:10	8/10/21 17:10	600	1.20	Asbestos	2.00

SAMPLE NO.		PE-ASB081021-12ADOWNWIND			8/10/2021 12A Downwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341304	2.000	2.000	2.000	8/10/21 07:20	8/10/21 17:20	600	1.20	Asbestos	2.00

SAMPLE NO.		PE-ASB081121-B606UPWIND			8/11/2021 Building 606 Upwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA344656	2.000	2.000	2.000	8/11/21 07:10	8/11/21 17:10	600	1.20	Asbestos	2.00

SAMPLE NO.		PE-ASB081121-12ADOWNWIND			8/11/2021 12A Downwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA344657	2.000	2.000	2.000	8/11/21 07:20	8/11/21 17:20	600	1.20	Asbestos	2.00

SAMPLE NO.		PE-ASB081221-B606UPWIND			8/12/2021 Building 606 Upwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341541	2.000	2.000	2.000	8/12/21 07:15	8/12/21 17:15	600	1.20	Asbestos	2.00

SAMPLE NO.		PE-ASB081221-12ADOWNWIND			8/12/2021 12A Downwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341619	2.000	2.000	2.0	8/12/21 07:23	8/12/21 17:23	600	1.20	Asbestos	2.00

SAMPLE NO.		PE-ASB081321-B606UPWIND			8/13/2021 Building 606 Upwind				
------------	--	-------------------------	--	--	-------------------------------	--	--	--	--

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341623	2.000	2.000	2.0	8/13/21 07:05	8/13/21 17:05	600	1.2	Asbestos	2.00
SAMPLE NO. PE-ASB081321-12ADOWNWIND 8/13/2021 12A Downwind									
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341926	2.000	2.000	2.0	8/13/21 07:23	8/13/21 17:23	600	1.2	Asbestos	2.00





CHAIN OF CUSTODY

APTIM Federal Services, LLC
 4005 Port Chicago Hwy
 Concord, CA 94520

Send Report To: *Jose Maldonado*
 Phone/Fax Number: 415-340-9637
 Address: 4005 Port Chicago Hwy
 City: Concord, CA 94520
Jose.Maldonado@aptim.com

Project Number: 500712
 Project Name: HPNS - Parcel E
 Project Location: San Francisco, CA
 Lab Destination: Calscience
 7440 Lincoln Way
 Garden Grove CA 92841
 Lab Contact: Terri Chang

Analyses Requested														
Sample ID Number	Lot No.	Date	Time	Method	Matrix	# of containers	Container Type	PCB (EPA 8082 / TO-04)	PAH (EPA 8270-SIM / TO-13)	Asbestos (NIOSH 7400)	PM10 (40 CFR, Subpt J; BAAQMD Reg 6)	TSP, Mn, Pb, As (40 CFR 50 App B; NIOS)	Flow Rate (L/min.)	Sample Volume (m ³)
PE-TSP080921-B606UPWIND	Q0408853	08/09/21	7:10	G	A	1	8X10 EPM Whatman					X	1132.8	498.4
PE-TSP080921-12ADOWNWIND	Q0408852	08/09/21	7:25	G	A	1	8X10 EPM Whatman					X	1132.8	492.8
PE-PM10080921-B606UPWIND	Q0408851	08/09/21	7:10	G	A	1	8X10 EPM Whatman				X		1132.8	498.4
PE-PM10080921-12ADOWNWIND	Q0408850	08/09/21	7:25	G	A	1	8X10 EPM Whatman				X		1132.8	492.8
PE-TSP081021-B606UPWIND	Q0408861	08/10/21	7:10	G	A	1	8X10 EPM Whatman					X	1132.8	498.4
PE-TSP081021-12ADOWNWIND	Q0408860	08/10/21	7:20	G	A	1	8X10 EPM Whatman					X	1132.8	498.4
PE-PM10081021-B606UPWIND	Q0408859	08/10/21	7:10	G	A	1	8X10 EPM Whatman				X		1132.8	498.4
PE-PM10081021-12ADOWNWIND	Q0408858	08/10/21	7:20	G	A	1	8X10 EPM Whatman				X		1132.8	498.4
PE-TSP081121-B606UPWIND	Q0408873	08/11/21	7:10	G	A	1	8X10 EPM Whatman					X	1132.8	498.4
PE-TSP081121-12ADOWNWIND	Q0408872	08/11/21	7:20	G	A	1	8X10 EPM Whatman					X	1132.8	498.4
PE-PM10081121-B606UPWIND	Q0408871	08/11/21	7:10	G	A	1	8X10 EPM Whatman				X		1132.8	498.4
PE-PM10081121-12ADOWNWIND	Q0408870	08/11/21	7:20	G	A	1	8X10 EPM Whatman				X		1132.8	498.4
PE-TSP081221-B606UPWIND	Q0408803	08/12/21	7:15	G	A	1	8X10 EPM Whatman					X	1104.5	480.4
PE-TSP081221-12ADOWNWIND	Q0408802	08/12/21	7:23	G	A	1	8X10 EPM Whatman					X	1132.8	495.0
PE-PM10081221-B606UPWIND	Q0408801	08/12/21	7:15	G	A	1	8X10 EPM Whatman				X		1132.8	492.8
PE-PM10081221-12ADOWNWIND	Q0410100	08/12/21	7:23	G	A	1	8X10 EPM Whatman				X		1132.8	495.0
PE-TSP081321-B606UPWIND	Q0408812	08/13/21	7:05	G	A	1	8X10 EPM Whatman					X	1104.5	502.5
PE-TSP081321-12ADOWNWIND	Q0408807	08/13/21	7:23	G	A	1	8X10 EPM Whatman					X	1132.8	483.7
PE-PM10081321-B606UPWIND	Q0408810	08/13/21	7:05	G	A	1	8X10 EPM Whatman				X		1132.8	515.4
PE-PM10081321-12ADOWNWIND	Q0408805	08/13/21	7:23	G	A	1	8X10 EPM Whatman				X		1132.8	483.7

PROJECT NAME: HPNS Parcel E PROJ. NO. 500712 Asbestos TSP PM-10
 REVISID

STATION COC# 073

--	--	--	--	--	--	--	--	--	--

SAMPLE NO.		PE-TSP080921-B606UPWIND				8/9/2021 <i>Building 606 Upwind</i>			
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408853	40.0	40.0	40.0	8/09/21 07:10	8/09/21 14:30	440	498.4	TSP	1132.80

SAMPLE NO.		PE-TSP080921-12ADOWNWIND				8/9/2021 <i>12A Downwind</i>			
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408852	40.0	40.0	40.0	8/09/21 07:25	8/09/21 14:40	435	492.8	TSP	1132.80

SAMPLE NO.		PE-PM10080921-B606UPWIND				8/9/2021 <i>Building 606 Upwind</i>			
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408851	40.0	40.0	40.0	8/09/21 07:10	8/09/21 14:30	440	498.4	PM-10	1132.80

SAMPLE NO.		PE-PM10080921-12ADOWNWIND				8/9/2021 <i>12A Downwind</i>			
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408850	40.0	40.0	40.0	8/09/21 07:25	8/09/21 14:40	435	492.8	PM-10	1132.80

SAMPLE NO.		PE-TSP081021-B606UPWIND				8/10/2021 <i>Building 606 Upwind</i>			
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408861	40.0	40.0	40.0	8/10/21 07:10	8/10/21 14:30	440	498.4	TSP	1132.80

SAMPLE NO.		PE-TSP081021-12ADOWNWIND				8/10/2021 <i>12A Downwind</i>			
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408860	40.0	40.0	40.0	8/10/21 07:20	8/10/21 14:40	440	498.4	TSP	1132.80

SAMPLE NO.		PE-PM10081021-B606UPWIND				8/10/2021 <i>Building 606 Upwind</i>			
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408859	40.0	40.0	40.0	8/10/21 07:10	8/10/21 14:30	440	498.4	PM-10	1132.80

SAMPLE NO.		PE-PM10081021-12ADOWNWIND				8/10/2021 <i>12A Downwind</i>			
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408858	40.0	40.0	40.0	8/10/21 07:20	8/10/21 14:40	440	498.4	PM-10	1132.80

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408873	40.0	40.0	40.0	8/11/21 07:10	8/11/21 14:30	440	498.4	TSP	1132.80

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408872	40.0	40.0	40.0	8/11/21 07:20	8/11/21 14:40	440	498.4	TSP	1132.80

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408871	40.0	40.0	40.0	8/11/21 07:10	8/11/21 14:30	440	498.4	PM-10	1132.80

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408870	40.0	40.0	40.0	8/11/21 07:20	8/11/21 14:40	440	498.4	PM-10	1132.80

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408803	39.0	39.0	39.0	8/12/21 07:15	8/12/21 14:30	435	480.4	TSP	1104.48
	40	40	40						

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408802	40.0	40.0	40.0	8/12/21 07:23	8/12/21 14:40	437	495.0	TSP	1132.80

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
		STOP	AVERAGE	START	STOP				
Q0408801	40.0	40.0	40.0	8/12/21 07:15	8/12/21 14:30	435	492.8	PM-10	1132.80

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410100	40.0	40.0	40.0	8/12/21 07:23	8/12/21 14:40	437	495.0	PM-10	1132.80

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				

Q0408812	39.0	39.0	39.0	8/13/21 07:05	8/13/21 14:40	455	502.5	TSP	1104.48
SAMPLE NO. PE-TSP081321-12ADOWNWIND 8/13/2021 <i>12A Downwind</i>									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408807	40.0	40.0	40.0	8/13/21 07:23	8/13/21 14:30	427	483.7	TSP	1132.80
SAMPLE NO. PE-PM10081321-B606UPWIND 8/13/2021 <i>Building 606 Upwind</i>									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408810	40.0	40.0	40.0	8/13/21 07:05	8/13/21 14:40	455	515.4	PM-10	1132.80
SAMPLE NO. PE-PM10081321-12ADOWNWIND 8/13/2021 <i>12A Downwind</i>									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408805	40.0	40.0	40.0	8/13/21 07:23	8/13/21 14:30	427	483.7	PM-10	1132.80

67769



APTIM Federal Services, LLC
4005 Port Chicago Hwy
Concord, CA 94520

CHAIN OF CUSTODY

Ref. Document # CTO 0024 - AIR 073
Page 1 of 2

Project Number: 500712
Project Name: HPNS - Parcel E
Project Location: San Francisco, CA
Purchase Order #: 1168336
Lab Destination: Eurofins-Calscience
7440 Lincoln Way
Garden Grove CA 92841
Lab Contact: Terri Chang

Project Manager: Nels Johnson
Send Report To: Jose Maldonado
Phone/Fax Number: 415-340-9637
Address: 4005 Port Chicago Hwy
City: Concord, CA 94520
Jose.Maldonado@aptim.com

Sample ID Number	Filter No.	Collection Information		Matrix	# of containers	Container Type
		Date	Time			
PE-ASB080921-B606UPWIND	DA341005	08/09/21	7:10	G	1	PCM
PE-ASB080921-12ADOWNWIND	DA341097	08/09/21	7:25	G	1	PCM
PE-ASB081021-B606UPWIND	DA341208	08/10/21	7:10	G	1	PCM
PE-ASB081021-12ADOWNWIND	DA341304	08/10/21	7:20	G	1	PCM
PE-ASB081121-B606UPWIND	DA344656	08/11/21	7:10	G	1	PCM
PE-ASB081121-12ADOWNWIND	DA344657	08/11/21	7:20	G	1	PCM
PE-ASB081221-B606UPWIND	DA341541	08/12/21	7:15	G	1	PCM
PE-ASB081221-12ADOWNWIND	DA341619	08/12/21	7:23	G	1	PCM
PE-ASB081321-B606UPWIND	DA341623	08/13/21	7:05	G	1	PCM
PE-ASB081321-12ADOWNWIND	DA341926	08/13/21	7:23	G	1	PCM
PE-ASB081321-BLANK	DB170278	08/13/21	7:00	G	1	PCM

Analyses Requested		Flow Rate (L/min.)	Sample Volume (m ³)
PCB (EPA 8082 / TO-04)		2.00	1.26
PAH (EPA 8270-SIM / TO-13)		2.00	1.20
Asbestos (NIOSH 7400)		2.00	1.20
PM10 (40 CFR, Subpt J; BAAQMD Reg 6)		2.00	1.20
TSP, Mn, Pb, As (40 CFR 50 App B; NIOSH 7300/6010B)		2.00	1.20

Special Instructions: J to MDL

Turn Around Time: 24-hr 5-day 10-day

Level Of QC Required: I II III Project Specific: **ED**

Relinquished By: Jose Maldonado
 Date: 8/18/21 Time: 10:45
 Received By: *[Signature]*
 Date: 8/18/21 Time: 10:15

Relinquished By: **MD to GLS**
 Date: 8/18/21 Time: 10:15
 Received By: *[Signature]*
 Date: 8/19/21 Time: 10:15

Relinquished By: _____
 Date: _____ Time: _____
 Received By: _____
 Date: _____ Time: _____

Method Codes
C = Composite
Matrix Codes
DW = Drinking Water
GW = Ground Water
WW = Waste W
A=Air

G = Grab
SO = Soil
SL = Sludge
CP = Chip Samples



570-67769 Chain of Custody





APTIM Federal Services, LLC
4005 Port Chicago Hwy
Concord, CA 94520

CHAIN OF CUSTODY

Ref. Document # CTO 0024 - AIR 073

Page 2 of 2

Project Number: 500712
Project Name: HPNS - Parcel E
Project Location: San Francisco, CA
Lab Destination: Calscience
7440 Lincoln Way
Garden Grove CA 92841
Lab Contact: Terr Chang

Send Report To: Jose Maldonado
Phone/Fax Number: 415-340-9637
Address: 4005 Port Chicago Hwy
City: Concord, CA 94520
Jose.Maldonado@aptim.com

Sampler's Name(s): JM

Sample ID Number	Lot No.	Collection Information		Matrix	# of containers	Container Type	Analyses Requested							
		Date	Time				Method	PCB (EPA 8082 / TO-04)	PAH (EPA 8270-SIM / TO-13)	Asbestos (NIOSH 7400)	PM10 (40 CFR, Subpt J; BAAQMD Reg 6)	TSP, Mn, Pb, As (40 CFR 50 App B; NIOSH)	Flow Rate (L/min.)	Sample Volume (m ³)
12	PE-TSP080921-B606UPWIND	Q0408853	08/09/21	7 10	G	A	1	8X10 EPM Whatman				X	1132.8	498.4
13	PE-TSP080921-12ADOWNWIND	Q0408852	08/09/21	7:25	G	A	1	8X10 EPM Whatman				X	1132.8	492.8
14	PE-PM10080921-B606UPWIND	Q0408851	08/09/21	7 10	G	A	1	8X10 EPM Whatman		X			1132.8	498.4
15	PE-PM10080921-12ADOWNWIND	Q0408850	08/09/21	7:25	G	A	1	8X10 EPM Whatman		X			1132.8	492.8
16	PE-TSP081021-B606UPWIND	Q0408861	08/10/21	7 10	G	A	1	8X10 EPM Whatman				X	1132.8	498.4
17	PE-TSP081021-12ADOWNWIND	Q0408860	08/10/21	7:20	G	A	1	8X10 EPM Whatman				X	1132.8	498.4
18	PE-PM10081021-B606UPWIND	Q0408859	08/10/21	7 10	G	A	1	8X10 EPM Whatman		X			1132.8	498.4
19	PE-PM10081021-12ADOWNWIND	Q0408858	08/10/21	7:20	G	A	1	8X10 EPM Whatman		X			1132.8	498.4
20	PE-TSP081121-B606UPWIND	Q0408873	08/11/21	7 10	G	A	1	8X10 EPM Whatman				X	1132.8	498.4
21	PE-TSP081121-12ADOWNWIND	Q0408872	08/11/21	7:20	G	A	1	8X10 EPM Whatman				X	1132.8	498.4
22	PE-PM10081121-B606UPWIND	Q0408871	08/11/21	7 10	G	A	1	8X10 EPM Whatman				X	1132.8	498.4
23	PE-PM10081121-12ADOWNWIND	Q0408870	08/11/21	7:20	G	A	1	8X10 EPM Whatman		X			1132.8	498.4
24	PE-TSP081221-B606UPWIND	Q0408803	08/12/21	7 15	G	A	1	8X10 EPM Whatman				X	1104.5	480.4
25	PE-TSP081221-12ADOWNWIND	Q0408802	08/12/21	7 23	G	A	1	8X10 EPM Whatman				X	1132.8	495.0
26	PE-PM10081221-B606UPWIND	Q0408801	08/12/21	7 15	G	A	1	8X10 EPM Whatman		X			1132.8	492.8
27	PE-PM10081221-12ADOWNWIND	Q0410100	08/12/21	7 23	G	A	1	8X10 EPM Whatman		X			1132.8	495.0
28	PE-TSP081321-B606UPWIND	Q0408812	08/13/21	7 05	G	A	1	8X10 EPM Whatman				X	1104.5	502.5
29	PE-TSP081321-12ADOWNWIND	Q0408807	08/13/21	7:23	G	A	1	8X10 EPM Whatman				X	1132.8	483.7
30	PE-PM10081321-B606UPWIND	Q0408810	08/13/21	7:05	G	A	1	8X10 EPM Whatman		X			1132.8	515.4
31	PE-PM10081321-12ADOWNWIND	Q0408805	08/13/21	7:23	G	A	1	8X10 EPM Whatman		X			1132.8	483.7

67769



67769

AIR MONITORING LOG

PROJECT NAME: HPNS Parcel E PROJ. NO. 500712 Asbestos TSP PM-10

STATION COC# 073

SAMPLE NO. PE-ASB080921-B606UPWIND 8/9/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341005	2.000	2.000	2.000	8/09/21 07:10	8/09/21 17:40	630	1.26	Asbestos	2.00

SAMPLE NO. PE-ASB080921-12ADOWNWIND 8/9/2021 *12A Downwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341097	2.000	2.000	2.000	8/09/21 07:25	8/09/21 17:25	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB081021-B606UPWIND 8/10/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341208	2.000	2.000	2.000	8/10/21 07:10	8/10/21 17:10	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB081021-12ADOWNWIND 8/10/2021 *12A Downwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341304	2.000	2.000	2.000	8/10/21 07:20	8/10/21 17:20	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB081121-B606UPWIND 8/11/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA344656	2.000	2.000	2.000	8/11/21 07:10	8/11/21 17:10	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB081121-12ADOWNWIND 8/11/2021 *12A Downwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA344657	2.000	2.000	2.000	8/11/21 07:20	8/11/21 17:20	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB081221-B606UPWIND 8/12/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341541	2.000	2.000	2.000	8/12/21 07:15	8/12/21 17:15	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB081221-12ADOWNWIND 8/12/2021 *12A Downwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341619	2.000	2.000	2.0	8/12/21 07:23	8/12/21 17:23	600	1.20	Asbestos	2.00

1
2
3
4
5
6
7
8
9
10
11
12
13
14

67769

SAMPLE NO.		PE-ASB081321-B606UPWIND			8/13/2021 Building 606 Upwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341623	2 000	2 000	2.0	8/13/21 07.05	8/13/21 17.05	600	1.2	Asbestos	2.00

SAMPLE NO.		PE-ASB081321-12ADOWNWIND			8/13/2021 12A Downwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341926	2 000	2 000	2.0	8/13/21 07:23	8/13/21 17:23	600	1.2	Asbestos	2.00

SAMPLE NO.		PE-ASB081321-BLANK			8/13/2021 Building 606 Upwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170278				8/13/21 07:00			0.0	Asbestos	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

67769

PROJECT NAME: HPNS Parcel E PROJ. NO. 500712 Asbestos TSP PM-10

STATION COC# 073

SAMPLE NO. PE-TSP080921-B606UPWIND 8/9/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408853	40.0	40.0	40.0	8/09/21 07:10	8/09/21 14:30	440	498.4	TSP	1132.80

SAMPLE NO. PE-TSP080921-12ADOWNWIND 8/9/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408852	40.0	40.0	40.0	8/09/21 07:25	8/09/21 14:40	435	492.8	TSP	1132.80

SAMPLE NO. PE-PM10080921-B606UPWIND 8/9/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408851	40.0	40.0	40.0	8/09/21 07:10	8/09/21 14:30	440	498.4	PM-10	1132.80

SAMPLE NO. PE-PM10080921-12ADOWNWIND 8/9/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408850	40.0	40.0	40.0	8/09/21 07:25	8/09/21 14:40	435	492.8	PM-10	1132.80

SAMPLE NO. PE-TSP081021-B606UPWIND 8/10/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408861	40.0	40.0	40.0	8/10/21 07:10	8/10/21 14:30	440	498.4	TSP	1132.80

SAMPLE NO. PE-TSP081021-12ADOWNWIND 8/10/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408860	40.0	40.0	40.0	8/10/21 07:20	8/10/21 14:40	440	498.4	TSP	1132.80

SAMPLE NO. PE-PM10081021-B606UPWIND 8/10/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408859	40.0	40.0	40.0	8/10/21 07:10	8/10/21 14:30	440	498.4	PM-10	1132.80

SAMPLE NO. PE-PM10081021-12ADOWNWIND 8/10/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				

67769

Q0408858	40.0	40.0	40.0	8/10/21 07:20	8/10/21 14:40	440	498.4	PM-10	1132.80
----------	------	------	------	---------------	---------------	-----	-------	-------	---------

SAMPLE NO. PE-TSP081121-B606UPWIND 8/11/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408873	40.0	40.0	40.0	8/11/21 07:10	8/11/21 14:30	440	498.4	TSP	1132.80

SAMPLE NO. PE-TSP081121-12ADOWNWIND 8/11/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408872	40.0	40.0	40.0	8/11/21 07:20	8/11/21 14:40	440	498.4	TSP	1132.80

SAMPLE NO. PE-PM10081121-B606UPWIND 8/11/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408871	40.0	40.0	40.0	8/11/21 07:10	8/11/21 14:30	440	498.4	PM-10	1132.80

SAMPLE NO. PE-PM10081121-12ADOWNWIND 8/11/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408870	40.0	40.0	40.0	8/11/21 07:20	8/11/21 14:40	440	498.4	PM-10	1132.80

SAMPLE NO. PE-TSP081221-B606UPWIND 8/12/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408803	39.0	39.0	39.0	8/12/21 07:15	8/12/21 14:30	435	480.4	TSP	1104.48

SAMPLE NO. PE-TSP081221-12ADOWNWIND 8/12/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408802	40.0	40.0	40.0	8/12/21 07:23	8/12/21 14:40	437	495.0	TSP	1132.80

SAMPLE NO. PE-PM10081221-B606UPWIND 8/12/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408801	40.0	40.0	40.0	8/12/21 07:15	8/12/21 14:30	435	492.8	PM-10	1132.80

SAMPLE NO. PE-PM10081221-12ADOWNWIND 8/12/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410100	40.0	40.0	40.0	8/12/21 07:23	8/12/21 14:40	437	495.0	PM-10	1132.80

67769

SAMPLE NO. PE-TSP081321-B606UPWIND 8/13/2021 Building 606 Upwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408812	39.0	39.0	39.0	8/13/21 07:05	8/13/21 14:40	455	502.5	TSP	1104.48

SAMPLE NO. PE-TSP081321-12ADOWNWIND 8/13/2021 12A Downwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408807	40.0	40.0	40.0	8/13/21 07:23	8/13/21 14:30	427	483.7	TSP	1132.80

SAMPLE NO. PE-PM10081321-B606UPWIND 8/13/2021 Building 606 Upwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408810	40.0	40.0	40.0	8/13/21 07:05	8/13/21 14:40	455	515.4	PM-10	1132.80

SAMPLE NO. PE-PM10081321-12ADOWNWIND 8/13/2021 12A Downwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408805	40.0	40.0	40.0	8/13/21 07:23	8/13/21 14:30	427	483.7	PM-10	1132.80

Login Sample Receipt Checklist

Client: Aptim Federal Services LLC

Job Number: 570-67769-1

Login Number: 67769

List Source: Eurofins Calscience LLC

List Number: 1

Creator: Patel, Jayesh

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	


ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-68351-1
Client Project/Site: HPNS - Parcel E / 500712
Revision: 1

For:
Aptim Federal Services LLC
Hunters Point Shipyard
200 Fisher Blvd
San Francisco, California 94124

Attn: Rose Condit



Authorized for release by:
10/4/2021 5:57:06 PM
Kathleen Burney, Project Mgmt. Assistant
Kathleen.Burney@eurofinset.com

Designee for
Terri Chang, Project Manager I
(714)895-5494
Terri.Chang@eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
QC Sample Results	10
QC Association Summary	12
Lab Chronicle	15
Certification Summary	19
Method Summary	20
Sample Summary	21
Subcontract Data	22
Chain of Custody	24
Receipt Checklists	43

Definitions/Glossary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

Qualifiers

Metals

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

Job ID: 570-68351-1

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative
570-68351-1

Comments

No additional comments.

Revision

The report being provided is a revision of the original report sent on 9/10/2021. The report (revision 1) is being revised due to: TSP volume for samples #24 and #28 revised by client; results recalculated.

Receipt

The samples were received on 8/26/2021 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 22.0° C.

Metals

Method 6010B: The method blank for preparation batch 570-177503 and analytical batch 570-177562 contained Lead above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Lab Admin

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Subcontract Work

Method Asbestos - Low Flow: This method was subcontracted to EMSL - LA Testing - Huntington Beach. The subcontract laboratory certification is different from that of the facility issuing the final report.

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

Method: 6010B - Metals (ICP)

Client Sample ID: PE-TSP081621-B606UPWIND

Lab Sample ID: 570-68351-12

Date Collected: 08/16/21 07:20

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	13.0	J	18.0	6.22	ug/Sample		09/08/21 08:11	09/08/21 18:40	1
Lead	ND		12.0	3.16	ug/Sample		09/08/21 08:11	09/08/21 18:40	1
Manganese	9.45		6.00	3.34	ug/Sample		09/08/21 08:11	09/08/21 18:40	1

Client Sample ID: PE-TSP081621-12ADOWNWIND

Lab Sample ID: 570-68351-13

Date Collected: 08/16/21 07:30

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/08/21 08:11	09/08/21 18:47	1
Lead	5.53	J B	12.0	3.16	ug/Sample		09/08/21 08:11	09/08/21 18:47	1
Manganese	22.1		6.00	3.34	ug/Sample		09/08/21 08:11	09/08/21 18:47	1

Client Sample ID: PE-TSP081721-B606UPWIND

Lab Sample ID: 570-68351-16

Date Collected: 08/17/21 07:08

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/08/21 08:11	09/08/21 18:49	1
Lead	10.7	J B	12.0	3.16	ug/Sample		09/08/21 08:11	09/08/21 18:49	1
Manganese	13.9		6.00	3.34	ug/Sample		09/08/21 08:11	09/08/21 18:49	1

Client Sample ID: PE-TSP081721-12ADOWNWIND

Lab Sample ID: 570-68351-17

Date Collected: 08/17/21 07:15

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	10.9	J	18.0	6.22	ug/Sample		09/08/21 08:11	09/08/21 18:52	1
Lead	ND		12.0	3.16	ug/Sample		09/08/21 08:11	09/08/21 18:52	1
Manganese	11.8		6.00	3.34	ug/Sample		09/08/21 08:11	09/08/21 18:52	1

Client Sample ID: PE-TSP081821-B606UPWIND

Lab Sample ID: 570-68351-20

Date Collected: 08/18/21 07:11

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/08/21 08:11	09/08/21 18:54	1
Lead	7.98	J B	12.0	3.16	ug/Sample		09/08/21 08:11	09/08/21 18:54	1
Manganese	48.5		6.00	3.34	ug/Sample		09/08/21 08:11	09/08/21 18:54	1

Client Sample ID: PE-TSP081821-12ADOWNWIND

Lab Sample ID: 570-68351-21

Date Collected: 08/18/21 07:20

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	11.3	J	18.0	6.22	ug/Sample		09/08/21 08:11	09/08/21 19:05	1
Lead	9.58	J B	12.0	3.16	ug/Sample		09/08/21 08:11	09/08/21 19:05	1
Manganese	38.4		6.00	3.34	ug/Sample		09/08/21 08:11	09/08/21 19:05	1

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

Method: 6010B - Metals (ICP)

Client Sample ID: PE-TSP081921-B606UPWIND

Lab Sample ID: 570-68351-24

Date Collected: 08/19/21 07:00

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	7.73	J	18.0	6.22	ug/Sample		09/08/21 08:11	09/08/21 19:07	1
Lead	5.29	J B	12.0	3.16	ug/Sample		09/08/21 08:11	09/08/21 19:07	1
Manganese	44.8		6.00	3.34	ug/Sample		09/08/21 08:11	09/08/21 19:07	1

Client Sample ID: PE-TSP081921-12ADOWNWIND

Lab Sample ID: 570-68351-25

Date Collected: 08/19/21 07:20

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/08/21 08:11	09/08/21 19:09	1
Lead	4.76	J B	12.0	3.16	ug/Sample		09/08/21 08:11	09/08/21 19:09	1
Manganese	41.2		6.00	3.34	ug/Sample		09/08/21 08:11	09/08/21 19:09	1

Client Sample ID: PE-TSP082021-B606UPWIND

Lab Sample ID: 570-68351-28

Date Collected: 08/20/21 07:21

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/08/21 08:11	09/08/21 19:11	1
Lead	5.00	J B	12.0	3.16	ug/Sample		09/08/21 08:11	09/08/21 19:11	1
Manganese	24.1		6.00	3.34	ug/Sample		09/08/21 08:11	09/08/21 19:11	1

Client Sample ID: PE-TSP082021-12ADOWNWIND

Lab Sample ID: 570-68351-29

Date Collected: 08/20/21 07:06

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	13.3	J	18.0	6.22	ug/Sample		09/08/21 08:11	09/08/21 19:12	1
Lead	5.26	J B	12.0	3.16	ug/Sample		09/08/21 08:11	09/08/21 19:12	1
Manganese	19.8		6.00	3.34	ug/Sample		09/08/21 08:11	09/08/21 19:12	1

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

General Chemistry

Client Sample ID: PE-TSP081621-B606UPWIND

Lab Sample ID: 570-68351-12

Date Collected: 08/16/21 07:20

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	72.2		6.04	6.04	ug/m3			09/03/21 19:39	1

Client Sample ID: PE-TSP081621-12ADOWNWIND

Lab Sample ID: 570-68351-13

Date Collected: 08/16/21 07:30

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	109		6.16	6.16	ug/m3			09/03/21 19:39	1

Client Sample ID: PE-PM10081621-B606UPWIND

Lab Sample ID: 570-68351-14

Date Collected: 08/16/21 07:20

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	40.8		5.88	5.88	ug/m3			09/03/21 16:00	1

Client Sample ID: PE-PM10081621-12ADOWNWIND

Lab Sample ID: 570-68351-15

Date Collected: 08/16/21 07:30

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	37.6		6.16	6.16	ug/m3			09/03/21 16:00	1

Client Sample ID: PE-TSP081721-B606UPWIND

Lab Sample ID: 570-68351-16

Date Collected: 08/17/21 07:08

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	70.3		5.99	5.99	ug/m3			09/03/21 19:39	1

Client Sample ID: PE-TSP081721-12ADOWNWIND

Lab Sample ID: 570-68351-17

Date Collected: 08/17/21 07:15

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	73.0		5.95	5.95	ug/m3			09/03/21 19:39	1

Client Sample ID: PE-PM10081721-B606UPWIND

Lab Sample ID: 570-68351-18

Date Collected: 08/17/21 07:08

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	39.1		5.99	5.99	ug/m3			09/03/21 16:00	1

Client Sample ID: PE-PM10081721-12ADOWNWIND

Lab Sample ID: 570-68351-19

Date Collected: 08/17/21 07:15

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	23.2		5.95	5.95	ug/m3			09/03/21 16:00	1

Eurofins Calscience LLC

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

General Chemistry

Client Sample ID: PE-TSP081821-B606UPWIND

Lab Sample ID: 570-68351-20

Date Collected: 08/18/21 07:11

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	104		6.03	6.03	ug/m3			09/03/21 19:39	1

Client Sample ID: PE-TSP081821-12ADOWNWIND

Lab Sample ID: 570-68351-21

Date Collected: 08/18/21 07:20

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	85.3		6.02	6.02	ug/m3			09/03/21 19:39	1

Client Sample ID: PE-PM10081821-B606UPWIND

Lab Sample ID: 570-68351-22

Date Collected: 08/18/21 07:11

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	58.3		6.03	6.03	ug/m3			09/03/21 16:00	1

Client Sample ID: PE-PM10081821-12ADOWNWIND

Lab Sample ID: 570-68351-23

Date Collected: 08/18/21 07:20

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	45.5		6.02	6.02	ug/m3			09/03/21 16:00	1

Client Sample ID: PE-TSP081921-B606UPWIND

Lab Sample ID: 570-68351-24

Date Collected: 08/19/21 07:00

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	82.1		5.76	5.76	ug/m3			09/03/21 19:39	1

Client Sample ID: PE-TSP081921-12ADOWNWIND

Lab Sample ID: 570-68351-25

Date Collected: 08/19/21 07:20

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	89.1		6.16	6.16	ug/m3			09/03/21 19:39	1

Client Sample ID: PE-PM10081921-B606UPWIND

Lab Sample ID: 570-68351-26

Date Collected: 08/19/21 07:00

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	45.5		5.76	5.76	ug/m3			09/03/21 16:00	1

Client Sample ID: PE-PM10081921-12ADOWNWIND

Lab Sample ID: 570-68351-27

Date Collected: 08/19/21 07:20

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	48.0		6.16	6.16	ug/m3			09/03/21 16:00	1

Eurofins Calscience LLC

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

General Chemistry

Client Sample ID: PE-TSP082021-B606UPWIND

Lab Sample ID: 570-68351-28

Date Collected: 08/20/21 07:21

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	65.3		5.90	5.90	ug/m3			09/03/21 19:39	1

Client Sample ID: PE-TSP082021-12ADOWNWIND

Lab Sample ID: 570-68351-29

Date Collected: 08/20/21 07:06

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	51.5		5.83	5.83	ug/m3			09/03/21 19:39	1

Client Sample ID: PE-PM10082021-B606UPWIND

Lab Sample ID: 570-68351-30

Date Collected: 08/20/21 07:21

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	44.6		5.90	5.90	ug/m3			09/03/21 16:00	1

Client Sample ID: PE-PM10082021-12ADOWNWIND

Lab Sample ID: 570-68351-31

Date Collected: 08/20/21 07:06

Matrix: Air

Date Received: 08/26/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	14.6		5.83	5.83	ug/m3			09/03/21 16:00	1

QC Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 570-177503/1-A
Matrix: Air
Analysis Batch: 177562

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 177503

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/08/21 08:11	09/08/21 18:33	1
Lead	4.678	J	12.0	3.16	ug/Sample		09/08/21 08:11	09/08/21 18:33	1
Manganese	ND		6.00	3.34	ug/Sample		09/08/21 08:11	09/08/21 18:33	1

Lab Sample ID: LCS 570-177503/2-A
Matrix: Air
Analysis Batch: 177562

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 177503

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	600	574.6		ug/Sample		96	80 - 120
Lead	600	617.3		ug/Sample		103	80 - 120
Manganese	600	597.1		ug/Sample		99	80 - 120

Lab Sample ID: LCSD 570-177503/3-A
Matrix: Air
Analysis Batch: 177562

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 177503

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Arsenic	600	569.0		ug/Sample		95	80 - 120	1	20
Lead	600	617.6		ug/Sample		103	80 - 120	0	20
Manganese	600	598.1		ug/Sample		100	80 - 120	0	20

Lab Sample ID: 570-68351-12 MS
Matrix: Air
Analysis Batch: 177562

Client Sample ID: PE-TSP081621-B606UPWIND
Prep Type: Total/NA
Prep Batch: 177503

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	13.0	J	600	474.7		ug/Sample		77	75 - 125
Lead	ND		600	520.8		ug/Sample		87	75 - 125
Manganese	9.45		600	502.3		ug/Sample		82	75 - 125

Lab Sample ID: 570-68351-12 MSD
Matrix: Air
Analysis Batch: 177562

Client Sample ID: PE-TSP081621-B606UPWIND
Prep Type: Total/NA
Prep Batch: 177503

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Arsenic	13.0	J	600	490.9		ug/Sample		80	75 - 125	3	20
Lead	ND		600	523.6		ug/Sample		87	75 - 125	1	20
Manganese	9.45		600	515.9		ug/Sample		84	75 - 125	3	20

Method: 40CFR50 App B - Suspended Particulate Matter in Ambient Air

Lab Sample ID: MB 570-176895/1-A
Matrix: Air
Analysis Batch: 176899

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	ND		1.23	1.23	ug/m3			09/03/21 19:39	1

Eurofins Calscience LLC

QC Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

Method: 40CFR50 App B - Suspended Particulate Matter in Ambient Air (Continued)

Lab Sample ID: 570-68351-12 DU
 Matrix: Air
 Analysis Batch: 176899

Client Sample ID: PE-TSP081621-B606UPWIND
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Suspended Particulates	72.2		72.23		ug/m3		0	25

Method: PM10 - Particulate Matter

Lab Sample ID: MB 570-178037/1
 Matrix: Air
 Analysis Batch: 178037

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	ND		1.23	1.23	ug/m3			09/03/21 16:00	1

Lab Sample ID: 570-68351-14 DU
 Matrix: Air
 Analysis Batch: 178037

Client Sample ID: PE-PM10081621-B606UPWIND
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Particulate Matter	40.8		40.80		ug/m3		0	25

QC Association Summary

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

Metals

Prep Batch: 177503

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-68351-12	PE-TSP081621-B606UPWIND	Total/NA	Air	3050B	
570-68351-13	PE-TSP081621-12ADOWNWIND	Total/NA	Air	3050B	
570-68351-16	PE-TSP081721-B606UPWIND	Total/NA	Air	3050B	
570-68351-17	PE-TSP081721-12ADOWNWIND	Total/NA	Air	3050B	
570-68351-20	PE-TSP081821-B606UPWIND	Total/NA	Air	3050B	
570-68351-21	PE-TSP081821-12ADOWNWIND	Total/NA	Air	3050B	
570-68351-24	PE-TSP081921-B606UPWIND	Total/NA	Air	3050B	
570-68351-25	PE-TSP081921-12ADOWNWIND	Total/NA	Air	3050B	
570-68351-28	PE-TSP082021-B606UPWIND	Total/NA	Air	3050B	
570-68351-29	PE-TSP082021-12ADOWNWIND	Total/NA	Air	3050B	
MB 570-177503/1-A	Method Blank	Total/NA	Air	3050B	
LCS 570-177503/2-A	Lab Control Sample	Total/NA	Air	3050B	
LCSD 570-177503/3-A	Lab Control Sample Dup	Total/NA	Air	3050B	
570-68351-12 MS	PE-TSP081621-B606UPWIND	Total/NA	Air	3050B	
570-68351-12 MSD	PE-TSP081621-B606UPWIND	Total/NA	Air	3050B	

Analysis Batch: 177562

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-68351-12	PE-TSP081621-B606UPWIND	Total/NA	Air	6010B	177503
570-68351-13	PE-TSP081621-12ADOWNWIND	Total/NA	Air	6010B	177503
570-68351-16	PE-TSP081721-B606UPWIND	Total/NA	Air	6010B	177503
570-68351-17	PE-TSP081721-12ADOWNWIND	Total/NA	Air	6010B	177503
570-68351-20	PE-TSP081821-B606UPWIND	Total/NA	Air	6010B	177503
570-68351-21	PE-TSP081821-12ADOWNWIND	Total/NA	Air	6010B	177503
570-68351-24	PE-TSP081921-B606UPWIND	Total/NA	Air	6010B	177503
570-68351-25	PE-TSP081921-12ADOWNWIND	Total/NA	Air	6010B	177503
570-68351-28	PE-TSP082021-B606UPWIND	Total/NA	Air	6010B	177503
570-68351-29	PE-TSP082021-12ADOWNWIND	Total/NA	Air	6010B	177503
MB 570-177503/1-A	Method Blank	Total/NA	Air	6010B	177503
LCS 570-177503/2-A	Lab Control Sample	Total/NA	Air	6010B	177503
LCSD 570-177503/3-A	Lab Control Sample Dup	Total/NA	Air	6010B	177503
570-68351-12 MS	PE-TSP081621-B606UPWIND	Total/NA	Air	6010B	177503
570-68351-12 MSD	PE-TSP081621-B606UPWIND	Total/NA	Air	6010B	177503

General Chemistry

Pre Prep Batch: 176895

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-68351-12	PE-TSP081621-B606UPWIND	Total/NA	Air	Filter to Air	
570-68351-13	PE-TSP081621-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-68351-16	PE-TSP081721-B606UPWIND	Total/NA	Air	Filter to Air	
570-68351-17	PE-TSP081721-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-68351-20	PE-TSP081821-B606UPWIND	Total/NA	Air	Filter to Air	
570-68351-21	PE-TSP081821-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-68351-24	PE-TSP081921-B606UPWIND	Total/NA	Air	Filter to Air	
570-68351-25	PE-TSP081921-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-68351-28	PE-TSP082021-B606UPWIND	Total/NA	Air	Filter to Air	
570-68351-29	PE-TSP082021-12ADOWNWIND	Total/NA	Air	Filter to Air	
MB 570-176895/1-A	Method Blank	Total/NA	Air	Filter to Air	
570-68351-12 DU	PE-TSP081621-B606UPWIND	Total/NA	Air	Filter to Air	

Eurofins Calscience LLC

QC Association Summary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

General Chemistry

Analysis Batch: 176899

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-68351-12	PE-TSP081621-B606UPWIND	Total/NA	Air	40CFR50 App B	176895
570-68351-13	PE-TSP081621-12ADOWNWIND	Total/NA	Air	40CFR50 App B	176895
570-68351-16	PE-TSP081721-B606UPWIND	Total/NA	Air	40CFR50 App B	176895
570-68351-17	PE-TSP081721-12ADOWNWIND	Total/NA	Air	40CFR50 App B	176895
570-68351-20	PE-TSP081821-B606UPWIND	Total/NA	Air	40CFR50 App B	176895
570-68351-21	PE-TSP081821-12ADOWNWIND	Total/NA	Air	40CFR50 App B	176895
570-68351-24	PE-TSP081921-B606UPWIND	Total/NA	Air	40CFR50 App B	176895
570-68351-25	PE-TSP081921-12ADOWNWIND	Total/NA	Air	40CFR50 App B	176895
570-68351-28	PE-TSP082021-B606UPWIND	Total/NA	Air	40CFR50 App B	176895
570-68351-29	PE-TSP082021-12ADOWNWIND	Total/NA	Air	40CFR50 App B	176895
MB 570-176895/1-A	Method Blank	Total/NA	Air	40CFR50 App B	176895
570-68351-12 DU	PE-TSP081621-B606UPWIND	Total/NA	Air	40CFR50 App B	176895

Analysis Batch: 178037

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-68351-14	PE-PM10081621-B606UPWIND	Total/NA	Air	PM10	
570-68351-15	PE-PM10081621-12ADOWNWIND	Total/NA	Air	PM10	
570-68351-18	PE-PM10081721-B606UPWIND	Total/NA	Air	PM10	
570-68351-19	PE-PM10081721-12ADOWNWIND	Total/NA	Air	PM10	
570-68351-22	PE-PM10081821-B606UPWIND	Total/NA	Air	PM10	
570-68351-23	PE-PM10081821-12ADOWNWIND	Total/NA	Air	PM10	
570-68351-26	PE-PM10081921-B606UPWIND	Total/NA	Air	PM10	
570-68351-27	PE-PM10081921-12ADOWNWIND	Total/NA	Air	PM10	
570-68351-30	PE-PM10082021-B606UPWIND	Total/NA	Air	PM10	
570-68351-31	PE-PM10082021-12ADOWNWIND	Total/NA	Air	PM10	
MB 570-178037/1	Method Blank	Total/NA	Air	PM10	
570-68351-14 DU	PE-PM10081621-B606UPWIND	Total/NA	Air	PM10	

BALANCE CALIBRATION CHECK LOG

Eurofins Calscience

Date performed: 09/03/21 Initials: ZTU8

ID	Class 2 Weight (g)	Reading (g)	Acceptance Range	Pass? (circle one)	Comment (If not passed, note removal or corrective action)
83	1	0.99	0.98 - 1.02	<input checked="" type="radio"/> Y <input type="radio"/> N	IO Lab
	100	99.98	98.00 - 102.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
62	0.002	0.0019	0.0015 - 0.0025	<input checked="" type="radio"/> Y <input type="radio"/> N	IO Lab
	1	1.0001	0.9990 - 1.0010	<input checked="" type="radio"/> Y <input type="radio"/> N	
	100	99.9996	99.9000 - 100.1000	<input checked="" type="radio"/> Y <input type="radio"/> N	
11	1	1.00	0.98 - 1.02	<input checked="" type="radio"/> Y <input type="radio"/> N	IO Lab
	100	100.00	98.00 - 102.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
55	1	0.99	0.98 - 1.02	<input checked="" type="radio"/> Y <input type="radio"/> N	IO Lab
	100	99.98	98.00 - 102.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
	500	499.83	490.00 - 510.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
86	1	1.00	0.98 - 1.02	<input checked="" type="radio"/> Y <input type="radio"/> N	IO Lab
	100	100.00	98.00 - 102.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
	500	500.00	490.00 - 510.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
71	0.002	0.0016	0.0015 - 0.0025	<input checked="" type="radio"/> Y <input type="radio"/> N	BOD Room
	1	0.9998	0.9990 - 1.0010	<input checked="" type="radio"/> Y <input type="radio"/> N	
	100	99.9996	99.9000 - 100.1000	<input checked="" type="radio"/> Y <input type="radio"/> N	
63	0.1	 	0.08 - 0.12	Y N	BOD Room
	100	 	98.00 - 102.00	Y N	
73	0.1	0.15	0.08 - 0.12	<input checked="" type="radio"/> Y <input type="radio"/> N	Oil & Grease Room
	1	1.00	0.98 - 1.02	<input checked="" type="radio"/> Y <input type="radio"/> N	
	100	100.00	98.00 - 102.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
87	0.002	0.0021	0.0015 - 0.0025	<input checked="" type="radio"/> Y <input type="radio"/> N	Solids Room
	1	0.9999	0.9990 - 1.0010	<input checked="" type="radio"/> Y <input type="radio"/> N	
	100	99.9990	99.9000 - 100.1000	<input checked="" type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	

Comments:

WT SET ID USED: 2 mg	25055	COMMENT:
WT SET ID USED: 10 mg - 100 g	69065	
WT SET ID USED: 500 g	64886	

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

Client Sample ID: PE-TSP081621-B606UPWIND

Lab Sample ID: 570-68351-12

Date Collected: 08/16/21 07:20

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	177503	09/08/21 08:11	WL8G	ECL 1
Total/NA	Analysis	6010B		1			177562	09/08/21 18:40	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					176895	09/03/21 19:39	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			176899	09/03/21 19:39	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP081621-12ADOWNWIND

Lab Sample ID: 570-68351-13

Date Collected: 08/16/21 07:30

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	177503	09/08/21 08:11	WL8G	ECL 1
Total/NA	Analysis	6010B		1			177562	09/08/21 18:47	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					176895	09/03/21 19:39	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			176899	09/03/21 19:39	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10081621-B606UPWIND

Lab Sample ID: 570-68351-14

Date Collected: 08/16/21 07:20

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.2646 g	4.2854 g	178037	09/03/21 16:00	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10081621-12ADOWNWIND

Lab Sample ID: 570-68351-15

Date Collected: 08/16/21 07:30

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3507 g	4.3690 g	178037	09/03/21 16:00	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP081721-B606UPWIND

Lab Sample ID: 570-68351-16

Date Collected: 08/17/21 07:08

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	177503	09/08/21 08:11	WL8G	ECL 1
Total/NA	Analysis	6010B		1			177562	09/08/21 18:49	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					176895	09/03/21 19:39	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			176899	09/03/21 19:39	UAPD	ECL 1
Instrument ID: NOEQUIP										

Eurofins Calscience LLC

Lab Chronicle

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

Client Sample ID: PE-TSP081721-12ADOWNWIND

Lab Sample ID: 570-68351-17

Date Collected: 08/17/21 07:15

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	177503	09/08/21 08:11	WL8G	ECL 1
Total/NA	Analysis	6010B		1			177562	09/08/21 18:52	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					176895	09/03/21 19:39	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			176899	09/03/21 19:39	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10081721-B606UPWIND

Lab Sample ID: 570-68351-18

Date Collected: 08/17/21 07:08

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3142 g	4.3338 g	178037	09/03/21 16:00	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10081721-12ADOWNWIND

Lab Sample ID: 570-68351-19

Date Collected: 08/17/21 07:15

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.2831 g	4.2948 g	178037	09/03/21 16:00	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP081821-B606UPWIND

Lab Sample ID: 570-68351-20

Date Collected: 08/18/21 07:11

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	177503	09/08/21 08:11	WL8G	ECL 1
Total/NA	Analysis	6010B		1			177562	09/08/21 18:54	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					176895	09/03/21 19:39	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			176899	09/03/21 19:39	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP081821-12ADOWNWIND

Lab Sample ID: 570-68351-21

Date Collected: 08/18/21 07:20

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	177503	09/08/21 08:11	WL8G	ECL 1
Total/NA	Analysis	6010B		1			177562	09/08/21 19:05	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					176895	09/03/21 19:39	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			176899	09/03/21 19:39	UAPD	ECL 1
Instrument ID: NOEQUIP										

Eurofins Calscience LLC

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

Client Sample ID: PE-PM10081821-B606UPWIND

Lab Sample ID: 570-68351-22

Date Collected: 08/18/21 07:11

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.2808 g	4.3098 g	178037	09/03/21 16:00	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10081821-12ADOWNWIND

Lab Sample ID: 570-68351-23

Date Collected: 08/18/21 07:20

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3109 g	4.3336 g	178037	09/03/21 16:00	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP081921-B606UPWIND

Lab Sample ID: 570-68351-24

Date Collected: 08/19/21 07:00

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	177503	09/08/21 08:11	WL8G	ECL 1
Total/NA	Analysis	6010B		1			177562	09/08/21 19:07	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					176895	09/03/21 19:39	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			176899	09/03/21 19:39	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP081921-12ADOWNWIND

Lab Sample ID: 570-68351-25

Date Collected: 08/19/21 07:20

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	177503	09/08/21 08:11	WL8G	ECL 1
Total/NA	Analysis	6010B		1			177562	09/08/21 19:09	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					176895	09/03/21 19:39	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			176899	09/03/21 19:39	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10081921-B606UPWIND

Lab Sample ID: 570-68351-26

Date Collected: 08/19/21 07:00

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3336 g	4.3573 g	178037	09/03/21 16:00	UAPD	ECL 1
Instrument ID: BAL62										

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

Client Sample ID: PE-PM10081921-12ADOWNWIND

Lab Sample ID: 570-68351-27

Date Collected: 08/19/21 07:20

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.2957 g	4.3191 g	178037	09/03/21 16:00	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP082021-B606UPWIND

Lab Sample ID: 570-68351-28

Date Collected: 08/20/21 07:21

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	177503	09/08/21 08:11	WL8G	ECL 1
Total/NA	Analysis	6010B		1			177562	09/08/21 19:11	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					176895	09/03/21 19:39	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			176899	09/03/21 19:39	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP082021-12ADOWNWIND

Lab Sample ID: 570-68351-29

Date Collected: 08/20/21 07:06

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	177503	09/08/21 08:11	WL8G	ECL 1
Total/NA	Analysis	6010B		1			177562	09/08/21 19:12	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					176895	09/03/21 19:39	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			176899	09/03/21 19:39	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10082021-B606UPWIND

Lab Sample ID: 570-68351-30

Date Collected: 08/20/21 07:21

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3487 g	4.3714 g	178037	09/03/21 16:00	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10082021-12ADOWNWIND

Lab Sample ID: 570-68351-31

Date Collected: 08/20/21 07:06

Matrix: Air

Date Received: 08/26/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.2910 g	4.2985 g	178037	09/03/21 16:00	UAPD	ECL 1
Instrument ID: BAL62										

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

EMSL = EMSL - LA Testing - Huntington Beach, 5431 Industrial Drive, Huntington Beach, CA 92649

Eurofins Calscience LLC

Accreditation/Certification Summary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

Laboratory: Eurofins Calscience LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	CA300001	01-30-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
40CFR50 App B		Air	Total Suspended Particulates
6010B	3050B	Air	Arsenic
6010B	3050B	Air	Lead
6010B	3050B	Air	Manganese

Method Summary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

Method	Method Description	Protocol	Laboratory
6010B	Metals (ICP)	SW846	ECL 1
40CFR50 App B	Suspended Particulate Matter in Ambient Air	EPA	ECL 1
PM10	Particulate Matter	40CFR50J	ECL 1
NIOSH 7400 Rev	NIOSH 7400 Rev. 3	NIOSH	EMSL
3050B	Preparation, Metals	SW846	ECL 1
Filter to Air	Filter to Air volume ratio	None	ECL 1

Protocol References:

40CFR50J = 40 CFR Part 50 Appendix J

EPA = US Environmental Protection Agency

NIOSH = NIOSH Manual Of Analytical Methods, National Institute For Occupational Safety And Health, 4th Edition, August 1994 and it's Supplements

None = None

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

EMSL = EMSL - LA Testing - Huntington Beach, 5431 Industrial Drive, Huntington Beach, CA 92649

Sample Summary

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-68351-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
570-68351-1	PE-ASB081621-B606UPWIND	Air	08/16/21 07:20	08/26/21 10:00
570-68351-2	PE-ASB081621-12ADOWNWIND	Air	08/16/21 07:30	08/26/21 10:00
570-68351-3	PE-ASB081721-B606UPWIND	Air	08/17/21 07:08	08/26/21 10:00
570-68351-4	PE-ASB081721-12ADOWNWIND	Air	08/17/21 07:15	08/26/21 10:00
570-68351-5	PE-ASB081821-B606UPWIND	Air	08/18/21 07:11	08/26/21 10:00
570-68351-6	PE-ASB081821-12ADOWNWIND	Air	08/18/21 07:20	08/26/21 10:00
570-68351-7	PE-ASB081921-B606UPWIND	Air	08/19/21 07:00	08/26/21 10:00
570-68351-8	PE-ASB081921-12ADOWNWIND	Air	08/19/21 07:20	08/26/21 10:00
570-68351-9	PE-ASB082021-B606UPWIND	Air	08/20/21 07:21	08/26/21 10:00
570-68351-10	PE-ASB082021-12ADOWNWIND	Air	08/20/21 07:06	08/26/21 10:00
570-68351-11	PE-ASB082021-BLANK	Air	08/20/21 07:00	08/26/21 10:00
570-68351-12	PE-TSP081621-B606UPWIND	Air	08/16/21 07:20	08/26/21 10:00
570-68351-13	PE-TSP081621-12ADOWNWIND	Air	08/16/21 07:30	08/26/21 10:00
570-68351-14	PE-PM10081621-B606UPWIND	Air	08/16/21 07:20	08/26/21 10:00
570-68351-15	PE-PM10081621-12ADOWNWIND	Air	08/16/21 07:30	08/26/21 10:00
570-68351-16	PE-TSP081721-B606UPWIND	Air	08/17/21 07:08	08/26/21 10:00
570-68351-17	PE-TSP081721-12ADOWNWIND	Air	08/17/21 07:15	08/26/21 10:00
570-68351-18	PE-PM10081721-B606UPWIND	Air	08/17/21 07:08	08/26/21 10:00
570-68351-19	PE-PM10081721-12ADOWNWIND	Air	08/17/21 07:15	08/26/21 10:00
570-68351-20	PE-TSP081821-B606UPWIND	Air	08/18/21 07:11	08/26/21 10:00
570-68351-21	PE-TSP081821-12ADOWNWIND	Air	08/18/21 07:20	08/26/21 10:00
570-68351-22	PE-PM10081821-B606UPWIND	Air	08/18/21 07:11	08/26/21 10:00
570-68351-23	PE-PM10081821-12ADOWNWIND	Air	08/18/21 07:20	08/26/21 10:00
570-68351-24	PE-TSP081921-B606UPWIND	Air	08/19/21 07:00	08/26/21 10:00
570-68351-25	PE-TSP081921-12ADOWNWIND	Air	08/19/21 07:20	08/26/21 10:00
570-68351-26	PE-PM10081921-B606UPWIND	Air	08/19/21 07:00	08/26/21 10:00
570-68351-27	PE-PM10081921-12ADOWNWIND	Air	08/19/21 07:20	08/26/21 10:00
570-68351-28	PE-TSP082021-B606UPWIND	Air	08/20/21 07:21	08/26/21 10:00
570-68351-29	PE-TSP082021-12ADOWNWIND	Air	08/20/21 07:06	08/26/21 10:00
570-68351-30	PE-PM10082021-B606UPWIND	Air	08/20/21 07:21	08/26/21 10:00
570-68351-31	PE-PM10082021-12ADOWNWIND	Air	08/20/21 07:06	08/26/21 10:00

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / gardengrovelab@latesting.com

LA Testing Order: 332120207

Customer ID: 32CAL51

Customer PO:

Project ID:

Attention: Terri Chang
Eurofins Calscience, Inc.
7440 Lincoln Way
Garden Grove, CA 92841

Phone: (714) 895-5494
Fax: (714) 894-7501
Received Date: 08/27/2021 02:20 PM
Analysis Date: 09/02/2021
Collected Date: 08/16/2021 - 08/20/2021

Project: HPNS - Parcel E / 500712 / 57003235

Test Report: Fiber Count by Phase Contrast Microscopy (PCM), NIOSH 7400 Method - A Rules, Revision 3, Issue 3, 6/15/2019

Sample	Location	Sample Date	Volume (L)	Fibers	Fields	LOD (fib/cc)	Fibers/mm ²	Fibers/cc	Notes
PE-ASB081621-B606UPW IND (570-68351-1) 332120207-0001		08/16/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB081621-12ADOW NUPWIND (570-68351-2) 332120207-0002		08/16/2021	1200	15	100	0.0022	19.1	0.0061	
PE-ASB081721-B606UPW IND (570-68351-3) 332120207-0003		08/17/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB081721-12ADOW NUPWIND (570-68351-4) 332120207-0004		08/17/2021	1200	8	100	0.0022	10.2	0.0033	
PE-ASB081821-B606UPW IND (570-68351-5) 332120207-0005		08/18/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB081821-12ADOW NUPWIND (570-68351-6) 332120207-0006		08/18/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	Sample pulled for 10% recount
PE-ASB081921-B606UPW IND (570-68351-7) 332120207-0007		08/19/2021	1200	7.5	100	0.0022	9.55	0.0031	
PE-ASB081921-12ADOW NUPWIND (570-68351-8) 332120207-0008		08/19/2021	1200	8	100	0.0022	10.2	0.0033	
PE-ASB082021-B606UPW IND (570-68351-9) 332120207-0009		08/20/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB082021-12ADOW NUPWIND (570-68351-10) 332120207-0010		08/20/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB082021-BLANK (570-68351-11) 332120207-0011		08/20/2021		<5.5	100		<7.01		Field Blank
PE-ASB081821-12ADOW NUPWIND (570-68351-6) 332120207-0012		08/18/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	10% Recount; Individual-CV=0.42

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. Limit of detection is 7 fibers/mm². Fiber counts outside the recommended fiber density range of the method (100-1300 f/mm²) have greater than optimal variability and are probably biased. Field blank results, when available, are used to blank correct results. NIOSH 7400 requires field blanks be submitted at a rate of 10%, with a minimum of 2 per set. Measurement of uncertainty available upon request. The results in this report meet all requirements of the NELAC standards unless otherwise noted.

Intra-laboratory Sr values: 5-20 fibers = 0.35, 21-50 fibers = 0.24, 51-100 fibers = 0.19. Inter-laboratory Sr values (Average of EMSL round robin data) = 0.34.
Samples analyzed by LA Testing Huntington Beach, CA AIHA-LAP, LLC--IHLAP Accredited #101650

Initial report from: 09/02/2021 06:32 PM



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / gardengrovelab@lateesting.com

LA Testing Order: 332120207

Customer ID: 32CAL51

Customer PO:

Project ID:

Attention: Terri Chang
Eurofins Calscience, Inc.
7440 Lincoln Way
Garden Grove, CA 92841

Phone: (714) 895-5494
Fax: (714) 894-7501
Received Date: 08/27/2021 02:20 PM
Analysis Date: 09/02/2021
Collected Date: 08/16/2021 - 08/20/2021

Project: HPNS - Parcel E / 500712 / 57003235

Test Report: Fiber Count by Phase Contrast Microscopy (PCM), NIOSH 7400 Method - A Rules, Revision 3, Issue 3, 6/15/2019

Sample	Location	Sample Date	Volume (L)	Fibers	Fields	LOD (fib/cc)	Fibers/mm ²	Fibers/cc	Notes
--------	----------	-------------	------------	--------	--------	-----------------	------------------------	-----------	-------

The results reported have been blank corrected as applicable.

Analyst(s): _____

Christopher Miranda PCM 12

Michael Chapman, Laboratory Manager
or other Approved Signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. Limit of detection is 7 fibers/mm². Fiber counts outside the recommended fiber density range of the method (100-1300 f/mm²) have greater than optimal variability and are probably biased. Field blank results, when available, are used to blank correct results. NIOSH 7400 requires field blanks be submitted at a rate of 10%, with a minimum of 2 per set. Measurement of uncertainty available upon request. The results in this report meet all requirements of the NELAC standards unless otherwise noted.

Intra-laboratory Sr values: 5-20 fibers = 0.35, 21-50 fibers = 0.24, 51-100 fibers = 0.19. Inter-laboratory Sr values (Average of EMSL round robin data) = 0.34.
Samples analyzed by LA Testing Huntington Beach, CA AIHA-LAP, LLC--IHLAP Accredited #101650

Initial report from: 09/02/2021 06:32 PM

Chain of Custody Record



eurofins
Environment Testing
America

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Phone: 714-895-5494 Fax: 714-894-7501

Client Information (Sub Contract Lab)

Company: EMSL Analytical, Inc.
Address: 5431 Industrial Drive, Huntington Beach, CA, 92649
City: Huntington Beach
State, Zip: CA, 92649
Phone: CA, 92649
Email: [Redacted]

Project Name: HPNS - Parcel E / 500712
Site: [Redacted]

Lab P.I.: Chang, Terri
E-Mail: Terri.Chang@eurofinsnet.com
Accreditations Required (See note): NELAP - Oregon

Carrier Tracking No(s): [Redacted]
State of Origin: California

COC No: 570-122107.1
Page: Page 1 of 2
Job #: 570-68351-1

Due Date Requested: 9/9/2021
TAT Requested (days): [Redacted]

Analysis Requested

Field Filtered Sample (Yes or No) **SUB (Asbestos - Low Flow)/ NIOSH 7400**

Perform MS/MSD (Yes or No)

Special Instructions/Note: [Redacted]

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	MATRIX (W=Water, S=solid, O=wastewat, BT=Tissue, A=Air)	Preservation Code:	Total Number of containers	Special Instructions/Note:
PE-ASB081621-B606U/PWIND (570-68351-1)	8/16/21	07:20	Pacific	Air		1	please provide standard excel EDD.
PE-ASB081621-12ADOWNWIND (570-68351-2)	8/16/21	07:30	Pacific	Air		1	please provide standard excel EDD.
PE-ASB081721-B606U/PWIND (570-68351-3)	8/17/21	07:08	Pacific	Air		1	please provide standard excel EDD.
PE-ASB081721-12ADOWNWIND (570-68351-4)	8/17/21	07:15	Pacific	Air		1	please provide standard excel EDD.
PE-ASB081821-B606U/PWIND (570-68351-5)	8/18/21	07:11	Pacific	Air		1	please provide standard excel EDD.
PE-ASB081821-12ADOWNWIND (570-68351-6)	8/18/21	07:20	Pacific	Air		1	please provide standard excel EDD.
PE-ASB081921-B606U/PWIND (570-68351-7)	8/19/21	07:00	Pacific	Air		1	please provide standard excel EDD.
PE-ASB081921-12ADOWNWIND (570-68351-8)	8/19/21	07:20	Pacific	Air		1	please provide standard excel EDD.
PE-ASB082021-B606U/PWIND (570-68351-9)	8/20/21	07:21	Pacific	Air		1	please provide standard excel EDD.

Note: Since laboratory accreditations are subject to change, Eurofins Calscience places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analytists/matrix being analyzed, the samples must be shipped back to the Eurofins Calscience laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Calscience attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Calscience.

Possible Hazard Identification

Unconfirmed

Deliverable Requested: I, II, III, IV, Other (specify) _____

Primary Deliverable Rank: 2

Special Instructions/QC Requirements: _____

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Return To Client Disposal By Lab Archive For _____ Months

Empty Kit Relinquished by: _____ Date: _____

Relinquished by: [Signature] Date/Time: 8/24/21 14:20 Company: eu

Relinquished by: _____ Date/Time: _____ Company: _____

Relinquished by: _____ Date/Time: _____ Company: _____

Custody Seals Intact: _____ Custody Seal No.: _____

Received by: [Signature] Date/Time: 8/27/21 2:20pp Company: _____

Received by: _____ Date/Time: _____ Company: _____

Cooler Temperature(s) °C and Other Remarks: _____

Method of Shipment: _____

AIR MONITORING LOG

PROJECT NAME: HPNS Parcel E PROJ. NO. 500712 Asbestos TSP PM-10

STATION COC#074

SAMPLE NO. PE-ASB081621-B606UPWIND 8/16/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA341524	2.000	2.000	2.000	8/16/21 07:20	8/16/21 17:20	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB081621-12ADOWNWIND 8/16/2021 *I2A Downwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA344658	2.000	2.000	2.000	8/16/21 07:30	8/16/21 17:30	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB081721-B606UPWIND 8/17/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA342255	2.000	2.000	2.000	8/17/21 07:08	8/17/21 17:08	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB081721-12ADOWNWIND 8/17/2021 *I2A Downwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DA342377	2.000	2.000	2.000	8/17/21 07:15	8/17/21 17:15	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB081821-B606UPWIND 8/18/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170216	2.000	2.000	2.000	8/18/21 07:11	8/18/21 17:11	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB081821-12ADOWNWIND 8/18/2021 *I2A Downwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170270	2.000	2.000	2.000	8/18/21 07:20	8/18/21 17:20	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB081921-B606UPWIND 8/19/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170193	2.000	2.000	2.000	8/19/21 07:00	8/19/21 17:00	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB081921-12ADOWNWIND 8/19/2021 *I2A Downwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170213	2.000	2.000	2.0	8/19/21 07:20	8/19/21 17:20	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB082021-B606UPWIND 8/20/2021 Building 606 Upwind									
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170215	2.000	2.000	2.0	8/20/21 07:21	8/20/21 17:21	600	1.2	Asbestos	2.00

SAMPLE NO. PE-ASB082021-12ADOWNWIND 8/20/2021 12A Downwind									
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170273	2.000	2.000	2.0	8/20/21 07:06	8/20/21 17:06	600	1.2	Asbestos	2.00

SAMPLE NO. PE-ASB082021-BLANK 8/20/2021 Building 606 Upwind									
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170280				8/20/21 07:00			0.0	Asbestos	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



APTIM Federal Services, LLC
 4005 Port Chicago Hwy
 Concord, CA 94520

CHAIN OF CUSTODY

Ref. Document # **CTO 0024 - AIR 074**
 Page 1 of 2

Project Manager: **Nels Johnson**
 Send Report To: **Jose Maldonado**
 Phone/Fax Number: **415-340-9637**
 Address: **4005 Port Chicago Hwy**
 City: **Concord, CA 94520**
Jose.Maldonado@aptim.com

Project Number: **500712**
 Project Name: **HPNS - Parcel E**
 Project Location: **San Francisco, CA**
 Purchase Order #: **1168336**
 Lab Destination: **Eurofins-Calscience**
 7440 Lincoln Way
 Garden Grove CA 92841
 Lab Contact: **Terri Chang**

Analyses Requested

Sample ID Number	Filter No.	Date	Time	Method	Matrix	# of containers	Container Type	PCB (EPA 8082 / TO-04)	PAH (EPA 8270-SIM / TO-13)	Asbestos (NIOSH 7400)	PM10 (40 CFR, Subpt. J; BAAQMD Reg 6)	TSP, Mn, Pb, As (40 CFR 50 App B; NIOSH 7300/6010B)	Flow Rate (L/min.)	Sample Volume (m ³)
PE-ASB081621-B606UPWIND	DA341524	08/16/21	7:20	G	A	1	PCM			X			2.00	1.20
PE-ASB081621-12ADOWNWIND	DA344658	08/16/21	7:30	G	A	1	PCM			X			2.00	1.20
PE-ASB081721-B606UPWIND	DA342255	08/17/21	7:08	G	A	1	PCM			X			2.00	1.20
PE-ASB081721-12ADOWNWIND	DA342377	08/17/21	7:15	G	A	1	PCM			X			2.00	1.20
PE-ASB081821-B606UPWIND	DB170216	08/18/21	7:11	G	A	1	PCM			X			2.00	1.20
PE-ASB081821-12ADOWNWIND	DB170270	08/18/21	7:20	G	A	1	PCM			X			2.00	1.20
PE-ASB081921-B606UPWIND	DB170193	08/19/21	7:00	G	A	1	PCM			X			2.00	1.20
PE-ASB081921-12ADOWNWIND	DB170213	08/19/21	7:20	G	A	1	PCM			X			2.00	1.20
PE-ASB082021-B606UPWIND	DB170215	08/20/21	7:21	G	A	1	PCM			X			2.00	1.20
PE-ASB082021-12ADOWNWIND	DB170273	08/20/21	7:06	G	A	1	PCM			X			2.00	1.20
PE-ASB082021-BLANK	DB170280	08/20/21	7:00	G	A	1	PCM			X			NA	
Temperature Blank														X

Special Instructions: **J to MDL**

Turn Around Time: 24-hr 5-day 10-day

Level Of QC Required: I II III Project Specific:

Relinquished By: Jose Maldonado Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____

Relinquished By: _____ Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____

Relinquished By: _____ Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____

Relinquished By: _____ Date: _____ Time: _____ Received By: _____ Date: _____ Time: _____

Method Codes: C = Composite, G = Grab, DW = Drinking Water, GW = Ground Water, WW = Waste Water, A = Air, SO = Soil, SL = Sludge, CP = Chip Samples

Matrix Codes: ABS=Asbestos, PO=Pipe Opening

AIR MONITORING LOG

PROJECT NAME: HPNS Parcel E PROJ. NO. 500712 Asbestos TSP PM-10

STATION COC# 074

SAMPLE NO.	PE-ASB081621-B606UPWIND			8/16/2021 Building 606 Upwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	LOT No.	FLOW RATE (L/min)		RUNNING TIME (HRS)					
	START	STOP	AVERAGE	START	STOP				
DA341524	2.000	2.000	2.000	8/16/21 07:20	8/16/21 17:20	600	1.20	Asbestos	2.00

SAMPLE NO.	PE-ASB081621-12ADOWNWIND			8/16/2021 12A Downwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	LOT No.	FLOW RATE (L/min)		RUNNING TIME (HRS)					
	START	STOP	AVERAGE	START	STOP				
DA344658	2.000	2.000	2.000	8/16/21 07:30	8/16/21 17:30	600	1.20	Asbestos	2.00

SAMPLE NO.	PE-ASB081721-B606UPWIND			8/17/2021 Building 606 Upwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	LOT No.	FLOW RATE (L/min)		RUNNING TIME (HRS)					
	START	STOP	AVERAGE	START	STOP				
DA342255	2.000	2.000	2.000	8/17/21 07:08	8/17/21 17:08	600	1.20	Asbestos	2.00

SAMPLE NO.	PE-ASB081721-12ADOWNWIND			8/17/2021 12A Downwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	LOT No.	FLOW RATE (L/min)		RUNNING TIME (HRS)					
	START	STOP	AVERAGE	START	STOP				
DA342377	2.000	2.000	2.000	8/17/21 07:15	8/17/21 17:15	600	1.20	Asbestos	2.00

SAMPLE NO.	PE-ASB081821-B606UPWIND			8/18/2021 Building 606 Upwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	LOT No.	FLOW RATE (L/min)		RUNNING TIME (HRS)					
	START	STOP	AVERAGE	START	STOP				
DB170216	2.000	2.000	2.000	8/18/21 07:11	8/18/21 17:11	600	1.20	Asbestos	2.00

SAMPLE NO.	PE-ASB081821-12ADOWNWIND			8/18/2021 12A Downwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	LOT No.	FLOW RATE (L/min)		RUNNING TIME (HRS)					
	START	STOP	AVERAGE	START	STOP				
DB170270	2.000	2.000	2.000	8/18/21 07:20	8/18/21 17:20	600	1.20	Asbestos	2.00

SAMPLE NO.	PE-ASB081921-B606UPWIND			8/19/2021 Building 606 Upwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	LOT No.	FLOW RATE (L/min)		RUNNING TIME (HRS)					
	START	STOP	AVERAGE	START	STOP				
DB170193	2.000	2.000	2.000	8/19/21 07:00	8/19/21 17:00	600	1.20	Asbestos	2.00

SAMPLE NO.	PE-ASB081921-12ADOWNWIND			8/19/2021 12A Downwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	LOT No.	FLOW RATE (L/min)		RUNNING TIME (HRS)					
	START	STOP	AVERAGE	START	STOP				
DB170213	2.000	2.000	2.0	8/19/21 07:20	8/19/21 17:20	600	1.20	Asbestos	2.00

SAMPLE NO.	PE-ASB082021-B606UPWIND			8/20/2021 Building 606 Upwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
------------	-------------------------	--	--	-------------------------------	--	------------------	----------------------------------	----------	--------------------

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170215	2.000	2.000	2.0	8/20/21 07:21	8/20/21 17:21	600	1.2	Asbestos	2.00
SAMPLE NO.	PE-ASB082021-12ADOWNWIND				8/20/2021 12A Downwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170273	2.000	2.000	2.0	8/20/21 07:06	8/20/21 17:06	600	1.2	Asbestos	2.00



CHAIN OF CUSTODY

REVISED JM
9/30/2021

APTIM Federal Services, LLC
 4005 Port Chicago Hwy
 Concord, CA 94520

Send Report To: *Jose Maldonado*
 Phone/Fax Number: 415-340-9637
 Address: 4005 Port Chicago Hwy
 City: Concord, CA 94520
Jose.Maldonado@aptim.com

Project Number: 500712
 Project Name: HPNS - Parcel E
 Project Location: San Francisco, CA
 Lab Destination: Calscience
 7440 Lincoln Way
 Garden Grove CA 92841
 Lab Contact: Terri Chang

Analyses Requested														
Sample ID Number	Lot No.	Date	Time	Method	Matrix	# of containers	Container Type	PCB (EPA 8082 / TO-04)	PAH (EPA 8270-SIM / TO-13)	Asbestos (NIOSH 7400)	PM10 (40 CFR, Subpt J; BAAQMD Reg 6)	TSP, Mn, Pb, As (40 CFR 50 App B; NIOSH)	Flow Rate (L/min.)	Sample Volume (m ³)
PE-TSP081621-B606UPWIND	Q0408820	08/16/21	7:20	G	A	1	8X10 EPM Whatman					X	1104.5	497.0
PE-TSP081621-12ADOWNWIND	Q0408819	08/16/21	7:30	G	A	1	8X10 EPM Whatman					X	1132.8	487.1
PE-PM10081621-B606UPWIND	Q0408818	08/16/21	7:20	G	A	1	8X10 EPM Whatman				X		1132.8	509.8
PE-PM10081621-12ADOWNWIND	Q0408817	08/16/21	7:30	G	A	1	8X10 EPM Whatman				X		1132.8	487.1
PE-TSP081721-B606UPWIND	Q0408828	08/17/21	7:08	G	A	1	8X10 EPM Whatman					X	1132.8	500.7
PE-TSP081721-12ADOWNWIND	Q0408827	08/17/21	7:15	G	A	1	8X10 EPM Whatman					X	1132.8	504.1
PE-PM10081721-B606UPWIND	Q0408826	08/17/21	7:08	G	A	1	8X10 EPM Whatman				X		1132.8	500.7
PE-PM10081721-12ADOWNWIND	Q0408825	08/17/21	7:15	G	A	1	8X10 EPM Whatman				X		1132.8	504.1
PE-TSP081821-B606UPWIND	Q0408833	08/18/21	7:11	G	A	1	8X10 EPM Whatman					X	1132.8	497.3
PE-TSP081821-12ADOWNWIND	Q0408832	08/18/21	7:20	G	A	1	8X10 EPM Whatman					X	1132.8	498.4
PE-PM10081821-B606UPWIND	Q0408831	08/18/21	7:11	G	A	1	8X10 EPM Whatman				X		1132.8	497.3
PE-PM10081821-12ADOWNWIND	Q0408830	08/18/21	7:20	G	A	1	8X10 EPM Whatman				X		1132.8	498.4
PE-TSP081921-B606UPWIND	Q0408845	08/19/21	7:00	G	A	1	8X10 EPM Whatman					X	1132.8	440.5
PE-TSP081921-12ADOWNWIND	Q0408840	08/19/21	7:20	G	A	1	8X10 EPM Whatman					X	1132.8	487.1
PE-PM10081921-B606UPWIND	Q0408843	08/19/21	7:00	G	A	1	8X10 EPM Whatman				X		1132.8	521.1
PE-PM10081921-12ADOWNWIND	Q0408838	08/19/21	7:20	G	A	1	8X10 EPM Whatman				X		1132.8	487.1
PE-TSP082021-B606UPWIND	Q0410077	08/20/21	7:21	G	A	1	8X10 EPM Whatman					X	1132.8	440.5
PE-TSP082021-12ADOWNWIND	Q0408848	08/20/21	7:06	G	A	1	8X10 EPM Whatman					X	1132.8	514.3
PE-PM10082021-B606UPWIND	Q0408847	08/20/21	7:21	G	A	1	8X10 EPM Whatman				X		1132.8	508.6
PE-PM10082021-12ADOWNWIND	Q0408846	08/20/21	7:06	G	A	1	8X10 EPM Whatman				X		1132.8	514.3

PROJECT NAME: HPNS Parcel E PROJ. NO. 500712 Asbestos TSP PM-10

STATION **REVISED JM 9/30/2021** COC# 074

SAMPLE NO.		PE-TSP081621-B606UPWIND			8/16/2021 Building 606 Upwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)						
	START	STOP	AVERAGE	START	STOP					
Q0408820	39.0	39.0	39.0	8/16/21 07:20	8/16/21 14:50	450	497.0	TSP	1104.48	

SAMPLE NO.		PE-TSP081621-12ADOWNWIND			8/16/2021 12A Downwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)						
	START	STOP	AVERAGE	START	STOP					
Q0408819	40.0	40.0	40.0	8/16/21 07:30	8/16/21 14:40	430	487.1	TSP	1132.80	

SAMPLE NO.		PE-PM10081621-B606UPWIND			8/16/2021 Building 606 Upwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)						
	START	STOP	AVERAGE	START	STOP					
Q0408818	40.0	40.0	40.0	8/16/21 07:20	8/16/21 14:50	450	509.8	PM-10	1132.80	

SAMPLE NO.		PE-PM10081621-12ADOWNWIND			8/16/2021 12A Downwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)						
	START	STOP	AVERAGE	START	STOP					
Q0408817	40.0	40.0	40.0	8/16/21 07:30	8/16/21 14:40	430	487.1	PM-10	1132.80	

SAMPLE NO.		PE-TSP081721-B606UPWIND			8/17/2021 Building 606 Upwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)						
	START	STOP	AVERAGE	START	STOP					
Q0408828	40.0	40.0	40.0	8/17/21 07:08	8/17/21 14:30	442	500.7	TSP	1132.80	

SAMPLE NO.		PE-TSP081721-12ADOWNWIND			8/17/2021 12A Downwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)						
	START	STOP	AVERAGE	START	STOP					
Q0408827	40.0	40.0	40.0	8/17/21 07:15	8/17/21 14:40	445	504.1	TSP	1132.80	

SAMPLE NO.		PE-PM10081721-B606UPWIND			8/17/2021 Building 606 Upwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)						
	START	STOP	AVERAGE	START	STOP					
Q0408826	40.0	40.0	40.0	8/17/21 07:08	8/17/21 14:30	442	500.7	PM-10	1132.80	

SAMPLE NO.		PE-PM10081721-12ADOWNWIND			8/17/2021 12A Downwind		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)						
	START	STOP	AVERAGE	START	STOP					
Q0408825	40.0	40.0	40.0	8/17/21 07:15	8/17/21 14:40	445	504.1	PM-10	1132.80	

SAMPLE NO.		PE-TSP081821-B606UPWIND			8/18/2021 Building 606 Upwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408833	40.0	40.0	40.0	8/18/21 07:11	8/18/21 14:30	439	497.3	TSP	1132.80

SAMPLE NO.		PE-TSP081821-12ADOWNWIND			8/18/2021 12A Downwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408832	40.0	40.0	40.0	8/18/21 07:20	8/18/21 14:40	440	498.4	TSP	1132.80

SAMPLE NO.		PE-PM10081821-B606UPWIND			8/18/2021 Building 606 Upwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408831	40.0	40.0	40.0	8/18/21 07:11	8/18/21 14:30	439	497.3	PM-10	1132.80

SAMPLE NO.		PE-PM10081821-12ADOWNWIND			8/18/2021 12A Downwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408830	40.0	40.0	40.0	8/18/21 07:20	8/18/21 14:40	440	498.4	PM-10	1132.80

SAMPLE NO.		PE-TSP081921-B606UPWIND			8/19/2021 Building 606 Upwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408845	39.0	39.0	39.0	8/19/21 07:00	8/19/21 14:40	460	508.4	TSP	1104.48
	40	40	40				521.1		1132.80

SAMPLE NO.		PE-TSP081921-12ADOWNWIND			8/19/2021 12A Downwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408840	40.0	40.0	40.0	8/19/21 07:20	8/19/21 14:30	430	487.1	TSP	1132.80

SAMPLE NO.		PE-PM10081921-B606UPWIND			8/19/2021 Building 606 Upwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408843	40.0	40.0	40.0	8/19/21 07:00	8/19/21 14:40	460	521.1	PM-10	1132.80

SAMPLE NO.		PE-PM10081921-12ADOWNWIND			8/19/2021 12A Downwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408838	40.0	40.0	40.0	8/19/21 07:20	8/19/21 14:30	430	487.1	PM-10	1132.80

SAMPLE NO.		PE-TSP082021-B606UPWIND			8/20/2021 Building 606 Upwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				

Q0410077	39.0	39.0	39.0	8/20/21 07:21	8/20/21 14:50	449	495.9	TSP	1104.48
	40	40	40				508.6		1132.80

SAMPLE NO. **PE-TSP082021-12ADOWNWIND** 8/20/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408848	40.0	40.0	40.0	8/20/21 07:06	8/20/21 14:40	454	514.3	TSP	1132.80

SAMPLE NO. **PE-PM10082021-B606UPWIND** 8/20/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408847	40.0	40.0	40.0	8/20/21 07:21	8/20/21 14:50	449	508.6	PM-10	1132.80

SAMPLE NO. **PE-PM10082021-12ADOWNWIND** 8/20/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408846	40.0	40.0	40.0	8/20/21 07:06	8/20/21 14:40	454	514.3	PM-10	1132.80

CHAIN OF CUSTODY

Project Number: 500712
 Project Name: HPNS - Parcel E
 Project Location: San Francisco, CA
 Purchase Order #: 1168336
 Lab Destination: Eurofins-Calscience
 7440 Lincoln Way
 Garden Grove CA 92841

Project Manager: Nels Johnson
 Send Report To: Jose Maldonado
 Phone/Fax Number: 415-340-9637
 Address: 4005 Port Chicago Hwy
 City: Concord, CA 94520

Lab Contact: Terri Chang

Jose.Maldonado@aptim.com

Sample ID Number	Filter No.	Collection Information			Method	Matrix	# of containers	Container Type	Analyses Requested
		Date	Time	Method					
PE-ASB081621-B606UPWIND	DA341524	08/16/21	7:20	G	A	1	PCM	PCB (EPA 8082 / TO-04) PAH (EPA 8270-SIM / TO-13) Asbestos (NIOSH 7400)	
PE-ASB081621-12ADOWNWIND	DA344658	08/16/21	7:30	G	A	1	PCM	TSP, Mn, Pb, As (40 CFR 50 App B; NIOSH 7300/6010B)	
PE-ASB081721-B606UPWIND	DA342255	08/17/21	7:08	G	A	1	PCM		
PE-ASB081721-12ADOWNWIND	DA342377	08/17/21	7:15	G	A	1	PCM		
PE-ASB081821-B606UPWIND	DB170216	08/18/21	7:11	G	A	1	PCM		
PE-ASB081821-12ADOWNWIND	DB170270	08/18/21	7:20	G	A	1	PCM		
PE-ASB081921-B606UPWIND	DB170193	08/19/21	7:00	G	A	1	PCM		
PE-ASB081921-12ADOWNWIND	DB170213	08/19/21	7:20	G	A	1	PCM		
PE-ASB082021-B606UPWIND	DB170215	08/20/21	7:21	G	A	1	PCM		
PE-ASB082021-12ADOWNWIND	DB170273	08/20/21	7:06	G	A	1	PCM		
PE-ASB082021-BLANK	DB170280	08/20/21	7:00	G	A	1	PCM		
Temperature Blank									

Special Instructions: J to MDL

Turn Around Time
 24 hr
 5-day 10-day

Relinquished By: Jose Maldonado Date: 8/25/21 Time: 10:30
 Relinquished By: Terri Chang Date: 8/26/21 Time: 12:00
 Relinquished By: Terri Chang Date: 8/26/21 Time: 12:00
 Relinquished By: Terri Chang Date: 8/26/21 Time: 12:00

Level of QC Required:
 I II III Project Specific: EEB

Received By: Terri Chang Date: 8/26/21 Time: 12:00
 Received By: Terri Chang Date: 8/26/21 Time: 12:00
 Received By: Terri Chang Date: 8/26/21 Time: 12:00

Method Codes
 C = Composite
 Matrix Codes
 DW = Drinking Water
 GW = Ground Water
 WW = Waste Water
 A=Air

G = Grab
 SO = Soil
 SL = Sludge
 CP = Chip Samples



570-68351 Chain of Custody





APTIM Federal Services, LLC
4005 Port Chicago Hwy
Concord, CA 94520

CHAIN OF CUSTODY

Ref. Document #

CTO 0024 - AIR 074

Page 2 of 2

Project Number: 500712

Project Name: HPNS - Parcel E

Project Location: San Francisco, CA

Send Report To: Jose Maldonado

Phone/Fax Number: 415-340-9637

Address: 4005 Port Chicago Hwy

City: Concord, CA 94520

Jose.Maldonado@aptim.com

Lab Destination: Calscience

7440 Lincoln Way

Garden Grove CA 92841

Lab Contact: Tern Chang

Sample ID Number	Lot No.	Date	Time	Method	Collection Information		Matrix	# of containers	Container Type	Analyses Requested					
					Sampler's Name(s): JM					PCB (EPA 8082 / TO-04)	PAH (EPA 8270-SIM / TO-13)	Asbestos (NIOSH 7400)	PM10 (40 CFR, Subpt J; BAAQMD Reg 6)	TSP, Mn, Pb, As (40 CFR 50 App B; NIOSH)	Flow Rate (L/min.)
PE-TSP081621-B606UPWIND	Q0408820	08/16/21	7:20	G			A	1	8X10 EPM Whatman				X	1104.5	497.0
PE-TSP081621-12ADOWNWIND	Q0408819	08/16/21	7:30	G			A	1	8X10 EPM Whatman				X	1132.8	487.1
PE-PM10081621-B606UPWIND	Q0408818	08/16/21	7:20	G			A	1	8X10 EPM Whatman		X			1132.8	509.8
PE-PM10081621-12ADOWNWIND	Q0408817	08/16/21	7:30	G			A	1	8X10 EPM Whatman		X			1132.8	487.1
PE-TSP081721-B606UPWIND	Q0408828	08/17/21	7:08	G			A	1	8X10 EPM Whatman				X	1132.8	500.7
PE-TSP081721-12ADOWNWIND	Q0408827	08/17/21	7:15	G			A	1	8X10 EPM Whatman				X	1132.8	504.1
PE-PM10081721-B606UPWIND	Q0408826	08/17/21	7:08	G			A	1	8X10 EPM Whatman		X			1132.8	500.7
PE-PM10081721-12ADOWNWIND	Q0408825	08/17/21	7:15	G			A	1	8X10 EPM Whatman				X	1132.8	504.1
PE-TSP081821-B606UPWIND	Q0408833	08/18/21	7:11	G			A	1	8X10 EPM Whatman				X	1132.8	497.3
PE-TSP081821-12ADOWNWIND	Q0408832	08/18/21	7:20	G			A	1	8X10 EPM Whatman				X	1132.8	498.4
PE-PM10081821-B606UPWIND	Q0408831	08/18/21	7:11	G			A	1	8X10 EPM Whatman		X			1132.8	497.3
PE-PM10081821-12ADOWNWIND	Q0408830	08/18/21	7:20	G			A	1	8X10 EPM Whatman		X			1132.8	498.4
PE-TSP081921-B606UPWIND	Q0408845	08/19/21	7:00	G			A	1	8X10 EPM Whatman				X	1104.5	508.1
PE-TSP081921-12ADOWNWIND	Q0408840	08/19/21	7:20	G			A	1	8X10 EPM Whatman				X	1132.8	487.1
PE-PM10081921-B606UPWIND	Q0408843	08/19/21	7:00	G			A	1	8X10 EPM Whatman		X			1132.8	521.1
PE-PM10081921-12ADOWNWIND	Q0408838	08/19/21	7:20	G			A	1	8X10 EPM Whatman		X			1132.8	487.1
PE-TSP082021-B606UPWIND	Q0410077	08/20/21	7:21	G			A	1	8X10 EPM Whatman				X	1104.5	495.9
PE-TSP082021-12ADOWNWIND	Q0408848	08/20/21	7:06	G			A	1	8X10 EPM Whatman				X	1132.8	514.3
PE-PM10082021-B606UPWIND	Q0408847	08/20/21	7:21	G			A	1	8X10 EPM Whatman		X			1132.8	508.6
PE-PM10082021-12ADOWNWIND	Q0408846	08/20/21	7:06	G			A	1	8X10 EPM Whatman		X			1132.8	514.3



SAMPLE NO. PE-ASB082021-B606UPWIND 8/20/2021 Building 606 Upwind									
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170215	2.000	2.000	2.0	8/20/21 07:21	8/20/21 17:21	600	1.2	Asbestos	2.00

SAMPLE NO. PE-ASB082021-12ADOWNWIND 8/20/2021 12A Downwind									
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170273	2.000	2.000	2.0	8/20/21 07:06	8/20/21 17:06	600	1.2	Asbestos	2.00

SAMPLE NO. PE-ASB082021-BLANK 8/20/2021 Building 606 Upwind									
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170280				8/20/21 07:00			0.0	Asbestos	

STATION

COC# 074

SAMPLE NO. PE-TSP081621-B606UPWIND

8/16/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408820	39.0	39.0	39.0	8/16/21 07:20	8/16/21 14:50	450	497.0	TSP	1104.48

SAMPLE NO. PE-TSP081621-12ADOWNWIND

8/16/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408819	40.0	40.0	40.0	8/16/21 07:30	8/16/21 14:40	430	487.1	TSP	1132.80

SAMPLE NO. PE-PM10081621-B606UPWIND

8/16/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408818	40.0	40.0	40.0	8/16/21 07:20	8/16/21 14:50	450	509.8	PM-10	1132.80

SAMPLE NO. PE-PM10081621-12ADOWNWIND

8/16/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408817	40.0	40.0	40.0	8/16/21 07:30	8/16/21 14:40	430	487.1	PM-10	1132.80

SAMPLE NO. PE-TSP081721-B606UPWIND

8/17/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408828	40.0	40.0	40.0	8/17/21 07:08	8/17/21 14:30	442	500.7	TSP	1132.80

SAMPLE NO. PE-TSP081721-12ADOWNWIND

8/17/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408827	40.0	40.0	40.0	8/17/21 07:15	8/17/21 14:40	445	504.1	TSP	1132.80

SAMPLE NO. PE-PM10081721-B606UPWIND

8/17/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408826	40.0	40.0	40.0	8/17/21 07:08	8/17/21 14:30	442	500.7	PM-10	1132.80

SAMPLE NO. PE-PM10081721-12ADOWNWIND

8/17/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				

Q0408825	40.0	40.0	40.0	8/17/21 07:15	8/17/21 14:40	445	504.1	PM-10	1132.80
----------	------	------	------	---------------	---------------	-----	-------	-------	---------

SAMPLE NO. PE-TSP081821-B606UPWIND 8/18/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408833	40.0	40.0	40.0	8/18/21 07:11	8/18/21 14:30	439	497.3	TSP	1132.80

SAMPLE NO. PE-TSP081821-12ADOWNWIND 8/18/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408832	40.0	40.0	40.0	8/18/21 07:20	8/18/21 14:40	440	498.4	TSP	1132.80

SAMPLE NO. PE-PM10081821-B606UPWIND 8/18/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408831	40.0	40.0	40.0	8/18/21 07:11	8/18/21 14:30	439	497.3	PM-10	1132.80

SAMPLE NO. PE-PM10081821-12ADOWNWIND 8/18/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408830	40.0	40.0	40.0	8/18/21 07:20	8/18/21 14:40	440	498.4	PM-10	1132.80

SAMPLE NO. PE-TSP081921-B606UPWIND 8/19/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408845	39.0	39.0	39.0	8/19/21 07:00	8/19/21 14:40	460	508.1	TSP	1104.48

SAMPLE NO. PE-TSP081921-12ADOWNWIND 8/19/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408840	40.0	40.0	40.0	8/19/21 07:20	8/19/21 14:30	430	487.1	TSP	1132.80

SAMPLE NO. PE-PM10081921-B606UPWIND 8/19/2021 Building 606 Upwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408843	40.0	40.0	40.0	8/19/21 07:00	8/19/21 14:40	460	521.1	PM-10	1132.80

SAMPLE NO. PE-PM10081921-12ADOWNWIND 8/19/2021 12A Downwind

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408838	40.0	40.0	40.0	8/19/21 07:20	8/19/21 14:30	430	487.1	PM-10	1132.80

SAMPLE NO. PE-TSP082021-B606UPWIND 8/20/2021 Building 606 Upwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410077	39.0	39.0	39.0	8/20/21 07:21	8/20/21 14:50	449	495.9	TSP	1104.48

SAMPLE NO. PE-TSP082021-12ADOWNWIND 8/20/2021 12A Downwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408848	40.0	40.0	40.0	8/20/21 07:06	8/20/21 14:40	454	514.3	TSP	1132.80

SAMPLE NO. PE-PM10082021-B606UPWIND 8/20/2021 Building 606 Upwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408847	40.0	40.0	40.0	8/20/21 07:21	8/20/21 14:50	449	508.6	PM-10	1132.80

SAMPLE NO. PE-PM10082021-12ADOWNWIND 8/20/2021 12A Downwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0408846	40.0	40.0	40.0	8/20/21 07:06	8/20/21 14:40	454	514.3	PM-10	1132.80




800-322-5555
www.gls-us.com

Ship From
EUROFINS CALSCIENCE, INC
ALAN KEMP
5063 COMMERCIAL CIRCLE
H
CONCORD, CA 94520

Tracking #: 554425686

NPS




570-68351 Waybill

Ship To
CEL
SAMPLE RECEIVING
7440 LINCOLN WAY
GARDEN GROVE, CA 92841

GARDEN GROVE

S10262D

COD: \$0.00
Weight: 0 lb(s)
Reference:
APTIM
Delivery Instructions:



48044601

Signature Type: STANDARD

ORC CA927-CD0

Print Date: 8/25/2021 3:47 PM

LABEL INSTRUCTIONS:

Do not copy or reprint this label for additional shipments - each package must have a unique barcode.

Step 1: Use the "Print Label" button on this page to print the shipping label on a laser or inkjet printer.

Step 2: Fold this page in half.

Step 3: Securely attach this label to your package and do not cover the barcode.

TERMS AND CONDITIONS:

By giving us your shipment to deliver, you agree to all of the General Logistics Systems US, Inc (GLS) service terms & conditions including, but not limited to; limits of liability, declared value conditions, and claim procedures which are available on our website at www.gls-us.com



Login Sample Receipt Checklist

Client: Aptim Federal Services LLC

Job Number: 570-68351-1

Login Number: 68351

List Source: Eurofins Calscience LLC

List Number: 1

Creator: Ramos, Maribel

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	


ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-69070-1
Client Project/Site: HPNS - Parcel E / 500712
Revision: 1

For:
Aptim Federal Services LLC
Hunters Point Shipyard
200 Fisher Blvd
San Francisco, California 94124

Attn: Rose Condit



Authorized for release by:
10/4/2021 6:07:37 PM
Kathleen Burney, Project Mgmt. Assistant
Kathleen.Burney@eurofinset.com

Designee for
Terri Chang, Project Manager I
(714)895-5494
Terri.Chang@eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
QC Sample Results	10
QC Association Summary	12
Lab Chronicle	15
Certification Summary	19
Method Summary	20
Sample Summary	21
Subcontract Data	22
Chain of Custody	24
Receipt Checklists	38

Definitions/Glossary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

Qualifiers

Metals

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

Job ID: 570-69070-1

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative 570-69070-1

Comments

No additional comments.

Revision

The report being provided is a revision of the original report sent on 9/20/2021. The report (revision 1) is being revised due to: TSP volume for samples #12, #24 and #28 revised by client; results recalculated.

Receipt

The samples were received on 9/2/2021 10:30 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 22.0° C.

Metals

Method 6010B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 570-179492 and analytical batch 570-179912 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Lab Admin

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Subcontract Work

Method Asbestos - Low Flow: This method was subcontracted to EMSL - LA Testing - Huntington Beach. The subcontract laboratory certification is different from that of the facility issuing the final report.

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

Method: 6010B - Metals (ICP)

Client Sample ID: PE-TSP082321-B606UPWIND

Lab Sample ID: 570-69070-12

Date Collected: 08/23/21 07:28

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/16/21 05:43	09/16/21 17:17	1
Lead	ND		12.0	3.16	ug/Sample		09/16/21 05:43	09/16/21 17:17	1
Manganese	13.0		6.00	3.34	ug/Sample		09/16/21 05:43	09/16/21 17:17	1

Client Sample ID: PE-TSP082321-12ADOWNWIND

Lab Sample ID: 570-69070-13

Date Collected: 08/23/21 07:14

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	6.99	J	18.0	6.22	ug/Sample		09/16/21 05:43	09/16/21 17:19	1
Lead	ND		12.0	3.16	ug/Sample		09/16/21 05:43	09/16/21 17:19	1
Manganese	9.16		6.00	3.34	ug/Sample		09/16/21 05:43	09/16/21 17:19	1

Client Sample ID: PE-TSP082421-B606UPWIND

Lab Sample ID: 570-69070-16

Date Collected: 08/24/21 07:25

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/16/21 05:43	09/16/21 17:21	1
Lead	ND		12.0	3.16	ug/Sample		09/16/21 05:43	09/16/21 17:21	1
Manganese	8.76		6.00	3.34	ug/Sample		09/16/21 05:43	09/16/21 17:21	1

Client Sample ID: PE-TSP0822421-12ADOWNWIND

Lab Sample ID: 570-69070-17

Date Collected: 08/24/21 07:08

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/16/21 05:43	09/16/21 17:23	1
Lead	ND		12.0	3.16	ug/Sample		09/16/21 05:43	09/16/21 17:23	1
Manganese	13.9		6.00	3.34	ug/Sample		09/16/21 05:43	09/16/21 17:23	1

Client Sample ID: PE-TSP082521-B606UPWIND

Lab Sample ID: 570-69070-20

Date Collected: 08/25/21 07:00

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	12.8	J	18.0	6.22	ug/Sample		09/16/21 05:43	09/16/21 17:25	1
Lead	10.4	J	12.0	3.16	ug/Sample		09/16/21 05:43	09/16/21 17:25	1
Manganese	9.07		6.00	3.34	ug/Sample		09/16/21 05:43	09/16/21 17:25	1

Client Sample ID: PE-TSP082521-12ADOWNWIND

Lab Sample ID: 570-69070-21

Date Collected: 08/25/21 07:08

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/16/21 05:43	09/16/21 17:34	1
Lead	ND		12.0	3.16	ug/Sample		09/16/21 05:43	09/16/21 17:34	1
Manganese	19.2		6.00	3.34	ug/Sample		09/16/21 05:43	09/16/21 17:34	1

Client Sample Results

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

Method: 6010B - Metals (ICP)

Client Sample ID: PE-TSP082621-B606UPWIND

Lab Sample ID: 570-69070-24

Date Collected: 08/26/21 07:05

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/16/21 05:43	09/16/21 17:37	1
Lead	ND		12.0	3.16	ug/Sample		09/16/21 05:43	09/16/21 17:37	1
Manganese	7.09		6.00	3.34	ug/Sample		09/16/21 05:43	09/16/21 17:37	1

Client Sample ID: PE-TSP082621-12ADOWNWIND

Lab Sample ID: 570-69070-25

Date Collected: 08/26/21 07:13

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/16/21 05:43	09/16/21 17:39	1
Lead	ND		12.0	3.16	ug/Sample		09/16/21 05:43	09/16/21 17:39	1
Manganese	6.71		6.00	3.34	ug/Sample		09/16/21 05:43	09/16/21 17:39	1

Client Sample ID: PE-TSP082721-B606UPWIND

Lab Sample ID: 570-69070-28

Date Collected: 08/27/21 07:20

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/16/21 05:43	09/16/21 17:41	1
Lead	ND		12.0	3.16	ug/Sample		09/16/21 05:43	09/16/21 17:41	1
Manganese	13.9		6.00	3.34	ug/Sample		09/16/21 05:43	09/16/21 17:41	1

Client Sample ID: PE-TSP082721-12ADOWNWIND

Lab Sample ID: 570-69070-29

Date Collected: 08/27/21 07:05

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/16/21 05:43	09/16/21 17:43	1
Lead	ND		12.0	3.16	ug/Sample		09/16/21 05:43	09/16/21 17:43	1
Manganese	10.8		6.00	3.34	ug/Sample		09/16/21 05:43	09/16/21 17:43	1

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

General Chemistry

Client Sample ID: PE-TSP082321-B606UPWIND

Lab Sample ID: 570-69070-12

Date Collected: 08/23/21 07:28

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	52.1		6.13	6.13	ug/m3			09/14/21 20:30	1

Client Sample ID: PE-TSP082321-12ADOWNWIND

Lab Sample ID: 570-69070-13

Date Collected: 08/23/21 07:14

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	34.8		5.81	5.81	ug/m3			09/14/21 20:30	1

Client Sample ID: PE-PM10082321-B606UPWIND

Lab Sample ID: 570-69070-14

Date Collected: 08/23/21 07:28

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	24.7		6.13	6.13	ug/m3			09/20/21 10:52	1

Client Sample ID: PE-PM10082321-12ADOWNWIND

Lab Sample ID: 570-69070-15

Date Collected: 08/23/21 07:14

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	20.3		5.81	5.81	ug/m3			09/20/21 10:52	1

Client Sample ID: PE-TSP082421-B606UPWIND

Lab Sample ID: 570-69070-16

Date Collected: 08/24/21 07:25

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	56.8		6.13	6.13	ug/m3			09/14/21 20:30	1

Client Sample ID: PE-TSP0822421-12ADOWNWIND

Lab Sample ID: 570-69070-17

Date Collected: 08/24/21 07:08

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	57.4		5.86	5.86	ug/m3			09/14/21 20:30	1

Client Sample ID: PE-PM10082421-B606UPWIND

Lab Sample ID: 570-69070-18

Date Collected: 08/24/21 07:25

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	30.3		6.23	6.23	ug/m3			09/20/21 10:52	1

Client Sample ID: PE-PM10082421-12ADOWNWIND

Lab Sample ID: 570-69070-19

Date Collected: 08/24/21 07:08

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	28.9		5.86	5.86	ug/m3			09/20/21 10:52	1

Eurofins Calscience LLC

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

General Chemistry

Client Sample ID: PE-TSP082521-B606UPWIND

Lab Sample ID: 570-69070-20

Date Collected: 08/25/21 07:00

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	55.3		5.76	5.76	ug/m3			09/14/21 20:30	1

Client Sample ID: PE-TSP082521-12ADOWNWIND

Lab Sample ID: 570-69070-21

Date Collected: 08/25/21 07:08

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	40.9		5.73	5.73	ug/m3			09/14/21 20:30	1

Client Sample ID: PE-PM10082521-B606UPWIND

Lab Sample ID: 570-69070-22

Date Collected: 08/25/21 07:00

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	53.3		5.76	5.76	ug/m3			09/20/21 10:52	1

Client Sample ID: PE-PM10082521-12ADOWNWIND

Lab Sample ID: 570-69070-23

Date Collected: 08/25/21 07:08

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	24.6		5.73	5.73	ug/m3			09/20/21 10:52	1

Client Sample ID: PE-TSP082621-B606UPWIND

Lab Sample ID: 570-69070-24

Date Collected: 08/26/21 07:05

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	60.9		5.82	5.82	ug/m3			09/14/21 20:30	1

Client Sample ID: PE-TSP082621-12ADOWNWIND

Lab Sample ID: 570-69070-25

Date Collected: 08/26/21 07:13

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	41.1		5.79	5.79	ug/m3			09/14/21 20:30	1

Client Sample ID: PE-PM10082621-B606UPWIND

Lab Sample ID: 570-69070-26

Date Collected: 08/26/21 07:05

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	38.6		5.82	5.82	ug/m3			09/20/21 10:52	1

Client Sample ID: PE-PM10082621-12ADOWNWIND

Lab Sample ID: 570-69070-27

Date Collected: 08/26/21 07:13

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	29.0		5.79	5.79	ug/m3			09/20/21 10:52	1

Eurofins Calscience LLC

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

General Chemistry

Client Sample ID: PE-TSP082721-B606UPWIND

Lab Sample ID: 570-69070-28

Date Collected: 08/27/21 07:20

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	71.6		6.02	6.02	ug/m3			09/14/21 20:30	1

Client Sample ID: PE-TSP082721-12ADOWNWIND

Lab Sample ID: 570-69070-29

Date Collected: 08/27/21 07:05

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	57.3		5.69	5.69	ug/m3			09/14/21 20:30	1

Client Sample ID: PE-PM10082721-B606UPWIND

Lab Sample ID: 570-69070-30

Date Collected: 08/27/21 07:20

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	57.4		6.02	6.02	ug/m3			09/20/21 10:52	1

Client Sample ID: PE-PM10082721-12ADOWNWIND

Lab Sample ID: 570-69070-31

Date Collected: 08/27/21 07:05

Matrix: Air

Date Received: 09/02/21 10:30

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	46.9		5.69	5.69	ug/m3			09/20/21 10:52	1

QC Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 570-179492/1-A
 Matrix: Air
 Analysis Batch: 179912

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 179492

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/16/21 05:43	09/16/21 16:36	1
Lead	ND		12.0	3.16	ug/Sample		09/16/21 05:43	09/16/21 16:36	1
Manganese	ND		6.00	3.34	ug/Sample		09/16/21 05:43	09/16/21 16:36	1

Lab Sample ID: LCS 570-179492/2-A
 Matrix: Air
 Analysis Batch: 179912

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 179492

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	600	670.9		ug/Sample		112	80 - 120
Lead	600	642.7		ug/Sample		107	80 - 120
Manganese	600	616.0		ug/Sample		103	80 - 120

Lab Sample ID: LCSD 570-179492/3-A
 Matrix: Air
 Analysis Batch: 179912

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 179492

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Arsenic	600	666.2		ug/Sample		111	80 - 120	1	20
Lead	600	642.7		ug/Sample		107	80 - 120	0	20
Manganese	600	609.1		ug/Sample		101	80 - 120	1	20

Lab Sample ID: 570-69083-A-12-C MS
 Matrix: Air
 Analysis Batch: 179912

Client Sample ID: Matrix Spike
 Prep Type: Total/NA
 Prep Batch: 179492

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	ND		600	454.6		ug/Sample		76	75 - 125
Lead	9.55	J F1	600	447.1	F1	ug/Sample		73	75 - 125
Manganese	54.5	F1	600	457.3	F1	ug/Sample		67	75 - 125

Lab Sample ID: 570-69083-A-12-D MSD
 Matrix: Air
 Analysis Batch: 179912

Client Sample ID: Matrix Spike Duplicate
 Prep Type: Total/NA
 Prep Batch: 179492

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Arsenic	ND		600	471.4		ug/Sample		79	75 - 125	4	20
Lead	9.55	J F1	600	450.8	F1	ug/Sample		74	75 - 125	1	20
Manganese	54.5	F1	600	463.9	F1	ug/Sample		68	75 - 125	1	20

Method: 40CFR50 App B - Suspended Particulate Matter in Ambient Air

Lab Sample ID: MB 570-179169/1-A
 Matrix: Air
 Analysis Batch: 179171

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	ND		1.23	1.23	ug/m3			09/14/21 20:30	1

Eurofins Calscience LLC

QC Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

Method: 40CFR50 App B - Suspended Particulate Matter in Ambient Air (Continued)

Lab Sample ID: 570-69070-12 DU
 Matrix: Air
 Analysis Batch: 179171

Client Sample ID: PE-TSP082321-B606UPWIND
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Suspended Particulates	52.1		52.10		ug/m3		0	25

Method: PM10 - Particulate Matter

Lab Sample ID: MB 570-180332/1
 Matrix: Air
 Analysis Batch: 180332

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	ND		1.23	1.23	ug/m3			09/20/21 10:52	1

Lab Sample ID: 570-69070-31 DU
 Matrix: Air
 Analysis Batch: 180332

Client Sample ID: PE-PM10082721-12ADOWNWIND
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Particulate Matter	46.9		46.89		ug/m3		0	25

QC Association Summary

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

Metals

Prep Batch: 179492

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-69070-12	PE-TSP082321-B606UPWIND	Total/NA	Air	3050B	
570-69070-13	PE-TSP082321-12ADOWNWIND	Total/NA	Air	3050B	
570-69070-16	PE-TSP082421-B606UPWIND	Total/NA	Air	3050B	
570-69070-17	PE-TSP0822421-12ADOWNWIND	Total/NA	Air	3050B	
570-69070-20	PE-TSP082521-B606UPWIND	Total/NA	Air	3050B	
570-69070-21	PE-TSP082521-12ADOWNWIND	Total/NA	Air	3050B	
570-69070-24	PE-TSP082621-B606UPWIND	Total/NA	Air	3050B	
570-69070-25	PE-TSP082621-12ADOWNWIND	Total/NA	Air	3050B	
570-69070-28	PE-TSP082721-B606UPWIND	Total/NA	Air	3050B	
570-69070-29	PE-TSP082721-12ADOWNWIND	Total/NA	Air	3050B	
MB 570-179492/1-A	Method Blank	Total/NA	Air	3050B	
LCS 570-179492/2-A	Lab Control Sample	Total/NA	Air	3050B	
LCSD 570-179492/3-A	Lab Control Sample Dup	Total/NA	Air	3050B	
570-69083-A-12-C MS	Matrix Spike	Total/NA	Air	3050B	
570-69083-A-12-D MSD	Matrix Spike Duplicate	Total/NA	Air	3050B	

Analysis Batch: 179912

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-69070-12	PE-TSP082321-B606UPWIND	Total/NA	Air	6010B	179492
570-69070-13	PE-TSP082321-12ADOWNWIND	Total/NA	Air	6010B	179492
570-69070-16	PE-TSP082421-B606UPWIND	Total/NA	Air	6010B	179492
570-69070-17	PE-TSP0822421-12ADOWNWIND	Total/NA	Air	6010B	179492
570-69070-20	PE-TSP082521-B606UPWIND	Total/NA	Air	6010B	179492
570-69070-21	PE-TSP082521-12ADOWNWIND	Total/NA	Air	6010B	179492
570-69070-24	PE-TSP082621-B606UPWIND	Total/NA	Air	6010B	179492
570-69070-25	PE-TSP082621-12ADOWNWIND	Total/NA	Air	6010B	179492
570-69070-28	PE-TSP082721-B606UPWIND	Total/NA	Air	6010B	179492
570-69070-29	PE-TSP082721-12ADOWNWIND	Total/NA	Air	6010B	179492
MB 570-179492/1-A	Method Blank	Total/NA	Air	6010B	179492
LCS 570-179492/2-A	Lab Control Sample	Total/NA	Air	6010B	179492
LCSD 570-179492/3-A	Lab Control Sample Dup	Total/NA	Air	6010B	179492
570-69083-A-12-C MS	Matrix Spike	Total/NA	Air	6010B	179492
570-69083-A-12-D MSD	Matrix Spike Duplicate	Total/NA	Air	6010B	179492

General Chemistry

Pre Prep Batch: 179169

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-69070-12	PE-TSP082321-B606UPWIND	Total/NA	Air	Filter to Air	
570-69070-13	PE-TSP082321-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-69070-16	PE-TSP082421-B606UPWIND	Total/NA	Air	Filter to Air	
570-69070-17	PE-TSP0822421-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-69070-20	PE-TSP082521-B606UPWIND	Total/NA	Air	Filter to Air	
570-69070-21	PE-TSP082521-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-69070-24	PE-TSP082621-B606UPWIND	Total/NA	Air	Filter to Air	
570-69070-25	PE-TSP082621-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-69070-28	PE-TSP082721-B606UPWIND	Total/NA	Air	Filter to Air	
570-69070-29	PE-TSP082721-12ADOWNWIND	Total/NA	Air	Filter to Air	
MB 570-179169/1-A	Method Blank	Total/NA	Air	Filter to Air	
570-69070-12 DU	PE-TSP082321-B606UPWIND	Total/NA	Air	Filter to Air	

Eurofins Calscience LLC

QC Association Summary

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

General Chemistry

Analysis Batch: 179171

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-69070-12	PE-TSP082321-B606UPWIND	Total/NA	Air	40CFR50 App B	179169
570-69070-13	PE-TSP082321-12ADOWNWIND	Total/NA	Air	40CFR50 App B	179169
570-69070-16	PE-TSP082421-B606UPWIND	Total/NA	Air	40CFR50 App B	179169
570-69070-17	PE-TSP0822421-12ADOWNWIND	Total/NA	Air	40CFR50 App B	179169
570-69070-20	PE-TSP082521-B606UPWIND	Total/NA	Air	40CFR50 App B	179169
570-69070-21	PE-TSP082521-12ADOWNWIND	Total/NA	Air	40CFR50 App B	179169
570-69070-24	PE-TSP082621-B606UPWIND	Total/NA	Air	40CFR50 App B	179169
570-69070-25	PE-TSP082621-12ADOWNWIND	Total/NA	Air	40CFR50 App B	179169
570-69070-28	PE-TSP082721-B606UPWIND	Total/NA	Air	40CFR50 App B	179169
570-69070-29	PE-TSP082721-12ADOWNWIND	Total/NA	Air	40CFR50 App B	179169
MB 570-179169/1-A	Method Blank	Total/NA	Air	40CFR50 App B	179169
570-69070-12 DU	PE-TSP082321-B606UPWIND	Total/NA	Air	40CFR50 App B	179169

Analysis Batch: 180332

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-69070-14	PE-PM10082321-B606UPWIND	Total/NA	Air	PM10	
570-69070-15	PE-PM10082321-12ADOWNWIND	Total/NA	Air	PM10	
570-69070-18	PE-PM10082421-B606UPWIND	Total/NA	Air	PM10	
570-69070-19	PE-PM10082421-12ADOWNWIND	Total/NA	Air	PM10	
570-69070-22	PE-PM10082521-B606UPWIND	Total/NA	Air	PM10	
570-69070-23	PE-PM10082521-12ADOWNWIND	Total/NA	Air	PM10	
570-69070-26	PE-PM10082621-B606UPWIND	Total/NA	Air	PM10	
570-69070-27	PE-PM10082621-12ADOWNWIND	Total/NA	Air	PM10	
570-69070-30	PE-PM10082721-B606UPWIND	Total/NA	Air	PM10	
570-69070-31	PE-PM10082721-12ADOWNWIND	Total/NA	Air	PM10	
MB 570-180332/1	Method Blank	Total/NA	Air	PM10	
570-69070-31 DU	PE-PM10082721-12ADOWNWIND	Total/NA	Air	PM10	

Lab Chronicle

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

Client Sample ID: PE-TSP082321-B606UPWIND

Lab Sample ID: 570-69070-12

Date Collected: 08/23/21 07:28

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	179492	09/16/21 05:43	WL8G	ECL 1
Total/NA	Analysis	6010B		1			179912	09/16/21 17:17	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					179169	09/14/21 20:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			179171	09/14/21 20:30	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP082321-12ADOWNWIND

Lab Sample ID: 570-69070-13

Date Collected: 08/23/21 07:14

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	179492	09/16/21 05:43	WL8G	ECL 1
Total/NA	Analysis	6010B		1			179912	09/16/21 17:19	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					179169	09/14/21 20:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			179171	09/14/21 20:30	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10082321-B606UPWIND

Lab Sample ID: 570-69070-14

Date Collected: 08/23/21 07:28

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.4435 g	4.4556 g	180332	09/20/21 10:52	UVHU	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10082321-12ADOWNWIND

Lab Sample ID: 570-69070-15

Date Collected: 08/23/21 07:14

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.4716 g	4.4821 g	180332	09/20/21 10:52	UVHU	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP082421-B606UPWIND

Lab Sample ID: 570-69070-16

Date Collected: 08/24/21 07:25

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	179492	09/16/21 05:43	WL8G	ECL 1
Total/NA	Analysis	6010B		1			179912	09/16/21 17:21	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					179169	09/14/21 20:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			179171	09/14/21 20:30	UAPD	ECL 1
Instrument ID: NOEQUIP										

Eurofins Calscience LLC

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

Client Sample ID: PE-TSP0822421-12ADOWNWIND

Lab Sample ID: 570-69070-17

Date Collected: 08/24/21 07:08

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	179492	09/16/21 05:43	WL8G	ECL 1
Total/NA	Analysis	6010B		1			179912	09/16/21 17:23	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					179169	09/14/21 20:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			179171	09/14/21 20:30	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10082421-B606UPWIND

Lab Sample ID: 570-69070-18

Date Collected: 08/24/21 07:25

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.4505 g	4.4651 g	180332	09/20/21 10:52	UVHU	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10082421-12ADOWNWIND

Lab Sample ID: 570-69070-19

Date Collected: 08/24/21 07:08

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.472 g	4.4720 g	180332	09/20/21 10:52	UVHU	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP082521-B606UPWIND

Lab Sample ID: 570-69070-20

Date Collected: 08/25/21 07:00

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	179492	09/16/21 05:43	WL8G	ECL 1
Total/NA	Analysis	6010B		1			179912	09/16/21 17:25	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					179169	09/14/21 20:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			179171	09/14/21 20:30	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP082521-12ADOWNWIND

Lab Sample ID: 570-69070-21

Date Collected: 08/25/21 07:08

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	179492	09/16/21 05:43	WL8G	ECL 1
Total/NA	Analysis	6010B		1			179912	09/16/21 17:34	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					179169	09/14/21 20:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			179171	09/14/21 20:30	UAPD	ECL 1
Instrument ID: NOEQUIP										

Eurofins Calscience LLC

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

Client Sample ID: PE-PM10082521-B606UPWIND

Lab Sample ID: 570-69070-22

Date Collected: 08/25/21 07:00

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3259 g	4.3537 g	180332	09/20/21 10:52	UVHU	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10082521-12ADOWNWIND

Lab Sample ID: 570-69070-23

Date Collected: 08/25/21 07:08

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3286 g	4.3415 g	180332	09/20/21 10:52	UVHU	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP082621-B606UPWIND

Lab Sample ID: 570-69070-24

Date Collected: 08/26/21 07:05

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	179492	09/16/21 05:43	WL8G	ECL 1
Total/NA	Analysis	6010B		1			179912	09/16/21 17:37	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					179169	09/14/21 20:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			179171	09/14/21 20:30	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP082621-12ADOWNWIND

Lab Sample ID: 570-69070-25

Date Collected: 08/26/21 07:13

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	179492	09/16/21 05:43	WL8G	ECL 1
Total/NA	Analysis	6010B		1			179912	09/16/21 17:39	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					179169	09/14/21 20:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			179171	09/14/21 20:30	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10082621-B606UPWIND

Lab Sample ID: 570-69070-26

Date Collected: 08/26/21 07:05

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3780 g	4.3979 g	180332	09/20/21 10:52	UVHU	ECL 1
Instrument ID: BAL62										

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

Client Sample ID: PE-PM10082621-12ADOWNWIND

Lab Sample ID: 570-69070-27

Date Collected: 08/26/21 07:13

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3861 g	4.4011 g	180332	09/20/21 10:52	UVHU	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP082721-B606UPWIND

Lab Sample ID: 570-69070-28

Date Collected: 08/27/21 07:20

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	179492	09/16/21 05:43	WL8G	ECL 1
Total/NA	Analysis	6010B		1			179912	09/16/21 17:41	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					179169	09/14/21 20:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			179171	09/14/21 20:30	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP082721-12ADOWNWIND

Lab Sample ID: 570-69070-29

Date Collected: 08/27/21 07:05

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	179492	09/16/21 05:43	WL8G	ECL 1
Total/NA	Analysis	6010B		1			179912	09/16/21 17:43	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					179169	09/14/21 20:00	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			179171	09/14/21 20:30	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10082721-B606UPWIND

Lab Sample ID: 570-69070-30

Date Collected: 08/27/21 07:20

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3432 g	4.3718 g	180332	09/20/21 10:52	UVHU	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10082721-12ADOWNWIND

Lab Sample ID: 570-69070-31

Date Collected: 08/27/21 07:05

Matrix: Air

Date Received: 09/02/21 10:30

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3504 g	4.3751 g	180332	09/20/21 10:52	UVHU	ECL 1
Instrument ID: BAL62										

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494
 EMSL = EMSL - LA Testing - Huntington Beach, 5431 Industrial Drive, Huntington Beach, CA 92649

Accreditation/Certification Summary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

Laboratory: Eurofins Calscience LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	CA300001	01-30-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
40CFR50 App B		Air	Total Suspended Particulates
6010B	3050B	Air	Arsenic
6010B	3050B	Air	Lead
6010B	3050B	Air	Manganese

Method Summary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

Method	Method Description	Protocol	Laboratory
6010B	Metals (ICP)	SW846	ECL 1
40CFR50 App B	Suspended Particulate Matter in Ambient Air	EPA	ECL 1
PM10	Particulate Matter	40CFR50J	ECL 1
NIOSH 7400 Rev	NIOSH 7400 Rev. 3	NIOSH	EMSL
3050B	Preparation, Metals	SW846	ECL 1
Filter to Air	Filter to Air volume ratio	None	ECL 1

Protocol References:

40CFR50J = 40 CFR Part 50 Appendix J

EPA = US Environmental Protection Agency

NIOSH = NIOSH Manual Of Analytical Methods, National Institute For Occupational Safety And Health, 4th Edition, August 1994 and it's Supplements

None = None

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

EMSL = EMSL - LA Testing - Huntington Beach, 5431 Industrial Drive, Huntington Beach, CA 92649

Sample Summary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69070-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
570-69070-1	PE-ASB082321-B606UPWIND	Air	08/23/21 07:28	09/02/21 10:30
570-69070-2	PE-ASB082321-12ADOWNWIND	Air	08/23/21 07:14	09/02/21 10:30
570-69070-3	PE-ASB082421-B606UPWIND	Air	08/24/21 07:25	09/02/21 10:30
570-69070-4	PE-ASB082421-12ADOWNWIND	Air	08/24/21 07:08	09/02/21 10:30
570-69070-5	PE-ASB082521-B606UPWIND	Air	08/25/21 07:00	09/02/21 10:30
570-69070-6	PE-ASB082521-12ADOWNWIND	Air	08/25/21 07:08	09/02/21 10:30
570-69070-7	PE-ASB082621-B606UPWIND	Air	08/26/21 07:05	09/02/21 10:30
570-69070-8	PE-ASB082621-12ADOWNWIND	Air	08/26/21 07:13	09/02/21 10:30
570-69070-9	PE-ASB082721-B606UPWIND	Air	08/27/21 07:20	09/02/21 10:30
570-69070-10	PE-ASB082721-12ADOWNWIND	Air	08/27/21 07:05	09/02/21 10:30
570-69070-11	PE-ASB082721-BLANK	Air	08/27/21 07:00	09/02/21 10:30
570-69070-12	PE-TSP082321-B606UPWIND	Air	08/23/21 07:28	09/02/21 10:30
570-69070-13	PE-TSP082321-12ADOWNWIND	Air	08/23/21 07:14	09/02/21 10:30
570-69070-14	PE-PM10082321-B606UPWIND	Air	08/23/21 07:28	09/02/21 10:30
570-69070-15	PE-PM10082321-12ADOWNWIND	Air	08/23/21 07:14	09/02/21 10:30
570-69070-16	PE-TSP082421-B606UPWIND	Air	08/24/21 07:25	09/02/21 10:30
570-69070-17	PE-TSP082421-12ADOWNWIND	Air	08/24/21 07:08	09/02/21 10:30
570-69070-18	PE-PM10082421-B606UPWIND	Air	08/24/21 07:25	09/02/21 10:30
570-69070-19	PE-PM10082421-12ADOWNWIND	Air	08/24/21 07:08	09/02/21 10:30
570-69070-20	PE-TSP082521-B606UPWIND	Air	08/25/21 07:00	09/02/21 10:30
570-69070-21	PE-TSP082521-12ADOWNWIND	Air	08/25/21 07:08	09/02/21 10:30
570-69070-22	PE-PM10082521-B606UPWIND	Air	08/25/21 07:00	09/02/21 10:30
570-69070-23	PE-PM10082521-12ADOWNWIND	Air	08/25/21 07:08	09/02/21 10:30
570-69070-24	PE-TSP082621-B606UPWIND	Air	08/26/21 07:05	09/02/21 10:30
570-69070-25	PE-TSP082621-12ADOWNWIND	Air	08/26/21 07:13	09/02/21 10:30
570-69070-26	PE-PM10082621-B606UPWIND	Air	08/26/21 07:05	09/02/21 10:30
570-69070-27	PE-PM10082621-12ADOWNWIND	Air	08/26/21 07:13	09/02/21 10:30
570-69070-28	PE-TSP082721-B606UPWIND	Air	08/27/21 07:20	09/02/21 10:30
570-69070-29	PE-TSP082721-12ADOWNWIND	Air	08/27/21 07:05	09/02/21 10:30
570-69070-30	PE-PM10082721-B606UPWIND	Air	08/27/21 07:20	09/02/21 10:30
570-69070-31	PE-PM10082721-12ADOWNWIND	Air	08/27/21 07:05	09/02/21 10:30





LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / gardengrovelab@latestesting.com

LA Testing Order: 332120669

Customer ID: 32CALS51

Customer PO: 57003235

Project ID:

Attention: Terri Chang
Eurofins Calscience, Inc.
7440 Lincoln Way
Garden Grove, CA 92841

Phone: (714) 895-5494
Fax: (714) 894-7501
Received Date: 09/07/2021 01:30 PM
Analysis Date: 09/11/2021
Collected Date: 08/23/2021 - 08/27/2021

Project: HPNS - Parcel E / 500712

Test Report: Fiber Count by Phase Contrast Microscopy (PCM), NIOSH 7400 Method - A Rules, Revision 3, Issue 3, 6/15/2019

Sample	Location	Sample Date	Volume (L)	Fibers	Fields	LOD (fib/cc)	Fibers/mm ²	Fibers/cc	Notes
PE-ASB082321-B606UPW IND (570-69070-1) 332120669-0001		08/23/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB082321-12ADOW NWIND (570-69070-2) 332120669-0002		08/23/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB082421-B606UPW IND (570-69070-3) 332120669-0003		08/24/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB082421-12ADOW NWIND (570-69070-4) 332120669-0004		08/24/2021	1200	14.5	100	0.0022	18.5	0.0059	
PE-ASB082521-B606UPW IND (570-69070-5) 332120669-0005		08/25/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	Sample pulled for 10% recount.
PE-ASB082521-12ADOW NWIND (570-69070-6) 332120669-0006		08/25/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB082621-B606UPW IND (570-69070-7) 332120669-0007		08/26/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB082621-12ADOW NWIND (570-69070-8) 332120669-0008		08/26/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB082721-B606UPW IND (570-69070-9) 332120669-0009		08/27/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB082721-12ADOW NWIND (570-69070-10) 332120669-0010		08/27/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB082721-BLANK (570-69070-11) 332120669-0011		08/27/2021		<5.5	100		<7.01		Field Blank
PE-ASB082521-B606UPW IND (570-69070-5) 332120669-0012		08/25/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	10% Recount; Individual-CV=0.26

The results reported have been blank corrected as applicable.

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. Limit of detection is 7 fibers/mm². Fiber counts outside the recommended fiber density range of the method (100-1300 f/mm²) have greater than optimal variability and are probably biased. Field blank results, when available, are used to blank correct results. NIOSH 7400 requires field blanks be submitted at a rate of 10%, with a minimum of 2 per set. Measurement of uncertainty available upon request. The results in this report meet all requirements of the NELAC standards unless otherwise noted.

Intra-laboratory Sr values: 5-20 fibers = 0.35, 21-50 fibers = 0.24, 51-100 fibers = 0.19. Inter-laboratory Sr values (Average of EMSL round robin data) = 0.34. Samples analyzed by LA Testing Huntington Beach, CA AIHA-LAP, LLC--IHLAP Accredited #101650

Report Amended: 09/15/2021 08:06 AM Replaces initial report from: 09/11/2021 03:27 PM Reason Code Data Entry-Change to Sample ID



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / gardengrovelab@lateesting.com

LA Testing Order: 332120669

Customer ID: 32CALS51

Customer PO: 57003235

Project ID:

Attention: Terri Chang
Eurofins Calscience, Inc.
7440 Lincoln Way
Garden Grove, CA 92841

Phone: (714) 895-5494
Fax: (714) 894-7501
Received Date: 09/07/2021 01:30 PM
Analysis Date: 09/11/2021
Collected Date: 08/23/2021 - 08/27/2021

Project: HPNS - Parcel E / 500712

Test Report: Fiber Count by Phase Contrast Microscopy (PCM), NIOSH 7400 Method - A Rules, Revision 3, Issue 3, 6/15/2019

Sample	Location	Sample Date	Volume (L)	Fibers	Fields	LOD (fib/cc)	Fibers/mm ²	Fibers/cc	Notes
--------	----------	-------------	------------	--------	--------	--------------	------------------------	-----------	-------

Analyst(s):
Dennies Ly PCM 12

Michael Chapman, Laboratory Manager
or other Approved Signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. Limit of detection is 7 fibers/mm². Fiber counts outside the recommended fiber density range of the method (100-1300 f/mm²) have greater than optimal variability and are probably biased. Field blank results, when available, are used to blank correct results. NIOSH 7400 requires field blanks be submitted at a rate of 10%, with a minimum of 2 per set. Measurement of uncertainty available upon request. The results in this report meet all requirements of the NELAC standards unless otherwise noted.
Intra-laboratory Sr values: 5-20 fibers = 0.35, 21-50 fibers = 0.24, 51-100 fibers = 0.19. Inter-laboratory Sr values (Average of EMSL round robin data) = 0.34.
Samples analyzed by LA Testing Huntington Beach, CA AIHA-LAP, LLC--IHLAP Accredited #101650

Report Amended: 09/15/2021 08:06 AM Replaces initial report from: 09/11/2021 03:27 PM Reason Code Data Entry-Change to Sample ID

AIR MONITORING LOG

PROJECT NAME: HPNS Parcel E PROJ. NO. 500712 Asbestos TSP PM-10

STATION **COC# 075**

SAMPLE NO. PE-ASB082321-B606UPWIND 8/23/2021 <i>Building 606 Upwind</i>									
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170186	2.000	2.000	2.000	8/23/21 07:28	8/23/21 17:28	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB082321-12ADOWNWIND 8/23/2021 <i>12A Downwind</i>									
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170271	2.000	2.000	2.000	8/23/21 07:14	8/23/21 17:14	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB082421-B606UPWIND 8/24/2021 <i>Building 606 Upwind</i>									
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170279	2.000	2.000	2.000	8/24/21 07:25	8/24/21 17:25	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB082421-12ADOWNWIND 8/24/2021 <i>12A Downwind</i>									
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170284	2.000	2.000	2.000	8/24/21 07:08	8/24/21 17:08	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB082521-B606UPWIND 8/25/2021 <i>Building 606 Upwind</i>									
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170187	2.000	2.000	2.000	8/25/21 07:00	8/25/21 17:00	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB082521-12ADOWNWIND 8/25/2021 <i>12A Downwind</i>									
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170260	2.000	2.000	2.000	8/25/21 07:08	8/25/21 17:08	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB082621-B606UPWIND 8/26/2021 <i>Building 606 Upwind</i>									
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170261	2.000	2.000	2.000	8/26/21 07:05	8/26/21 17:05	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB082621-12ADOWNWIND 8/26/2021 <i>12A Downwind</i>									
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170264	2.000	2.000	2.0	8/26/21 07:13	8/26/21 17:13	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB082721-B606UPWIND 8/27/2021 <i>Building 606 Upwind</i>									
---	--	--	--	--	--	--	--	--	--

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170191	2.000	2.000	2.0	8/27/21 07:20	8/27/21 17:20	600	1.2	Asbestos	2.00

SAMPLE NO. **PE-ASB082721-12ADOWNWIND** 8/27/2021 12A Downwind

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170259	2.000	2.000	2.0	8/27/21 07:05	8/27/21 17:05	600	1.2	Asbestos	2.00



CHAIN OF CUSTODY

REVISED JM 9/30/2021

APTIM Federal Services, LLC
 4005 Port Chicago Hwy
 Concord, CA 94520

Send Report To: *Jose Maldonado*
 Phone/Fax Number: 415-340-9637
 Address: 4005 Port Chicago Hwy
 City: Concord, CA 94520
Jose.Maldonado@aptim.com

Project Number: 500712
 Project Name: HPNS - Parcel E
 Project Location: San Francisco, CA
 Lab Destination: Calscience
 7440 Lincoln Way
 Garden Grove CA 92841
 Lab Contact: Terri Chang

Collection Information					Container Type		Analyses Requested														
Sample ID Number	Lot No.	Date	Time	Method	Matrix	# of containers		PCB (EPA 8082 / TO-04)	PAH (EPA 8270-SIM / TO-13)	Asbestos (NIOSH 7400)	PM10 (40 CFR, Subpt J; BAAQMD Reg 6)	TSP, Mn, Pb, As (40 CFR 50 App B; NIOSH)	Flow Rate (L/min.)	Sample Volume (m ³)							
PE-TSP082321-B606UPWIND	Q0410085	08/23/21	7:28	G	A	1	8X10 EPM Whatman					X	1132.8	4104.5	477.1	489.4					
PE-TSP082321-12ADOWNWIND	Q0410084	08/23/21	7:14	G	A	1	8X10 EPM Whatman					X	1132.8	516.6							
PE-PM10082321-B606UPWIND	Q0410083	08/23/21	7:28	G	A	1	8X10 EPM Whatman				X		1132.8	489.4							
PE-PM10082321-12ADOWNWIND	Q0410082	08/23/21	7:14	G	A	1	8X10 EPM Whatman				X		1132.8	516.6							
PE-TSP082421-B606UPWIND	Q0410097	08/24/21	7:25	G	A	1	8X10 EPM Whatman					X	1132.8	481.4							
PE-TSP082421-12ADOWNWIND	Q0410096	08/24/21	7:08	G	A	1	8X10 EPM Whatman					X	1132.8	512.0							
PE-PM10082421-B606UPWIND	Q0410095	08/24/21	7:25	G	A	1	8X10 EPM Whatman				X		1132.8	481.4							
PE-PM10082421-12ADOWNWIND	Q0410094	08/24/21	7:08	G	A	1	8X10 EPM Whatman				X		1132.8	512.0							
PE-TSP082521-B606UPWIND	Q0409394	08/25/21	7:00	G	A	1	8X10 EPM Whatman					X	1132.8	521.1							
PE-TSP082521-12ADOWNWIND	Q0409393	08/25/21	7:08	G	A	1	8X10 EPM Whatman					X	1132.8	523.4							
PE-PM10082521-B606UPWIND	Q0409392	08/25/21	7:00	G	A	1	8X10 EPM Whatman				X		1132.8	521.1							
PE-PM10082521-12ADOWNWIND	Q0409391	08/25/21	7:08	G	A	1	8X10 EPM Whatman				X		1132.8	523.4							
PE-TSP082621-B606UPWIND	Q0409390	08/26/21	7:05	G	A	1	8X10 EPM Whatman					X	1132.8	4104.5	502.5	515.4					
PE-TSP082621-12ADOWNWIND	Q0409389	08/26/21	7:13	G	A	1	8X10 EPM Whatman					X	1132.8	517.7							
PE-PM10082621-B606UPWIND	Q0409388	08/26/21	7:05	G	A	1	8X10 EPM Whatman				X		1132.8	515.4							
PE-PM10082621-12ADOWNWIND	Q0409387	08/26/21	7:13	G	A	1	8X10 EPM Whatman				X		1132.8	517.7							
PE-TSP082721-B606UPWIND	Q0409382	08/27/21	7:20	G	A	1	8X10 EPM Whatman					X	1132.8	4104.5	486.0	498.4					
PE-TSP082721-12ADOWNWIND	Q0409381	08/27/21	7:05	G	A	1	8X10 EPM Whatman					X	1132.8	526.8							
PE-PM10082721-B606UPWIND	Q0409380	08/27/21	7:20	G	A	1	8X10 EPM Whatman				X		1132.8	498.4							
PE-PM10082721-12ADOWNWIND	Q0409379	08/27/21	7:05	G	A	1	8X10 EPM Whatman				X		1132.8	526.8							

PROJECT NAME: HPNS Parcel E PROJ. NO. 500712 Asbestos TSP PM-10

STATION **REVISED JM**
9/30/2021

COC# 075

SAMPLE NO.		PE-TSP082321-B606UPWIND			8/23/2021 Building 606 Upwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410085	39.0	39.0	39.0	8/23/21 07:28	8/23/21 14:40	432	477.4	TSP	1104.48
	40	40	40				489.4		1132.80

SAMPLE NO.		PE-TSP082321-12ADOWNWIND			8/23/2021 12A Downwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410084	40.0	40.0	40.0	8/23/21 07:14	8/23/21 14:50	456	516.6	TSP	1132.80

SAMPLE NO.		PE-PM10082321-B606UPWIND			8/23/2021 Building 606 Upwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410083	40.0	40.0	40.0	8/23/21 07:28	8/23/21 14:40	432	489.4	PM-10	1132.80

SAMPLE NO.		PE-PM10082321-12ADOWNWIND			8/23/2021 12A Downwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410082	40.0	40.0	40.0	8/23/21 07:14	8/23/21 14:50	456	516.6	PM-10	1132.80

SAMPLE NO.		PE-TSP082421-B606UPWIND			8/24/2021 Building 606 Upwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410097	40.0	40.0	40.0	8/24/21 07:25	8/24/21 14:30	425	481.4	TSP	1132.80

SAMPLE NO.		PE-TSP082421-12ADOWNWIND			8/24/2021 12A Downwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410096	40.0	40.0	40.0	8/24/21 07:08	8/24/21 14:40	452	512.0	TSP	1132.80

SAMPLE NO.		PE-PM10082421-B606UPWIND			8/24/2021 Building 606 Upwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410095	40.0	40.0	40.0	8/24/21 07:25	8/24/21 14:30	425	481.4	PM-10	1132.80

SAMPLE NO.		PE-PM10082421-12ADOWNWIND			8/24/2021 12A Downwind				
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410094	40.0	40.0	40.0	8/24/21 07:08	8/24/21 14:40	452	512.0	PM-10	1132.80

SAMPLE NO.		PE-TSP082521-B606UPWIND			8/25/2021 Building 606 Upwind					
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)	
	START	STOP	AVERAGE	START	STOP					
Q0409394	40.0	40.0	40.0	8/25/21 07:00	8/25/21 14:40	460	521.1	TSP	1132.80	

SAMPLE NO.		PE-TSP082521-12ADOWNWIND			8/25/2021 12A Downwind					
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)	
	START	STOP	AVERAGE	START	STOP					
Q0409393	40.0	40.0	40.0	8/25/21 07:08	8/25/21 14:50	462	523.4	TSP	1132.80	

SAMPLE NO.		PE-PM10082521-B606UPWIND			8/25/2021 Building 606 Upwind					
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)	
	START	STOP	AVERAGE	START	STOP					
Q0409392	40.0	40.0	40.0	8/25/21 07:00	8/25/21 14:40	460	521.1	PM-10	1132.80	

SAMPLE NO.		PE-PM10082521-12ADOWNWIND			8/25/2021 12A Downwind					
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)	
	START	STOP	AVERAGE	START	STOP					
Q0409391	40.0	40.0	40.0	8/25/21 07:08	8/25/21 14:50	462	523.4	PM-10	1132.80	

SAMPLE NO.		PE-TSP082621-B606UPWIND			8/26/2021 Building 606 Upwind					
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)	
	START	STOP	AVERAGE	START	STOP					
Q0409390	39.0	39.0	39.0	8/26/21 07:05	8/26/21 14:40	455	502.5	TSP	1104.48	
	40	40	40				515.4		1132.80	

SAMPLE NO.		PE-TSP082621-12ADOWNWIND			8/26/2021 12A Downwind					
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)	
	START	STOP	AVERAGE	START	STOP					
Q0409389	40.0	40.0	40.0	8/26/21 07:13	8/26/21 14:50	457	517.7	TSP	1132.80	

SAMPLE NO.		PE-PM10082621-B606UPWIND			8/26/2021 Building 606 Upwind					
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)	
	START	STOP	AVERAGE	START	STOP					
Q0409388	40.0	40.0	40.0	8/26/21 07:05	8/26/21 14:40	455	515.4	PM-10	1132.80	

SAMPLE NO.		PE-PM10082621-12ADOWNWIND			8/26/2021 12A Downwind					
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)	
	START	STOP	AVERAGE	START	STOP					
Q0409387	40.0	40.0	40.0	8/26/21 07:13	8/26/21 14:50	457	517.7	PM-10	1132.80	

SAMPLE NO.		PE-TSP082721-B606UPWIND			8/27/2021 Building 606 Upwind					
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)	
	START	STOP	AVERAGE	START	STOP					

Q0409382	39.0	39.0	39.0	8/27/21 07:20	8/27/21 14:40	440	486.0	TSP	1104.48
	40	40	40				498.4		1132.80

SAMPLE NO. **PE-TSP082721-12ADOWNWIND** 8/27/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409381	40.0	40.0	40.0	8/27/21 07:05	8/27/21 14:50	465	526.8	TSP	1132.80


SAMPLE NO. **PE-PM10082721-B606UPWIND** 8/27/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409380	40.0	40.0	40.0	8/27/21 07:20	8/27/21 14:40	440	498.4	PM-10	1132.80

SAMPLE NO. **PE-PM10082721-12ADOWNWIND** 8/27/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409379	40.0	40.0	40.0	8/27/21 07:05	8/27/21 14:50	465	526.8	PM-10	1132.80

69070



APTIM Federal Services, LLC
4005 Port Chicago Hwy
Concord, CA 94520

CHAIN OF CUSTODY

Ref. Document # 2 of 2 Page 2 of 2
CTO 0024 - AIR 075

Project Number: 500712
Project Name: HPNS - Parcel E
Project Location: San Francisco, CA
Lab Destination: Calscience
7440 Lincoln Way
Garden Grove CA 92841
Lab Contact: Terr Chang

Send Report To: Jose Maldonado
Phone/Fax Number: 415-340-9637
Address: 4005 Port Chicago Hwy
City: Concord, CA 94520
Jose Maldonado@aptim.com

Sampler's Name(s): JM

Sample ID Number	Lot No.	Date	Collection Information		Matrix	# of containers	Container Type	Analyses Requested					
			Time	Method				PCB (EPA 8082 / TO-04)	PAH (EPA 8270-SIM / TO-13)	Asbestos (NIOSH 7400)	PM10 (40 CFR, Subpt J, BAAQMD Reg 6)	TSP, Mn, Pb, As (40 CFR 50 App B; NIOSH)	Flow Rate (L/min.)
12 PE-TSP082321-B606UPWIND	Q0410085	08/23/21	7:28	G	A	1	8X10 EPM Whatman			X		1104.5	477.1
13 PE-TSP082321-12ADOWNWIND	Q0410084	08/23/21	7:14	G	A	1	8X10 EPM Whatman			X		1132.8	516.6
14 PE-PM10082321-B606UPWIND	Q0410083	08/23/21	7:28	G	A	1	8X10 EPM Whatman		X			1132.8	489.4
15 PE-PM10082321-12ADOWNWIND	Q0410082	08/23/21	7:14	G	A	1	8X10 EPM Whatman		X			1132.8	516.6
16 PE-TSP082421-B606UPWIND	Q0410097	08/24/21	7:25	G	A	1	8X10 EPM Whatman			X		1132.8	481.4
17 PE-TSP082421-12ADOWNWIND	Q0410096	08/24/21	7:08	G	A	1	8X10 EPM Whatman			X		1132.8	512.0
18 PE-PM10082421-B606UPWIND	Q0410095	08/24/21	7:25	G	A	1	8X10 EPM Whatman		X			1132.8	481.4
19 PE-PM10082421-12ADOWNWIND	Q0410094	08/24/21	7:08	G	A	1	8X10 EPM Whatman		X			1132.8	512.0
20 PE-TSP082521-B606UPWIND	Q0409394	08/25/21	7:00	G	A	1	8X10 EPM Whatman			X		1132.8	521.1
21 PE-TSP082521-12ADOWNWIND	Q0409393	08/25/21	7:08	G	A	1	8X10 EPM Whatman			X		1132.8	523.4
22 PE-PM10082521-B606UPWIND	Q0409392	08/25/21	7:00	G	A	1	8X10 EPM Whatman		X			1132.8	521.1
23 PE-PM10082521-12ADOWNWIND	Q0409391	08/25/21	7:08	G	A	1	8X10 EPM Whatman			X		1132.8	523.4
24 PE-TSP082621-B606UPWIND	Q0409390	08/26/21	7:05	G	A	1	8X10 EPM Whatman			X		1104.5	502.5
25 PE-TSP082621-12ADOWNWIND	Q0409389	08/26/21	7:13	G	A	1	8X10 EPM Whatman			X		1132.8	517.7
26 PE-PM10082621-B606UPWIND	Q0409388	08/26/21	7:05	G	A	1	8X10 EPM Whatman			X		1132.8	515.4
27 PE-PM10082621-12ADOWNWIND	Q0409387	08/26/21	7:13	G	A	1	8X10 EPM Whatman		X			1132.8	517.7
28 PE-TSP082721-B606UPWIND	Q0409382	08/27/21	7:20	G	A	1	8X10 EPM Whatman			X		1104.5	486.0
29 PE-TSP082721-12ADOWNWIND	Q0409381	08/27/21	7:05	G	A	1	8X10 EPM Whatman			X		1132.8	526.8
30 PE-PM10082721-B606UPWIND	Q0409380	08/27/21	7:20	G	A	1	8X10 EPM Whatman		X			1132.8	498.4
31 PE-PM10082721-12ADOWNWIND	Q0409379	08/27/21	7:05	G	A	1	8X10 EPM Whatman		X			1132.8	526.8



69070

AIR MONITORING LOG

PROJECT NAME: HPNS Parcel E PROJ. NO. 500712 *Asbestos* TSP PM-10

STATION COC# 075

SAMPLE NO. PE-ASB082321-B606UPWIND 8/23/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170186	2 000	2 000	2.000	8/23/21 07.28	8/23/21 17 28	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB082321-12ADOWNWIND 8/23/2021 *12A Downwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170271	2 000	2 000	2.000	8/23/21 07 14	8/23/21 17 14	600	1.20	Asbestos	2 00

SAMPLE NO. PE-ASB082421-B606UPWIND 8/24/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170279	2 000	2 000	2.000	8/24/21 07 25	8/24/21 17:25	600	1.20	Asbestos	2 00

SAMPLE NO. PE-ASB082421-12ADOWNWIND 8/24/2021 *12A Downwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170284	2.000	2 000	2.000	8/24/21 07 08	8/24/21 17:08	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB082521-B606UPWIND 8/25/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170187	2.000	2.000	2.000	8/25/21 07.00	8/25/21 17 00	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB082521-12ADOWNWIND 8/25/2021 *12A Downwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170260	2 000	2 000	2.000	8/25/21 07:08	8/25/21 17.08	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB082621-B606UPWIND 8/26/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170261	2.000	2.000	2.000	8/26/21 07:05	8/26/21 17.05	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB082621-12ADOWNWIND 8/26/2021 *12A Downwind*

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170264	2 000	2 000	2.0	8/26/21 07:13	8/26/21 17.13	600	1.20	Asbestos	2.00

1
2
3
4
5
6
7
8
9
10
11
12
13
14

69070

SAMPLE NO.		PE-ASB082721-B606UPWIND			8/27/2021 Building 606 Upwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170191	2 000	2 000	2.0	8/27/21 07:20	8/27/21 17:20	600	1.2	Asbestos	2.00

SAMPLE NO.		PE-ASB082721-12ADOWNWIND			8/27/2021 12A Downwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170259	2 000	2 000	2.0	8/27/21 07 05	8/27/21 17.05	600	1.2	Asbestos	2.00

SAMPLE NO.		PE-ASB082721-BLANK			8/27/2021 Building 606 Upwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170244				8/27/21 07.00			0.0	Asbestos	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

69070

PROJECT NAME: HPNS Parcel E PROJ. NO. 500712 Asbestos TSP PM-10

STATION COC# 075

SAMPLE NO. **PE-TSP082321-B606UPWIND** 8/23/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410085	39.0	39.0	39.0	8/23/21 07:28	8/23/21 14:40	432	477.1	TSP	1104.48

SAMPLE NO. **PE-TSP082321-12ADOWNWIND** 8/23/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410084	40.0	40.0	40.0	8/23/21 07:14	8/23/21 14:50	456	516.6	TSP	1132.80

SAMPLE NO. **PE-PM10082321-B606UPWIND** 8/23/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410083	40.0	40.0	40.0	8/23/21 07:28	8/23/21 14:40	432	489.4	PM-10	1132.80

SAMPLE NO. **PE-PM10082321-12ADOWNWIND** 8/23/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410082	40.0	40.0	40.0	8/23/21 07:14	8/23/21 14:50	456	516.6	PM-10	1132.80

SAMPLE NO. **PE-TSP082421-B606UPWIND** 8/24/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410097	40.0	40.0	40.0	8/24/21 07:25	8/24/21 14:30	425	481.4	TSP	1132.80

SAMPLE NO. **PE-TSP082421-12ADOWNWIND** 8/24/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410096	40.0	40.0	40.0	8/24/21 07:08	8/24/21 14:40	452	512.0	TSP	1132.80

SAMPLE NO. **PE-PM10082421-B606UPWIND** 8/24/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0410095	40.0	40.0	40.0	8/24/21 07:25	8/24/21 14:30	425	481.4	PM-10	1132.80

SAMPLE NO. **PE-PM10082421-12ADOWNWIND** 8/24/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				

64070

Q0410094	40.0	40.0	40.0	8/24/21 07:08	8/24/21 14:40	452	512.0	PM-10	1132.80
----------	------	------	------	---------------	---------------	-----	-------	-------	---------

SAMPLE NO. **PE-TSP082521-B606UPWIND** 8/25/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409394	40.0	40.0	40.0	8/25/21 07:00	8/25/21 14:40	460	521.1	TSP	1132.80

SAMPLE NO. **PE-TSP082521-12ADOWNWIND** 8/25/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409393	40.0	40.0	40.0	8/25/21 07:08	8/25/21 14:50	462	523.4	TSP	1132.80

SAMPLE NO. **PE-PM10082521-B606UPWIND** 8/25/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409392	40.0	40.0	40.0	8/25/21 07:00	8/25/21 14:40	460	521.1	PM-10	1132.80

SAMPLE NO. **PE-PM10082521-12ADOWNWIND** 8/25/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409391	40.0	40.0	40.0	8/25/21 07:08	8/25/21 14:50	462	523.4	PM-10	1132.80

SAMPLE NO. **PE-TSP082621-B606UPWIND** 8/26/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409390	39.0	39.0	39.0	8/26/21 07:05	8/26/21 14:40	455	502.5	TSP	1104.48

SAMPLE NO. **PE-TSP082621-12ADOWNWIND** 8/26/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409389	40.0	40.0	40.0	8/26/21 07:13	8/26/21 14:50	457	517.7	TSP	1132.80

SAMPLE NO. **PE-PM10082621-B606UPWIND** 8/26/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409388	40.0	40.0	40.0	8/26/21 07:05	8/26/21 14:40	455	515.4	PM-10	1132.80

SAMPLE NO. **PE-PM10082621-12ADOWNWIND** 8/26/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409387	40.0	40.0	40.0	8/26/21 07:13	8/26/21 14:50	457	517.7	PM-10	1132.80

64070

SAMPLE NO. PE-TSP082721-B606UPWIND 8/27/2021 Building 606 Upwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409382	39.0	39.0	39.0	8/27/21 07:20	8/27/21 14:40	440	486.0	TSP	1104.48

SAMPLE NO. PE-TSP082721-12ADOWNWIND 8/27/2021 12A Downwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409381	40.0	40.0	40.0	8/27/21 07:05	8/27/21 14:50	465	526.8	TSP	1132.80

SAMPLE NO. PE-PM10082721-B606UPWIND 8/27/2021 Building 606 Upwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409380	40.0	40.0	40.0	8/27/21 07:20	8/27/21 14:40	440	498.4	PM-10	1132.80

SAMPLE NO. PE-PM10082721-12ADOWNWIND 8/27/2021 12A Downwind									
LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409379	40.0	40.0	40.0	8/27/21 07:05	8/27/21 14:50	465	526.8	PM-10	1132.80

Login Sample Receipt Checklist

Client: Aptim Federal Services LLC

Job Number: 570-69070-1

Login Number: 69070
List Number: 1
Creator: Patel, Jayesh

List Source: Eurofins Calscience LLC

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-69695-1
Client Project/Site: HPNS - Parcel E / 500712

For:

Aptim Federal Services LLC
Hunters Point Shipyard
200 Fisher Blvd
San Francisco, California 94124

Attn: Rose Condit



Authorized for release by:
9/24/2021 9:17:05 PM

Terri Chang, Project Manager I
(714)895-5494
Terri.Chang@eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
QC Sample Results	10
QC Association Summary	12
Lab Chronicle	16
Certification Summary	20
Method Summary	21
Sample Summary	22
Subcontract Data	23
Chain of Custody	25
Receipt Checklists	32

Definitions/Glossary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

Qualifiers

Metals

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
L	A negative instrument reading had an absolute value greater than the reporting limit

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

Job ID: 570-69695-1

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative 570-69695-1

Comments

No additional comments.

Receipt

The samples were received on 9/10/2021 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 22.0° C.

Metals

Method 6010B: The absolute response for Arsenic was greater than the method reporting limit (RL) in the following samples: PE-TSP090121-12ADOWNWIND (570-69695-21), PE-TSP090221-12ADOWNWIND (570-69695-25) and (MB 570-181138/1-A). The instrument raw data has been manually reviewed and the result can be reported as ND.

Method 6010B: The method blank for preparation batch 570-181138 and analytical batch 570-181412 contained Lead above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method 6010B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 570-181138 and analytical batch 570-181412 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Lab Admin

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Subcontract Work

Method Asbestos - Low Flow: This method was subcontracted to EMSL - LA Testing - Huntington Beach. The subcontract laboratory certification is different from that of the facility issuing the final report.

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

Method: 6010B - Metals (ICP)

Client Sample ID: PE-TSP083021-B606UPWIND

Lab Sample ID: 570-69695-12

Date Collected: 08/30/21 07:10

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND	F2 F1	18.0	6.22	ug/Sample		09/22/21 17:17	09/23/21 19:50	1
Lead	ND	F1	12.0	3.16	ug/Sample		09/22/21 17:17	09/23/21 19:50	1
Manganese	6.71	F1	6.00	3.34	ug/Sample		09/22/21 17:17	09/23/21 19:50	1

Client Sample ID: PE-TSP083021-12ADOWNWIND

Lab Sample ID: 570-69695-13

Date Collected: 08/30/21 07:20

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/22/21 17:17	09/23/21 20:08	1
Lead	ND		12.0	3.16	ug/Sample		09/22/21 17:17	09/23/21 20:08	1
Manganese	6.65		6.00	3.34	ug/Sample		09/22/21 17:17	09/23/21 20:08	1

Client Sample ID: PE-TSP083121-B606UPWIND

Lab Sample ID: 570-69695-16

Date Collected: 08/31/21 07:01

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/22/21 17:17	09/23/21 20:10	1
Lead	ND		12.0	3.16	ug/Sample		09/22/21 17:17	09/23/21 20:10	1
Manganese	8.58		6.00	3.34	ug/Sample		09/22/21 17:17	09/23/21 20:10	1

Client Sample ID: PE-TSP083121-12ADOWNWIND

Lab Sample ID: 570-69695-17

Date Collected: 08/31/21 07:10

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/22/21 17:17	09/23/21 20:12	1
Lead	4.88	J B	12.0	3.16	ug/Sample		09/22/21 17:17	09/23/21 20:12	1
Manganese	8.25		6.00	3.34	ug/Sample		09/22/21 17:17	09/23/21 20:12	1

Client Sample ID: PE-TSP090121-B606UPWIND

Lab Sample ID: 570-69695-20

Date Collected: 09/01/21 07:16

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/22/21 17:17	09/23/21 20:14	1
Lead	8.81	J B	12.0	3.16	ug/Sample		09/22/21 17:17	09/23/21 20:14	1
Manganese	31.1		6.00	3.34	ug/Sample		09/22/21 17:17	09/23/21 20:14	1

Client Sample ID: PE-TSP090121-12ADOWNWIND

Lab Sample ID: 570-69695-21

Date Collected: 09/01/21 07:00

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND	L	18.0	6.22	ug/Sample		09/22/21 17:17	09/23/21 20:16	1
Lead	ND		12.0	3.16	ug/Sample		09/22/21 17:17	09/23/21 20:16	1
Manganese	11.6		6.00	3.34	ug/Sample		09/22/21 17:17	09/23/21 20:16	1

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

Method: 6010B - Metals (ICP)

Client Sample ID: PE-TSP090221-B606UPWIND

Lab Sample ID: 570-69695-24

Date Collected: 09/02/21 07:18

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/22/21 17:17	09/23/21 20:18	1
Lead	11.8	J B	12.0	3.16	ug/Sample		09/22/21 17:17	09/23/21 20:18	1
Manganese	46.3		6.00	3.34	ug/Sample		09/22/21 17:17	09/23/21 20:18	1

Client Sample ID: PE-TSP090221-12ADOWNWIND

Lab Sample ID: 570-69695-25

Date Collected: 09/02/21 07:02

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND	L	18.0	6.22	ug/Sample		09/22/21 17:17	09/23/21 20:20	1
Lead	4.93	J B	12.0	3.16	ug/Sample		09/22/21 17:17	09/23/21 20:20	1
Manganese	4.96	J	6.00	3.34	ug/Sample		09/22/21 17:17	09/23/21 20:20	1

Client Sample ID: PE-TSP090321-B606UPWIND

Lab Sample ID: 570-69695-28

Date Collected: 09/03/21 07:15

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/22/21 17:17	09/23/21 20:23	1
Lead	3.79	J B	12.0	3.16	ug/Sample		09/22/21 17:17	09/23/21 20:23	1
Manganese	9.22		6.00	3.34	ug/Sample		09/22/21 17:17	09/23/21 20:23	1

Client Sample ID: PE-TSP090321-12ADOWNWIND

Lab Sample ID: 570-69695-29

Date Collected: 09/03/21 07:42

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		18.0	6.22	ug/Sample		09/22/21 17:17	09/23/21 20:34	1
Lead	ND		12.0	3.16	ug/Sample		09/22/21 17:17	09/23/21 20:34	1
Manganese	12.2		6.00	3.34	ug/Sample		09/22/21 17:17	09/23/21 20:34	1

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

General Chemistry

Client Sample ID: PE-TSP083021-B606UPWIND

Lab Sample ID: 570-69695-12

Date Collected: 08/30/21 07:10

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	63.7		4.61	4.61	ug/m3			09/20/21 17:08	1

Client Sample ID: PE-TSP083021-12ADOWNWIND

Lab Sample ID: 570-69695-13

Date Collected: 08/30/21 07:20

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	60.6		4.69	4.69	ug/m3			09/20/21 17:08	1

Client Sample ID: PE-PM10083021-B606UPWIND

Lab Sample ID: 570-69695-14

Date Collected: 08/30/21 07:10

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	46.1		4.61	4.61	ug/m3			09/22/21 18:30	1

Client Sample ID: PE-PM10083021-12ADOWNWIND

Lab Sample ID: 570-69695-15

Date Collected: 08/30/21 07:20

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	28.0		4.69	4.69	ug/m3			09/22/21 18:30	1

Client Sample ID: PE-TSP083121-B606UPWIND

Lab Sample ID: 570-69695-16

Date Collected: 08/31/21 07:01

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	120		4.53	4.53	ug/m3			09/20/21 17:08	1

Client Sample ID: PE-TSP083121-12ADOWNWIND

Lab Sample ID: 570-69695-17

Date Collected: 08/31/21 07:10

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	65.2		4.61	4.61	ug/m3			09/20/21 17:08	1

Client Sample ID: PE-PM10083121-B606UPWIND

Lab Sample ID: 570-69695-18

Date Collected: 08/31/21 07:01

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	66.1		4.53	4.53	ug/m3			09/22/21 18:30	1

Client Sample ID: PE-PM10083121-12ADOWNWIND

Lab Sample ID: 570-69695-19

Date Collected: 08/31/21 07:10

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	38.1		4.61	4.61	ug/m3			09/22/21 18:30	1

Eurofins Calscience LLC

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

General Chemistry

Client Sample ID: PE-TSP090121-B606UPWIND

Lab Sample ID: 570-69695-20

Date Collected: 09/01/21 07:16

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	127		4.65	4.65	ug/m3			09/20/21 17:08	1

Client Sample ID: PE-TSP090121-12ADOWNWIND

Lab Sample ID: 570-69695-21

Date Collected: 09/01/21 07:00

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	79.8		4.53	4.53	ug/m3			09/20/21 17:08	1

Client Sample ID: PE-PM10090121-B606UPWIND

Lab Sample ID: 570-69695-22

Date Collected: 09/01/21 07:16

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	57.7		4.65	4.65	ug/m3			09/22/21 18:30	1

Client Sample ID: PE-PM10090121-12ADOWNWIND

Lab Sample ID: 570-69695-23

Date Collected: 09/01/21 07:00

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	26.0		4.53	4.53	ug/m3			09/22/21 18:30	1

Client Sample ID: PE-TSP090221-B606UPWIND

Lab Sample ID: 570-69695-24

Date Collected: 09/02/21 07:18

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	71.3		4.67	4.67	ug/m3			09/20/21 17:08	1

Client Sample ID: PE-TSP090221-12ADOWNWIND

Lab Sample ID: 570-69695-25

Date Collected: 09/02/21 07:02

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	58.9		4.54	4.54	ug/m3			09/20/21 17:08	1

Client Sample ID: PE-PM10090221-B606UPWIND

Lab Sample ID: 570-69695-26

Date Collected: 09/02/21 07:18

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	53.2		4.67	4.67	ug/m3			09/22/21 18:30	1

Client Sample ID: PE-PM10090221-12ADOWNWIND

Lab Sample ID: 570-69695-27

Date Collected: 09/02/21 07:02

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	44.4		4.54	4.54	ug/m3			09/22/21 18:30	1

Eurofins Calscience LLC

Client Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

General Chemistry

Client Sample ID: PE-TSP090321-B606UPWIND

Lab Sample ID: 570-69695-28

Date Collected: 09/03/21 07:15

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	65.1		5.88	5.88	ug/m3			09/20/21 17:08	1

Client Sample ID: PE-TSP090321-12ADOWNWIND

Lab Sample ID: 570-69695-29

Date Collected: 09/03/21 07:42

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	48.0		6.26	6.26	ug/m3			09/20/21 17:08	1

Client Sample ID: PE-PM10090321-B606UPWIND

Lab Sample ID: 570-69695-30

Date Collected: 09/03/21 07:15

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	44.7		5.88	5.88	ug/m3			09/22/21 18:30	1

Client Sample ID: PE-PM10090321-12ADOWNWIND

Lab Sample ID: 570-69695-31

Date Collected: 09/03/21 07:42

Matrix: Air

Date Received: 09/10/21 10:00

Sample Container: Folder/Filter

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	35.5		6.26	6.26	ug/m3			09/22/21 18:30	1

QC Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 570-181138/1-A
Matrix: Air
Analysis Batch: 181412

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 181138

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND	L	18.0	6.22	ug/Sample		09/22/21 17:17	09/23/21 19:43	1
Lead	6.111	J	12.0	3.16	ug/Sample		09/22/21 17:17	09/23/21 19:43	1
Manganese	ND		6.00	3.34	ug/Sample		09/22/21 17:17	09/23/21 19:43	1

Lab Sample ID: LCS 570-181138/2-A
Matrix: Air
Analysis Batch: 181412

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 181138

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	600	562.1		ug/Sample		94	80 - 120
Lead	600	650.9		ug/Sample		108	80 - 120
Manganese	600	613.1		ug/Sample		102	80 - 120

Lab Sample ID: LCSD 570-181138/3-A
Matrix: Air
Analysis Batch: 181412

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 181138

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Arsenic	600	577.2		ug/Sample		96	80 - 120	3	20
Lead	600	652.8		ug/Sample		109	80 - 120	0	20
Manganese	600	614.3		ug/Sample		102	80 - 120	0	20

Lab Sample ID: 570-69695-12 MS
Matrix: Air
Analysis Batch: 181412

Client Sample ID: PE-TSP083021-B606UPWIND
Prep Type: Total/NA
Prep Batch: 181138

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Arsenic	ND	F2 F1	60.0	47.83		ug/Sample		80	75 - 125
Lead	ND	F1	60.0	63.95		ug/Sample		107	75 - 125
Manganese	6.71	F1	60.0	80.49		ug/Sample		123	75 - 125

Lab Sample ID: 570-69695-12 MSD
Matrix: Air
Analysis Batch: 181412

Client Sample ID: PE-TSP083021-B606UPWIND
Prep Type: Total/NA
Prep Batch: 181138

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Arsenic	ND	F2 F1	60.0	36.47	F1 F2	ug/Sample		61	75 - 125	27	20
Lead	ND	F1	60.0	64.93		ug/Sample		108	75 - 125	2	20
Manganese	6.71	F1	60.0	75.34		ug/Sample		114	75 - 125	7	20

Method: 40CFR50 App B - Suspended Particulate Matter in Ambient Air

Lab Sample ID: MB 570-180465/1-A
Matrix: Air
Analysis Batch: 180470

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Particulates	ND		1.23	1.23	ug/m3			09/20/21 17:08	1

QC Sample Results

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

Method: 40CFR50 App B - Suspended Particulate Matter in Ambient Air (Continued)

Lab Sample ID: 570-69695-12 DU
 Matrix: Air
 Analysis Batch: 180470

Client Sample ID: PE-TSP083021-B606UPWIND
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Suspended Particulates	63.7		63.71		ug/m3		0	25

Method: PM10 - Particulate Matter

Lab Sample ID: MB 570-181171/1
 Matrix: Air
 Analysis Batch: 181171

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Particulate Matter	ND		1.23	1.23	ug/m3			09/22/21 18:30	1

Lab Sample ID: 570-69695-14 DU
 Matrix: Air
 Analysis Batch: 181171

Client Sample ID: PE-PM10083021-B606UPWIND
 Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Particulate Matter	46.1		46.05		ug/m3		0	25

QC Association Summary

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

Metals

Prep Batch: 181138

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-69695-12	PE-TSP083021-B606UPWIND	Total/NA	Air	3050B	
570-69695-13	PE-TSP083021-12ADOWNWIND	Total/NA	Air	3050B	
570-69695-16	PE-TSP083121-B606UPWIND	Total/NA	Air	3050B	
570-69695-17	PE-TSP083121-12ADOWNWIND	Total/NA	Air	3050B	
570-69695-20	PE-TSP090121-B606UPWIND	Total/NA	Air	3050B	
570-69695-21	PE-TSP090121-12ADOWNWIND	Total/NA	Air	3050B	
570-69695-24	PE-TSP090221-B606UPWIND	Total/NA	Air	3050B	
570-69695-25	PE-TSP090221-12ADOWNWIND	Total/NA	Air	3050B	
570-69695-28	PE-TSP090321-B606UPWIND	Total/NA	Air	3050B	
570-69695-29	PE-TSP090321-12ADOWNWIND	Total/NA	Air	3050B	
MB 570-181138/1-A	Method Blank	Total/NA	Air	3050B	
LCS 570-181138/2-A	Lab Control Sample	Total/NA	Air	3050B	
LCSD 570-181138/3-A	Lab Control Sample Dup	Total/NA	Air	3050B	
570-69695-12 MS	PE-TSP083021-B606UPWIND	Total/NA	Air	3050B	
570-69695-12 MSD	PE-TSP083021-B606UPWIND	Total/NA	Air	3050B	

Analysis Batch: 181412

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-69695-12	PE-TSP083021-B606UPWIND	Total/NA	Air	6010B	181138
570-69695-13	PE-TSP083021-12ADOWNWIND	Total/NA	Air	6010B	181138
570-69695-16	PE-TSP083121-B606UPWIND	Total/NA	Air	6010B	181138
570-69695-17	PE-TSP083121-12ADOWNWIND	Total/NA	Air	6010B	181138
570-69695-20	PE-TSP090121-B606UPWIND	Total/NA	Air	6010B	181138
570-69695-21	PE-TSP090121-12ADOWNWIND	Total/NA	Air	6010B	181138
570-69695-24	PE-TSP090221-B606UPWIND	Total/NA	Air	6010B	181138
570-69695-25	PE-TSP090221-12ADOWNWIND	Total/NA	Air	6010B	181138
570-69695-28	PE-TSP090321-B606UPWIND	Total/NA	Air	6010B	181138
570-69695-29	PE-TSP090321-12ADOWNWIND	Total/NA	Air	6010B	181138
MB 570-181138/1-A	Method Blank	Total/NA	Air	6010B	181138
LCS 570-181138/2-A	Lab Control Sample	Total/NA	Air	6010B	181138
LCSD 570-181138/3-A	Lab Control Sample Dup	Total/NA	Air	6010B	181138
570-69695-12 MS	PE-TSP083021-B606UPWIND	Total/NA	Air	6010B	181138
570-69695-12 MSD	PE-TSP083021-B606UPWIND	Total/NA	Air	6010B	181138

General Chemistry

Pre Prep Batch: 180465

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-69695-12	PE-TSP083021-B606UPWIND	Total/NA	Air	Filter to Air	
570-69695-13	PE-TSP083021-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-69695-16	PE-TSP083121-B606UPWIND	Total/NA	Air	Filter to Air	
570-69695-17	PE-TSP083121-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-69695-20	PE-TSP090121-B606UPWIND	Total/NA	Air	Filter to Air	
570-69695-21	PE-TSP090121-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-69695-24	PE-TSP090221-B606UPWIND	Total/NA	Air	Filter to Air	
570-69695-25	PE-TSP090221-12ADOWNWIND	Total/NA	Air	Filter to Air	
570-69695-28	PE-TSP090321-B606UPWIND	Total/NA	Air	Filter to Air	
570-69695-29	PE-TSP090321-12ADOWNWIND	Total/NA	Air	Filter to Air	
MB 570-180465/1-A	Method Blank	Total/NA	Air	Filter to Air	
570-69695-12 DU	PE-TSP083021-B606UPWIND	Total/NA	Air	Filter to Air	

QC Association Summary

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

General Chemistry

Analysis Batch: 180470

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-69695-12	PE-TSP083021-B606UPWIND	Total/NA	Air	40CFR50 App B	180465
570-69695-13	PE-TSP083021-12ADOWNWIND	Total/NA	Air	40CFR50 App B	180465
570-69695-16	PE-TSP083121-B606UPWIND	Total/NA	Air	40CFR50 App B	180465
570-69695-17	PE-TSP083121-12ADOWNWIND	Total/NA	Air	40CFR50 App B	180465
570-69695-20	PE-TSP090121-B606UPWIND	Total/NA	Air	40CFR50 App B	180465
570-69695-21	PE-TSP090121-12ADOWNWIND	Total/NA	Air	40CFR50 App B	180465
570-69695-24	PE-TSP090221-B606UPWIND	Total/NA	Air	40CFR50 App B	180465
570-69695-25	PE-TSP090221-12ADOWNWIND	Total/NA	Air	40CFR50 App B	180465
570-69695-28	PE-TSP090321-B606UPWIND	Total/NA	Air	40CFR50 App B	180465
570-69695-29	PE-TSP090321-12ADOWNWIND	Total/NA	Air	40CFR50 App B	180465
MB 570-180465/1-A	Method Blank	Total/NA	Air	40CFR50 App B	180465
570-69695-12 DU	PE-TSP083021-B606UPWIND	Total/NA	Air	40CFR50 App B	180465

Analysis Batch: 181171

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-69695-14	PE-PM10083021-B606UPWIND	Total/NA	Air	PM10	
570-69695-15	PE-PM10083021-12ADOWNWIND	Total/NA	Air	PM10	
570-69695-18	PE-PM10083121-B606UPWIND	Total/NA	Air	PM10	
570-69695-19	PE-PM10083121-12ADOWNWIND	Total/NA	Air	PM10	
570-69695-22	PE-PM10090121-B606UPWIND	Total/NA	Air	PM10	
570-69695-23	PE-PM10090121-12ADOWNWIND	Total/NA	Air	PM10	
570-69695-26	PE-PM10090221-B606UPWIND	Total/NA	Air	PM10	
570-69695-27	PE-PM10090221-12ADOWNWIND	Total/NA	Air	PM10	
570-69695-30	PE-PM10090321-B606UPWIND	Total/NA	Air	PM10	
570-69695-31	PE-PM10090321-12ADOWNWIND	Total/NA	Air	PM10	
MB 570-181171/1	Method Blank	Total/NA	Air	PM10	
570-69695-14 DU	PE-PM10083021-B606UPWIND	Total/NA	Air	PM10	

BALANCE CALIBRATION CHECK LOG

Eurofins Calscience

Date performed: 09/20/21 Initials: ZHUS

ID	Class 2 Weight (g)	Reading (g)	Acceptance Range	Pass? (circle one)	Comment (If not passed, note removal or corrective action)
83	1	1.00	0.98 - 1.02	<input checked="" type="radio"/> Y <input type="radio"/> N	IO Lab
	100	99.98	98.00 - 102.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
62	0.002	0.0021	0.0015 - 0.0025	<input checked="" type="radio"/> Y <input type="radio"/> N	IO Lab
	1	0.9999	0.9990 - 1.0010	<input checked="" type="radio"/> Y <input type="radio"/> N	
	100	99.998	99.9000 - 100.1000	<input checked="" type="radio"/> Y <input type="radio"/> N	
11	1	1.00	0.98 - 1.02	<input checked="" type="radio"/> Y <input type="radio"/> N	IO Lab
	100	100.00	98.00 - 102.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
55	1	1.00	0.98 - 1.02	<input checked="" type="radio"/> Y <input type="radio"/> N	IO Lab
	100	99.95	98.00 - 102.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
	500	499.71	490.00 - 510.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
86	1	1.00	0.98 - 1.02	<input checked="" type="radio"/> Y <input type="radio"/> N	IO Lab
	100	100.00	98.00 - 102.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
	500	500.00	490.00 - 510.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
71	0.002	0.0020	0.0015 - 0.0025	<input type="radio"/> Y <input checked="" type="radio"/> N	BOD Room
	1	0.9999	0.9990 - 1.0010	<input checked="" type="radio"/> Y <input type="radio"/> N	
	100	99.9996	99.9000 - 100.1000	<input checked="" type="radio"/> Y <input type="radio"/> N	
63	0.1	/	0.08 - 0.12	<input type="radio"/> Y <input checked="" type="radio"/> N	BOD Room
	100	/	98.00 - 102.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
73	0.1	0.10	0.08 - 0.12	<input checked="" type="radio"/> Y <input type="radio"/> N	Oil & Grease Room
	1	1.00	0.98 - 1.02	<input checked="" type="radio"/> Y <input type="radio"/> N	
	100	100.00	98.00 - 102.00	<input checked="" type="radio"/> Y <input type="radio"/> N	
87	0.002	0.0020	0.0015 - 0.0025	<input checked="" type="radio"/> Y <input type="radio"/> N	Solids Room
	1	0.9999	0.9990 - 1.0010	<input checked="" type="radio"/> Y <input type="radio"/> N	
	100	99.9993	99.9000 - 100.1000	<input checked="" type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
				<input type="radio"/> Y <input type="radio"/> N	
Comments:					
WT SET ID USED: 2 mg				COMMENT:	
WT SET ID USED: 10 mg - 100 g					
WT SET ID USED: 500 g					

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

Client Sample ID: PE-TSP083021-B606UPWIND

Lab Sample ID: 570-69695-12

Date Collected: 08/30/21 07:10

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	181138	09/22/21 17:17	WL8G	ECL 1
Total/NA	Analysis	6010B		1			181412	09/23/21 19:50	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					180465	09/20/21 16:30	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			180470	09/20/21 17:08	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP083021-12ADOWNWIND

Lab Sample ID: 570-69695-13

Date Collected: 08/30/21 07:20

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	181138	09/22/21 17:17	WL8G	ECL 1
Total/NA	Analysis	6010B		1			181412	09/23/21 20:08	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					180465	09/20/21 16:30	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			180470	09/20/21 17:08	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10083021-B606UPWIND

Lab Sample ID: 570-69695-14

Date Collected: 08/30/21 07:10

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3484 g	4.3784 g	181171	09/22/21 18:30	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10083021-12ADOWNWIND

Lab Sample ID: 570-69695-15

Date Collected: 08/30/21 07:20

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3451 g	4.3630 g	181171	09/22/21 18:30	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP083121-B606UPWIND

Lab Sample ID: 570-69695-16

Date Collected: 08/31/21 07:01

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	181138	09/22/21 17:17	WL8G	ECL 1
Total/NA	Analysis	6010B		1			181412	09/23/21 20:10	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					180465	09/20/21 16:30	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			180470	09/20/21 17:08	UAPD	ECL 1
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

Client Sample ID: PE-TSP083121-12ADOWNWIND

Lab Sample ID: 570-69695-17

Date Collected: 08/31/21 07:10

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	181138	09/22/21 17:17	WL8G	ECL 1
Total/NA	Analysis	6010B		1			181412	09/23/21 20:12	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					180465	09/20/21 16:30	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			180470	09/20/21 17:08	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10083121-B606UPWIND

Lab Sample ID: 570-69695-18

Date Collected: 08/31/21 07:01

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3448 g	4.3885 g	181171	09/22/21 18:30	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10083121-12ADOWNWIND

Lab Sample ID: 570-69695-19

Date Collected: 08/31/21 07:10

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3339 g	4.3587 g	181171	09/22/21 18:30	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP090121-B606UPWIND

Lab Sample ID: 570-69695-20

Date Collected: 09/01/21 07:16

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	181138	09/22/21 17:17	WL8G	ECL 1
Total/NA	Analysis	6010B		1			181412	09/23/21 20:14	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					180465	09/20/21 16:30	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			180470	09/20/21 17:08	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP090121-12ADOWNWIND

Lab Sample ID: 570-69695-21

Date Collected: 09/01/21 07:00

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	181138	09/22/21 17:17	WL8G	ECL 1
Total/NA	Analysis	6010B		1			181412	09/23/21 20:16	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					180465	09/20/21 16:30	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			180470	09/20/21 17:08	UAPD	ECL 1
Instrument ID: NOEQUIP										

Lab Chronicle

Client: Aptim Federal Services LLC
 Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

Client Sample ID: PE-PM10090121-B606UPWIND

Lab Sample ID: 570-69695-22

Date Collected: 09/01/21 07:16

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3496 g	4.3868 g	181171	09/22/21 18:30	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10090121-12ADOWNWIND

Lab Sample ID: 570-69695-23

Date Collected: 09/01/21 07:00

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3682 g	4.3854 g	181171	09/22/21 18:30	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP090221-B606UPWIND

Lab Sample ID: 570-69695-24

Date Collected: 09/02/21 07:18

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	181138	09/22/21 17:17	WL8G	ECL 1
Total/NA	Analysis	6010B		1			181412	09/23/21 20:18	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					180465	09/20/21 16:30	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			180470	09/20/21 17:08	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP090221-12ADOWNWIND

Lab Sample ID: 570-69695-25

Date Collected: 09/02/21 07:02

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	181138	09/22/21 17:17	WL8G	ECL 1
Total/NA	Analysis	6010B		1			181412	09/23/21 20:20	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					180465	09/20/21 16:30	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			180470	09/20/21 17:08	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10090221-B606UPWIND

Lab Sample ID: 570-69695-26

Date Collected: 09/02/21 07:18

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3181 g	4.3523 g	181171	09/22/21 18:30	UAPD	ECL 1
Instrument ID: BAL62										

Lab Chronicle

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

Client Sample ID: PE-PM10090221-12ADOWNWIND

Lab Sample ID: 570-69695-27

Date Collected: 09/02/21 07:02

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3390 g	4.3683 g	181171	09/22/21 18:30	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-TSP090321-B606UPWIND

Lab Sample ID: 570-69695-28

Date Collected: 09/03/21 07:15

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	181138	09/22/21 17:17	WL8G	ECL 1
Total/NA	Analysis	6010B		1			181412	09/23/21 20:23	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					180465	09/20/21 16:30	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			180470	09/20/21 17:08	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-TSP090321-12ADOWNWIND

Lab Sample ID: 570-69695-29

Date Collected: 09/03/21 07:42

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3050B			.0833 Filter	100 mL	181138	09/22/21 17:17	WL8G	ECL 1
Total/NA	Analysis	6010B		1			181412	09/23/21 20:34	ULPF	ECL 1
Instrument ID: ICP8										
Total/NA	Pre Prep	Filter to Air					180465	09/20/21 16:30	UAPD	ECL 1
Total/NA	Analysis	40CFR50 App B		1			180470	09/20/21 17:08	UAPD	ECL 1
Instrument ID: NOEQUIP										

Client Sample ID: PE-PM10090321-B606UPWIND

Lab Sample ID: 570-69695-30

Date Collected: 09/03/21 07:15

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3003 g	4.3231 g	181171	09/22/21 18:30	UAPD	ECL 1
Instrument ID: BAL62										

Client Sample ID: PE-PM10090321-12ADOWNWIND

Lab Sample ID: 570-69695-31

Date Collected: 09/03/21 07:42

Matrix: Air

Date Received: 09/10/21 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	PM10		1	4.3139 g	4.3309 g	181171	09/22/21 18:30	UAPD	ECL 1
Instrument ID: BAL62										

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

EMSL = EMSL - LA Testing - Huntington Beach, 5431 Industrial Drive, Huntington Beach, CA 92649

Eurofins Calscience LLC

Accreditation/Certification Summary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

Laboratory: Eurofins Calscience LLC

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	CA300001	01-30-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
40CFR50 App B		Air	Total Suspended Particulates
6010B	3050B	Air	Arsenic
6010B	3050B	Air	Lead
6010B	3050B	Air	Manganese

Method Summary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

Method	Method Description	Protocol	Laboratory
6010B	Metals (ICP)	SW846	ECL 1
40CFR50 App B	Suspended Particulate Matter in Ambient Air	EPA	ECL 1
PM10	Particulate Matter	40CFR50J	ECL 1
NIOSH 7400 Rev	NIOSH 7400 Rev. 3	NIOSH	EMSL
3050B	Preparation, Metals	SW846	ECL 1
Filter to Air	Filter to Air volume ratio	None	ECL 1

Protocol References:

40CFR50J = 40 CFR Part 50 Appendix J

EPA = US Environmental Protection Agency

NIOSH = NIOSH Manual Of Analytical Methods, National Institute For Occupational Safety And Health, 4th Edition, August 1994 and it's Supplements

None = None

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

EMSL = EMSL - LA Testing - Huntington Beach, 5431 Industrial Drive, Huntington Beach, CA 92649

Sample Summary

Client: Aptim Federal Services LLC
Project/Site: HPNS - Parcel E / 500712

Job ID: 570-69695-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
570-69695-1	PE-ASB083021-B606UPWIND	Air	08/30/21 07:10	09/10/21 10:00
570-69695-2	PE-ASB083021-12ADOWNWIND	Air	08/30/21 07:20	09/10/21 10:00
570-69695-3	PE-ASB083121-B606UPWIND	Air	08/31/21 07:01	09/10/21 10:00
570-69695-4	PE-ASB083121-12ADOWNWIND	Air	08/31/21 07:10	09/10/21 10:00
570-69695-5	PE-ASB090121-B606UPWIND	Air	09/01/21 07:16	09/10/21 10:00
570-69695-6	PE-ASB090121-12ADOWNWIND	Air	09/01/21 07:00	09/10/21 10:00
570-69695-7	PE-ASB090221-B606UPWIND	Air	09/02/21 07:18	09/10/21 10:00
570-69695-8	PE-ASB090221-12ADOWNWIND	Air	09/02/21 07:02	09/10/21 10:00
570-69695-9	PE-ASB090321-B606UPWIND	Air	09/03/21 07:15	09/10/21 10:00
570-69695-10	PE-ASB090321-12ADOWNWIND	Air	09/03/21 07:42	09/10/21 10:00
570-69695-11	PE-ASB090321-BLANK	Air	09/03/21 07:00	09/10/21 10:00
570-69695-12	PE-TSP083021-B606UPWIND	Air	08/30/21 07:10	09/10/21 10:00
570-69695-13	PE-TSP083021-12ADOWNWIND	Air	08/30/21 07:20	09/10/21 10:00
570-69695-14	PE-PM10083021-B606UPWIND	Air	08/30/21 07:10	09/10/21 10:00
570-69695-15	PE-PM10083021-12ADOWNWIND	Air	08/30/21 07:20	09/10/21 10:00
570-69695-16	PE-TSP083121-B606UPWIND	Air	08/31/21 07:01	09/10/21 10:00
570-69695-17	PE-TSP083121-12ADOWNWIND	Air	08/31/21 07:10	09/10/21 10:00
570-69695-18	PE-PM10083121-B606UPWIND	Air	08/31/21 07:01	09/10/21 10:00
570-69695-19	PE-PM10083121-12ADOWNWIND	Air	08/31/21 07:10	09/10/21 10:00
570-69695-20	PE-TSP090121-B606UPWIND	Air	09/01/21 07:16	09/10/21 10:00
570-69695-21	PE-TSP090121-12ADOWNWIND	Air	09/01/21 07:00	09/10/21 10:00
570-69695-22	PE-PM10090121-B606UPWIND	Air	09/01/21 07:16	09/10/21 10:00
570-69695-23	PE-PM10090121-12ADOWNWIND	Air	09/01/21 07:00	09/10/21 10:00
570-69695-24	PE-TSP090221-B606UPWIND	Air	09/02/21 07:18	09/10/21 10:00
570-69695-25	PE-TSP090221-12ADOWNWIND	Air	09/02/21 07:02	09/10/21 10:00
570-69695-26	PE-PM10090221-B606UPWIND	Air	09/02/21 07:18	09/10/21 10:00
570-69695-27	PE-PM10090221-12ADOWNWIND	Air	09/02/21 07:02	09/10/21 10:00
570-69695-28	PE-TSP090321-B606UPWIND	Air	09/03/21 07:15	09/10/21 10:00
570-69695-29	PE-TSP090321-12ADOWNWIND	Air	09/03/21 07:42	09/10/21 10:00
570-69695-30	PE-PM10090321-B606UPWIND	Air	09/03/21 07:15	09/10/21 10:00
570-69695-31	PE-PM10090321-12ADOWNWIND	Air	09/03/21 07:42	09/10/21 10:00





LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / gardengrovelab@latestesting.com

LA Testing Order: 332121168

Customer ID: 32CAL51

Customer PO:

Project ID:

Attention: Terri Chang
Eurofins Calscience, Inc.
7440 Lincoln Way
Garden Grove, CA 92841

Phone: (714) 895-5494
Fax: (714) 894-7501
Received Date: 09/13/2021 03:50 PM
Analysis Date: 09/22/2021
Collected Date: 08/30/2021 - 09/03/2021

Project: HPNS - Parcel E / 500712 / 570-69695

Test Report: Fiber Count by Phase Contrast Microscopy (PCM), NIOSH 7400 Method - A Rules, Revision 3, Issue 3, 6/15/2019

Sample	Location	Sample Date	Volume (L)	Fibers	Fields	LOD (fib/cc)	Fibers/mm ²	Fibers/cc	Notes
PE-ASB083021-B606UPW IND (570-69695-1) 332121168-0001		08/30/2021	1200	8	100	0.0022	10.2	0.0033	
PE-ASB083021-12ADOW NWIND (570-69695-2) 332121168-0002		08/30/2021	1200	8	100	0.0022	10.2	0.0033	
PE-ASB083121-B606UPW IND (570-69695-3) 332121168-0003		08/31/2021	1200	6	100	0.0022	7.64	0.0025	Sample pulled for 10% recount
PE-ASB083121-12ADOW NWIND (570-69695-4) 332121168-0004		08/31/2021	1200	23.5	100	0.0022	29.9	0.0096	
PE-ASB090121-B606UPW IND (570-69695-5) 332121168-0005		09/01/2021	1200	<5.5	100	0.0022	<7.01	<0.0022	
PE-ASB090121-12ADOW NWIND (570-69695-6) 332121168-0006		09/01/2021	1200	34	100	0.0022	43.3	0.0139	
PE-ASB090221-B606UPW IND (570-69695-7) 332121168-0007		09/02/2021	1200	9	100	0.0022	11.5	0.0037	
PE-ASB090221-12ADOW NWIND (570-69695-8) 332121168-0008		09/02/2021	1200	11	100	0.0022	14.0	0.0045	
PE-ASB090321-B606UPW IND (570-69695-9) 332121168-0009		09/03/2021	1060	12	100	0.0025	15.3	0.0056	
PE-ASB090321-12ADOW NWIND (570-69695-10) 332121168-0010		09/03/2021	984	10	100	0.0027	12.7	0.0050	
PE-ASB090321-BLANK (570-69695-11) 332121168-0011		09/03/2021		<5.5	100		<7.01		Field Blank
PE-ASB083121-B606UPW IND (570-69695-3) 332121168-0012		08/31/2021	1200	8.5	100	0.0022	10.8	0.0035	10% Recount; Individual-CV=0.27

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. Limit of detection is 7 fibers/mm². Fiber counts outside the recommended fiber density range of the method (100-1300 f/mm²) have greater than optimal variability and are probably biased. Field blank results, when available, are used to blank correct results. NIOSH 7400 requires field blanks be submitted at a rate of 10%, with a minimum of 2 per set. Measurement of uncertainty available upon request. The results in this report meet all requirements of the NELAC standards unless otherwise noted.

Intra-laboratory Sr values: 5-20 fibers = 0.35, 21-50 fibers = 0.24, 51-100 fibers = 0.19. Inter-laboratory Sr values (Average of EMSL round robin data) = 0.34.
Samples analyzed by LA Testing Huntington Beach, CA AIHA-LAP, LLC--IHLAP Accredited #101650

Initial report from: 09/22/2021 12:00 PM



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / gardengrovelab@lateesting.com

LA Testing Order: 332121168

Customer ID: 32CALS51

Customer PO:

Project ID:

Attention: Terri Chang
Eurofins Calscience, Inc.
7440 Lincoln Way
Garden Grove, CA 92841

Phone: (714) 895-5494
Fax: (714) 894-7501
Received Date: 09/13/2021 03:50 PM
Analysis Date: 09/22/2021
Collected Date: 08/30/2021 - 09/03/2021

Project: HPNS - Parcel E / 500712 / 570-69695

Test Report: Fiber Count by Phase Contrast Microscopy (PCM), NIOSH 7400 Method - A Rules, Revision 3, Issue 3, 6/15/2019

Sample	Location	Sample Date	Volume (L)	Fibers	Fields	LOD (fib/cc)	Fibers/mm ²	Fibers/cc	Notes
--------	----------	-------------	------------	--------	--------	--------------	------------------------	-----------	-------

The results reported have been blank corrected as applicable.

Analyst(s):

Jeffrey Deboo PCM 12

Michael Chapman, Laboratory Manager
or other Approved Signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. Limit of detection is 7 fibers/mm². Fiber counts outside the recommended fiber density range of the method (100-1300 f/mm²) have greater than optimal variability and are probably biased. Field blank results, when available, are used to blank correct results. NIOSH 7400 requires field blanks be submitted at a rate of 10%, with a minimum of 2 per set. Measurement of uncertainty available upon request. The results in this report meet all requirements of the NELAC standards unless otherwise noted.

Intra-laboratory Sr values: 5-20 fibers = 0.35, 21-50 fibers = 0.24, 51-100 fibers = 0.19. Inter-laboratory Sr values (Average of EMSL round robin data) = 0.34.
Samples analyzed by LA Testing Huntington Beach, CA AIHA-LAP, LLC--IHLAP Accredited #101650

Initial report from: 09/22/2021 12:00 PM



69695



CHAIN OF CUSTODY

Ref. Document # CTO 0024 - AIR 076
Page 1 of 2

APTIM Federal Services, LLC
4005 Port Chicago Hwy
Concord, CA 94520

Project Manager: *Nels Johnson*
Send Report To: *Jose Maldonado*
Phone/Fax Number: 415-340-9637
Address: 4005 Port Chicago Hwy
City: *Concord, CA 94520*
Jose.Maldonado@aptim.com

Project Number: 500712
Project Name: HPNS - Parcel E
Project Location: San Francisco, CA
Purchase Order #: 1168336
Lab Destination: Eurofins-Calscience
7440 Lincoln Way
Garden Grove CA 92841
Lab Contact: *Terri Chang*

Analyses Requested															
Sample ID Number	Filter No.	Date	Time	Method	Matrix	# of containers	Container Type	PCB (EPA 8082 / TO-04)	PAH (EPA 8270-SIM / TO-13)	Asbestos (NIOSH 7400)	PM10 (40 CFR, Subpt J; BAAQMD Reg 6)	TSP, Min, Pb, As (40 CFR 50 App B; NIOSH 7300/6010B)	Flow Rate (L/min.)	Sample Volume (m ³)	
1 PE-ASB083021-B606UPWIND	DB170185	08/30/21	7 10	G	A	1	PCM			X			2.00	1.20	
2 PE-ASB083021-12ADOWNWIND	DB170221	08/30/21	7:20	G	A	1	PCM			X			2.00	1.20	
3 PE-ASB083121-B606UPWIND	DB170205	08/31/21	7:01	G	A	1	PCM			X			2.00	1.20	
4 PE-ASB083121-12ADOWNWIND	DB170266	08/31/21	7 10	G	A	1	PCM			X			2.00	1.20	
5 PE-ASB090121-B606UPWIND	DB170237	09/01/21	7.16	G	A	1	PCM			X			2.00	1.20	
6 PE-ASB090121-12ADOWNWIND	DB170251	09/01/21	7:00	G	A	1	PCM			X			2.00	1.20	
7 PE-ASB090221-B606UPWIND	DB170914	09/02/21	7 18	G	A	1	PCM			X			2.00	1.20	
8 PE-ASB090221-12ADOWNWIND	DB174802	09/02/21	7:02	G	A	1	PCM			X			2.00	1.20	
9 PE-ASB090321-B606UPWIND	DB171010	09/03/21	7 15	G	A	1	PCM			X			2.00	1.06	
10 PE-ASB090321-12ADOWNWIND	DB171201	09/03/21	7:42	G	A	1	PCM			X			2.00	0.98	
11 PE-ASB090321-BLANK	DB170275	09/03/21	7:00	G	A	1	PCM			X			NA		
Temperature Blank															X

Special Instructions: J to MDL

Turn Around Time: 24-hr 5-day 10-day

Level Of QC Required: I II III Project Specific

Relinquished By: *Jose Maldonado* Date: *9/9/21* Time: *10:20*

Relinquished By: *AS to GCS* Date: *9/9/21* Time: *16:30*

Relinquished By: _____ Date: _____ Time: _____

Relinquished By: _____ Date: _____ Time: _____


Received By: *Terri Chang* Date: *9/9/21* Time: *10:00*

Received By: _____ Date: _____ Time: _____

Received By: _____ Date: _____ Time: _____

Method Codes: C = Composite, G = Grab

Matrix Codes: DW = Drinking W, GW = Ground W, WW = Waste W, A=Air, SO = Soil



570-69695 Chain of Custody

ABS=Asbestos, PO=Pipe Opening



69693



APTIM Federal Services, LLC
4005 Port Chicago Hwy
Concord, CA 94520

CHAIN OF CUSTODY

Ref. Document # CTO 0024 - AIR 076
Page 2 of 2

Send Report To: *Jose Maldonado*
Phone/Fax Number: 415-340-9637
Address: 4005 Port Chicago Hwy
City: Concord, CA 94520
Jose.Maldonado@aptim.com

Project Number: 500712
Project Name: HPNS - Parcel E
Project Location: San Francisco, CA
Lab Destination: Calscience
7440 Lincoln Way
Garden Grove CA 92841
Lab Contact: Terri Chang

										Analyses Requested				
Sample ID Number	Lot No.	Date	Time	Method	Matrix	# of containers	Container Type	PCB (EPA 8082 / TO-04)	PAH (EPA 8270-SIM / TO-13)	Asbestos (NIOSH 7400)	PM10 (40 CFR, Subpt J; BAAQMD Reg 6)	TSP, Mn, Pb, As (40 CFR 50 App B; NIOSH)	Flow Rate (L/min.)	Sample Volume (m ³)
12	PE-TSP083021-B606UPWIND	Q0409374	08/30/21	7 10	G	A	1	8X10 EPM Whatman				X	1132.8	651.4
13	PE-TSP083021-12ADOWNWIND	Q0409373	08/30/21	7:20	G	A	1	8X10 EPM Whatman				X	1132.8	640.0
14	PE-PM10083021-B606UPWIND	Q0409372	08/30/21	7 10	G	A	1	8X10 EPM Whatman			X		1132.8	651.4
15	PE-PM10083021-12ADOWNWIND	Q0409371	08/30/21	7:20	G	A	1	8X10 EPM Whatman			X		1132.8	640.0
16	PE-TSP083121-B606UPWIND	Q0409362	08/31/21	7:01	G	A	1	8X10 EPM Whatman				X	1132.8	661.6
17	PE-TSP083121-12ADOWNWIND	Q0409361	08/31/21	7 10	G	A	1	8X10 EPM Whatman				X	1132.8	651.4
18	PE-PM10083121-B606UPWIND	Q0409360	08/31/21	7:01	G	A	1	8X10 EPM Whatman			X		1132.8	661.6
19	PE-PM10083121-12ADOWNWIND	Q0409359	08/31/21	7 10	G	A	1	8X10 EPM Whatman			X		1132.8	651.4
20	PE-TSP090121-B606UPWIND	Q0409352	09/01/21	7 16	G	A	1	8X10 EPM Whatman				X	1132.8	644.6
21	PE-TSP090121-12ADOWNWIND	Q0409351	09/01/21	7:00	G	A	1	8X10 EPM Whatman				X	1132.8	662.7
22	PE-PM10090121-B606UPWIND	Q0409350	09/01/21	7 16	G	A	1	8X10 EPM Whatman			X		1132.8	644.6
23	PE-PM10090121-12ADOWNWIND	Q0409349	09/01/21	7:00	G	A	1	8X10 EPM Whatman			X		1132.8	662.7
24	PE-TSP090221-B606UPWIND	Q0409344	09/02/21	7 18	G	A	1	8X10 EPM Whatman				X	1132.8	642.3
25	PE-TSP090221-12ADOWNWIND	Q0409343	09/02/21	7:02	G	A	1	8X10 EPM Whatman				X	1132.8	660.4
26	PE-PM10090221-B606UPWIND	Q0409342	09/02/21	7 18	G	A	1	8X10 EPM Whatman			X		1132.8	642.3
27	PE-PM10090221-12ADOWNWIND	Q0409341	09/02/21	7 02	G	A	1	8X10 EPM Whatman			X		1132.8	660.4
28	PE-TSP090321-B606UPWIND	Q0409340	09/03/21	7 15	G	A	1	8X10 EPM Whatman				X	1132.8	509.8
29	PE-TSP090321-12ADOWNWIND	Q0409339	09/03/21	7 42	G	A	1	8X10 EPM Whatman				X	1132.8	479.2
30	PE-PM10090321-B606UPWIND	Q0409338	09/03/21	7 15	G	A	1	8X10 EPM Whatman			X		1132.8	509.8
31	PE-PM10090321-12ADOWNWIND	Q0409337	09/03/21	7 42	G	A	1	8X10 EPM Whatman			X		1132.8	479.2



69695

AIR MONITORING LOG

PROJECT NAME: HPNS Parcel E PROJ. NO. 500712 Asbestos TSP PM-10

STATION COC# 076

SAMPLE NO. PE-ASB083021-B606UPWIND 8/30/2021 Building 606 Upwind

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170185	2.000	2.000	2.000	8/30/21 07:10	8/30/21 17:10	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB083021-12ADOWNWIND 8/30/2021 12A Downwind

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170221	2.000	2.000	2.000	8/30/21 07:20	8/30/21 17:20	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB083121-B606UPWIND 8/31/2021 Building 606 Upwind

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170205	2.000	2.000	2.000	8/31/21 07:01	8/31/21 17:01	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB083121-12ADOWNWIND 8/31/2021 12A Downwind

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170266	2.000	2.000	2.000	8/31/21 07:10	8/31/21 17:10	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB090121-B606UPWIND 9/1/2021 Building 606 Upwind

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170237	2.000	2.000	2.000	9/01/21 07:16	9/01/21 17:16	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB090121-12ADOWNWIND 9/1/2021 12A Downwind

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170251	2.000	2.000	2.000	9/01/21 07:00	9/01/21 17:00	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB090221-B606UPWIND 9/2/2021 Building 606 Upwind

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170914	2.000	2.000	2.000	9/02/21 07:18	9/02/21 17:18	600	1.20	Asbestos	2.00

SAMPLE NO. PE-ASB090221-12ADOWNWIND 9/2/2021 12A Downwind

LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB174802	2.000	2.000	2.0	9/02/21 07:02	9/02/21 17:02	600	1.20	Asbestos	2.00



6969

SAMPLE NO.		PE-ASB090321-B606UPWIND			9/3/2021 Building 606 Upwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB171010	2 000	2 000	2.0	9/03/21 07.15	9/03/21 16.05	530	1.1	Asbestos	2.00

SAMPLE NO.		PE-ASB090321-12ADOWNWIND			9/3/2021 12A Downwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB171201	2 000	2 000	2.0	9/03/21 07:42	9/03/21 15 54	492	1.0	Asbestos	2.00

SAMPLE NO.		PE-ASB090321-BLANK			9/3/2021 Building 606 Upwind				
LOT No.	FLOW RATE (L/min)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
DB170275				9/03/21 07:00			0.0	Asbestos	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

56969

PROJECT NAME: HPNS Parcel E PROJ. NO. 500712 Asbestos TSP PM-10

STATION COC# 076

SAMPLE NO. **PE-TSP083021-B606UPWIND** 8/30/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409374	40.0	40.0	40.0	8/30/21 07:10	8/30/21 16:45	575	651.4	TSP	1132.80

SAMPLE NO. **PE-TSP083021-12ADOWNWIND** 8/30/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409373	40.0	40.0	40.0	8/30/21 07:20	8/30/21 16:45	565	640.0	TSP	1132.80

SAMPLE NO. **PE-PM10083021-B606UPWIND** 8/30/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409372	40.0	40.0	40.0	8/30/21 07:10	8/30/21 16:45	575	651.4	PM-10	1132.80

SAMPLE NO. **PE-PM10083021-12ADOWNWIND** 8/30/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409371	40.0	40.0	40.0	8/30/21 07:20	8/30/21 16:45	565	640.0	PM-10	1132.80

SAMPLE NO. **PE-TSP083121-B606UPWIND** 8/31/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409362	40.0	40.0	40.0	8/31/21 07:01	8/31/21 16:45	584	661.6	TSP	1132.80

SAMPLE NO. **PE-TSP083121-12ADOWNWIND** 8/31/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409361	40.0	40.0	40.0	8/31/21 07:10	8/31/21 16:45	575	651.4	TSP	1132.80

SAMPLE NO. **PE-PM10083121-B606UPWIND** 8/31/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409360	40.0	40.0	40.0	8/31/21 07:01	8/31/21 16:45	584	661.6	PM-10	1132.80

SAMPLE NO. **PE-PM10083121-12ADOWNWIND** 8/31/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				

52969

Q0409359	40.0	40.0	40.0	8/31/21 07:10	8/31/21 16:45	575	651.4	PM-10	1132.80
----------	------	------	------	---------------	---------------	-----	-------	-------	---------

SAMPLE NO. **PE-TSP090121-B606UPWIND** *9/1/2021 Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409352	40.0	40.0	40.0	9/01/21 07:16	9/01/21 16:45	569	644.6	TSP	1132.80

SAMPLE NO. **PE-TSP090121-12ADOWNWIND** *9/1/2021 12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409351	40.0	40.0	40.0	9/01/21 07:00	9/01/21 16:45	585	662.7	TSP	1132.80

SAMPLE NO. **PE-PM10090121-B606UPWIND** *9/1/2021 Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409350	40.0	40.0	40.0	9/01/21 07:16	9/01/21 16:45	569	644.6	PM-10	1132.80

SAMPLE NO. **PE-PM10090121-12ADOWNWIND** *9/1/2021 12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409349	40.0	40.0	40.0	9/01/21 07:00	9/01/21 16:45	585	662.7	PM-10	1132.80

SAMPLE NO. **PE-TSP090221-B606UPWIND** *9/2/2021 Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409344	40.0	40.0	40.0	9/02/21 07:18	9/02/21 16:45	567	642.3	TSP	1132.80

SAMPLE NO. **PE-TSP090221-12ADOWNWIND** *9/2/2021 12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409343	40.0	40.0	40.0	9/02/21 07:02	9/02/21 16:45	583	660.4	TSP	1132.80

SAMPLE NO. **PE-PM10090221-B606UPWIND** *9/2/2021 Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409342	40.0	40.0	40.0	9/02/21 07:18	9/02/21 16:45	567	642.3	PM-10	1132.80

SAMPLE NO. **PE-PM10090221-12ADOWNWIND** *9/2/2021 12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409341	40.0	40.0	40.0	9/02/21 07:02	9/02/21 16:45	583	660.4	PM-10	1132.80

69695

1
2
3
4
5
6
7
8
9
10
11
12
13
14

SAMPLE NO. **PE-TSP090321-B606UPWIND** 9/3/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409340	40.0	40.0	40.0	9/03/21 07:15	9/03/21 14:45	450	509.8	TSP	1132.80

SAMPLE NO. **PE-TSP090321-12ADOWNWIND** 9/3/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409339	40.0	40.0	40.0	9/03/21 07:42	9/03/21 14:45	423	479.2	TSP	1132.80

SAMPLE NO. **PE-PM10090321-B606UPWIND** 9/3/2021 *Building 606 Upwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409338	40.0	40.0	40.0	9/03/21 07:15	9/03/21 14:45	450	509.8	PM-10	1132.80

SAMPLE NO. **PE-PM10090321-12ADOWNWIND** 9/3/2021 *12A Downwind*

LOT No.	FLOW RATE (CFM)			RUNNING TIME (HRS)		TOTAL TIME (min)	TOTAL VOL. (std m ³)	Analysis	Flow Rate (L/min.)
	START	STOP	AVERAGE	START	STOP				
Q0409337	40.0	40.0	40.0	9/03/21 07:42	9/03/21 14:45	423	479.2	PM-10	1132.80

Login Sample Receipt Checklist

Client: Aptim Federal Services LLC

Job Number: 570-69695-1

Login Number: 69695
List Number: 1
Creator: Patel, Jayesh

List Source: Eurofins Calscience LLC

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

