

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A5	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
A6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible, survey inside installed base cabinets
A8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A10	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed Stove.		uR/hr			No	20% accessible
B6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1316 Gateview Avenue Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	2.4	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
C6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C11	2.4	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C12	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	2.8	uR/hr	Living Room		2.4	uR/hr	Hallway		2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	
D6	2.8	uR/hr	Kitchen		2.4	uR/hr	Hallway			uR/hr			No	refrigerator moved for survey



Summary Report
1316 Gateview Avenue Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.4	uR/hr	Hallway			uR/hr			No	survey inside base cabinets at 4" height
D8	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Hallway	Installed furnace.		uR/hr				uR/hr			No	60% accessible
E10	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed hot water heater
E11	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E12	2.4	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1316 Gateview Avenue Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F5	2.4	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
F6	2.8	uR/hr	Storage		2.4	uR/hr	Hallway		2.4	uR/hr	Stairs		No	Stair static taken at 0.5 meters above ground level
F7	2.8	uR/hr	Stairs		2.8	uR/hr	Bathroom		2.4	uR/hr	Hallway		No	Stair static taken at 0.5 meters above ground level
F8	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
F9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
F10	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
F11	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G5	2.4	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
G6	2.8	uR/hr	Storage		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground level
G7	2.4	uR/hr	Stairs		2.8	uR/hr	Bathroom			uR/hr			No	Stair static taken at 1.1 meters above ground level
G8	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	washing machine moved for survey
G12	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, dryer moved for survey
G13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H1	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	60% accessible, Stair static taken at 1.5 meters above ground level
H6	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, Stair static taken at 1.5 meters above ground level
H7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Bathroom			uR/hr			No	60% accessible, Stair static taken at 1.5 meters above ground level



Summary Report
1316 Gateview Avenue Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H8	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H9	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, survey with inside installed tub
H10	2.4	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, survey with static at 4" inside installed tub
H11	2.4	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	2.4	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



Summary Report
1316 Gateview Avenue Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1316 Gateview Avenue Unit B

Unit Summary :

Completion Date: 8/19/2014 1:06 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 7
Background Reading: 2.8 uR/hr
Dimensions (m): D 11.8 W 7.6
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Bed in living room (grids F3-H3 and F4-H4) moved for survey. Bath and utility converted into ADA compliant bathroom and tub. Storage is Utility Rm. Grids D11, D12 and E12 fall outside of floor plan.

Summary Statistics :

Total # of Readings: 112
Average: 2.71 uR/hr
Standard Deviation: 0.32 uR/hr
Minimum: 2.00 uR/hr
Maximum: 4.40 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A5	2.0	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	Stair static taken at 1.5 meters above ground level
A6	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.5 meters above ground level
A7	2.0	uR/hr	Stairs		2.8	uR/hr	Bathroom			uR/hr			No	Stair static taken at 1.5 meters above ground level
A8	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	Static taken next to toilet
A9	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	Static taken next to toilet, survey scan inside bathtub
A10	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	static taken in bathtub at 4" height
A11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	Installed washer moved for survey.
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, installed dryer moved for survey.
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1316 Gateview Avenue Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B5	2.4	uR/hr	Storage		2.4	uR/hr	Living Room			uR/hr			No	
B6	2.4	uR/hr	Storage		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground level
B7	2.4	uR/hr	Stairs		2.8	uR/hr	Bathroom			uR/hr			No	Stair static taken at 1.1 meters above ground level
B8	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
B9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	scan performed inside bathtub.
B10	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Storage		2.8	uR/hr	Hallway		2.8	uR/hr	Living Room		No	
C6	2.4	uR/hr	Storage		2.4	uR/hr	Stairs		2.8	uR/hr	Hallway		No	Stair static taken at 0.5 meters above ground level
C7	2.4	uR/hr	Stairs		2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom		No	Stair static taken at 0.5 meters above ground level
C8	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
C9	2.4	uR/hr	Bathroom	Installed furnace.		uR/hr				uR/hr			No	30% accessible
C10	2.4	uR/hr	Bathroom	Installed water heater.		uR/hr				uR/hr			No	50% accessible
C11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	



Summary Report
1316 Gateview Avenue Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	2.8	uR/hr	Hallway		2.4	uR/hr	Living Room			uR/hr			No	
D6	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D7	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D9	2.4	uR/hr	Hallway	Installed furnace.		uR/hr				uR/hr			No	70% accessible
D10	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E2	2.8	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	95% accessible
E3	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
E4	2.4	uR/hr	Bedroom			uR/hr				uR/hr			No	
E5	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bedroom			uR/hr			No	
E6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	refrigerator moved for survey



**Summary Report
1316 Gateview Avenue Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	2.8	uR/hr	Kitchen		2.8	uR/hr	Hallway			uR/hr			No	
E8	2.4	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E9	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E10	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.4	uR/hr	Hallway			uR/hr			No	60% accessible
E11	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F2	2.8	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F3	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
F5	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.4	uR/hr	Bedroom			uR/hr			No	
F6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F11	2.4	uR/hr	Trash	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	50% accessible
F12	2.4	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G2	2.8	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible



Summary Report
1316 Gateview Avenue Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G3	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
G4	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
G5	2.8	uR/hr	Kitchen	Installed Stove.	2.8	uR/hr	Bedroom			uR/hr			No	30% accessible
G6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H2	2.4	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H3	2.4	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	2.4	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H5	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.4	uR/hr	Bedroom			uR/hr			No	60% accessible
H6	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, survey inside installed cabinets
H7	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed dishwasher, survey inside installed cabinets
H8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible



Summary Report
1316 Gateview Avenue Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H10	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1316 Gateview Avenue Unit C

Unit Summary :

Completion Date: 8/12/2014 2:48 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 7B
Background Reading: 2.8 uR/hr
Dimensions (m): D 11.8 W 7.6
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Grids in column I, row 13 and D11 are outside of floor plan.

Summary Statistics :

Total # of Readings: 129
Average: 2.87 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.00 uR/hr
Maximum: 4.00 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
A6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A10	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
B6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C2	2.8	uR/hr	Living Room	Installed Stove.		uR/hr				uR/hr			No	80% accessible
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1316 Gateview Avenue Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
C6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C11	2.8	uR/hr	Trash		2.8	uR/hr	Dining Room			uR/hr			No	
C12	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	2.8	uR/hr	Hallway		2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room		No	
D6	2.8	uR/hr	Kitchen		2.8	uR/hr	Hallway			uR/hr			No	moved installed refrigerator to survey grid
D7	2.8	uR/hr	Hallway		2.8	uR/hr	Kitchen			uR/hr			No	
D8	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1316 Gateview Avenue Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E5	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
E6	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Mech Room		2.8	uR/hr	Hallway			uR/hr			No	
E11	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E12	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F5	2.8	uR/hr	Storage		3.2	uR/hr	Living Room			uR/hr			No	
F6	2.8	uR/hr	Storage		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
F7	2.8	uR/hr	Hallway		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
F8	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Hallway		2.8	uR/hr	Utility			uR/hr			No	
F10	2.8	uR/hr	Utility	Installed water heater.	2.8	uR/hr	Mech Room			uR/hr			No	60% accessible



Summary Report
1316 Gateview Avenue Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G5	2.8	uR/hr	Storage		2.8	uR/hr	Living Room			uR/hr			No	
G6	2.8	uR/hr	Storage		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40" from floor surface
G7	2.8	uR/hr	Bathroom		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40" from floor surface
G8	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
G9	3.2	uR/hr	Bathroom		2.8	uR/hr	Utility			uR/hr			No	
G10	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible



Summary Report
1316 Gateview Avenue Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs			uR/hr			No	static taken on stairs 56" from floor surface, 60% accessible
H6	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 56" from floor surface, 60% accessible
H7	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs			uR/hr			No	static taken on stairs 56" from floor surface, 60% accessible
H8	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, static taken by toilet
H9	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.	2.8	uR/hr	Utility			uR/hr			No	60% accessible, moved installed washer to survey grid, static taken by toilet
H10	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, moved installed dryer to survey grid
H11	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



Summary Report
1316 Gateview Avenue Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is stylized, starting with a large 'N' and ending with a long horizontal stroke.

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is written in a cursive style, with the first name 'Ricky' and the last name 'Laguna' clearly visible.

Signoff Notes:



Summary Report
1316 Gateview Avenue Unit D

Unit Summary :

Completion Date: 7/9/2014 3:31 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 7
Background Reading: 3.6 uR/hr
Dimensions (m): D 11.8 W 7.7
Unit Furnished: No
Tenant Present: No


Unit Notes:
Unit completely gutted.

Summary Statistics :

Total # of Readings: 108
Average: 3.45 uR/hr
Standard Deviation: 0.19 uR/hr
Minimum: 3.20 uR/hr
Maximum: 3.60 uR/hr
Median: 3.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	reading taken at floor level for stairs
A6	3.6	uR/hr	Stairs			uR/hr				uR/hr			No	reading taken at floor level
A7	3.6	uR/hr	Stairs			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Bathroom	Bathroom fixtures not installed.		uR/hr				uR/hr			No	
A9	3.2	uR/hr	Utility		3.6	uR/hr	Bathroom	Bathroom fixtures not installed.		uR/hr			No	
A10	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
A11	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Storage		3.2	uR/hr	Living Room			uR/hr			No	
B6	3.2	uR/hr	Storage		3.2	uR/hr	Stairs			uR/hr			No	reading taken at floor level for stairs
B7	3.2	uR/hr	Stairs			uR/hr				uR/hr			No	reading taken at floor level for stairs
B8	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
B9	3.2	uR/hr	Utility		3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		No	



Summary Report
1316 Gateview Avenue Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Storage		3.6	uR/hr	Living Room			uR/hr			No	
C6	3.2	uR/hr	Storage		3.6	uR/hr	Hallway			uR/hr			No	
C7	3.2	uR/hr	Stairs		3.6	uR/hr	Hallway			uR/hr			No	reading taken at floor level for stairs
C8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Utility		3.2	uR/hr	Mech Room			uR/hr			No	static reading taken at 6" due to installed furnace. area under furnace available to survey
C10	3.2	uR/hr	Utility		3.2	uR/hr	Mech Room			uR/hr			No	water heater not installed
C11	3.6	uR/hr	Storage		3.2	uR/hr	Mech Room			uR/hr			No	
C12	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	3.6	uR/hr	Hallway		3.6	uR/hr	Living Room			uR/hr			No	
D6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1316 Gateview Avenue Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Hallway		3.6	uR/hr	Mech Room			uR/hr			No	static reading taken at 6" due to installed furnace. area under furnace available to survey
D10	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Mech Room			uR/hr			No	90% accessible. water heater not installed.
D11	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.	3.2	uR/hr	Living Room			uR/hr			No	
E6	3.6	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.		uR/hr				uR/hr			No	
E7	3.2	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.		uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible



Summary Report
1316 Gateview Avenue Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.	3.6	uR/hr	Living Room			uR/hr			No	
F6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.		uR/hr				uR/hr			No	
F8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr			No	90% accessible
F12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
G2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G5	3.2	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.	3.6	uR/hr	Living Room			uR/hr			No	
G6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.		uR/hr				uR/hr			No	
G8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1316 Gateview Avenue Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H3	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H5	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.	3.6	uR/hr	Living Room			uR/hr			No	70% accessible
H6	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H7	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H10	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H11	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Summary Report
1316 Gateview Avenue Unit E

Unit Summary :

Completion Date: 7/9/2014 3:32 PM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 7B

Background Reading: 3.6 uR/hr

Dimensions (m): D 11.7 W 7.6

Unit Furnished: No

Tenant Present: No

Unit Notes:

Grids I1 - I13 are outside of floor plan.

Summary Statistics :

Total # of Readings: 118

Average: 3.32 uR/hr

Standard Deviation: 0.28 uR/hr

Minimum: 2.40 uR/hr


Maximum: 4.40 uR/hr

Median: 2.80 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
A2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	70% accessible. Kitchen reading taken 12" from floor inside base cabinet.
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible.
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A10	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
B1		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1316 Gateview Avenue Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B5	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	No stove installed.
B6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
C1		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
C6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Trash			uR/hr			No	70% accessible.
C12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.



**Summary Report
1316 Gateview Avenue Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C13		uR/hr	Trash	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Hallway		No	Kitchen reading taken 12" from floor inside base cabinet
D6	3.6	uR/hr	Kitchen		3.2	uR/hr	Hallway			uR/hr			No	No refrigerator installed.
D7	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Hallway			uR/hr			No	Kitchen reading taken 12" from floor inside base cabinet
D8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D11		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D12		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1316 Gateview Avenue Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
E6	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Hallway	Installed furnace.		uR/hr				uR/hr			No	40% accessible.
E10	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Mech Room			uR/hr			No	15% accessible. Partial grid-partial grid due to installed water heater.
E11	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
E12	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
E13		uR/hr	Storage	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
F6	3.6	uR/hr	Storage		3.2	uR/hr	Stairs			uR/hr			No	Stairs reading taken 12" from floor.
F7	3.2	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 12" from floor.
F8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1316 Gateview Avenue Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
F10	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
F13		uR/hr	Storage	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G5	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		2.4	uR/hr	Stairs		No	
G6	3.2	uR/hr	Storage		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 44" from floor.
G7	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 44" from floor.
G8	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
G9	3.6	uR/hr	Bathroom		3.2	uR/hr	Utility			uR/hr			No	
G10	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
G13		uR/hr	Storage	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H1	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.



Summary Report
1316 Gateview Avenue Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H3	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	60% accessible. Stairs reading taken 60" from floor.
H6	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. Stairs reading taken 60" from floor.
H7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. Stairs reading taken 60" from floor.
H8	4.4	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H9	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.	3.6	uR/hr	Utility			uR/hr			No	60% accessible. No washer installed
H10	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. No dryer installed.
H11	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H12	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.



Summary Report
1316 Gateview Avenue Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H13		uR/hr	Storage	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :

Signature :

Signoff Notes:



Summary Report
1316 Gateview Avenue Unit F

Unit Summary :

Completion Date: 8/12/2014 1:06 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 7
Background Reading: 3.2 uR/hr
Dimensions (m): D 11.8 W 7.6
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Unit modified ADA compliant. Bedroom included in living room, bathroom/utility room modified into handicap bathroom (bathtub in bathroom). E12 grid is outside unit interior boundary.

Summary Statistics :

Total # of Readings: 108
Average: 3.28 uR/hr
Standard Deviation: 0.19 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.60 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A5	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	reading 1.8 meters from floor for stairs
A6	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading 1.8 meters from floor for stairs
A7	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading 1.8 meters from floor for stairs
A8	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
A10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	static reading taken inside bathtub.
A11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	moved washer to survey grid
A12	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. moved dryer to survey grid.
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Storage		3.2	uR/hr	Living Room			uR/hr			No	
B6	3.6	uR/hr	Storage		3.2	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs
B7	3.2	uR/hr	Stairs			uR/hr				uR/hr			No	reading 1.3 meters from floor for stairs



Summary Report
1316 Gateview Avenue Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Storage		3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		No	
C6	3.2	uR/hr	Storage		3.2	uR/hr	Stairs		3.2	uR/hr	Hallway		No	reading .6 meters from floor for stairs
C7	3.2	uR/hr	Stairs		3.2	uR/hr	Hallway			uR/hr			No	reading .6 meters from floor for stairs
C8	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
C9	3.2	uR/hr	Bathroom	Installed furnace.	3.2	uR/hr	Hallway			uR/hr			No	75% accessible
C10	3.2	uR/hr	Bathroom		3.2	uR/hr	Mech Room	Installed water heater.		uR/hr			No	50% accessible
C11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1316 Gateview Avenue Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Hallway	Installed furnace.		uR/hr				uR/hr			No	75% accessible
D10	3.2	uR/hr	Hallway		3.2	uR/hr	Mech Room	Installed water heater.		uR/hr			No	60% accessible
D11	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr			No	20% accessible
D12	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
E2	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
E3	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bedroom			uR/hr			No	
E6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	moved refrigerator to survey grid.
E7	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
E11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible



Summary Report
1316 Gateview Avenue Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F2	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
F3	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Kitchen		3.2	uR/hr	Bedroom			uR/hr			No	
F6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr			No	95% accessible
F12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
G2	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G3	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	bed was moved to survey grid.
G5	3.2	uR/hr	Kitchen	Installed Stove.	3.2	uR/hr	Bedroom			uR/hr			No	60% accessible. bed was moved to survey grid.
G6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	



Summary Report
1316 Gateview Avenue Unit F


Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H2	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H3	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. bed was moved to survey grid.
H5	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr			No	60% accessible. bed was moved to survey grid.
H6	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible-installed dishwasher
H7	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible-installed dishwasher
H8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H10	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Summary Report
1318 Gateview Avenue Unit A

Unit Summary :


Completion Date: 6/23/2014 9:42 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 7B
Background Reading: 3.6 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings: 93
Average: 3.49 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 3.20 uR/hr
Maximum: 4.80 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A2	3.6	uR/hr	No		Living Room		uR/hr	
A3	3.6	uR/hr	No	cabinet bolted to wall comprised of 1/2 inch composite wood; scanned w/out caster	Living Room		uR/hr	
A4	3.6	uR/hr	No	contains part of a small cabinet bolted to the wall; unable to survey due to cabinet height.	Living Room		uR/hr	
A5	3.6	uR/hr	No		Living Room		uR/hr	
A6		uR/hr	No	unable to scan due to dish washer. Adjacent scan is 3.6 uR/hr.	Kitchen		uR/hr	
A7		uR/hr	No	unable to scan due to cabinet. Adjacent scan is 3.6 uR/hr.	Kitchen		uR/hr	
A8	3.6	uR/hr	No		Dining Room		uR/hr	
A9	3.2	uR/hr	No		Dining Room		uR/hr	
A10	3.2	uR/hr	No		Dining Room		uR/hr	
A11	3.6	uR/hr	No		Dining Room		uR/hr	
B2	3.6	uR/hr	No		Living Room		uR/hr	
B3	3.6	uR/hr	No		Living Room		uR/hr	
B4	3.6	uR/hr	No		Living Room		uR/hr	
B5	3.6	uR/hr	No		Living Room		uR/hr	
B6	3.2	uR/hr	No		Kitchen		uR/hr	
B7	3.6	uR/hr	No		Kitchen		uR/hr	
B8	3.6	uR/hr	No		Dining Room		uR/hr	
B9	3.6	uR/hr	No		Dining Room		uR/hr	
B10	3.6	uR/hr	No		Dining Room		uR/hr	
B11	3.2	uR/hr	No		Dining Room		uR/hr	
C2	3.6	uR/hr	No		Living Room		uR/hr	
C3	3.6	uR/hr	No		Living Room		uR/hr	
C4	3.6	uR/hr	No		Living Room		uR/hr	
C5	3.2	uR/hr	No		Living Room		uR/hr	
C6	3.2	uR/hr	No		Kitchen		uR/hr	



Summary Report
1318 Gateview Avenue Unit A

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C7	3.6	uR/hr	No		Kitchen		uR/hr	
C8	3.2	uR/hr	No		Dining Room		uR/hr	
C9	3.6	uR/hr	No		Dining Room		uR/hr	
C10	3.6	uR/hr	No		Dining Room		uR/hr	
C11	3.2	uR/hr	No	shelves bolted to wall and left in place comprised of 1" particle board; base 3" off ground. Surveyed above shelf at 4".	Dining Room	3.2	uR/hr	Trash
C12	3.2	uR/hr	No		Trash		uR/hr	
C13	3.2	uR/hr	No	partial grid.	Trash		uR/hr	
D2	3.6	uR/hr	No		Living Room		uR/hr	
D3	3.6	uR/hr	No		Living Room		uR/hr	
D4	3.6	uR/hr	No		Living Room		uR/hr	
D5	3.2	uR/hr	No		Living Room	3.2	uR/hr	Kitchen
D6		uR/hr	No	Inaccessible due to refrigerator.	Kitchen		uR/hr	
D7		uR/hr	No	Inaccessible due to base cabinet.	Kitchen		uR/hr	
D8	3.6	uR/hr	No		Hallway		uR/hr	
D9	3.2	uR/hr	No		Hallway		uR/hr	
D10	3.2	uR/hr	No		Hallway		uR/hr	
E1	3.2	uR/hr	No		Living Room		uR/hr	
E2	3.6	uR/hr	No		Living Room		uR/hr	
E3	3.6	uR/hr	No		Living Room		uR/hr	
E4	3.6	uR/hr	No		Living Room		uR/hr	
E5	3.6	uR/hr	No		Living Room		uR/hr	
E6	3.6	uR/hr	No		Hallway		uR/hr	
E7	3.2	uR/hr	No		Hallway		uR/hr	
E8	3.6	uR/hr	No		Hallway		uR/hr	
E9	3.6	uR/hr	No	partial grid due to furnace.	Hallway		uR/hr	
E10	3.6	uR/hr	No	Partial scan performed in entry only due to water heater.	Mech Room		uR/hr	
E11		uR/hr	No	N/A- Grid is outside unit interior boundary.	Hallway		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E12	3.2	uR/hr	No	1/2 inch plastic crate shelves left in place and scanned above shelves.	Storage		uR/hr	
E13	3.2	uR/hr	No		Storage		uR/hr	
F1	3.6	uR/hr	No		Living Room		uR/hr	
F2	3.6	uR/hr	No		Living Room		uR/hr	
F3	3.6	uR/hr	No		Living Room		uR/hr	
F4	3.2	uR/hr	No		Living Room		uR/hr	
F5	3.2	uR/hr	No		Living Room	3.2	uR/hr	Storage
F6	3.2	uR/hr	No		Storage		uR/hr	
F7	3.2	uR/hr	No	static reading taken on second step @ 12 inches	Stairs		uR/hr	
F8	3.6	uR/hr	No		Hallway		uR/hr	
F9	3.6	uR/hr	No		Utility		uR/hr	
F10	3.2	uR/hr	No		Utility		uR/hr	
F11	3.6	uR/hr	No		Storage		uR/hr	
F12	3.2	uR/hr	No		Storage		uR/hr	
F13	3.2	uR/hr	No		Storage		uR/hr	
G1	3.6	uR/hr	No		Living Room		uR/hr	
G2	3.6	uR/hr	No		Living Room		uR/hr	
G3	3.6	uR/hr	No		Living Room		uR/hr	
G4	3.6	uR/hr	No		Living Room		uR/hr	
G5	3.6	uR/hr	No		Living Room	3.6	uR/hr	Storage
G6	3.6	uR/hr	No		Storage		uR/hr	
G7		uR/hr	No	N/A- Stairway above main floor.	Stairs		uR/hr	
G8	3.6	uR/hr	No		Bathroom		uR/hr	
G9	3.6	uR/hr	No		Utility	3.6	uR/hr	Utility
G10	3.6	uR/hr	No		Utility		uR/hr	
G11	3.6	uR/hr	No		Storage		uR/hr	
G12	3.6	uR/hr	No		Storage		uR/hr	



Summary Report
1318 Gateview Avenue Unit A

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
G13	3.2	uR/hr	No		Storage		uR/hr	
H1	3.6	uR/hr	No		Living Room		uR/hr	
H2	3.6	uR/hr	No		Living Room		uR/hr	
H3	3.2	uR/hr	No		Living Room		uR/hr	
H4	3.6	uR/hr	No		Living Room		uR/hr	
H5	3.2	uR/hr	No		Living Room		uR/hr	
H6		uR/hr	No	N/A- Stairway above main floor.	Stairs		uR/hr	
H7		uR/hr	No	N/A- Stairway above main floor.	Stairs		uR/hr	
H8	4.0	uR/hr	No	reading was under the sink next to the toilet	Bathroom		uR/hr	
H9	4.8	uR/hr	No	top center grid by toilet; partial grid surveyed due to bathtub	Utility		uR/hr	
H10		uR/hr	No	Did not perform static in bathtub. Scan reading = 3.6 uR/hr.	Utility		uR/hr	
H11		uR/hr	No	Unable to perform center static due to installed washer/dryer. Adjacent scan is 3.6 uR/hr.	Storage		uR/hr	
H12		uR/hr	No	Unable to perform center static due to installed washer/dryer. Adjacent scan is 3.6 uR/hr.	Storage		uR/hr	
H13		uR/hr	No	Unable to perform center static due to installed washer/dryer. Adjacent scan is 3.6 uR/hr.	Storage		uR/hr	



CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :


Completion Date: 6/12/2014 11:14 AM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 7
Background Reading: 3.2 uR/hr

Summary Statistics :

Total # of Readings: 89
Average: 3.22 uR/hr
Standard Deviation: 0.22 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No		Living Room		uR/hr	
A2	3.2	uR/hr	No		Living Room		uR/hr	
A3	3.2	uR/hr	No		Living Room		uR/hr	
A4	3.2	uR/hr	No		Living Room		uR/hr	
A5	3.2	uR/hr	No	partial reading/ stairs	Stairs		uR/hr	
A6		uR/hr	No	stairs	Stairs		uR/hr	
A7		uR/hr	No	stairs	Stairs		uR/hr	
A8	4.0	uR/hr	No	absorbed 3" of A7	Bathroom		uR/hr	
A9	4.0	uR/hr	No	partial reading /bathtub	Bathroom		uR/hr	
A10	3.6	uR/hr	No	tub	Bathroom		uR/hr	
A11		uR/hr	No	washer	Utility		uR/hr	
A12		uR/hr	No	dryer	Utility		uR/hr	
B1	3.2	uR/hr	No		Living Room		uR/hr	
B2	3.6	uR/hr	No		Living Room		uR/hr	
B3	3.2	uR/hr	No		Living Room		uR/hr	
B4	3.2	uR/hr	No		Living Room		uR/hr	
B5	3.2	uR/hr	No	wood shelving scan bottom shelf 2-3"	Storage	3.2	uR/hr	Living Room
B6	3.2	uR/hr	No		Storage		uR/hr	
B7		uR/hr	No	stairs	Stairs		uR/hr	
B8	3.6	uR/hr	No	absorbed 3" of B7	Bathroom		uR/hr	
B9	3.2	uR/hr	No		Bathroom		uR/hr	
B10	3.2	uR/hr	No		Bathroom		uR/hr	
B11	3.2	uR/hr	No		Utility		uR/hr	
B12	3.2	uR/hr	No		Utility		uR/hr	
C1	3.2	uR/hr	No		Living Room		uR/hr	
C2	3.2	uR/hr	No		Living Room		uR/hr	



Summary Report
1318 Gateview Avenue Unit B

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C3	3.2	uR/hr	No		Living Room		uR/hr	
C4	3.2	uR/hr	No		Living Room		uR/hr	
C5	3.2	uR/hr	No		Storage	3.2	uR/hr	Living Room
C6	3.2	uR/hr	No		Storage	3.2	uR/hr	Stairs
C7	3.2	uR/hr	No		Stairs	3.2	uR/hr	Bathroom
C8	3.2	uR/hr	No		Bathroom		uR/hr	
C9	3.2	uR/hr	No		Bathroom		uR/hr	
C10	3.2	uR/hr	No		Bathroom		uR/hr	
C11	3.2	uR/hr	No		Utility		uR/hr	
C12	3.2	uR/hr	No		Utility		uR/hr	
D1	3.2	uR/hr	No		Living Room		uR/hr	
D2	3.2	uR/hr	No		Living Room		uR/hr	
D3	3.2	uR/hr	No		Living Room		uR/hr	
D4	3.2	uR/hr	No		Living Room		uR/hr	
D5	3.2	uR/hr	No		Hallway		uR/hr	
D6	3.2	uR/hr	No		Hallway		uR/hr	
D7	3.2	uR/hr	No		Hallway		uR/hr	
D8	3.2	uR/hr	No		Hallway		uR/hr	
D9	3.2	uR/hr	No	partial reading/ mech room	Hallway		uR/hr	
D10	2.8	uR/hr	No	partial reading/ front door/ mech room	Hallway		uR/hr	
D11	2.8	uR/hr	No	partial grid/ exterior wall	Storage		uR/hr	
D12	2.8	uR/hr	No	reading from 3" shelve	Storage		uR/hr	
E2	3.2	uR/hr	No		Living Room		uR/hr	
E3	3.6	uR/hr	No		Living Room		uR/hr	
E4	3.2	uR/hr	No		Living Room		uR/hr	
E5	3.2	uR/hr	No		Kitchen	3.2	uR/hr	Hallway
E6		uR/hr	No	unable to scan /refrigerator	Kitchen		uR/hr	
E7		uR/hr	No	unable to scan/ kitchen counter	Kitchen		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E8	3.2	uR/hr	No		Hallway		uR/hr	
E9	3.2	uR/hr	No		Hallway		uR/hr	
E10	2.8	uR/hr	No	partial reading/ front door	Hallway		uR/hr	
E11		uR/hr	No	no survey/ exterior wall	Dining Room		uR/hr	
F2	3.2	uR/hr	No		Living Room		uR/hr	
F3	3.6	uR/hr	No		Living Room		uR/hr	
F4	3.2	uR/hr	No		Living Room		uR/hr	
F5	3.2	uR/hr	No		Kitchen	3.2	uR/hr	Living Room
F6	3.6	uR/hr	No		Kitchen		uR/hr	
F7	3.2	uR/hr	No		Kitchen		uR/hr	
F8	3.2	uR/hr	No		Dining Room		uR/hr	
F9	3.2	uR/hr	No		Dining Room		uR/hr	
F10	2.8	uR/hr	No		Dining Room		uR/hr	
F11	2.8	uR/hr	No		Trash	2.8	uR/hr	Dining Room
F12	3.2	uR/hr	No		Trash		uR/hr	
G2	3.2	uR/hr	No		Living Room		uR/hr	
G3	3.6	uR/hr	No		Living Room		uR/hr	
G4	3.6	uR/hr	No		Living Room		uR/hr	
G5	3.2	uR/hr	No		Kitchen	3.2	uR/hr	Living Room
G6	3.2	uR/hr	No		Kitchen		uR/hr	
G7	3.2	uR/hr	No	partial scan/ counter top	Kitchen		uR/hr	
G8	3.2	uR/hr	No		Dining Room		uR/hr	
G9	3.2	uR/hr	No		Dining Room		uR/hr	
G10	3.2	uR/hr	No		Dining Room		uR/hr	
G11	2.8	uR/hr	No		Dining Room		uR/hr	
H2	3.2	uR/hr	No		Living Room		uR/hr	
H3	3.2	uR/hr	No		Living Room		uR/hr	
H4	3.6	uR/hr	No	wood book shelve / bottom shelve scan 2-3"	Living Room		uR/hr	



Summary Report
1318 Gateview Avenue Unit B

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
H5	3.2	uR/hr	No	partial reading, kitchen counter top/ wood shelve surveyed 2-3"	Kitchen		uR/hr	
H6	3.2	uR/hr	No	partial reading/ sink	Kitchen		uR/hr	
H7	3.2	uR/hr	No	partial reading/ dishwasher	Kitchen		uR/hr	
H8	3.2	uR/hr	No		Dining Room		uR/hr	
H9	3.2	uR/hr	No		Dining Room		uR/hr	
H10	3.2	uR/hr	No		Dining Room		uR/hr	
H11	2.8	uR/hr	No		Dining Room		uR/hr	

CBI Supervisor : Joyce McGee

Senior Technician : Efraim Ramirez

Signature :

Signature :



Unit Summary :

Completion Date: 6/12/2014 11:46 AM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 7B
Background Reading: 3.2 uR/hr

Summary Statistics :

Total # of Readings: 89
Average: 3.08 uR/hr
Standard Deviation: 0.18 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.20 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A2	3.2	uR/hr	No		Living Room		uR/hr	
A3	3.2	uR/hr	No		Living Room		uR/hr	
A4	3.2	uR/hr	No		Living Room		uR/hr	
A5	2.8	uR/hr	No	no access cabinet	Living Room		uR/hr	Kitchen
A6	3.2	uR/hr	No		Kitchen		uR/hr	
A7	3.2	uR/hr	No		Kitchen		uR/hr	
A8	2.8	uR/hr	No		Dining Room		uR/hr	
A9	3.2	uR/hr	No		Dining Room		uR/hr	
A10	3.2	uR/hr	No		Dining Room		uR/hr	
A11	2.8	uR/hr	No		Dining Room		uR/hr	Outside
B2	3.2	uR/hr	No		Living Room		uR/hr	
B3	3.2	uR/hr	No		Living Room		uR/hr	
B4	3.2	uR/hr	No		Living Room		uR/hr	
B5	2.8	uR/hr	No	no access stove	Living Room		uR/hr	Kitchen
B6	3.2	uR/hr	No		Kitchen		uR/hr	
B7	2.8	uR/hr	No		Kitchen		uR/hr	
B8	2.8	uR/hr	No		Dining Room		uR/hr	
B9	3.2	uR/hr	No		Dining Room		uR/hr	
B10	3.2	uR/hr	No		Dining Room		uR/hr	
B11	2.8	uR/hr	No		Dining Room		uR/hr	Outside
C2	3.2	uR/hr	No		Living Room		uR/hr	
C3	3.2	uR/hr	No		Living Room		uR/hr	
C4	3.2	uR/hr	No		Living Room		uR/hr	
C5	2.8	uR/hr	No	no access cabinet	Living Room		uR/hr	Kitchen
C6	3.2	uR/hr	No		Kitchen		uR/hr	
C7	3.2	uR/hr	No		Kitchen		uR/hr	



Summary Report
1318 Gateview Avenue Unit C

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C8	2.8	uR/hr	No		Dining Room		uR/hr	
C9	3.2	uR/hr	No		Dining Room		uR/hr	
C10	2.8	uR/hr	No		Dining Room		uR/hr	
C11	3.2	uR/hr	No		Dining Room	2.8	uR/hr	Trash
C12	2.8	uR/hr	No		Trash		uR/hr	
D1	3.2	uR/hr	No		Living Room		uR/hr	Outside
D2	3.2	uR/hr	No		Living Room		uR/hr	
D3	3.2	uR/hr	No		Living Room		uR/hr	
D4	3.2	uR/hr	No		Living Room		uR/hr	
D5	2.8	uR/hr	No	second optional 2.8	Kitchen	2.8	uR/hr	Living Room
D6	3.2	uR/hr	No	fridge	Hallway		uR/hr	Kitchen
D7	2.8	uR/hr	No	no access cabinet	Hallway		uR/hr	Kitchen
D8	3.2	uR/hr	No		Hallway		uR/hr	
D9	3.2	uR/hr	No		Hallway		uR/hr	
D10	2.8	uR/hr	No		Hallway		uR/hr	
E1	2.8	uR/hr	No		Living Room		uR/hr	
E2	3.2	uR/hr	No		Living Room		uR/hr	
E3	3.2	uR/hr	No		Living Room		uR/hr	
E4	3.2	uR/hr	No		Living Room		uR/hr	
E5	3.2	uR/hr	No		Living Room		uR/hr	
E6	3.2	uR/hr	No		Hallway		uR/hr	
E7	3.2	uR/hr	No		Hallway		uR/hr	
E8	3.2	uR/hr	No		Hallway		uR/hr	
E9	2.8	uR/hr	No		Hallway		uR/hr	
E10	2.8	uR/hr	No		Mech Room		uR/hr	
E11	2.8	uR/hr	No		Storage		uR/hr	
E12	2.8	uR/hr	No		Storage		uR/hr	
F1	2.8	uR/hr	No		Living Room		uR/hr	



Summary Report
1318 Gateview Avenue Unit C

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F2	3.2	uR/hr	No		Living Room		uR/hr	
F3	3.2	uR/hr	No		Living Room		uR/hr	
F4	3.2	uR/hr	No		Living Room		uR/hr	
F5	2.8	uR/hr	No		Living Room	3.2	uR/hr	Storage
F6	3.2	uR/hr	No		Storage	3.2	uR/hr	Stairs
F7	3.2	uR/hr	No		Stairs		uR/hr	
F8	3.2	uR/hr	No		Hallway		uR/hr	
F9	3.2	uR/hr	No		Utility		uR/hr	
F10	2.8	uR/hr	No		Utility		uR/hr	
F11	2.8	uR/hr	No		Storage		uR/hr	
F12	2.8	uR/hr	No		Storage		uR/hr	
G1	3.2	uR/hr	No		Living Room		uR/hr	
G2	3.2	uR/hr	No		Living Room		uR/hr	
G3	3.2	uR/hr	No		Living Room		uR/hr	
G4	3.2	uR/hr	No		Living Room		uR/hr	
G5	3.2	uR/hr	No		Living Room	2.8	uR/hr	Storage
G6	3.2	uR/hr	No		Storage		uR/hr	
G7		uR/hr	No	no access	Stairs		uR/hr	
G8	3.2	uR/hr	No		Bathroom	3.2	uR/hr	Hallway
G9	3.2	uR/hr	No		Utility	3.6	uR/hr	Bathroom
G10	3.2	uR/hr	No		Utility		uR/hr	
G11	3.2	uR/hr	No		Storage		uR/hr	
G12	2.8	uR/hr	No		Storage		uR/hr	
H1	3.2	uR/hr	No		Living Room		uR/hr	
H2	3.2	uR/hr	No	3.2	Living Room		uR/hr	
H3	3.2	uR/hr	No		Living Room		uR/hr	
H4	3.2	uR/hr	No		Living Room		uR/hr	
H5	3.2	uR/hr	No	no access	Living Room		uR/hr	Stairs



Summary Report
1318 Gateview Avenue Unit C


Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
H6		uR/hr	No	no access	Stairs		uR/hr	
H7		uR/hr	No	no access	Stairs		uR/hr	
H8	3.2	uR/hr	No		Bathroom		uR/hr	
H9	3.2	uR/hr	No		Utility	4.0	uR/hr	Bathroom
H10	3.2	uR/hr	No		Utility		uR/hr	
H11	3.2	uR/hr	No		Storage	3.2	uR/hr	Utility
H12	3.2	uR/hr	No		Storage		uR/hr	

CBI Supervisor : Natalie Rothell

Senior Technician : Mark Cafouras

Signature :

Signature :





Summary Report
1318 Gateview Avenue Unit D

Unit Summary :


Completion Date: 6/12/2014 11:00 AM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 7
Background Reading: 3.6 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings: 102
Average: 3.60 uR/hr
Standard Deviation: 0.13 uR/hr
Minimum: 3.00 uR/hr
Maximum: 4.00 uR/hr
Median: 3.30 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr							No	
A2	3.6	uR/hr	Living Room			uR/hr							No	
A3	3.6	uR/hr	Living Room			uR/hr							No	
A4	3.6	uR/hr	Living Room			uR/hr							No	
A5	3.6	uR/hr	Stairs			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Stairs			uR/hr				uR/hr			No	Partial grid inaccessible due to wall.
A7		uR/hr	Stairs			uR/hr				uR/hr			No	inaccessible due to stairs and bathroom cabinet
A8	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
A9	4.0	uR/hr	Bathroom		3.0	uR/hr	Utility			uR/hr			No	
A10	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
A11	3.6	uR/hr	Storage			uR/hr				uR/hr			No	Shelf unit installed. Used model 19 #267078 to scan under shelf results- 4.5uR/hr
A12	3.6	uR/hr	Storage			uR/hr				uR/hr			No	Shelf unit installed. Used model 19 #267078 to scan under shelves results 4.5uR/hr
A13		uR/hr	Storage			uR/hr				uR/hr			No	N/A- Grids are outside unit interior boundary.
B1	3.6	uR/hr	Living Room			uR/hr							No	
B2	4.0	uR/hr	Living Room			uR/hr							No	
B3	3.6	uR/hr	Living Room			uR/hr							No	



Summary Report
1318 Gateview Avenue Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B4	3.6	uR/hr	Living Room			uR/hr							No	
B5	3.6	uR/hr	Storage		3.6	uR/hr	Storage						No	
B6	4.0	uR/hr	Storage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
B8	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway						No	
B9	4.0	uR/hr	Bathroom		3.6	uR/hr	Utility			uR/hr			No	
B10	3.6	uR/hr	Utility			uR/hr							No	
B11	3.6	uR/hr	Storage			uR/hr							No	
B12	3.6	uR/hr	Storage			uR/hr							No	
B13		uR/hr	Storage			uR/hr				uR/hr			No	N/A- Grids are outside unit interior boundary.
C1	3.6	uR/hr	Living Room			uR/hr							No	
C2	3.6	uR/hr	Living Room			uR/hr							No	
C3	3.6	uR/hr	Living Room			uR/hr							No	
C4	3.6	uR/hr	Living Room			uR/hr							No	
C5	3.6	uR/hr	Storage			uR/hr							No	partial grid inaccessible
C6	3.6	uR/hr	Storage			uR/hr				uR/hr			No	partial inaccessible due to locked storage room.
C7	3.6	uR/hr	Stairs			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Hallway			uR/hr							No	
C9	3.6	uR/hr	Utility			uR/hr				uR/hr			No	partial inaccessible due to mech room.
C10	3.6	uR/hr	Utility			uR/hr				uR/hr			No	partial inaccessible due to mech room.



Summary Report
1318 Gateview Avenue Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C11	3.6	uR/hr	Storage			uR/hr				uR/hr			No	partial inaccessible due to mech room.
C12	3.6	uR/hr	Storage			uR/hr							No	
C13		uR/hr	Storage			uR/hr				uR/hr			No	N/A- Grids are outside unit interior boundary.
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	partial grid inaccessible due to wall.
D2	3.6	uR/hr	Living Room			uR/hr							No	
D3	3.6	uR/hr	Living Room			uR/hr							No	
D4	3.6	uR/hr	Living Room			uR/hr							No	
D5	3.6	uR/hr	Hallway		3.6	uR/hr	Hallway						No	
D6	3.6	uR/hr	Hallway			uR/hr							No	
D7	3.6	uR/hr	Hallway			uR/hr							No	
D8	3.6	uR/hr	Hallway			uR/hr							No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	partial inaccessible due to mech room.
D10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	partial grid inaccessible due to wall.
D11		uR/hr	Storage			uR/hr				uR/hr			No	N/A- Grids are outside unit interior boundary.
D12		uR/hr	Storage			uR/hr				uR/hr			No	N/A- Grids are outside unit interior boundary.
D13		uR/hr	Storage			uR/hr				uR/hr			No	N/A- Grids are outside unit interior boundary.



Summary Report
1318 Gateview Avenue Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr							No	
E4	3.6	uR/hr	Living Room			uR/hr							No	
E5	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	Partial grid inaccessible due to cabinet. Reading in front of cabinet
E6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	Partial grid. Inaccessible due to refrigerator. Reading in front of refrigerator.
E7	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	Partial grid. Inaccessible due to cabinet, reading in front of cabinet.
E8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11		uR/hr	Dining Room			uR/hr				uR/hr			No	N/A- Grids are outside unit interior boundary.
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Living Room			uR/hr							No	
F4	3.6	uR/hr	Living Room			uR/hr							No	
F5	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
F6	3.6	uR/hr	Kitchen			uR/hr							No	
F7	3.6	uR/hr	Kitchen			uR/hr							No	
F8	3.6	uR/hr	Dining Room			uR/hr							No	
F9	3.6	uR/hr	Dining Room			uR/hr							No	
F10	3.6	uR/hr	Dining Room			uR/hr							No	



Summary Report
1318 Gateview Avenue Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F11	3.6	uR/hr	Trash		3.2	uR/hr	Trash						No	
F12	3.2	uR/hr	Trash			uR/hr							No	
F13		uR/hr	Trash			uR/hr				uR/hr			No	N/A- Grids are outside unit interior boundary.
G2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	3.6	uR/hr	Living Room			uR/hr							No	
G4	3.6	uR/hr	Living Room			uR/hr							No	
G5	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Kitchen			uR/hr							No	
G7	3.6	uR/hr	Kitchen			uR/hr							No	
G8	3.6	uR/hr	Dining Room			uR/hr							No	
G9	3.6	uR/hr	Dining Room			uR/hr							No	
G10	3.6	uR/hr	Dining Room			uR/hr							No	
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
H2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H5	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid inaccessible do to main structure wall
H6		uR/hr	Kitchen			uR/hr				uR/hr			No	inaccessible due to sink being in place of grid. Adjacent scan is 3.6 uR/hr.
H7		uR/hr	Kitchen			uR/hr				uR/hr			No	inaccessible due to dishwasher being in place of grid. Adjacent scan is 3.6uR/hr.



Summary Report
1318 Gateview Avenue Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
H9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
H10	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
H11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	




CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date: 6/12/2014 11:08 AM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 7B
Background Reading: 3.6 uR/hr

Summary Statistics :

Total # of Readings: 94
Average: 3.51 uR/hr
Standard Deviation: 0.18 uR/hr
Minimum: 3.20 uR/hr
Maximum: 4.00 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A2	3.6	uR/hr	No	partial grid excluding exterior area	Living Room		uR/hr	
A3	3.6	uR/hr	No		Living Room		uR/hr	
A4	3.6	uR/hr	No		Living Room		uR/hr	
A5	3.2	uR/hr	No	partial grid living room/kitchen	Kitchen	3.6	uR/hr	Living Room
A6	3.6	uR/hr	No		Kitchen		uR/hr	
A7	3.6	uR/hr	No		Kitchen		uR/hr	
A8	3.6	uR/hr	No		Dining Room		uR/hr	
A9	3.6	uR/hr	No	underneath ice machine maker model #19 s/n 26078.	Dining Room		uR/hr	
A10	3.2	uR/hr	No		Dining Room		uR/hr	
A11	3.2	uR/hr	No	partial grid excluding exterior area	Dining Room		uR/hr	
B2	3.6	uR/hr	No	partial grid excluding exterior area	Living Room		uR/hr	
B3	3.6	uR/hr	No		Living Room		uR/hr	
B4	3.6	uR/hr	No		Living Room		uR/hr	
B5	3.6	uR/hr	No	partial grid due to the stove.	Kitchen	3.2	uR/hr	Living Room
B6	3.6	uR/hr	No		Kitchen		uR/hr	
B7	3.6	uR/hr	No		Kitchen		uR/hr	
B8	3.6	uR/hr	No		Dining Room		uR/hr	
B9	3.2	uR/hr	No		Dining Room		uR/hr	
B10	3.6	uR/hr	No		Dining Room		uR/hr	
B11	3.2	uR/hr	No	partial grid excluding exterior area	Dining Room		uR/hr	
C2	3.6	uR/hr	No	partial grid excluding exterior area	Living Room		uR/hr	
C3	3.6	uR/hr	No		Living Room		uR/hr	
C4	3.6	uR/hr	No		Living Room		uR/hr	
C5	3.6	uR/hr	No	partial grid kitchen/living room	Kitchen	3.6	uR/hr	Living Room
C6	3.6	uR/hr	No		Kitchen		uR/hr	
C7	3.6	uR/hr	No		Kitchen		uR/hr	



Summary Report
1318 Gateview Avenue Unit E

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C8	3.6	uR/hr	No		Dining Room		uR/hr	
C9	3.6	uR/hr	No		Dining Room		uR/hr	
C10	3.2	uR/hr	No		Dining Room		uR/hr	
C11	3.2	uR/hr	No	partial grid trash/kitchen	Dining Room	3.2	uR/hr	Trash
C12	3.2	uR/hr	No		Trash		uR/hr	
C13	3.2	uR/hr	No	partial grid excluding exterior area	Trash		uR/hr	
D1		uR/hr	No	non accessible due to wall	Living Room		uR/hr	
D2	3.6	uR/hr	No	partial grid excluding exterior area	Living Room		uR/hr	
D3	3.6	uR/hr	No		Living Room		uR/hr	
D4	3.6	uR/hr	No		Living Room		uR/hr	
D5	3.6	uR/hr	No	partial grid kitchen/living room. freezer was moved to survey area. 100% surveyed.	Kitchen	3.6	uR/hr	Living Room
D6	3.6	uR/hr	No	partial grid kitchen/hallway. freezer was moved to survey area. 100% surveyed	Kitchen		uR/hr	
D7	3.2	uR/hr	No	partial grid kitchen/hallway. freeze was moved to survey area. 100% surveyed	Kitchen		uR/hr	
D8	3.6	uR/hr	No		Hallway		uR/hr	
D9	3.6	uR/hr	No		Hallway		uR/hr	
D10	3.2	uR/hr	No	partial grid excluding exterior area	Hallway		uR/hr	
E1	3.2	uR/hr	No		Living Room		uR/hr	
E2	3.6	uR/hr	No		Living Room		uR/hr	
E3	3.6	uR/hr	No		Living Room		uR/hr	
E4	3.6	uR/hr	No		Living Room		uR/hr	
E5	3.6	uR/hr	No		Living Room		uR/hr	
E6	3.6	uR/hr	No		Hallway		uR/hr	
E7	3.6	uR/hr	No		Hallway		uR/hr	
E8	3.6	uR/hr	No		Hallway		uR/hr	
E9	3.6	uR/hr	No	partial grid non accessible due to furnace in mechanical room	Hallway		uR/hr	
E10	3.2	uR/hr	No	partial grid non accessible due to furnace	Mech Room		uR/hr	



Summary Report
1318 Gateview Avenue Unit E

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E11	3.2	uR/hr	No	partial grid storage/mechanical room. partially blocked by water heater	Storage	3.2	uR/hr	Mech Room
E12	3.2	uR/hr	No	partial grid excluding exterior area	Storage		uR/hr	
E13		uR/hr	No	non accessible due to wall	Storage		uR/hr	
F1	3.6	uR/hr	No		Living Room		uR/hr	
F2	3.6	uR/hr	No		Living Room		uR/hr	
F3	3.6	uR/hr	No		Living Room		uR/hr	
F4	3.6	uR/hr	No		Living Room		uR/hr	
F5	3.6	uR/hr	No	partial grid living room/storage	Living Room	3.6	uR/hr	Storage
F6	3.6	uR/hr	No	partial grid due to stairs	Storage		uR/hr	
F7	3.6	uR/hr	No	surveyed 3 step. partial grid stairs/storage	Stairs	3.6	uR/hr	Storage
F8	3.6	uR/hr	No		Hallway		uR/hr	
F9	3.6	uR/hr	No	partial grid hallway/utilities	Utility	3.6	uR/hr	Hallway
F10	3.6	uR/hr	No	partial grid utilities/mechanical room	Utility	3.2	uR/hr	Mech Room
F11	3.6	uR/hr	No	partial grid storage/mechanical room	Storage	3.2	uR/hr	Mech Room
F12	3.6	uR/hr	No		Storage		uR/hr	
F13		uR/hr	No	non accessible due to wall	Storage		uR/hr	
G1	3.6	uR/hr	No		Living Room		uR/hr	
G2	3.6	uR/hr	No		Living Room		uR/hr	
G3	3.6	uR/hr	No		Living Room		uR/hr	
G4	3.6	uR/hr	No		Living Room		uR/hr	
G5	3.6	uR/hr	No	partial grid storage/living room	Living Room	3.6	uR/hr	Storage
G6	3.6	uR/hr	No	partial grid due to stairs	Storage		uR/hr	
G7		uR/hr	No	non accessible due to stairs	Stairs		uR/hr	
G8	3.6	uR/hr	No	partial grid bathroom/hallway	Bathroom	3.6	uR/hr	Hallway
G9	3.6	uR/hr	No	partial grid utilities/bathroom	Utility	3.6	uR/hr	Bathroom
G10	3.2	uR/hr	No		Utility		uR/hr	
G11	3.2	uR/hr	No	partial grid storage/utilities	Storage		uR/hr	



Summary Report
1318 Gateview Avenue Unit E

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
G12	3.2	uR/hr	No		Storage		uR/hr	
G13		uR/hr	No	non accessible due to wall	Storage		uR/hr	
H1	3.6	uR/hr	No		Living Room		uR/hr	
H2	3.6	uR/hr	No		Living Room		uR/hr	
H3	3.6	uR/hr	No		Living Room		uR/hr	
H4	3.6	uR/hr	No		Living Room		uR/hr	
H5	3.6	uR/hr	No	partial grid due to stairs	Living Room		uR/hr	
H6		uR/hr	No	non accessible due to stairs	Stairs		uR/hr	
H7		uR/hr	No	non accessible due to stairs	Stairs		uR/hr	
H8	3.6	uR/hr	No		Bathroom		uR/hr	
H9	4.0	uR/hr	No	partial grid non accessible due to washer	Bathroom		uR/hr	
H10		uR/hr	No	non accessible due to dryer	Utility		uR/hr	
H11	3.2	uR/hr	No	partial grid storage/utilities	Storage		uR/hr	
H12	3.2	uR/hr	No		Storage		uR/hr	
H13		uR/hr	No	non accessible due to wall	Storage		uR/hr	



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature appears to read "Carlos Bernal".

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is stylized and appears to read "Antonio Neotti".



Summary Report
1318 Gateview Avenue Unit F

Unit Summary :


Completion Date: 6/23/2014 9:51 AM
Instrument: 193-6
Serial #: 309128
Layout: Floor Plan 7
Background Reading: 3.6 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings: 94
Average: 3.50 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 3.20 uR/hr
Maximum: 4.40 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.6	uR/hr	No		Living Room		uR/hr	
A2	3.6	uR/hr	No		Living Room		uR/hr	
A3	3.6	uR/hr	No		Living Room		uR/hr	
A4	3.6	uR/hr	No		Living Room		uR/hr	
A5	3.6	uR/hr	No		Living Room		uR/hr	
A6		uR/hr	No	N/A- Stairway above floor scan area.	Stairs		uR/hr	
A7		uR/hr	No	N/A- Stairway above floor scan area.	Stairs		uR/hr	
A8	4.4	uR/hr	No	Statics taken near porcelain toilet bowl; majority of cell obstructed by bathroom cabinet	Bathroom		uR/hr	Bathroom
A9	3.6	uR/hr	No		Utility	4.0	uR/hr	Bathroom
A10	3.2	uR/hr	No		Utility		uR/hr	
A11	3.2	uR/hr	No		Storage	3.2	uR/hr	Utility
A12	3.6	uR/hr	No		Storage		uR/hr	
A13		uR/hr	No	N/A- Grids are outside unit interior boundary.	Storage		uR/hr	
B1	3.6	uR/hr	No		Living Room		uR/hr	
B2	3.6	uR/hr	No		Living Room		uR/hr	
B3	3.6	uR/hr	No		Living Room		uR/hr	
B4	3.6	uR/hr	No		Living Room		uR/hr	
B5	3.6	uR/hr	No		Storage		uR/hr	
B6	3.6	uR/hr	No		Storage		uR/hr	
B7		uR/hr	No	N/A- Stairway above floor scan area.	Stairs		uR/hr	
B8	3.6	uR/hr	No		Bathroom	3.6	uR/hr	Hallway
B9	3.6	uR/hr	No	3.6 microR optional in bathroom	Utility	3.6	uR/hr	Hallway
B10	3.6	uR/hr	No		Utility		uR/hr	
B11	3.2	uR/hr	No		Storage	3.2	uR/hr	Utility
B12	3.2	uR/hr	No		Storage		uR/hr	
B13		uR/hr	No	N/A- Grids are outside unit interior boundary.	Storage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C1	3.6	uR/hr	No		Living Room		uR/hr	
C2	3.6	uR/hr	No		Living Room		uR/hr	
C3	3.6	uR/hr	No		Living Room		uR/hr	
C4	3.6	uR/hr	No		Living Room		uR/hr	
C5	3.6	uR/hr	No		Living Room		uR/hr	
C6	3.6	uR/hr	No		Storage		uR/hr	
C7	3.6	uR/hr	No		Stairs		uR/hr	
C8	3.6	uR/hr	No		Hallway		uR/hr	
C9	3.6	uR/hr	No	obstruction-mech room:water heater	Utility	3.6	uR/hr	Hallway
C10	3.2	uR/hr	No	obstruction-mech room:water heater	Utility		uR/hr	
C11	3.2	uR/hr	No	obstruction-mech room:water heater	Storage	3.2	uR/hr	Utility
C12	3.6	uR/hr	No		Storage		uR/hr	
C13		uR/hr	No	N/A- Grids are outside unit interior boundary.	Storage		uR/hr	
D1	3.2	uR/hr	No		Living Room		uR/hr	
D2	3.6	uR/hr	No		Living Room		uR/hr	
D3	3.6	uR/hr	No		Living Room		uR/hr	
D4	3.6	uR/hr	No		Living Room		uR/hr	
D5	3.6	uR/hr	No		Living Room		uR/hr	
D6	3.6	uR/hr	No		Hallway		uR/hr	
D7	3.6	uR/hr	No		Hallway		uR/hr	
D8	3.6	uR/hr	No		Hallway		uR/hr	
D9	3.2	uR/hr	No	obstruction-mech room:water heater	Hallway		uR/hr	
D10	3.2	uR/hr	No	obstruction-mech room:water heater	Hallway		uR/hr	
D11	3.2	uR/hr	No	partial	Storage		uR/hr	
D12	3.2	uR/hr	No	partial	Storage		uR/hr	
D13		uR/hr	No	N/A- Grids are outside unit interior boundary.	Storage		uR/hr	
E2	3.6	uR/hr	No		Living Room		uR/hr	
E3	3.6	uR/hr	No		Living Room		uR/hr	



Summary Report
1318 Gateview Avenue Unit F

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E4	3.6	uR/hr	No		Living Room		uR/hr	
E5	3.6	uR/hr	No		Kitchen	3.6	uR/hr	Living Room
E6	3.6	uR/hr	No		Kitchen		uR/hr	
E7	3.6	uR/hr	No		Kitchen		uR/hr	
E8	3.2	uR/hr	No		Hallway		uR/hr	
E9	3.2	uR/hr	No		Hallway		uR/hr	
E10	3.2	uR/hr	No		Hallway		uR/hr	
E11		uR/hr	No	N/A- Grids are outside unit interior boundary.	Dining Room		uR/hr	
F2	3.6	uR/hr	No		Living Room		uR/hr	
F3	3.6	uR/hr	No		Living Room		uR/hr	
F4	3.6	uR/hr	No		Living Room		uR/hr	
F5	3.2	uR/hr	No	Commercial stove. Additional survey of floor under unit performed with Ludlum model 19, s/n: 267078 measurement is 5 uR/hr (Surveyed by Ray Schul)	Living Room		uR/hr	Kitchen
F6	3.6	uR/hr	No		Kitchen		uR/hr	
F7	3.6	uR/hr	No		Kitchen		uR/hr	
F8	3.6	uR/hr	No		Dining Room		uR/hr	
F9	3.6	uR/hr	No		Dining Room		uR/hr	
F10	3.6	uR/hr	No		Dining Room		uR/hr	
F11	3.2	uR/hr	No		Dining Room	3.2	uR/hr	Trash
F12	3.2	uR/hr	No		Trash		uR/hr	
F13	3.2	uR/hr	No		Trash		uR/hr	
G2	3.6	uR/hr	No	partial	Living Room		uR/hr	
G3	3.6	uR/hr	No		Living Room		uR/hr	
G4	3.6	uR/hr	No		Living Room		uR/hr	
G5	3.2	uR/hr	No		Kitchen	3.6	uR/hr	Living Room
G6	3.6	uR/hr	No		Kitchen		uR/hr	
G7	3.6	uR/hr	No		Kitchen		uR/hr	
G8	3.6	uR/hr	No		Dining Room		uR/hr	



Summary Report
1318 Gateview Avenue Unit F

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
G9	3.6	uR/hr	No		Dining Room		uR/hr	
G10	3.6	uR/hr	No		Dining Room		uR/hr	
G11	3.2	uR/hr	No		Dining Room		uR/hr	
H2	3.6	uR/hr	No	partial	Living Room		uR/hr	
H3	3.6	uR/hr	No		Living Room		uR/hr	
H4	3.2	uR/hr	No		Living Room		uR/hr	
H5	3.2	uR/hr	No		Kitchen	3.2	uR/hr	Living Room
H6	3.2	uR/hr	No		Kitchen		uR/hr	
H7	3.6	uR/hr	No		Kitchen		uR/hr	
H8	3.6	uR/hr	No		Dining Room		uR/hr	
H9	3.6	uR/hr	No		Dining Room		uR/hr	
H10	3.6	uR/hr	No		Dining Room		uR/hr	
H11	3.2	uR/hr	No		Dining Room		uR/hr	



CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :

A handwritten signature in black ink on a light blue background. The signature is stylized, starting with a large 'A' followed by several loops and a final vertical stroke.

Signature :

A handwritten signature in black ink on a light blue background. The signature is stylized, starting with a large 'P' followed by several loops and a final vertical stroke.

Signoff Notes:



Unit Summary :


Completion Date: 7/8/2014 4:07 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 7B
Background Reading: 3.6 uR/hr
Dimensions (m): D 11.7 W 7.6
Unit Furnished: No
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 100
Average: 3.17 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A5	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	70% accessible
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	70% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A10	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	20% accessible
B6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B7	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Kitchen		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
C6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	refrigerator moved for survey
C7	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Trash			uR/hr			No	20% accessible from kitchen, 60% accessible from trash room
C12	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	
D1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Kitchen		3.2	uR/hr	Hallway			uR/hr			No	refrigerator moved for survey
D7	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Hallway			uR/hr			No	
D8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, unit is 11.7 m from entry to farthest back wall of unit
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1325 Westside Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	40% accessible
E10	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible, unit is 11.7 m from entry to farthest back wall of unit
E11	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E12	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit length is 11.7 m
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F9	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F10	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	20% accessible, remainder is outside unit
F11	3.6	uR/hr	Storage			uR/hr				uR/hr			No	



Summary Report
1325 Westside Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F12	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit length is 11.7 m
G1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
G9	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit length is 11.7 m
H1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible



Summary Report
1325 Westside Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, reading taken at 1.4 m from ground level
H7	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H8	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	near toilet, 60% accessible
H9	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H10	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H11	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit length is 11.7 m



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/11/2014 3:47 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 7
Background Reading: 3.6 uR/hr
Dimensions (m): D 11.8 W 7.7
Unit Furnished: No
Tenant Present: No


Unit Notes:
D11&D12 are outside of floor plan

Summary Statistics :

Total # of Readings: 102
Average: 3.43 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.40 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	stair reading taking a 72" above floor
A7	3.6	uR/hr	Bathroom		2.8	uR/hr	Stairs			uR/hr			No	stair reading taking a 72" above floor.
A8	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurements due to NORM in toilet bowl and tile materials
A9	3.6	uR/hr	Utility		4.0	uR/hr	Bathroom			uR/hr			No	
A10	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
A11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
B6	3.2	uR/hr	Storage		2.8	uR/hr	Stairs			uR/hr			No	stair reading taking at 32" above floor
B7	3.2	uR/hr	Bathroom		2.8	uR/hr	Stairs			uR/hr			No	stair reading taking at 32" above floor
B8	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Utility		3.6	uR/hr	Bathroom			uR/hr			No	



Summary Report
1325 Westside Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
C6	3.2	uR/hr	Storage		3.6	uR/hr	Stairs			uR/hr			No	stair reading taking at 8" above floor
C7	3.6	uR/hr	Stairs		3.6	uR/hr	Hallway			uR/hr			No	stair reading taking at 8" above floor
C8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Utility	Installed water heater.		uR/hr				uR/hr			No	50% accessible
C10	3.2	uR/hr	Utility	Installed furnace.		uR/hr				uR/hr			No	80% accessible
C11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D9	3.6	uR/hr	Utility	Installed water heater.		uR/hr				uR/hr			No	90% accessible



**Summary Report
1325 Westside Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10	3.2	uR/hr	Utility	Installed furnace.		uR/hr				uR/hr			No	80% accessible
E2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
E3	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
E6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	installed refrigerator
E7	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E10	3.2	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	80% accessible
E11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F3	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	



Summary Report
1325 Westside Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Trash			uR/hr			No	80% accessible
F12	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G5	3.2	uR/hr	Living Room	Installed Stove.		uR/hr				uR/hr			No	20% accessible
G6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	static taken 9" above floor
G8	4.0	uR/hr	Dining Room			uR/hr				uR/hr			No	
G9	4.0	uR/hr	Dining Room			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible



Summary Report
1325 Westside Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	(70% accessible) static taken 9" above floor in kitchen
H6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	70% accessible partial grid, remainder of grid on exterior (static taken 9" above floor in kitchen) & installed dishwasher
H7	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible surveyed in base cabinet
H8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H10	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

CBI Supervisor : Tina Piquet

Signature :



Signoff Notes:

Senior Technician : Daphne Degering

Signature :





Unit Summary :

Completion Date: 8/12/2014 4:02 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 7B
Background Reading: 3.6 uR/hr
Dimensions (m): D 11.8 W 7.6
Unit Furnished: No
Tenant Present: No


Unit Notes:
Grids in column I, row 13 and D11 are outside of floor plan.

Summary Statistics :

Total # of Readings: 134
Average: 3.50 uR/hr
Standard Deviation: 0.34 uR/hr
Minimum: 2.80 uR/hr
Maximum: 5.20 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible. Survey performed within accessible base cabinet.
A8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A10	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A11	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed Stove.		uR/hr			No	60% accessible
B6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	



Summary Report
1325 Westside Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Dining Room			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
C6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C11	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Trash			uR/hr			No	90% accessible
C12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D5	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Hallway		No	
D6	3.6	uR/hr	Kitchen		3.2	uR/hr	Hallway			uR/hr			No	installed refrigerator moved for survey
D7	3.2	uR/hr	Hallway		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
D8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
E6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Hallway	Installed furnace.		uR/hr				uR/hr			No	40% accessible
E10	2.8	uR/hr	Mech Room	Installed water heater.	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible



Summary Report
1325 Westside Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E11	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E12	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Living Room		3.6	uR/hr	Storage			uR/hr			No	
F6	3.6	uR/hr	Storage		3.6	uR/hr	Stairs			uR/hr			No	stair static taken at 12" above floor
F7	3.6	uR/hr	Hallway		3.6	uR/hr	Stairs			uR/hr			No	stair static taken at 12" above floor
F8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
F9	3.6	uR/hr	Utility	Installed furnace.	3.6	uR/hr	Hallway			uR/hr			No	70% accessible
F10	3.6	uR/hr	Utility		2.8	uR/hr	Mech Room	Installed water heater.		uR/hr			No	90% accessible
F11	3.2	uR/hr	Storage		2.8	uR/hr	Mech Room	Installed water heater.		uR/hr			No	90% accessible
F12	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1325 Westside Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G5	3.6	uR/hr	Living Room		3.6	uR/hr	Storage		2.8	uR/hr	Stairs		No	stair static taken at 60" above floor
G6	3.6	uR/hr	Storage		3.2	uR/hr	Stairs			uR/hr			No	stair static taken at 44" above floor
G7	3.2	uR/hr	Bathroom		3.6	uR/hr	Hallway		3.2	uR/hr	Stairs		No	stair static taken at 44" above floor
G8	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
G9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway		3.6	uR/hr	Utility		No	clothes dryer not installed
G10	3.2	uR/hr	Utility			uR/hr				uR/hr			No	washing machine not installed
G11	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H1	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H5	2.8	uR/hr	Stairs		3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	60% accessible, stair static taken at 60" above floor



Summary Report
1325 Westside Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H6	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	stair static taken at 60" above floor, 60% accessible
H7	3.2	uR/hr	Bathroom	Survey performed within accessible base cabinet.	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	60% accessible, stair static taken at 60" above floor
H8	5.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. Static taken by toilet bowl
H9	5.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.	3.6	uR/hr	Utility			uR/hr			No	60% accessible. Static taken by toilet bowl
H10	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, washing machine not installed
H11	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



Summary Report
1325 Westside Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Tina Piquet

Signature :



Signoff Notes:

Senior Technician : Daphne Degering

Signature :





Unit Summary :

Completion Date: 7/14/2014 1:49 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 7
Background Reading: 3.6 uR/hr
Dimensions (m): D 11.7 W 7.5
Unit Furnished: No
Tenant Present: No


Unit Notes:

Summary Statistics :

Total # of Readings: 107
Average: 3.60 uR/hr
Standard Deviation: 0.22 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.8 meters from floor for stairs
A6	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading 1.8 meters from floor
A7	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading 1.8 meters from floor
A8	3.6	uR/hr	Bathroom	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A9	4.0	uR/hr	Bathroom		3.6	uR/hr	Utility			uR/hr			No	
A10	3.6	uR/hr	Utility			uR/hr				uR/hr			No	no washer or dryer installed
A11	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B1	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Living Room		3.6	uR/hr	Storage			uR/hr			No	
B6	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading 1.3 meters from floor



Summary Report
1325 Westside Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8	4.0	uR/hr	Bathroom		4.0	uR/hr	Hallway			uR/hr			No	
B9	4.0	uR/hr	Utility		3.6	uR/hr	Hallway		3.6	uR/hr	Utility		No	
B10	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway		3.6	uR/hr	Storage		No	
C6	3.6	uR/hr	Storage		3.6	uR/hr	Stairs		3.6	uR/hr	Hallway		No	reading .6 meters from floor
C7	3.6	uR/hr	Stairs		3.6	uR/hr	Hallway			uR/hr			No	reading .6 meters from floor
C8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Hallway	Installed furnace.	3.6	uR/hr	Utility			uR/hr			No	75% accessible
C10	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
C11	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
D6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1325 Westside Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D9	3.6	uR/hr	Hallway	Installed furnace.		uR/hr				uR/hr			No	75% accessible
D10	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr			No	50% accessible
D11		uR/hr	Storage	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D12		uR/hr	Storage	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
E6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	moved refrigerator to survey grid
E7	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	static reading 4" due to base cabinet shelf
E8	4.0	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	4.0	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible



Summary Report
1325 Westside Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E11		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
F6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Trash			uR/hr			No	20% accessible
F12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	50% accessible from living room, kitchen half grid installed stove.
G6	4.0	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible
G7	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1325 Westside Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	4.0	uR/hr	Dining Room			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H3	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Kitchen			uR/hr			No	50% accessible
H6	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible-installed dishwasher
H8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H10	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H11	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Unit Summary :

Completion Date: 8/18/2014 11:15 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 8
Background Reading: 3.6 uR/hr
Dimensions (m): D 12.8 W 10.1
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


K1-K4 are less than 6" wide and surveyed with adjacent grids. A5, A8, J5-J6 and H7-H13 fall outside unit. Model 19 #257078 background 5 µR/hr at standard location.

Summary Statistics :

Total # of Readings: 135
Average: 3.60 uR/hr
Standard Deviation: 0.30 uR/hr
Minimum: 3.20 uR/hr
Maximum: 5.00 uR/hr
Median: 3.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A2	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
A3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	cell scanned at 7" due to non-movable shelf
A4	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	cell scanned at 7" due to non-movable shelf
A5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
A8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
A9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B1	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
B2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



Summary Report
1400 Sturgeon Street Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B6	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B7	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B8	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C1	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	90% accessible, installed refrigerator
C2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
C10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible



**Summary Report
1400 Sturgeon Street Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D1	3.2	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Dining Room			uR/hr			No	30% accessible
D2	3.6	uR/hr	Kitchen		3.6	uR/hr	Dining Room			uR/hr			No	
D3	3.6	uR/hr	Kitchen		3.6	uR/hr	Dining Room			uR/hr			No	
D4	3.6	uR/hr	Kitchen		5.0	uR/hr	Dining Room			uR/hr			No	Model 19 #267078 used to survey under non-movable furniture. Survey results 5 µR/hr for dining room portion of cell. Background 5 µR/hr at standard location.
D5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Bedroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bedroom		3.6	uR/hr	Bathroom			uR/hr			No	
D11	3.6	uR/hr	Bedroom		4.0	uR/hr	Bathroom			uR/hr			No	
D12	3.6	uR/hr	Bedroom		4.0	uR/hr	Bathroom			uR/hr			No	
D13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.	4.0	uR/hr	Bathroom			uR/hr			No	40% accessible. Surveyed inside bathtub.
E1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	3.6	uR/hr	Dining Room		5.0	uR/hr	Dining Room			uR/hr			No	Model 19 #267078 used to survey under non-movable furniture. Survey results 5 μ R/hr. Background 5 μ R/hr at standard location.
E5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
E11	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	measurement performed next to toilet bowl
E12	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E13	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Surveyed inside bathtub.
F1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F6	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	50% accessible, cell scanned at 21" above floor
F7	3.2	uR/hr	Mech Room	Installed water heater.	3.2	uR/hr	Closet			uR/hr			No	60% accessible, cell scanned at 21" above floor in mech room. Closet static taken at 11" above floor.
F8	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
F9	3.6	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
F10	3.6	uR/hr	Closet		3.6	uR/hr	Utility	Clothes dryer within grid.		uR/hr			No	80% accessible
F11	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	50% accessible, installed washing machine
F12	3.6	uR/hr	Utility	Washing machine within grid.	3.6	uR/hr	Storage			uR/hr			No	60% accessible
F13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G9	3.2	uR/hr	Hallway		3.6	uR/hr	Utility			uR/hr			No	
G10	3.6	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Utility		3.2	uR/hr	Storage			uR/hr			No	
G13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
H5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible
H7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



Summary Report
1400 Sturgeon Street Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I4	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
I5	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
I6	3.6	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible, reminder of grid outside of floor plan
J1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J4	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
J5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1400 Sturgeon Street Unit F

Unit Summary :

Completion Date: 8/18/2014 12:12 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 8B
Background Reading: 3.2 uR/hr
Dimensions (m): D 12.4 W 10.1
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
K1 to K4 and K9 to K13 were less than 6" and were scanned with adjacent grids. Grids in row 14, A5, J5 and K5 are outside of floor plan.

Summary Statistics :

Total # of Readings: 142
Average: 3.15 uR/hr
Standard Deviation: 0.20 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
B6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1400 Sturgeon Street Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D7	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D8	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D9	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D10	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage			uR/hr			No	80% accessible
D13	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
E6	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Hallway			uR/hr			No	60% accessible, static taken 25" from floor surface in mech room



**Summary Report
1400 Sturgeon Street Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	3.2	uR/hr	Hallway		2.8	uR/hr	Closet		2.8	uR/hr	Mech Room		No	60% accessible, static taken 25" from floor surface in mech room
E8	3.2	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Closet		2.8	uR/hr	Utility			uR/hr			No	
E11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved installed dryer to survey grid
E12	3.2	uR/hr	Utility		3.2	uR/hr	Storage			uR/hr			No	moved installed washer to survey grid
E13	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F1	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	2.8	uR/hr	Bedroom		2.8	uR/hr	Closet			uR/hr			No	
F6	3.2	uR/hr	Bedroom		2.8	uR/hr	Mech Room			uR/hr			No	60% accessible, static taken 25" from floor surface in mech room
F7	3.2	uR/hr	Bedroom		2.8	uR/hr	Mech Room		3.2	uR/hr	Closet		No	60% accessible, static taken 25" from floor surface in mech room



**Summary Report
1400 Sturgeon Street Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	3.2	uR/hr	Bedroom		3.2	uR/hr	Hallway			uR/hr			No	
F9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F10	3.2	uR/hr	Closet		3.2	uR/hr	Bathroom			uR/hr			No	
F11	3.2	uR/hr	Utility		3.2	uR/hr	Bathroom			uR/hr			No	
F12	3.2	uR/hr	Storage		4.0	uR/hr	Bathroom			uR/hr			No	static taken by toilet
F13	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom			uR/hr			No	40% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G1	2.8	uR/hr	Dining Room		2.8	uR/hr	Kitchen			uR/hr			No	moved installed refrigerator to survey grid
G2	2.8	uR/hr	Dining Room		3.2	uR/hr	Kitchen			uR/hr			No	
G3	3.2	uR/hr	Dining Room		3.2	uR/hr	Kitchen			uR/hr			No	
G4	3.2	uR/hr	Dining Room		3.2	uR/hr	Kitchen			uR/hr			No	
G5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Closet		3.2	uR/hr	Hallway		2.8	uR/hr	Bedroom		No	
G9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
G13	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



**Summary Report
1400 Sturgeon Street Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H1	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H8	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
H9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H10	3.2	uR/hr	Bedroom		3.2	uR/hr	Bathroom			uR/hr			No	
H11	3.2	uR/hr	Bedroom		3.2	uR/hr	Bathroom			uR/hr			No	
H12	3.2	uR/hr	Bedroom	Survey performed on non-movable item.	3.2	uR/hr	Bathroom			uR/hr			No	80% accessible
H13	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom			uR/hr			No	40% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I1	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
I2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
I3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
I4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
I5	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
I6	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1400 Sturgeon Street Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I7	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
I8	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.	3.2	uR/hr	Bedroom			uR/hr			No	30% accessible
I9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I11	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I12	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I13	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J1	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
J2	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
J3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
J4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
J5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J11	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J12	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J13	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
J14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan




Summary Report
1400 Sturgeon Street Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
K5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
K14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan


CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/18/2014 9:46 AM
Instrument: 193-6
Serial #: 309136
Layout: Garage
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 36
Average: 3.01 uR/hr
Standard Deviation: 0.20 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.20 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1400 Sturgeon Street Unit G1

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/18/2014 10:48 AM
Instrument: 193-6
Serial #: 309136
Layout: Garage
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 36
Average: 2.94 uR/hr
Standard Deviation: 0.19 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.20 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1400 Sturgeon Street Unit G2

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/18/2014 8:58 AM
Instrument: 193-6
Serial #: 309136
Layout: Garage
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: No
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.17 uR/hr
Standard Deviation: 0.18 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.60 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1400 Sturgeon Street Unit G3

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/18/2014 10:03 AM
Instrument: 193-6
Serial #: 309127
Layout: Garage
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.86 uR/hr
Standard Deviation: 0.19 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.00 uR/hr
Median: 3.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
B1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
C1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	




Summary Report
1400 Sturgeon Street Unit G4

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
D1	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D2	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D3	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D5	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D7	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D8	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.


CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/18/2014 11:29 AM
Instrument: 193-6
Serial #: 309127
Layout: Garage
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 36
Average: 3.63 uR/hr
Standard Deviation: 0.11 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.00 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1400 Sturgeon Street Unit G5

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D6	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D8	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.


CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/18/2014 11:25 AM
Instrument: 193-6
Serial #: 309127
Layout: Garage
Background Reading: 4.0 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.70 uR/hr
Standard Deviation: 0.18 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.00 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1400 Sturgeon Street Unit G6

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D4	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D6	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D8	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :

A handwritten signature in black ink on a light blue background. The signature is stylized and appears to read "Garrick Anderson".

Signature :

A handwritten signature in black ink on a light blue background. The signature is written in a cursive style and clearly reads "Patricia Lozano".

Signoff Notes:



Unit Summary :

Completion Date: 6/30/2014 1:04 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 8
Background Reading: 3.6 uR/hr
Dimensions (m): D 12.4 W 10.1
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
k1 through k4 are outside

Summary Statistics :

Total # of Readings: 104
Average: 3.57 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.40 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	5% accessible
A2	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	10% accessible no dish washer
A3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
B1	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	10% accessible
B2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B6	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B7	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B8	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.	4.0	uR/hr	Bedroom			uR/hr			No	20% accessible
B9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	



**Summary Report
1401 Sturgeon Street Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
C1	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	10% accessible
C2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Bedroom		3.6	uR/hr	Closet			uR/hr			No	partial in bedroom is 20% accessible
C9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C13	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
D1	3.2	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Dining Room			uR/hr			No	10% accessible
D2	3.6	uR/hr	Kitchen		3.6	uR/hr	Dining Room			uR/hr			No	
D3	3.6	uR/hr	Kitchen		3.2	uR/hr	Dining Room			uR/hr			No	
D4	3.6	uR/hr	Kitchen		3.6	uR/hr	Dining Room			uR/hr			No	
D5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bedroom		3.2	uR/hr	Closet			uR/hr			No	partial in bedroom is 20% accessible



**Summary Report
1401 Sturgeon Street Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.6	uR/hr	Bedroom			uR/hr			No	
D11	3.6	uR/hr	Bathroom		3.6	uR/hr	Bedroom			uR/hr			No	
D12	4.0	uR/hr	Bathroom		3.6	uR/hr	Bedroom			uR/hr			No	
D13	4.0	uR/hr	Bathroom		3.6	uR/hr	Closet			uR/hr			No	reading was taken the tub
E1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	
E11	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurement due to NORM in toilet bowl and tile materials
E12	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E13	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	reading was taken in the tub
F1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Closet			uR/hr				uR/hr			No	



**Summary Report
1401 Sturgeon Street Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F6	2.8	uR/hr	Storage	Installed water heater.		uR/hr				uR/hr			No	mech room is 21 inches off the ground
F7	2.8	uR/hr	Storage	Installed furnace.	3.2	uR/hr	Closet			uR/hr			No	mech room is 21 inches off the ground
F8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
F9	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	book shelf bottom shelf scanned on contact, 4- inch wood shelf
F10	3.2	uR/hr	Closet		3.6	uR/hr	Utility			uR/hr			No	
F11	3.6	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible
F12	4.0	uR/hr	Storage		4.0	uR/hr	Utility	Washing machine within grid.		uR/hr			No	
F13	4.0	uR/hr	Bathroom		4.0	uR/hr	Storage			uR/hr			No	
G1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
G13	4.0	uR/hr	Storage			uR/hr				uR/hr			No	
H1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
H5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible
I1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I4	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
I5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
I6	3.6	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible
J1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	book shelf bottom shelf scanned on contact, 4- inch wood shelf


CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1401 Sturgeon Street Unit F

Unit Summary :

Completion Date: 6/30/2014 12:11 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 8B
Background Reading: 3.2 uR/hr
Dimensions (m): D 12.4 W 10.1
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:

Summary Statistics :

Total # of Readings: 115
Average: 3.20 uR/hr
Standard Deviation: 0.22 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.60 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
B5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
C5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D7	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible



**Summary Report
1401 Sturgeon Street Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D9	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D10	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D13	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
E1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	2.8	uR/hr	Hallway		2.8	uR/hr	Closet		2.8	uR/hr	Dining Room		No	
E6	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	30% accessible, static taken 24 inches from floor surface
E7	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	30% accessible, static taken 24 inches from floor surface
E8	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
E11	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible



Summary Report
1401 Sturgeon Street Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E12	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible
E13	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
F1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Closet		2.8	uR/hr	Bedroom			uR/hr			No	
F6	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Bedroom			uR/hr			No	30% accessible, static taken 24 inches from floor surface
F7	2.8	uR/hr	Mech Room		2.8	uR/hr	Bedroom			uR/hr			No	30% accessible, static taken 24 inches from floor surface
F8	3.2	uR/hr	Closet		2.8	uR/hr	Bedroom			uR/hr			No	
F9	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
F10	2.8	uR/hr	Closet		3.2	uR/hr	Bathroom			uR/hr			No	
F11	3.2	uR/hr	Utility		4.0	uR/hr	Bathroom			uR/hr			No	
F12	3.2	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
F13	3.6	uR/hr	Utility		3.6	uR/hr	Bathroom			uR/hr			No	
G1	3.2	uR/hr	Dining Room	Installed refrigerator.	3.2	uR/hr	Kitchen			uR/hr			No	30% accessible
G2	3.2	uR/hr	Dining Room		3.2	uR/hr	Kitchen			uR/hr			No	
G3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Kitchen		2.8	uR/hr	Dining Room			uR/hr			No	
G5	3.2	uR/hr	Kitchen		3.2	uR/hr	Bedroom			uR/hr			No	
G6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	



Summary Report
1401 Sturgeon Street Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.8	uR/hr	Closet		3.2	uR/hr	Bedroom		2.8	uR/hr	Hallway		No	
G9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Bathroom		2.8	uR/hr	Bedroom			uR/hr			No	
G11	3.6	uR/hr	Bathroom		3.2	uR/hr	Bedroom			uR/hr			No	
G12	3.2	uR/hr	Bathroom		3.2	uR/hr	Bedroom		3.2	uR/hr	Closet		No	
G13	3.6	uR/hr	Bathroom		3.6	uR/hr	Closet			uR/hr			No	
H1	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
H2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H5	3.2	uR/hr	Kitchen		3.2	uR/hr	Bedroom			uR/hr			No	
H6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H8	3.2	uR/hr	Closet		3.2	uR/hr	Bedroom			uR/hr			No	
H9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H11	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H12	3.2	uR/hr	Bedroom		3.2	uR/hr	Closet			uR/hr			No	
H13	3.6	uR/hr	Closet		3.2	uR/hr	Closet			uR/hr			No	
I1	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
I2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
I3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
I4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
I5	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.	3.2	uR/hr	Bedroom			uR/hr			No	60% accessible
I6	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I7	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
I8	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.	3.2	uR/hr	Closet		3.2	uR/hr	Bedroom		No	40% accessible
I9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I11	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I12	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I13	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J1	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
J2	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
J3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
J4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
J5		uR/hr	Kitchen	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
J8	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
J9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
J12	3.2	uR/hr	Bedroom		3.2	uR/hr	Closet			uR/hr			No	
J13	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
K1	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	10% accessible
K2	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	10% accessible, static taken 10 inches from floor surface



Summary Report
1401 Sturgeon Street Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
K3	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K4	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K5		uR/hr	Kitchen	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
K9	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K10	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K11	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K12	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.	3.6	uR/hr	Closet			uR/hr			No	10% accessible
K13	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Luguna

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 6/30/2014 9:23 AM
Instrument: 193-6
Serial #: 293633
Layout: Garage
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 36
Average: 3.69 uR/hr
Standard Deviation: 0.17 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.00 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1401 Sturgeon Street Unit G1

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible


CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 6/30/2014 10:35 AM
Instrument: 193-6
Serial #: 309127
Layout: Garage
Background Reading: 4.0 uR/hr
Dimensions (m): D 8.1 W 3.2
Unit Furnished: Yes
Tenant Present: No
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.70 uR/hr
Standard Deviation: 0.18 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.00 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1401 Sturgeon Street Unit G2

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D4	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D6	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D8	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 6/30/2014 9:30 AM
Instrument: 193-6
Serial #: 309127
Layout: Garage
Background Reading: 4.0 uR/hr
Dimensions (m): D 8.1 W 3.2
Unit Furnished: Yes
Tenant Present: No
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.90 uR/hr
Standard Deviation: 0.20 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.40 uR/hr
Median: 4.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	4.4	uR/hr	Garage			uR/hr				uR/hr			No	
C2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1401 Sturgeon Street Unit G3

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D2	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D8	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 6/30/2014 10:31 AM
Instrument: 193-6
Serial #: 309136
Layout: Garage
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.17 uR/hr
Standard Deviation: 0.15 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.60 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
B1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1401 Sturgeon Street Unit G4

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible



CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/9/2014 2:01 PM
Instrument: 193-6
Serial #: 309136
Layout: Garage
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 2.78 uR/hr
Standard Deviation: 0.09 uR/hr
Minimum: 2.40 uR/hr
Maximum: 2.80 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.4	uR/hr	Garage			uR/hr				uR/hr			No	
A2	2.4	uR/hr	Garage			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A5	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
B1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B5	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
C1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C5	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1401 Sturgeon Street Unit G5

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
D1	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D2	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D3	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D4	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D5	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D6	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D7	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D8	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.


CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 6/30/2014 9:27 AM
Instrument: 193-6
Serial #: 309136
Layout: Garage
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:

Partition wall installed 2.7 meters from back wall of the garage. Consuming a fraction of cells A3, B3, C3, and D3. Wall is framed in with a standard doorway (0.8 m wide) in the middle.

Summary Statistics :

Total # of Readings: 36
Average: 2.98 uR/hr
Standard Deviation: 0.20 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.20 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Garage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
B1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	95% accessible
B4	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1401 Sturgeon Street Unit G6

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C3	2.8	uR/hr	Garage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	95% accessible
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible due to additional wall construction.
D4	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1401 Sturgeon Street Unit G6

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible



CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 6/24/2014 3:16 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 8
Background Reading: 3.6 uR/hr
Dimensions (m): D 12.4 W 10.14
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:

Summary Statistics :

Total # of Readings: 106
Average: 3.69 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.40 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	
A2	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	
A3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B1	3.6	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.		uR/hr				uR/hr			No	no stove
B2	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
B3	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B6	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B7	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B8	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.	4.0	uR/hr	Closet			uR/hr			No	10% accessible
B9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
B13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C1	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	
C2	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Bedroom	Grid partially contained within wall construction.		uR/hr				uR/hr			No	
C6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Closet		3.6	uR/hr	Closet			uR/hr			No	10% accessible
C9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
C13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D1	3.6	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.	3.2	uR/hr	Dining Room			uR/hr			No	no refrigerator
D2	3.6	uR/hr	Kitchen		3.6	uR/hr	Dining Room			uR/hr			No	
D3	3.6	uR/hr	Kitchen		3.6	uR/hr	Dining Room			uR/hr			No	
D4	3.6	uR/hr	Kitchen		3.6	uR/hr	Dining Room			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D5	3.6	uR/hr	Bedroom	Grid partially contained within wall construction.		uR/hr				uR/hr			No	
D6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bedroom		3.6	uR/hr	Closet			uR/hr			No	10% accessible
D9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Bedroom		3.6	uR/hr	Bathroom			uR/hr			No	
D11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D12	4.0	uR/hr	Bedroom		4.0	uR/hr	Bathroom			uR/hr			No	
D13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.	4.0	uR/hr	Bathroom			uR/hr			No	40% accessible
E1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Bedroom	Grid partially contained within wall construction.		uR/hr				uR/hr			No	
E6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	
E11	4.4	uR/hr	Bathroom	Elevated measurements due to NORM in toilet bowl m		uR/hr				uR/hr			No	
E12	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, surveyed inside bathtub
F1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Mech Room	Installed water heater.	3.6	uR/hr	Closet			uR/hr			No	static reading 21 inches above floor, 20% accessible
F7	2.8	uR/hr	Mech Room	Installed furnace.	3.2	uR/hr	Closet			uR/hr			No	static reading 21 inches above floor, 20% accessible
F8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F9	3.6	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
F10	3.6	uR/hr	Closet		3.6	uR/hr	Utility			uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	no washer installed
F12	4.0	uR/hr	Utility		4.0	uR/hr	Storage			uR/hr			No	no dryer installed
F13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G2	4.0	uR/hr	Dining Room			uR/hr				uR/hr			No	
G3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1402 Sturgeon Street Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G9	4.0	uR/hr	Hallway			uR/hr				uR/hr			No	
G10	4.0	uR/hr	Utility			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
G13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	second static reading was in entry way
H5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
I1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I4	3.6	uR/hr	Living Room		4.0	uR/hr	Hallway			uR/hr			No	second static reading was in entry way
I5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
I6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
J1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J3	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
J4	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
J5	4.0	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible



Summary Report
1402 Sturgeon Street Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J6	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1402 Sturgeon Street Unit F

Unit Summary :

Completion Date: 6/25/2014 2:10 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 8B
Background Reading: 3.6 uR/hr
Dimensions (m): D 12.4 W 10.14
Unit Furnished: No
Tenant Present: No


Unit Notes:
A1 through A4 are less than 6 inches wide (accessible) and were scanned with adjacent grids.

Summary Statistics :

Total # of Readings: 107
Average: 3.68 uR/hr
Standard Deviation: 0.29 uR/hr
Minimum: 2.80 uR/hr
Maximum: 5.20 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	40% accessible
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	40% accessible
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	



**Summary Report
1402 Sturgeon Street Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
D13	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	Storage is 21 inches off the ground. 20% accessible.
E7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	Storage is 21 inches off the ground. 40% accessible.
E8	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
E10	3.6	uR/hr	Closet		3.6	uR/hr	Utility			uR/hr			No	no washer or dryer
E11	4.0	uR/hr	Utility			uR/hr				uR/hr			No	no washer or dryer
E12	3.6	uR/hr	Utility		4.0	uR/hr	Storage			uR/hr			No	
E13	4.4	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1402 Sturgeon Street Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
F9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
F10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
F11	5.2	uR/hr	Bathroom	Elevated measurements due to NORM in toilet bowl m		uR/hr				uR/hr			No	
F12	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	
F13	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.	4.4	uR/hr	Bathroom			uR/hr			No	static reading taken in bathtub 30% accessible
G1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
G8	4.0	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
G9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Bedroom		3.6	uR/hr	Bathroom			uR/hr			No	
G11	3.6	uR/hr	Bedroom		4.0	uR/hr	Bathroom			uR/hr			No	
G12	4.0	uR/hr	Bedroom		4.0	uR/hr	Bathroom			uR/hr			No	
G13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.	4.4	uR/hr	Bathroom			uR/hr			No	static reading taken in bathtub 30% accessible
H1	3.6	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	10% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
H3	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
H6	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
H7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
H8	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
H9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
H10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
H11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
H12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
H13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
I1	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
I2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
I3	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
I4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	80% accessible
I5	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
I6	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
I7	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
I8	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.	3.6	uR/hr	Bedroom			uR/hr			No	20% accessible
I9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	



Summary Report
1402 Sturgeon Street Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
I11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
I12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
I13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
J1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	no stove
J2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
J3	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
J4	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
J9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
J10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
J11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
J12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
J13	4.4	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
K1	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
K2	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
K3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
K4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/11/2014 2:39 PM
Instrument: 193-6
Serial #: 309127
Layout: Garage
Background Reading: 4.0 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: No
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 36
Average: 3.99 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.80 uR/hr
Median: 3.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1402 Sturgeon Street Unit G1

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D3	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D4	4.4	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D5	4.4	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D6	4.4	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D7	4.4	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D8	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D9	4.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.

CBI Supervisor : Garrick Anderson

Senior Technician : Mark Cafouras

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/11/2014 3:28 PM
Instrument: 193-6
Serial #: 309127
Layout: Garage
Background Reading: 4.0 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: No
Tenant Present: No
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.92 uR/hr
Standard Deviation: 0.19 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.40 uR/hr
Median: 3.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
B1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1402 Sturgeon Street Unit G2

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
D1	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D3	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D5	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D6	4.4	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D7	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D8	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.



CBI Supervisor : Garrick Anderson

Senior Technician : Mark Cafouras

Signature :

A handwritten signature in black ink on a light blue background. The signature is cursive and appears to read "Garrick Anderson".

Signature :

A handwritten signature in black ink on a light blue background. The signature is cursive and appears to read "Mark Cafouras".

Signoff Notes:



Unit Summary :

Completion Date: 6/26/2014 3:21 PM
Instrument: 193-6
Serial #: 293633
Layout: Garage
Background Reading: 4.0 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: No
Tenant Present: No
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.92 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.40 uR/hr
Median: 4.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	4.4	uR/hr	Garage			uR/hr				uR/hr			No	
B2	4.4	uR/hr	Garage			uR/hr				uR/hr			No	
B3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1402 Sturgeon Street Unit G3

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/30/2014 2:36 PM
Instrument: 193-6
Serial #: 309136
Layout: Garage
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.32 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.60 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1402 Sturgeon Street Unit G4

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/30/2014 3:06 PM
Instrument: 193-6
Serial #: 309099
Layout: Garage
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: No
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.21 uR/hr
Standard Deviation: 0.07 uR/hr
Minimum: 3.20 uR/hr
Maximum: 3.60 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1402 Sturgeon Street Unit G5

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible



CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is stylized, starting with a large 'N' and ending with a loop.

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is written in a cursive style, with the first name 'Ricky' and the last name 'Laguna' clearly visible.

Signoff Notes:



Unit Summary :

Completion Date: 6/26/2014 2:44 PM
Instrument: 193-6
Serial #: 293633
Layout: Garage
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: No
Tenant Present: No
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.78 uR/hr
Standard Deviation: 0.20 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.00 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1402 Sturgeon Street Unit G6

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 6/26/2014 11:42 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 8
Background Reading: 3.6 uR/hr
Dimensions (m): D 10.2 W 12.4
Unit Furnished: Yes
Tenant Present: No


Unit Notes:

Summary Statistics :

Total # of Readings: 103
Average: 3.62 uR/hr
Standard Deviation: 0.23 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.40 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
A2	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
A3	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
A4	4.0	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B1	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
B2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B5	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B6	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B7	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B8	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.	3.6	uR/hr	Bedroom			uR/hr			No	20% accessible
B9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	



Summary Report
1403 Sturgeon Street Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C1	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
C2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Kitchen	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
C5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Closet		3.2	uR/hr	Bedroom			uR/hr			No	
C9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C13	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D1	3.6	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Dining Room			uR/hr			No	30% accessible
D2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Kitchen	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
D5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Closet		3.6	uR/hr	Bedroom			uR/hr			No	20% accessible
D9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.6	uR/hr	Bedroom			uR/hr			No	
D11	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
D12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
D13	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.	4.0	uR/hr	Closet			uR/hr			No	30% accessible. Static reading taken in tub for bathroom
E1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	20% accessible
E11	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurement due to NORM in tiles
E12	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E13	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1403 Sturgeon Street Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Storage	Installed furnace.		uR/hr				uR/hr			No	Mechanical room is 21 inches off the ground. 40% accessible
F7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	Mechanical room is 21 inches off the ground. 40% accessible
F8	3.6	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
F9	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
F10	3.2	uR/hr	Utility	Clothes dryer within grid.	3.2	uR/hr	Closet			uR/hr			No	10% accessible
F11	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	10% accessible
F12	3.6	uR/hr	Storage	Washing machine within grid.	3.2	uR/hr	Utility			uR/hr			No	10% accessible
F13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.	4.0	uR/hr	Bathroom			uR/hr			No	30% accessible
G1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
G13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
H5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible
I1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I4	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
I5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
I6	3.2	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible
J1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1403 Sturgeon Street Unit F

Unit Summary :

Completion Date: 6/26/2014 12:01 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 8B
Background Reading: 3.2 uR/hr
Dimensions (m): D 12.4 W 10.12
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:

Summary Statistics :

Total # of Readings: 116
Average: 3.23 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.80 uR/hr
Maximum: 5.20 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
B5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C1	3.2	uR/hr	Living Room	Installed base cabinets.		uR/hr				uR/hr			No	static taken 16 inches inside cabinet
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
C5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D6	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D8	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D9	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D10	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	80% accessible
D12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D13	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Closet			uR/hr	Dining Room			uR/hr	Hallway		No	
E5	3.2	uR/hr	Closet		3.2	uR/hr	Hallway		2.8	uR/hr	Mech Room		No	
E6	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	static taken at 24 inches from floor surface in mech room
E7	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	static taken at 24 inches from floor surface in mech room
E8	3.2	uR/hr	Closet		2.8	uR/hr	Hallway		3.2	uR/hr	Utility		No	
E9	3.2	uR/hr	Closet			uR/hr	Hallway			uR/hr			No	
E10	2.8	uR/hr	Utility	Clothes dryer within grid.	2.8	uR/hr	Closet			uR/hr			No	30% accessible



**Summary Report
1403 Sturgeon Street Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E11	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	10% accessible
E12	3.6	uR/hr	Utility		3.6	uR/hr	Storage			uR/hr			No	
E13	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Closet			uR/hr	Dining Room			uR/hr			No	
F5	2.8	uR/hr	Mech Room		2.8	uR/hr	Bedroom			uR/hr			No	static taken at 24 inches from floor surface in mech room
F6	2.8	uR/hr	Mech Room		2.8	uR/hr	Bedroom			uR/hr			No	static taken at 24 inches from floor surface in mech room
F7	2.8	uR/hr	Closet		2.8	uR/hr	Bedroom			uR/hr			No	
F8	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
F9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F10	3.2	uR/hr	Closet		3.2	uR/hr	Bathroom			uR/hr			No	
F11	5.2	uR/hr	Bathroom		3.2	uR/hr	Utility			uR/hr			No	
F12	3.6	uR/hr	Bathroom		3.2	uR/hr	Utility			uR/hr			No	
F13	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, static taken in bathtub
G1	3.2	uR/hr	Dining Room		2.8	uR/hr	Kitchen			uR/hr			No	
G2	3.2	uR/hr	Dining Room		3.2	uR/hr	Kitchen			uR/hr			No	
G3	3.2	uR/hr	Dining Room		3.2	uR/hr	Kitchen			uR/hr			No	
G4	2.8	uR/hr	Dining Room		3.2	uR/hr	Kitchen			uR/hr			No	
G5	3.2	uR/hr	Bedroom		3.2	uR/hr	Dining Room		3.2	uR/hr	Kitchen		No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Hallway		2.8	uR/hr	Closet		2.8	uR/hr	Bedroom		No	
G9	3.2	uR/hr	Hallway		3.2	uR/hr	Bedroom			uR/hr			No	
G10	3.2	uR/hr	Bathroom		3.2	uR/hr	Bedroom			uR/hr			No	
G11	3.6	uR/hr	Bathroom		3.2	uR/hr	Bedroom			uR/hr			No	
G12	3.6	uR/hr	Bathroom		3.2	uR/hr	Bedroom		3.2	uR/hr	Closet		No	
G13	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.	3.2	uR/hr	Closet			uR/hr			No	20% accessible
H1	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
H2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H8	3.2	uR/hr	Bedroom		2.8	uR/hr	Closet			uR/hr			No	
H9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H11	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H12	3.2	uR/hr	Bedroom		3.2	uR/hr	Closet			uR/hr			No	
H13	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
I1	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
I2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
I3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
I4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	



**Summary Report
1403 Sturgeon Street Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I5	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
I6	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
I7	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
I8	3.2	uR/hr	Bedroom			uR/hr	Closet			uR/hr			No	
I9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I11	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I12	3.2	uR/hr	Bedroom		3.2	uR/hr	Closet			uR/hr			No	
I13	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
J1	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
J2	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
J3	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	30% accessible
J4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
J5		uR/hr	Kitchen	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
J8	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
J9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
J10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J11	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J12	3.2	uR/hr	Bedroom		3.2	uR/hr	Closet			uR/hr			No	
J13	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



Summary Report
1403 Sturgeon Street Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
K1	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K2	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K3	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K4	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K5		uR/hr	Kitchen	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
K8	3.6	uR/hr		Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K9	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K10	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr	Bedroom			uR/hr			No	10% accessible
K11	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K12	3.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.	3.2	uR/hr	Closet			uR/hr			No	10% accessible
K13	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.	3.2	uR/hr	Closet			uR/hr			No	10% accessible

CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Luguna

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 6/26/2014 1:55 PM
Instrument: 193-6
Serial #: 293633
Layout: Garage
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: No
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.68 uR/hr
Standard Deviation: 0.16 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.00 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1403 Sturgeon Street Unit G1

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible


CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 6/27/2014 8:42 PM
Instrument: 193-6
Serial #: 293633
Layout: Garage
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: No
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.63 uR/hr
Standard Deviation: 0.15 uR/hr
Minimum: 3.20 uR/hr
Maximum: 4.00 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1403 Sturgeon Street Unit G2

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 6/27/2014 8:55 AM
Instrument: 193-6
Serial #: 309099
Layout: Garage
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.2 W 3.2
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.44 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 3.20 uR/hr
Maximum: 4.00 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
B1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1403 Sturgeon Street Unit G3

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, static taken 9.5 inches from floor surface due to non moveable shelf
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D4	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Luguna

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 6/27/2014 2:17 PM
Instrument: 193-6
Serial #: 309110
Layout: Garage
Background Reading: 4.0 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.82 uR/hr
Standard Deviation: 0.20 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.00 uR/hr
Median: 4.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1403 Sturgeon Street Unit G4

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 6/27/2014 10:14 AM
Instrument: 193-6
Serial #: 309119
Layout: Garage
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
living/sitting area found in back section of garage
containing couch, tv, micro, frig, books, etc.

Summary Statistics :

Total # of Readings: 36
Average: 3.16 uR/hr
Standard Deviation: 0.13 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.20 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	carpeted
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	carpeted
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	survey performed on built in wooden shelving at 4" and on carpeted floor
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	survey performed on built in wooden shelving at 4" and remainder on floor
A5	2.8	uR/hr	Garage			uR/hr				uR/hr			No	survey performed on built in wooden shelving at 4" and remainder on floor
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible, on cement
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	carpeted
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	carpeted
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	survey performed on built in wooden shelving at 4" and on carpeted floor
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	carpeted
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	carpeted
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	carpeted



Summary Report
1403 Sturgeon Street Unit G5

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	carpeted
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	carpeted
B9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, static reading is on cement, not carpet
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	carpeted
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	survey performed on built in wooden shelving at 4" and on carpeted flooring
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	carpeted
C5	2.8	uR/hr	Garage			uR/hr				uR/hr			No	carpeted
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	carpeted
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	carpeted
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	carpeted
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, on cement
D1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, survey performed on built in wooden shelving at 4"
D2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, carpeted
D3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, part carpet, part cement

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, survey performed on built in wooden shelving at 4"
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, survey performed on built in wooden shelving at 4"
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, survey performed on built in wooden shelving at 4" and on floor
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible, on cement



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :

Signature :

Signoff Notes:



Unit Summary :

Completion Date: 6/26/2014 2:17 PM
Instrument: 193-6
Serial #: 309099
Layout: Garage
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.18 W 3.33
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
Garage set up as home gym.

Summary Statistics :

Total # of Readings: 36
Average: 3.14 uR/hr
Standard Deviation: 0.19 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.60 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage	Survey performed on non-movable item.		uR/hr				uR/hr			No	Scan around heavy home gym equipment not stable enough to move. 90% accessible
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1403 Sturgeon Street Unit G6

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	scan around weigh equipment, 90% accessible
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	scan around weigh equipment, 90% accessible
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	scan around weigh equipment, 90% accessible
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D3	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D6	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D7	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



Summary Report
1403 Sturgeon Street Unit G6

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Luguna

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/18/2014 12:48 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 8
Background Reading: 3.6 uR/hr
Dimensions (m): D 12.3 W 10.1
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


K1-K4, H7-H13 grids (less than 6") were surveyed with J1-J4, G7-G13. Grids J5, J6, B5-B8, A5 and A8 are outside unit interior boundary.

Summary Statistics :

Total # of Readings: 121
Average: 3.69 uR/hr
Standard Deviation: 0.23 uR/hr
Minimum: 3.20 uR/hr
Maximum: 4.40 uR/hr
Median: 3.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
A3	4.0	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible.
A4	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
A5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
A8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
A9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
B1	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
B2	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



Summary Report
1404 Sturgeon Street Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
C1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C3	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Closet		3.6	uR/hr	Bedroom			uR/hr			No	
C9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D1	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	moved refrigerator to survey
D2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
D5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Closet		3.2	uR/hr	Bedroom			uR/hr			No	
D9	3.6	uR/hr	Bedroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bedroom		3.6	uR/hr	Bathroom			uR/hr			No	
D11	3.6	uR/hr	Bedroom		4.0	uR/hr	Bathroom			uR/hr			No	
D12	3.6	uR/hr	Bedroom		4.0	uR/hr	Bathroom			uR/hr			No	
D13	4.0	uR/hr	Closet		4.0	uR/hr	Bathroom			uR/hr			No	30% accessible. surveyed inside bathtub
E1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway		3.6	uR/hr	Bedroom			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
E11	4.0	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	70% accessible
E12	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	
E13	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	30% accessible. surveyed inside bathtub.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Mech Room	Installed furnace.	3.6	uR/hr	Closet			uR/hr			No	40% accessible. reading .6 meters from floor
F7	3.6	uR/hr	Mech Room	Installed water heater.	3.6	uR/hr	Closet			uR/hr			No	60% accessible. reading .6 meters from floor
F8	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
F9	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
F10	3.2	uR/hr	Closet		3.6	uR/hr	Utility			uR/hr			No	
F11	4.0	uR/hr	Utility			uR/hr				uR/hr			No	no dryer installed
F12	4.0	uR/hr	Utility		4.0	uR/hr	Storage			uR/hr			No	moved washer to survey grid.
F13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G11	4.0	uR/hr	Utility			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Storage		3.6	uR/hr	Utility			uR/hr			No	
G13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
H1	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
H2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
I1	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
I2	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
I3	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
I4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
I6	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
J1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J2	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
J3	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
J4	4.4	uR/hr	Living Room			uR/hr				uR/hr			No	
J5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature reads "Carlos Bernal" in a cursive script.

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is stylized and appears to read "AN" followed by a flourish.

Signoff Notes:



Unit Summary :


Completion Date: 6/16/2014 3:56 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 8B
Background Reading: 4.0 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings: 114
Average: 3.95 uR/hr
Standard Deviation: 0.22 uR/hr
Minimum: 3.20 uR/hr
Maximum: 4.40 uR/hr
Median: 4.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.4	uR/hr	Living Room			uR/hr							No	
A2	4.4	uR/hr	Living Room			uR/hr							No	
A3	4.4	uR/hr	Living Room			uR/hr							No	
A4	4.4	uR/hr	Living Room			uR/hr							No	
B1	4.4	uR/hr	Living Room			uR/hr							No	
B2	4.0	uR/hr	Living Room			uR/hr							No	
B3	4.4	uR/hr	Living Room			uR/hr							No	
B4	4.0	uR/hr	Living Room			uR/hr							No	
B5	4.0	uR/hr	Hallway			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Hallway			uR/hr				uR/hr			No	
C1	4.0	uR/hr	Living Room			uR/hr							No	
C2	4.0	uR/hr	Living Room			uR/hr							No	
C3	4.0	uR/hr	Living Room			uR/hr							No	
C4	4.0	uR/hr	Living Room			uR/hr							No	
C5	4.0	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Hallway			uR/hr				uR/hr			No	
D1	4.0	uR/hr	Living Room			uR/hr							No	
D2	4.0	uR/hr	Living Room			uR/hr							No	
D3	4.0	uR/hr	Living Room			uR/hr							No	
D4	4.0	uR/hr	Living Room			uR/hr							No	
D5	4.0	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	4.0	uR/hr	Hallway			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	partial grid 75% accessible- partially contained within wall



Summary Report
1404 Sturgeon Street Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	4.0	uR/hr	Hallway			uR/hr				uR/hr			No	partial grid 75% accessible- partially contained within wall
D9	4.0	uR/hr	Hallway		4.0	uR/hr	Utility			uR/hr			No	partial grid 75% accessible- partially contained within wall
D10	4.0	uR/hr	Utility			uR/hr				uR/hr			No	partial grid 75% accessible- partially contained within wall
D11	4.0	uR/hr	Utility			uR/hr				uR/hr			No	partial grid 75% accessible- partially contained within wall
D12	4.0	uR/hr	Utility		4.0	uR/hr	Storage			uR/hr			No	partial grid 75% accessible- partially contained within wall
D13	4.0	uR/hr	Storage			uR/hr				uR/hr			No	partial grid 70% accessible- partially contained within wall
E1	4.0	uR/hr	Dining Room			uR/hr							No	
E2	4.0	uR/hr	Dining Room			uR/hr							No	
E3	4.0	uR/hr	Dining Room			uR/hr							No	
E4	4.0	uR/hr	Dining Room			uR/hr							No	
E5	4.0	uR/hr	Hallway		4.0	uR/hr	Closet			uR/hr			No	
E6	4.0	uR/hr	Hallway		4.0	uR/hr	Closet			uR/hr			No	
E7	3.6	uR/hr	Storage		3.6	uR/hr	Closet			uR/hr			No	
E8	4.0	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
E9	3.2	uR/hr	Hallway		3.6	uR/hr	Utility		4	uR/hr	Closet		No	



**Summary Report
1404 Sturgeon Street Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	3.6	uR/hr	Closet		4.0	uR/hr	Utility			uR/hr			No	
E11	4.0	uR/hr	Utility			uR/hr				uR/hr			No	
E12	4.0	uR/hr	Storage		4.0	uR/hr	Utility			uR/hr			No	
E13	4.4	uR/hr	Storage			uR/hr				uR/hr			No	partial grid 95% accessible- partially contained within wall
F1	3.6	uR/hr	Dining Room			uR/hr							No	
F2	3.6	uR/hr	Dining Room			uR/hr							No	
F3	3.6	uR/hr	Dining Room			uR/hr							No	
F4	3.6	uR/hr	Dining Room			uR/hr							No	
F5	3.6	uR/hr	Bedroom		3.6	uR/hr	Dining Room		4	uR/hr	Closet		No	partial grid bedroom/dining room/hallway closet
F6	3.6	uR/hr	Bedroom			uR/hr							No	partial grid storage/bedroom
F7	4.0	uR/hr	Bedroom		3.6	uR/hr	Closet			uR/hr			No	partial grid bedroom/closet /storage. storage is non accessible
F8	4.0	uR/hr	Hallway		3.6	uR/hr	Closet		3.6	uR/hr	Bedroom		No	
F9	4.0	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
F10	3.6	uR/hr	Closet		4.0	uR/hr	Bathroom			uR/hr			No	partial grid- installed cabinets
F11	4.0	uR/hr	Utility		4.0	uR/hr	Bathroom			uR/hr			No	partial grid- installed cabinets
F12	4.0	uR/hr	Storage		4.0	uR/hr	Utility		4.4	uR/hr	Bathroom		No	



**Summary Report
1404 Sturgeon Street Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	4.0	uR/hr	Storage		4.4	uR/hr	Bathroom			uR/hr			No	partial grid 95% accessible- partially contained within wall. surveyed inside bathtub.
G1	3.6	uR/hr	Dining Room		3.6	uR/hr	Kitchen						No	partial grid dining room/kitchen
G2	3.6	uR/hr	Dining Room		3.6	uR/hr	Kitchen						No	partial grid dining room/kitchen
G3	3.6	uR/hr	Dining Room		3.6	uR/hr	Kitchen						No	partial grid dining room/kitchen
G4	4.0	uR/hr	Dining Room		4.0	uR/hr	Kitchen						No	partial grid dining room/kitchen
G5	4.0	uR/hr	Bedroom		4.0	uR/hr	Kitchen						No	partial grid bedroom/kitchen
G6	4.0	uR/hr	Bedroom			uR/hr							No	
G7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	partial grid closet/hallway
G9	4.0	uR/hr	Hallway		3.6	uR/hr	Bedroom			uR/hr			No	
G10	3.6	uR/hr	Bedroom		4.0	uR/hr	Bathroom			uR/hr			No	
G11	4.0	uR/hr	Bedroom		4.0	uR/hr	Bathroom			uR/hr			No	
G12	4.0	uR/hr	Bedroom		4.4	uR/hr	Bathroom			uR/hr			No	
G13	4.0	uR/hr	Bathroom		4.0	uR/hr	Closet			uR/hr			No	surveyed inside bathtub
H1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid due to refrigerator. bottom cabinet surveyed
H2	4.0	uR/hr	Kitchen			uR/hr							No	
H3	4.0	uR/hr	Kitchen			uR/hr							No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	4.0	uR/hr	Kitchen			uR/hr							No	
H5	4.0	uR/hr	Bedroom		4.0	uR/hr	Dining Room						No	partial grid bedroom/kitchen
H6	4.0	uR/hr	Bedroom			uR/hr							No	
H7	4.0	uR/hr	Bedroom			uR/hr							No	
H8	3.6	uR/hr	Closet			uR/hr							No	
H9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
H10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
H11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
H12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
H13	4.0	uR/hr	Closet			uR/hr				uR/hr			No	
I1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid due to stove. bottom cabinet surveyed
I2	3.6	uR/hr	Kitchen			uR/hr							No	
I3	4.0	uR/hr	Kitchen			uR/hr							No	
I4	4.0	uR/hr	Kitchen			uR/hr							No	
I5	4.0	uR/hr	Bedroom		4.0	uR/hr	Kitchen						No	partial grid kitchen/bedroom. exclude exterior area
I6	4.0	uR/hr	Bedroom			uR/hr							No	partial grid excluding exterior area
I7	4.0	uR/hr	Bedroom			uR/hr							No	partial grid excluding exterior area
I8	4.0	uR/hr	Closet		4.0	uR/hr	Bedroom						No	partial grid closet/bedroom. excluding exterior
I9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
I10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	



**Summary Report
1404 Sturgeon Street Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
I12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
I13	4.0	uR/hr	Closet			uR/hr				uR/hr			No	
J1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid due to cabinet
J2	4.0	uR/hr	Kitchen			uR/hr							No	partial grid surveyed inside cabinet
J3	4.0	uR/hr	Kitchen			uR/hr							No	partial grid due to countertop
J4	4.0	uR/hr	Kitchen			uR/hr							No	
J5	4.0	uR/hr	Kitchen			uR/hr							No	partial grid excluding exterior area
J9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
J10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
J11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
J12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
J13	4.0	uR/hr	Closet			uR/hr				uR/hr			No	
K1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid- partially contained within wall
K2	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid due to dishwasher. surveyed inside cabinet. partial grid- partially contained within wall
K3	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid- installed base cabinet. partial grid- partially contained within wall



Summary Report
1404 Sturgeon Street Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
K4	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid- partially contained within wall
K5	4.0	uR/hr	Kitchen			uR/hr							No	partial grid excluding exterior area
K9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	partial grid 50% accessible- partially contained within wall
K10	4.4	uR/hr	Bedroom			uR/hr				uR/hr			No	partial grid 50% accessible- partially contained within wall
K11	4.4	uR/hr	Bedroom			uR/hr				uR/hr			No	partial grid 50% accessible- partially contained within wall
K12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	partial grid 50% accessible- partially contained within wall
K13	4.0	uR/hr	Closet			uR/hr				uR/hr			No	partial grid 45% accessible- partially contained within wall



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature appears to read "Carlos Bernal".

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is stylized and appears to read "Antonio Neotti".

Signoff Notes:



Unit Summary :

Completion Date: 8/18/2014 9:43 AM
Instrument: 193-6
Serial #: 309110
Layout: Garage
Background Reading: 4.0 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 36
Average: 3.91 uR/hr
Standard Deviation: 0.17 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.00 uR/hr
Median: 3.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1404 Sturgeon Street Unit G1

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Unit Summary :

Completion Date: 8/19/2014 11:27 AM
Instrument: 193-6
Serial #: 309110
Layout: Garage
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 36
Average: 3.81 uR/hr
Standard Deviation: 0.20 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.00 uR/hr
Median: 3.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1404 Sturgeon Street Unit G2

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/19/2014 11:06 AM
Instrument: 193-6
Serial #: 309127
Layout: Garage
Background Reading: 4.0 uR/hr
Dimensions (m): D 8.1 W 3.2
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 36
Average: 4.06 uR/hr
Standard Deviation: 0.19 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.40 uR/hr
Median: 3.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A4	4.4	uR/hr	Garage			uR/hr				uR/hr			No	
A5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.4	uR/hr	Garage			uR/hr				uR/hr			No	
A7	4.4	uR/hr	Garage			uR/hr				uR/hr			No	
A8	4.4	uR/hr	Garage			uR/hr				uR/hr			No	
A9	4.4	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
B1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
C1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	




Summary Report
1404 Sturgeon Street Unit G3

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
D1	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D7	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D8	4.4	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D9	4.4	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.


CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/19/2014 9:14 AM
Instrument: 193-6
Serial #: 309136
Layout: Garage
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.52 uR/hr
Standard Deviation: 0.16 uR/hr
Minimum: 3.20 uR/hr
Maximum: 3.60 uR/hr
Median: 3.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1404 Sturgeon Street Unit G4

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible



CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :

A handwritten signature in black ink on a light blue background. The signature appears to be "AH" with a horizontal line crossing through the middle of the letters.

Signature :

A handwritten signature in black ink on a light blue background. The signature appears to be "Perez" with a stylized, angular script.

Signoff Notes:



Unit Summary :

Completion Date: 8/19/2014 1:39 PM
Instrument: 193-6
Serial #: 309119
Layout: Garage
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.64 uR/hr
Standard Deviation: 0.16 uR/hr
Minimum: 3.20 uR/hr
Maximum: 4.00 uR/hr
Median: 3.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1404 Sturgeon Street Unit G5

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature appears to be "SPhelms" in a cursive, stylized script.

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature consists of two distinct, stylized cursive initials or names, possibly "ER" and "OR", written side-by-side.

Signoff Notes:



Unit Summary :

Completion Date: 7/2/2014 3:08 PM
Instrument: 193-6
Serial #: 309110
Layout: Garage
Background Reading: 4.0 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: No
Tenant Present: No

Unit Notes:

Summary Statistics :

Total # of Readings: 36
Average: 4.06 uR/hr
Standard Deviation: 0.14 uR/hr
Minimum: 4.00 uR/hr
Maximum: 4.40 uR/hr
Median: 4.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A5	4.4	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A7	4.4	uR/hr	Garage			uR/hr				uR/hr			No	
A8	4.4	uR/hr	Garage			uR/hr				uR/hr			No	
A9	4.4	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, static reading at 6" due to non removable shelf
D2	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, static reading at 6" due to non removable shelf
D3	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	4.4	uR/hr	Garage			uR/hr				uR/hr			No	5% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

A handwritten signature in black ink on a light blue background. The signature appears to read "Carlos Bernal".

Signature :

A handwritten signature in black ink on a light blue background. The signature is stylized and appears to read "Antonio Neotti".

Signoff Notes:



Unit Summary :

Completion Date: 6/26/2014 3:57 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 8
Background Reading: 3.6 uR/hr
Dimensions (m): D 12.5 W 10.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Actual kitchen dimensions are 4 m by 4 m, no partial grids as shown

Summary Statistics :

Total # of Readings: 116
Average: 3.69 uR/hr
Standard Deviation: 0.20 uR/hr
Minimum: 3.20 uR/hr
Maximum: 4.00 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	20% accessible
A2	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
A3	4.0	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
A4	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
A9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A13	4.0	uR/hr	Closet			uR/hr				uR/hr			No	
B1	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
B2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B6	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B7	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B8	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.	3.6	uR/hr	Bedroom			uR/hr			No	10% accessible
B9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
B10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
B11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	



**Summary Report
1405 Sturgeon Street Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	4.0	uR/hr	Closet			uR/hr				uR/hr			No	
C1	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
C2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Closet		3.6	uR/hr	Bedroom			uR/hr			No	
C9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
C12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
C13	4.0	uR/hr	Closet			uR/hr				uR/hr			No	
D1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	refrigerator moved to survey grid
D2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
D5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D6	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Closet		3.6	uR/hr	Bedroom			uR/hr			No	
D9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Bedroom		3.6	uR/hr	Bathroom			uR/hr			No	
D11	3.6	uR/hr	Bedroom		3.6	uR/hr	Bathroom			uR/hr			No	
D12	4.0	uR/hr	Bedroom		4.0	uR/hr	Bathroom			uR/hr			No	



Summary Report
1405 Sturgeon Street Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13	4.0	uR/hr	Closet		4.0	uR/hr	Bathroom			uR/hr			No	surveyed inside bathtub (bathroom)
E1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway		3.6	uR/hr	Bedroom			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E12	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E13	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	surveyed inside bathtub
F1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Mech Room	Installed furnace.	3.6	uR/hr	Closet			uR/hr			No	50% accessible-survey performed 24" from floor (mech room)
F7	3.2	uR/hr	Mech Room	Installed water heater.	3.6	uR/hr	Closet			uR/hr			No	50% accessible-survey performed 24" from floor (mech room)



Summary Report
1405 Sturgeon Street Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
F9	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
F10	3.6	uR/hr	Utility		4.0	uR/hr	Bathroom	Installed base cabinets.	3.6	uR/hr	Closet		No	dryer moved to survey grid
F11	3.6	uR/hr	Utility		4.0	uR/hr	Bathroom	Installed base cabinets.		uR/hr			No	washer/dryer moved to survey grid
F12	3.6	uR/hr	Storage		4.0	uR/hr	Bathroom		3.6	uR/hr	Utility		No	washer moved to survey grid
F13	4.0	uR/hr	Storage		4.0	uR/hr	Bathroom			uR/hr			No	surveyed inside bathtub
G1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Hallway		3.2	uR/hr	Mech Room			uR/hr			No	
G7	3.6	uR/hr	Hallway		3.6	uR/hr	Closet		3.2	uR/hr	Mech Room		No	
G8	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
G9	3.6	uR/hr	Hallway		3.6	uR/hr	Utility			uR/hr			No	
G10	3.6	uR/hr	Utility		3.6	uR/hr	Closet			uR/hr			No	
G11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Storage		3.6	uR/hr	Utility			uR/hr			No	
G13	4.0	uR/hr	Storage			uR/hr				uR/hr			No	
H1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H7	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H8	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H9	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr			No	10% accessible
H10	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H11	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr			No	10% accessible
H13	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
I1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
I6	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
J1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J3	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
J4	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
J5	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible



Summary Report
1405 Sturgeon Street Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J6	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K1	4.0	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
K2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
K3	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
K4	4.0	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:

Unit Summary :

Completion Date: 6/26/2014 12:10 PM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 8B

Background Reading: 3.6 uR/hr

Dimensions (m): D 10.09 W 12.42

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

J5, K5 are on unit exterior

Summary Statistics :

Total # of Readings: 112

Average: 3.36 uR/hr

Standard Deviation: 0.21 uR/hr




Minimum:	2.80	uR/hr
----------	------	-------


Maximum:	4.00	uR/hr
----------	------	-------

Median: 3.20 uR/hr

Anomalies: 0

Grid Legend:

-  No anomalous measurements
-  Inaccessible (no measurement collected)
-  Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B1	3.6	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	wall cabinet, bottom shelf scan 4" above floor (wood 1/2" thick)
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
B5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C1	3.2	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	wall cabinet, bottom shelf scan 4" above floor (wood 1/2" thick)
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
C5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1405 Sturgeon Street Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D6	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
D10	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Storage		3.2	uR/hr	Utility			uR/hr			No	
D13	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
E1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
E6	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	60% accessible (23" above floor)
E7	2.8	uR/hr	Mech Room	Installed water heater.	3.2	uR/hr	Closet			uR/hr			No	60% accessible (23" above floor)
E8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
E10	3.2	uR/hr	Closet	Clothes dryer within grid.	3.2	uR/hr	Utility			uR/hr			No	70% accessible
E11	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	30% accessible
E12	3.6	uR/hr	Storage		3.2	uR/hr	Utility			uR/hr			No	
E13	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
F1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1405 Sturgeon Street Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F10	3.2	uR/hr	Bathroom	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F11	3.6	uR/hr	Bathroom	Elevated measurements due to NORM in toilet bowl m		uR/hr				uR/hr			No	
F12	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
F13	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
G1	3.2	uR/hr	Dining Room	Installed refrigerator.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Kitchen		3.2	uR/hr	Dining Room			uR/hr			No	
G3	3.2	uR/hr	Kitchen		3.2	uR/hr	Dining Room			uR/hr			No	
G4	3.2	uR/hr	Kitchen		3.2	uR/hr	Dining Room			uR/hr			No	
G5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
G9	3.2	uR/hr	Hallway		3.2	uR/hr	Bedroom			uR/hr			No	
G10	3.6	uR/hr	Bathroom		3.6	uR/hr	Bedroom			uR/hr			No	
G11	3.6	uR/hr	Bathroom		3.2	uR/hr	Bedroom			uR/hr			No	
G12	3.6	uR/hr	Bathroom		3.6	uR/hr	Bedroom			uR/hr			No	
G13	3.6	uR/hr	Bathroom		3.6	uR/hr	Closet			uR/hr			No	



**Summary Report
1405 Sturgeon Street Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H1	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
H2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
H5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H8	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
H9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
H12	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H13	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
I1	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
I2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
I3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
I4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
I5	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
I6	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
I7	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
I8	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
I9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
I10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	



Summary Report
1405 Sturgeon Street Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
I12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
I13	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
J1	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
J2	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible (surveyed in accessible base cabinet)
J3	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	70% accessible
J4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
J9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
J10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
J11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
J12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
J13	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
K1	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	10% accessible
K2	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	10% accessible
K3	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K4	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K9	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible



Summary Report
1405 Sturgeon Street Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
K10	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K11	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K12	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :

A handwritten signature in black ink on a light blue background. The signature appears to read "Steve Phelps" in a cursive, stylized script.

Signature :

A handwritten signature in black ink on a light blue background. The signature appears to read "Efr Ramirez" in a cursive, stylized script.

Signoff Notes:



Unit Summary :

Completion Date: 6/26/2014 4:00 PM
Instrument: 193-6
Serial #: 309110
Layout: Garage
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.2 W 3.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.86 uR/hr
Standard Deviation: 0.19 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.00 uR/hr
Median: 4.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible-taken 9.5" above floor due to non movable shelf
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 6/27/2014 8:48 AM
Instrument: 193-6
Serial #: 309127
Layout: Garage
Background Reading: 4.0 uR/hr
Dimensions (m): D 8.1 W 3.25
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.83 uR/hr
Standard Deviation: 0.20 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.00 uR/hr
Median: 4.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1405 Sturgeon Street Unit G2

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D2	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D4	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D8	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :

Signature :

Signoff Notes:



Unit Summary :

Completion Date: 6/27/2014 9:02 AM
Instrument: 193-6
Serial #: 309136
Layout: Garage
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.02 W 3.3
Unit Furnished: Yes
Tenant Present: No
Unit Notes:

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Summary Statistics :

Total # of Readings: 36
Average: 3.24 uR/hr
Standard Deviation: 0.13 uR/hr
Minimum: 3.20 uR/hr
Maximum: 3.60 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1405 Sturgeon Street Unit G3

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible


CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 6/27/2014 9:38 AM
Instrument: 193-6
Serial #: 293633
Layout: Garage
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:

Summary Statistics :

Total # of Readings: 36
Average: 4.04 uR/hr
Standard Deviation: 0.16 uR/hr
Minimum: 3.60 uR/hr
Maximum: 4.40 uR/hr
Median: 4.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.4	uR/hr	Garage			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	4.4	uR/hr	Garage			uR/hr				uR/hr			No	
B2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	4.4	uR/hr	Garage			uR/hr				uR/hr			No	
C2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	



Summary Report
1405 Sturgeon Street Unit G4

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	4.4	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	4.4	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible