Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G9	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
G10	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Storage		3.2	uR/hr	Utility			uR/hr			No	
G13	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
H5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
H6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
I1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
I2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
I3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
I4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
I5	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
I6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
J1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
J2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
J3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
J6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 6/30/2014 3:34 PM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 8B

Background Reading: 3.6 uR/hr

Dimensions (m): D 12.5 W 10.7

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Actual kitchen dimensions are 3.8 meters by 3.7, no partials as shown.

Summary Statistics :


Total # of Readings:	112	
Average:	3.79	uR/hr
Standard Deviation:	0.34	uR/hr
Minimum:	3.20	uR/hr
Maximum:	6.00	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B6	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D9	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.6	uR/hr	Utility			uR/hr			No	80% accessible
D10	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D11	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage			uR/hr			No	80% accessible
D13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
E1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
E6	3.2	uR/hr	Mech Room	Installed furnace.	3.6	uR/hr	Closet		3.6	uR/hr	Hallway		No	static was taken at 23" from the floor
E7	3.2	uR/hr	Mech Room	Installed water heater.	3.6	uR/hr	Hallway		3.6	uR/hr	Closet		No	static reading taken at 7" due to non removable shelf in closet. static was taken at 23" from the floor for mechanical room
E8	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	static reading taken at 7" due to non removable shelf in closet

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E9	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
E10	3.6	uR/hr	Closet		3.6	uR/hr	Utility			uR/hr			No	
E11	3.6	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	moved dryer to survey grid
E12	4.0	uR/hr	Utility	Washing machine within grid.	3.6	uR/hr	Storage			uR/hr			No	moved washing machine to survey grid
E13	4.0	uR/hr	Storage			uR/hr				uR/hr			No	
F1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Closet		3.6	uR/hr	Bedroom			uR/hr			No	
F6	3.6	uR/hr	Bedroom		3.6	uR/hr	Closet		3.2	uR/hr	Mech Room	Installed furnace.	No	static was taken at 23" from the floor
F7	3.6	uR/hr	Bedroom		3.2	uR/hr	Mech Room	Installed water heater.	3.6	uR/hr	Closet		No	static reading taken at 7" due to non removable shelf in closet. static was taken at 23" from the floor for mechanical room
F8	3.6	uR/hr	Hallway		3.6	uR/hr	Closet		3.6	uR/hr	Bedroom		No	static reading taken at 7" due to non removable shelf in closet
F9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
F10	4.0	uR/hr	Bathroom	Installed base cabinets.	3.6	uR/hr	Closet			uR/hr			No	30% accessible
F11	4.4	uR/hr	Bathroom	Installed base cabinets.	3.6	uR/hr	Closet			uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F12	6.0	uR/hr	Bathroom			uR/hr	Utility			uR/hr			No	Elevated measurement due to K-40 NORM in tile material
F13	4.4	uR/hr	Bathroom		3.6	uR/hr	Storage			uR/hr			No	surveyed inside shower
G1	4.0	uR/hr	Kitchen	Installed refrigerator.	3.6	uR/hr	Dining Room			uR/hr			No	moved refrigerator to survey grid
G2	3.6	uR/hr	Kitchen		3.6	uR/hr	Dining Room			uR/hr			No	
G3	3.6	uR/hr	Kitchen		3.6	uR/hr	Dining Room			uR/hr			No	
G4	3.6	uR/hr	Kitchen		3.6	uR/hr	Dining Room			uR/hr			No	
G5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Hallway		3.6	uR/hr	Closet		3.6	uR/hr	Bedroom		No	
G9	3.6	uR/hr	Hallway		4.0	uR/hr	Bedroom			uR/hr			No	
G10	3.6	uR/hr	Bathroom		3.6	uR/hr	Bedroom			uR/hr			No	
G11	4.0	uR/hr	Bathroom		4.0	uR/hr	Bedroom			uR/hr			No	
G12	4.0	uR/hr	Bathroom		4.0	uR/hr	Bedroom			uR/hr			No	
G13	4.0	uR/hr	Bathroom		4.0	uR/hr	Closet			uR/hr			No	surveyed inside shower
H1	4.0	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	40% accessible
H2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
H3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
H5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
H7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
H8	3.6	uR/hr	Closet		3.6	uR/hr	Bedroom			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
H10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
H11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
H12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
H13	4.0	uR/hr	Closet			uR/hr				uR/hr			No	
I1	4.0	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
I2	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
I3	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
I4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
I5	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
I6	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
I7	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
I8	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.	3.6	uR/hr	Bedroom			uR/hr			No	80% accessible
I9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
I10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
I11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
I12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
I13	4.0	uR/hr	Closet			uR/hr				uR/hr			No	
J1	4.4	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
J2	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
J3	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
J4	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
J9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
J11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
J12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
J13	4.0	uR/hr	Closet			uR/hr				uR/hr			No	
K1	4.0	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	70% accessible
K2	5.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible. Granite countertop was noted. S/N: 13000529, Canberra inspector-1000 model, File # 120140630, NORM Potassium 40.
K3	4.4	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
K4	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
K9	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
K10	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
K11	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
K12	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
K13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Secondary Readings : F12

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Inspector 1000 Spectrum	Inspector 1000 Spectrum	13000529				Radium

Secondary Type	Notes
Inspector 1000 Spectrum	K-40 NORM filename 20140630115655

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1419 Striped Bass Street Unit G1

Unit Summary :

Completion Date: 6/30/2014 3:30 PM

Instrument: 193-6

Serial #: 309110

Layout: Garage

Background Reading: 4.0 uR/hr

Dimensions (m): D 8.2 W 3.3

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Summary Statistics :


Total # of Readings:	36	
Average:	3.86	uR/hr
Standard Deviation:	0.19	uR/hr
Minimum:	3.60	uR/hr
Maximum:	4.00	uR/hr
Median:	4.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, static reading taken at 7" from floor due to non removable shelf
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1419 Striped Bass Street Unit G2

Unit Summary :

Completion Date: 7/1/2014 1:51 PM

Instrument: 193-6

Serial #: 309099

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.1 W 3.2

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Summary Statistics :


Total # of Readings:	36	
Average:	3.16	uR/hr
Standard Deviation:	0.13	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.20	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken 10 inches from floor surface, 10% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D3	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D4	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D8	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Luguna

Signature :



Signoff Notes:

Summary Report
1419 Striped Bass Street Unit G3

Unit Summary :

Completion Date: 7/1/2014 12:17 PM

Instrument: 193-6

Serial #: 309099

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.1 W 3.2

Unit Furnished: Yes

Tenant Present: No

Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.37	uR/hr
Standard Deviation:	0.22	uR/hr
Minimum:	3.20	uR/hr
Maximum:	4.00	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

GARAGE

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Luguna

Signature :



Signoff Notes:

Summary Report
1419 Striped Bass Street Unit G4

Unit Summary :

Completion Date: 6/30/2014 12:03 PM
Instrument: 193-6
Serial #: 309136
Layout: Garage
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.32	uR/hr
Standard Deviation:	0.21	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.60	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

GARAGE

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1419 Striped Bass Street Unit G5

Unit Summary :

Completion Date: 6/30/2014 11:35 AM
Instrument: 193-6
Serial #: 309136
Layout: Garage
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.10	uR/hr
Standard Deviation:	0.18	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.20	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

GARAGE

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
B1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible


CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1419 Striped Bass Street Unit G6

Unit Summary :

Completion Date: 6/30/2014 3:57 PM
Instrument: 193-6
Serial #: 309110
Layout: Garage
Background Reading: 4.0 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.88	uR/hr
Standard Deviation:	0.19	uR/hr
Minimum:	3.60	uR/hr
Maximum:	4.00	uR/hr
Median:	4.00	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

GARAGE

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Unit Summary :

Completion Date:	7/11/2014 12:41 PM
Instrument:	193-6
Serial #:	309119
Layout:	Floor Plan 8
Background Reading:	3.2 uR/hr
Dimensions (m):	D 10.1 W 12.4
Unit Furnished:	No
Tenant Present:	No
Unit Notes:	

standard background location on second day: 3.2

Summary Statistics :


Total # of Readings:	135	
Average:	3.32	uR/hr
Standard Deviation:	0.21	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A2	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	60% accessible
A3	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
A4	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
A8	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B1	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
B2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B6	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B7	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B8	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible
B9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C1	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
C2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Closet		3.2	uR/hr	Bedroom			uR/hr			No	
C9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
C10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C13	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D1	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	refrigerator moved for survey
D2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Kitchen	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
D5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Bedroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.2	uR/hr	Bedroom		3.6	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Bedroom		3.6	uR/hr	Bathroom			uR/hr			No	
D12	3.2	uR/hr	Bedroom		3.6	uR/hr	Bathroom			uR/hr			No	
D13	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom			uR/hr			No	40% accessible
E1	3.2	uR/hr	Kitchen		3.2	uR/hr	Kitchen			uR/hr			No	
E2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Kitchen	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
E5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	3.2	uR/hr	Bathroom	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
E11	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E13	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Surveyed inside bathtub.
F1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	40% accessible, reading taken at .5 m from ground level
F7	2.8	uR/hr	Mech Room	Installed water heater.	3.2	uR/hr	Closet			uR/hr			No	80% accessible, reading taken at .5 m from ground level
F8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F9	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
F10	3.6	uR/hr	Utility		3.2	uR/hr	Closet			uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	No washer/dryer installed.
F12	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
F13	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom			uR/hr			No	40% accessible
G1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G2	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G9	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
G10	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G13	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
H5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
H6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit is 7 m deep at this location
H8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit is 7 m deep at this location
H9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit is 7 m deep at this location

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit is 7 m deep at this location
H11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit is 7 m deep at this location
H12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit is 7 m deep at this location
H13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit is 7 m deep at this location
I1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
I2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
I3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
I4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
I5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
I6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
J1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
J2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
J5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	entry hallway depth is 3 m
J6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	entry hallway depth is 3 m

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
K1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K3	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
K4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/15/2014 11:58 AM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 8B

Background Reading: 3.2 uR/hr

Dimensions (m): D 10.1 W 12.4

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:


Grids K1-K4 and K9- K13 less than 6" wide, area surveyed with adjacent grids. Grids in row 14, A5, J5 , K5 fall outside unit interior floor plan.

Summary Statistics :

Total # of Readings:	135	
Average:	3.28	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.00	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
B5	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
C5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Summary Report
1420 Striped Bass Street Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D6	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
D10	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Utility		3.6	uR/hr	Storage			uR/hr			No	
D13	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, immovable fixture (toilet bowl stored) in grid
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E5	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
E6	2.8	uR/hr	Storage	Installed furnace.		uR/hr				uR/hr			No	50% accessible, static taken at 20" above ground floor
E7	2.8	uR/hr	Storage	Installed water heater.		uR/hr				uR/hr			No	50% accessible, static taken at 20" above ground floor
E8	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	3.2	uR/hr	Closet		3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr			No	80% accessible, installed dryer moved for survey
E11	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible, installed washer moved for survey.
E12	3.2	uR/hr	Utility		4.0	uR/hr	Storage			uR/hr			No	
E13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, immovable fixture (toilet bowl stored) in grid
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Bedroom	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
F6	3.2	uR/hr	Bedroom	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
F7	3.2	uR/hr	Bedroom	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
F8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	3.2	uR/hr	Bathroom	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F11	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
F13	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, static taken in tub at 12" above ground floor
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G1	2.8	uR/hr	Dining Room	Survey performed on non-movable item.	2.0	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible, survey taken at 4" above ground floor on non-movable wooden shelf
G2	3.2	uR/hr	Dining Room		3.2	uR/hr	Kitchen			uR/hr			No	
G3	3.2	uR/hr	Dining Room		3.2	uR/hr	Kitchen			uR/hr			No	
G4	2.8	uR/hr	Dining Room		3.2	uR/hr	Kitchen			uR/hr			No	
G5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
G9	3.2	uR/hr	Hallway		3.2	uR/hr	Bedroom			uR/hr			No	
G10	3.2	uR/hr	Bathroom		3.2	uR/hr	Bedroom			uR/hr			No	
G11	3.6	uR/hr	Bathroom		3.2	uR/hr	Bedroom			uR/hr			No	
G12	3.6	uR/hr	Bathroom		3.2	uR/hr	Bedroom			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G13	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.	3.6	uR/hr	Closet			uR/hr			No	40% accessible, bathroom static taken in tub at 12" above ground floor
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H1	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
H2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
H3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
H5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H8	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
H9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H11	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H12	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H13	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I1	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
I2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
I3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I4	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	95% accessible
I5	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
I6	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
I7	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
I8	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
I9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
I10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I11	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I12	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I13	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J1	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
J2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
J3	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
J4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	Installed refrigerator moved for survey
J5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
J11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
J12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
J13	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
J14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
K5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
K14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1420 Striped Bass Street Unit G1

Unit Summary :

Completion Date: 7/10/2014 3:35 PM

Instrument: 193-6

Serial #: 309110

Layout: Garage

Background Reading: 4.0 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: No

Tenant Present: No

Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.96	uR/hr
Standard Deviation:	0.13	uR/hr
Minimum:	3.60	uR/hr
Maximum:	4.00	uR/hr
Median:	3.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

GARAGE

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C2	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. static reading at 9" due to shelf.
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1420 Striped Bass Street Unit G2

Unit Summary :

Completion Date: 8/15/2014 2:59 PM

Instrument: 193-6

Serial #: 309119

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.37	uR/hr
Standard Deviation:	0.20	uR/hr
Minimum:	3.20	uR/hr
Maximum:	3.60	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

GARAGE

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1420 Striped Bass Street Unit G3

Unit Summary :

Completion Date: 8/15/2014 2:19 PM
Instrument: 193-6
Serial #: 309119
Layout: Garage
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.47	uR/hr
Standard Deviation:	0.21	uR/hr
Minimum:	3.20	uR/hr
Maximum:	4.00	uR/hr
Median:	3.40	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

GARAGE

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1420 Striped Bass Street Unit G4

Unit Summary :

Completion Date: 8/18/2014 9:15 AM

Instrument: 193-6

Serial #: 309119

Layout: Garage

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.57	uR/hr
Standard Deviation:	0.22	uR/hr
Minimum:	3.20	uR/hr
Maximum:	4.00	uR/hr
Median:	3.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

GARAGE

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1420 Striped Bass Street Unit G5

Unit Summary :

Completion Date: 8/18/2014 9:07 AM
Instrument: 193-6
Serial #: 309127
Layout: Garage
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.1 W 3.3
Unit Furnished: Yes
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.70	uR/hr
Standard Deviation:	0.18	uR/hr
Minimum:	3.60	uR/hr
Maximum:	4.00	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

GARAGE

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D3	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D5	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D8	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1420 Striped Bass Street Unit G6

Unit Summary :

Completion Date: 8/15/2014 8:46 AM

Instrument: 193-6

Serial #: 309136

Layout: Garage


Background Reading: 3.2 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:



Summary Statistics :

Total # of Readings:	36	
Average:	3.04	uR/hr
Standard Deviation:	0.20	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.20	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1430 Halibut Court Unit A

Unit Summary :

Completion Date: 8/14/2014 12:05 PM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 8

Background Reading: 3.6 uR/hr

Dimensions (m): D 10 W 12.4

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

K1-K4, H7-H13, grids are less than 6" wide and were surveyed along with adjacent grids. J5-J6, A5 grids are outside floor plan. Grid E11 measurement of 6.4 uR/hr due to elevated NORM.

Summary Statistics :


Total # of Readings:	132	
Average:	3.74	uR/hr
Standard Deviation:	0.35	uR/hr
Minimum:	3.20	uR/hr
Maximum:	6.40	uR/hr
Median:	3.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible.
A3	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
A5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid outside floor plan.
A8	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
A9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
B1	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible.
B2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B5	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
B6	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
B7	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
B9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
B12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
C1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Closet		3.6	uR/hr	Bedroom		3.6	uR/hr	Hallway		No	
C9	3.6	uR/hr	Bedroom		3.6	uR/hr	Hallway			uR/hr			No	
C10	4.0	uR/hr	Bedroom		4.0	uR/hr	Bathroom			uR/hr			No	
C11	4.0	uR/hr	Bedroom		4.4	uR/hr	Bathroom			uR/hr			No	
C12	4.0	uR/hr	Bedroom		4.0	uR/hr	Bathroom			uR/hr			No	
C13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
D1	3.6	uR/hr	Kitchen		3.6	uR/hr	Dining Room			uR/hr			No	
D2	3.6	uR/hr	Kitchen		3.6	uR/hr	Dining Room			uR/hr			No	
D3	3.6	uR/hr	Kitchen		3.6	uR/hr	Dining Room			uR/hr			No	
D4	3.6	uR/hr	Kitchen		3.6	uR/hr	Dining Room			uR/hr			No	
D5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	
D12	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	
D13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.	4.0	uR/hr	Bathroom			uR/hr			No	40% accessible. Bathroom reading taken inside bathtub.
E1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	6.4	uR/hr	Bathroom	Elevated measurements due to NORM in toilet bowl m		uR/hr				uR/hr			No	Elevated measurements due to NORM in toilet bowl (4 MCA measurements additionally performed)
E12	4.8	uR/hr	Bathroom			uR/hr				uR/hr			No	Static reading taken by toilet bowl

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Bathroom reading taken inside bathtub.
F1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Closet		3.6	uR/hr	Hallway		3.2	uR/hr	Mech Room	Installed furnace.	No	80% accessible. Mech room reading taken 22" from floor.
F6	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	60% accessible. Mech room reading taken 22" from floor.
F7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	60% accessible. Mech room reading taken 22" from floor.
F8	3.6	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
F9	3.6	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
F10	3.6	uR/hr	Utility		3.6	uR/hr	Closet			uR/hr			No	
F11	3.6	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	60% accessible.
F12	4.0	uR/hr	Storage		4.0	uR/hr	Utility	Washing machine within grid.		uR/hr			No	60% accessible.
F13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
G1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G2	4.0	uR/hr	Dining Room			uR/hr				uR/hr			No	
G3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.6	uR/hr	Dining Room		3.6	uR/hr	Hallway			uR/hr			No	
G5	3.6	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	
G6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G9	3.6	uR/hr	Hallway		3.6	uR/hr	Utility			uR/hr			No	
G10	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G12	4.0	uR/hr	Storage		3.6	uR/hr	Utility			uR/hr			No	
G13	4.4	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
H5	3.6	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	
H6	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
I1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I4	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
I5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
I6	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
J1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J2	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
J3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J4	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
J5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid outside floor plan.
J6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid outside floor plan.

Secondary Readings : E11

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Inspector 1000 Spectrum	Inspector 1000 Spectrum	13000529				Other

Secondary Type	Notes
Inspector 1000 Spectrum	20140814111721, 20140814112850, 20140814114219, 20140814115631 file names, NORM


CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/12/2014 4:11 PM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 8B

Background Reading: 3.6 uR/hr

Dimensions (m): D 12.3 W 10.1

Unit Furnished: No

Tenant Present: No

Unit Notes:

Unit bathroom modified ADA compliant. K1-K4, K9-K13 grids (less than 6") were surveyed with J1-J4, J9-J13. Grids in row 14, A5, J5 and K5 are outside unit interior boundary.

Summary Statistics :


Total # of Readings:	135	
Average:	3.67	uR/hr
Standard Deviation:	0.19	uR/hr
Minimum:	3.20	uR/hr
Maximum:	4.00	uR/hr
Median:	3.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
A5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B6	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D8	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D9	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.6	uR/hr	Utility			uR/hr			No	90% accessible
D10	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D11	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr			No	90% accessible
D13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
E6	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	30% accessible. reading taken at .6 meters from floor for mechanical room

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	3.2	uR/hr	Mech Room	Installed water heater.	3.6	uR/hr	Closet			uR/hr			No	40% accessible. reading taken at .6 meters from floor for mechanical room
E8	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
E9	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
E10	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	moved dryer to survey grid
E12	4.0	uR/hr	Utility		4.0	uR/hr	Storage			uR/hr			No	no washer installed in unit
E13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Bedroom		3.6	uR/hr	Closet			uR/hr			No	
F6	3.6	uR/hr	Bedroom		3.2	uR/hr	Mech Room	Installed furnace.		uR/hr			No	40% accessible. reading taken at .6 meters from floor for mechanical room

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F7	3.6	uR/hr	Bedroom		3.6	uR/hr	Closet		3.2	uR/hr	Mech Room	Installed water heater.	No	70% accessible. reading taken at .6 meters from floor for mechanical room
F8	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
F9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
F10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
F11	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
F12	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
F13	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G1	3.6	uR/hr	Dining Room		3.6	uR/hr	Kitchen			uR/hr			No	
G2	4.0	uR/hr	Dining Room		3.6	uR/hr	Kitchen			uR/hr			No	
G3	3.6	uR/hr	Dining Room		3.6	uR/hr	Kitchen			uR/hr			No	
G4	3.6	uR/hr	Dining Room		3.6	uR/hr	Kitchen			uR/hr			No	
G5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
G9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
G11	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
G12	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
G13	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
H2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
H3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
H5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
H7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
H8	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
H9	3.6	uR/hr	Hallway		3.6	uR/hr	Bedroom			uR/hr			No	
H10	3.6	uR/hr	Bedroom		3.6	uR/hr	Bathroom			uR/hr			No	
H11	4.0	uR/hr	Bedroom		4.0	uR/hr	Bathroom			uR/hr			No	
H12	3.6	uR/hr	Bedroom		4.0	uR/hr	Bathroom			uR/hr			No	
H13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I1	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
I2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
I3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
I4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
I5	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
I6	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I7	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
I8	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
I9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
I10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
I11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
I12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
I13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
J2	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
J3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
J4	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
J5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
J10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
J11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
J12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
J13	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
J14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
K5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
K14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1430 Halibut Court Unit G1

Unit Summary :

Completion Date: 8/14/2014 11:09 AM

Instrument: 193-6

Serial #: 309136

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Summary Statistics :


Total # of Readings:	36	
Average:	3.03	uR/hr
Standard Deviation:	0.22	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.60	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A5	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1430 Halibut Court Unit G2

Unit Summary :

Completion Date: 8/14/2014 10:04 AM

Instrument: 193-6

Serial #: 309136

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: Yes

Tenant Present: No

Unit Notes:

Summary Statistics :


Total # of Readings:	36	
Average:	2.92	uR/hr
Standard Deviation:	0.19	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.20	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B5	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1430 Halibut Court Unit G3

Unit Summary :

Completion Date: 8/14/2014 12:14 PM

Instrument: 193-6

Serial #: 309136

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Summary Statistics :


Total # of Readings:	36	
Average:	3.12	uR/hr
Standard Deviation:	0.23	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.60	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1430 Halibut Court Unit G4

Unit Summary :

Completion Date: 8/14/2014 1:38 PM

Instrument: 193-6

Serial #: 309136

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: Yes

Tenant Present: No

Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.19	uR/hr
Standard Deviation:	0.12	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.60	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

GARAGE

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1430 Halibut Court Unit G5

Unit Summary :

Completion Date: 7/10/2014 2:54 PM

Instrument: 193-6

Serial #: 309099

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: No

Tenant Present: No

Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.24	uR/hr
Standard Deviation:	0.13	uR/hr
Minimum:	3.20	uR/hr
Maximum:	3.60	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

GARAGE

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1430 Halibut Court Unit G6

Unit Summary :

Completion Date: 8/12/2014 3:05 PM

Instrument: 193-6

Serial #: 309136

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: No

Tenant Present: No

Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.11	uR/hr
Standard Deviation:	0.17	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.20	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

GARAGE


Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/15/2014 12:41 PM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 8

Background Reading: 3.6 uR/hr

Dimensions (m): D 12.4 W 10.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids K1-4 are less than 6" wide and were surveyed with the adjacent grid. Grids A5, J5-6 and H7-13 fall outside the unit. Bed in grids G1-3, H1-3, surveyed under.

Summary Statistics :


Total # of Readings:	137	
Average:	3.62	uR/hr
Standard Deviation:	0.30	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.80	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	20% accessible
A2	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
A3	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
A8	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B1	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
B2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B5	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B6	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B7	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B8	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.	4.0	uR/hr	Bedroom			uR/hr			No	40% accessible
B9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C1	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
C2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
C5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
C10	3.6	uR/hr	Bedroom		3.2	uR/hr	Bathroom			uR/hr			No	
C11	3.6	uR/hr	Bedroom		3.6	uR/hr	Bathroom			uR/hr			No	
C12	3.6	uR/hr	Bedroom		3.6	uR/hr	Bathroom			uR/hr			No	
C13	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D1	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
D2	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D3	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr			No	80% accessible
D5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Closet		3.6	uR/hr	Hallway		3.6	uR/hr	Bedroom		No	
D9	3.2	uR/hr	Bedroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Bathroom		4.8	uR/hr	Bathroom			uR/hr			No	optional reading taken on 2"x2" ceramic tile
D13	4.0	uR/hr	Closet		4.4	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr			No	40% accessible
E1	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	
E12	4.8	uR/hr	Bathroom			uR/hr				uR/hr			No	static taken on shower tile

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	4.8	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, static taken on shower tile
F1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	4.0	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
F6	2.8	uR/hr	Storage	Installed furnace.		uR/hr				uR/hr			No	30% accessible, static taken at 21" above ground.
F7	3.2	uR/hr	Storage	Installed water heater.	3.6	uR/hr	Closet			uR/hr			No	30% accessible, static taken at 21" above ground.
F8	3.6	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
F9	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
F10	3.6	uR/hr	Utility		3.6	uR/hr	Closet			uR/hr			No	
F11	3.6	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	clothes dryer in grid, moved for survey
F12	4.0	uR/hr	Storage		3.6	uR/hr	Utility			uR/hr			No	
F13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr	Bathroom			uR/hr			No	40% accessible
G1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	Bed in grid moved for survey
G2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	Bed in grid moved for survey
G3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	Bed in grid moved for survey

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	4.0	uR/hr	Hallway			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G9	3.6	uR/hr	Hallway		3.6	uR/hr	Utility			uR/hr			No	
G10	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Utility		3.6	uR/hr	Storage			uR/hr			No	
G13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
H2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
H3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
H4	3.6	uR/hr	Hallway		3.6	uR/hr	Living Room			uR/hr			No	
H5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
H7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I4	3.6	uR/hr	Hallway		3.6	uR/hr	Living Room			uR/hr			No	
I5	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
I6	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
J1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/11/2014 2:52 PM

Instrument: 193-6

Serial #: 309136

Layout: Floor Plan 8B

Background Reading: 3.2 uR/hr

Dimensions (m): D 10.1 W 12.4

Unit Furnished: No

Tenant Present: No

Unit Notes:

K1 through K4, K9 through K13 less than 6" scanned with adjacent grids column J. D14 through K14 are outside of floor plan

Summary Statistics :


Total # of Readings:	137	
Average:	2.98	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.00	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
B6	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	95% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
D8	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
D9	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Utility			uR/hr			No	90% accessible.
D10	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
D11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
D12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage			uR/hr			No	90% accessible.
D13	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
E6	2.4	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Hallway			uR/hr			No	Mech room static taken 0.53 meters from ground level. 30% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	2.8	uR/hr	Mech Room	Installed water heater.	2.8	uR/hr	Hallway			uR/hr			No	Mech room static taken 0.53 meters from ground level. 40% accessible.
E8	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Closet		2.8	uR/hr	Utility			uR/hr			No	No washer or dryer installed.
E11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	No washer or dryer installed.
E12	2.8	uR/hr	Utility		3.2	uR/hr	Storage			uR/hr			No	No washer or dryer installed.
E13	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
E14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F1	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	2.8	uR/hr	Closet		2.8	uR/hr	Bedroom		2.8	uR/hr	Dining Room		No	
F6	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Bedroom			uR/hr			No	Mech room static taken 0.53 meters from ground level. 50% accessible.
F7	3.2	uR/hr	Mech Room	Installed water heater.	2.8	uR/hr	Bedroom			uR/hr			No	Mech room static taken 0.53 meters from ground level. 50% accessible.
F8	2.8	uR/hr	Bedroom		3.2	uR/hr	Hallway			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
F11	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage			uR/hr			No	40% accessible.
F14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G1	3.2	uR/hr	Kitchen		2.8	uR/hr	Dining Room			uR/hr			No	
G2	3.2	uR/hr	Kitchen		2.8	uR/hr	Dining Room			uR/hr			No	
G3	3.2	uR/hr	Kitchen		3.2	uR/hr	Dining Room			uR/hr			No	
G4	2.8	uR/hr	Kitchen		2.8	uR/hr	Dining Room			uR/hr			No	
G5	2.8	uR/hr	Bedroom		2.8	uR/hr	Dining Room			uR/hr			No	95% accessible.
G6	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
G9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Surveyed inside bath tub.
G14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H1	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
H2	2.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
H3	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
H4	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
H5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H7	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
H8	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
H9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H10	2.8	uR/hr	Bedroom		3.2	uR/hr	Bathroom			uR/hr			No	
H11	3.2	uR/hr	Bedroom		2.8	uR/hr	Bathroom			uR/hr			No	
H12	2.8	uR/hr	Bedroom		2.8	uR/hr	Bathroom			uR/hr			No	
H13	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I1	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible.
I2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
I3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
I4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
I5	2.8	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
I6	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I7	2.8	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
I8	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.	3.2	uR/hr	Bedroom			uR/hr			No	50% accessible.
I9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I11	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I12	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I13	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
I14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
J1	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
J2	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible.
J3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
J4	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
J5		uR/hr	Kitchen	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
J9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J11	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J12	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J13	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
K5		uR/hr	Kitchen	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
K14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1431 Halibut Court Unit G1

Unit Summary :

Completion Date: 8/15/2014 2:45 PM

Instrument: 193-6

Serial #: 293633

Layout: Garage


Background Reading: 3.6 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: Yes

Tenant Present: No

Unit Notes:



Summary Statistics :

Total # of Readings:	36	
Average:	3.67	uR/hr
Standard Deviation:	0.20	uR/hr
Minimum:	3.20	uR/hr
Maximum:	4.00	uR/hr
Median:	3.40	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C5	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1431 Halibut Court Unit G2

Unit Summary :

Completion Date: 8/14/2014 2:26 PM

Instrument: 193-6

Serial #: 309136

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Summary Statistics :


Total # of Readings:	36	
Average:	2.83	uR/hr
Standard Deviation:	0.15	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.20	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A5	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C5	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	2.4	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	2.8	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1431 Halibut Court Unit G3

Unit Summary :

Completion Date: 8/14/2014 3:31 PM

Instrument: 193-6

Serial #: 309119

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Summary Statistics :


Total # of Readings:	36	
Average:	3.48	uR/hr
Standard Deviation:	0.21	uR/hr
Minimum:	3.20	uR/hr
Maximum:	4.00	uR/hr
Median:	3.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Steve Phelps

Signature :



Signoff Notes:

Senior Technician : Efraim Ramirez

Signature :



Summary Report
1431 Halibut Court Unit G4

Unit Summary :

Completion Date: 8/11/2014 4:05 PM

Instrument: 193-6

Serial #: 309136

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: Yes

Tenant Present: No

Unit Notes:

Summary Statistics :


Total # of Readings:	36	
Average:	3.13	uR/hr
Standard Deviation:	0.18	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.60	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)




Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1431 Halibut Court Unit G5

Unit Summary :

Completion Date: 8/15/2014 1:58 PM

Instrument: 193-6

Serial #: 309099

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: Yes

Tenant Present: No

Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.20	uR/hr
Standard Deviation:	0.00	uR/hr
Minimum:	3.20	uR/hr
Maximum:	3.20	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

GARAGE

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1431 Halibut Court Unit G6

Unit Summary :

Completion Date: 7/10/2014 3:35 PM

Instrument: 193-6

Serial #: 309099

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: No

Tenant Present: No

Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.31	uR/hr
Standard Deviation:	0.18	uR/hr
Minimum:	3.20	uR/hr
Maximum:	3.60	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

GARAGE

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D3	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D7	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D8	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D9	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Unit Summary :


Completion Date:	6/18/2014 12:35 PM
Instrument:	193-6
Serial #:	293633
Layout:	Floor Plan 8
Background Reading:	3.6 uR/hr

Summary Statistics :

Total # of Readings:	117	
Average:	3.58	uR/hr
Standard Deviation:	0.26	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.80	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No	partial grid 50% - installed base cabinets	Kitchen		uR/hr	
A2	3.6	uR/hr	No	Refrigerator moved to perform survey.	Kitchen		uR/hr	
A3	3.6	uR/hr	No		Kitchen		uR/hr	
A4	3.6	uR/hr	No	partial grid 50% remaining outside unit interior boundary.	Kitchen		uR/hr	
A5		uR/hr	No	n/a - grids outside unit interior boundary. Actual depth 3.9 meters	Kitchen		uR/hr	
A9	3.6	uR/hr	No		Bedroom		uR/hr	
A10	3.6	uR/hr	No		Bedroom		uR/hr	
A11	4.0	uR/hr	No		Bedroom		uR/hr	
A12	3.6	uR/hr	No		Bedroom		uR/hr	
A13	4.0	uR/hr	No		Closet		uR/hr	
B1	3.2	uR/hr	No	partial grid installed oven	Kitchen		uR/hr	
B2	3.6	uR/hr	No		Kitchen		uR/hr	
B3	3.6	uR/hr	No		Kitchen		uR/hr	
B4	3.6	uR/hr	No		Kitchen		uR/hr	
B5		uR/hr	No	n/a - grids outside unit interior boundary. Actual kitchen depth 3.9 meters, bedroom 3 meters	Bedroom		uR/hr	
B6		uR/hr	No	n/a - grids outside unit interior boundary. Actual bedroom depth 3 meters	Bedroom		uR/hr	
B7		uR/hr	No	n/a - grids outside unit interior boundary. Actual bedroom depth 3 meters	Bedroom		uR/hr	
B8		uR/hr	No	n/a - grids outside unit interior boundary. Actual bedroom/closet depth 3 meters	Closet		uR/hr	
B9	3.6	uR/hr	No		Bedroom		uR/hr	
B10	3.6	uR/hr	No		Bedroom		uR/hr	
B11	3.6	uR/hr	No		Bedroom		uR/hr	
B12	3.6	uR/hr	No		Bedroom		uR/hr	
B13	4.0	uR/hr	No		Closet		uR/hr	
C1	3.6	uR/hr	No		Kitchen		uR/hr	
C2	3.6	uR/hr	No		Kitchen		uR/hr	
C3	3.6	uR/hr	No		Kitchen		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C4	3.6	uR/hr	No		Kitchen		uR/hr	
C5	3.6	uR/hr	No	no partial grid in the kitchen	Bedroom		uR/hr	
C6	3.6	uR/hr	No		Bedroom		uR/hr	
C7	3.2	uR/hr	No		Bedroom		uR/hr	
C8	3.6	uR/hr	No		Closet		uR/hr	
C9	3.6	uR/hr	No		Bedroom		uR/hr	
C10	3.6	uR/hr	No		Bedroom		uR/hr	
C11	3.6	uR/hr	No		Bedroom		uR/hr	
C12	3.6	uR/hr	No		Bedroom		uR/hr	
C13	4.0	uR/hr	No		Closet		uR/hr	
D1	3.6	uR/hr	No		Kitchen		uR/hr	
D2	3.6	uR/hr	No		Kitchen		uR/hr	
D3	3.6	uR/hr	No		Kitchen		uR/hr	
D4	3.6	uR/hr	No		Kitchen		uR/hr	
D5	3.2	uR/hr	No	no partial grid in the kitchen	Bedroom		uR/hr	
D6	3.6	uR/hr	No		Bedroom		uR/hr	
D7	3.6	uR/hr	No		Bedroom		uR/hr	
D8	3.6	uR/hr	No		Closet		uR/hr	
D9	3.6	uR/hr	No		Bedroom		uR/hr	
D10	3.6	uR/hr	No		Bedroom		uR/hr	
D11	3.6	uR/hr	No		Bedroom	3.6	uR/hr	Bedroom
D12	3.6	uR/hr	No		Bedroom		uR/hr	
D13	4.0	uR/hr	No		Closet	3.6	uR/hr	Closet
E1	3.6	uR/hr	No		Dining Room		uR/hr	
E2	3.6	uR/hr	No		Dining Room		uR/hr	
E3	3.6	uR/hr	No		Dining Room		uR/hr	
E4	3.2	uR/hr	No		Dining Room		uR/hr	
E5	3.6	uR/hr	No		Bedroom		uR/hr	

Summary Report
1432 Halibut Court Unit A

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E6	3.2	uR/hr	No		Bedroom		uR/hr	
E7	3.2	uR/hr	No		Bedroom		uR/hr	
E8	3.6	uR/hr	No		Hallway		uR/hr	
E9	3.6	uR/hr	No		Hallway		uR/hr	
E10	3.6	uR/hr	No	partial grid installed cabinets	Bathroom		uR/hr	
E11	4.8	uR/hr	No	partial grid installed toilet. Static reading taken in bottom left corner of the grid adjacent to cell F11	Bathroom		uR/hr	
E12	3.6	uR/hr	No		Bathroom		uR/hr	
E13	4.0	uR/hr	No	took reading inside tub	Bathroom		uR/hr	
F1	3.6	uR/hr	No		Dining Room		uR/hr	
F2	3.6	uR/hr	No		Dining Room		uR/hr	
F3	3.6	uR/hr	No		Dining Room		uR/hr	
F4	3.2	uR/hr	No		Dining Room		uR/hr	
F5	3.2	uR/hr	No		Closet		uR/hr	
F6	2.8	uR/hr	No	partial grid installed water heater; height the reading was taken at 21 inches	Storage		uR/hr	
F7	2.8	uR/hr	No	partial grid installed furnace; static taken at 12" from storage area base. base 21" from the floor	Storage	3.2	uR/hr	Closet
F8	3.6	uR/hr	No		Hallway		uR/hr	
F9	3.2	uR/hr	No		Closet	3.2	uR/hr	Hallway
F10	3.6	uR/hr	No		Utility		uR/hr	
F11	3.2	uR/hr	No	partial grid installed washer	Utility		uR/hr	
F12	3.6	uR/hr	No	partial grid installed dryer	Storage		uR/hr	
F13	4.0	uR/hr	No	50% remaining outside of grid	Storage	4.0	uR/hr	Bathroom
G1	3.2	uR/hr	No		Dining Room		uR/hr	
G2	3.6	uR/hr	No		Dining Room		uR/hr	
G3	3.6	uR/hr	No		Dining Room		uR/hr	
G4	3.6	uR/hr	No		Dining Room		uR/hr	
G5	3.2	uR/hr	No		Hallway		uR/hr	
G6	3.6	uR/hr	No		Hallway		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
G7	3.2	uR/hr	No		Hallway		uR/hr	
G8	3.6	uR/hr	No		Hallway		uR/hr	
G9	3.6	uR/hr	No		Hallway		uR/hr	
G10	3.2	uR/hr	No		Utility		uR/hr	
G11	3.6	uR/hr	No		Utility		uR/hr	
G12	3.6	uR/hr	No		Storage		uR/hr	
G13	4.0	uR/hr	No		Storage		uR/hr	
H1	3.6	uR/hr	No		Living Room		uR/hr	
H2	3.6	uR/hr	No		Living Room		uR/hr	
H3	3.6	uR/hr	No		Living Room		uR/hr	
H4	3.6	uR/hr	No		Living Room		uR/hr	
H5	3.6	uR/hr	No		Hallway		uR/hr	
H6	3.2	uR/hr	No		Hallway		uR/hr	
H7		uR/hr	No	n/a - grids outside unit interior boundary. Actual dimension 1 meter	Hallway		uR/hr	
H8		uR/hr	No	n/a - grids outside unit interior boundary. Actual dimension 1 meter	Hallway		uR/hr	
H9		uR/hr	No	n/a - grids outside unit interior boundary. Actual dimension 1 meter.	Hallway		uR/hr	
H10		uR/hr	No	n/a - grids outside unit interior boundary. Actual dimension. 1 meter.	Hallway		uR/hr	
H11		uR/hr	No	n/a - grids outside unit interior boundary. Actual dimension 1 meter.	Utility		uR/hr	
H12		uR/hr	No	n/a - grids outside unit interior boundary. Actual dimension 1 meter	Utility		uR/hr	
H13		uR/hr	No	n/a - grids outside unit interior boundary. Actual dimension 1 meter wide.	Storage		uR/hr	
I1	3.6	uR/hr	No		Living Room		uR/hr	
I2	3.6	uR/hr	No		Living Room		uR/hr	
I3	3.6	uR/hr	No		Living Room		uR/hr	
I4	3.6	uR/hr	No		Living Room		uR/hr	
I5	3.6	uR/hr	No		Hallway		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
I6	3.6	uR/hr	No		Hallway		uR/hr	
J1	3.6	uR/hr	No		Living Room		uR/hr	
J2	4.0	uR/hr	No		Living Room		uR/hr	
J3	3.6	uR/hr	No		Living Room		uR/hr	
J4	4.0	uR/hr	No		Living Room		uR/hr	
J5	3.6	uR/hr	No	partial grid 25% - remaining outside unit interior boundary.	Hallway		uR/hr	
J6	3.6	uR/hr	No	partial grid 25% - remaining outside unit interior boundary.	Hallway		uR/hr	
K1	3.6	uR/hr	No	partial grid falls 90% outside	Living Room		uR/hr	
K2	3.6	uR/hr	No	partial grid falls 90% outside	Living Room		uR/hr	
K3	3.6	uR/hr	No	partial grid falls 90% outside	Living Room		uR/hr	
K4	4.0	uR/hr	No	partial grid falls 90% outside	Living Room		uR/hr	


CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Unit Summary :


Completion Date:	6/18/2014 1:10 PM
Instrument:	193-6
Serial #:	309099
Layout:	Floor Plan 8B
Background Reading:	3.2 uR/hr

Summary Statistics :

Total # of Readings:	115	
Average:	3.17	uR/hr
Standard Deviation:	0.15	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.80	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Summary Report
1432 Halibut Court Unit F

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No		Living Room		uR/hr	
A2	3.2	uR/hr	No		Living Room		uR/hr	
A3	3.2	uR/hr	No		Living Room		uR/hr	
A4	3.6	uR/hr	No		Living Room		uR/hr	
B1	3.2	uR/hr	No		Living Room		uR/hr	
B2	3.2	uR/hr	No		Living Room		uR/hr	
B3	3.2	uR/hr	No		Living Room		uR/hr	
B4	3.2	uR/hr	No		Living Room	3.2	uR/hr	Hallway
B5	3.2	uR/hr	No		Hallway		uR/hr	
B6	3.2	uR/hr	No	Partial grid-wall construction coving 75% of grid	Hallway		uR/hr	
C1	3.2	uR/hr	No		Living Room		uR/hr	
C2	3.2	uR/hr	No		Living Room		uR/hr	
C3	3.2	uR/hr	No		Living Room		uR/hr	
C4	3.2	uR/hr	No		Living Room	3.2	uR/hr	Hallway
C5	3.2	uR/hr	No		Hallway		uR/hr	
C6	2.8	uR/hr	No	Partial grid-wall construction coving 75% of grid	Hallway		uR/hr	
D1	3.2	uR/hr	No		Living Room		uR/hr	
D2	3.2	uR/hr	No		Living Room		uR/hr	
D3	3.2	uR/hr	No		Living Room		uR/hr	
D4	3.2	uR/hr	No		Living Room		uR/hr	
D5	3.2	uR/hr	No		Hallway		uR/hr	
D6	3.2	uR/hr	No		Hallway		uR/hr	
D7	3.2	uR/hr	No		Hallway		uR/hr	Outside
D8	3.2	uR/hr	No		Hallway		uR/hr	Outside
D9	3.2	uR/hr	No		Hallway		uR/hr	Outside
D10	2.8	uR/hr	No		Utility		uR/hr	
D11	3.2	uR/hr	No		Utility		uR/hr	Outside
D12	3.2	uR/hr	No		Utility		uR/hr	Outside

Summary Report
1432 Halibut Court Unit F

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D13	3.2	uR/hr	No		Storage		uR/hr	Outside
E1	3.2	uR/hr	No		Dining Room		uR/hr	
E2	3.2	uR/hr	No		Dining Room		uR/hr	
E3	3.2	uR/hr	No		Dining Room		uR/hr	
E4	3.2	uR/hr	No		Dining Room		uR/hr	
E5	2.8	uR/hr	No		Hallway	2.8	uR/hr	Closet
E6	2.8	uR/hr	No	furnace area reading 21.5 inches from floor base	Storage	2.8	uR/hr	Hallway
E7	2.8	uR/hr	No	furnace area reading 21.5 inches from floor base	Storage	2.8	uR/hr	Hallway
E8	2.8	uR/hr	No		Bedroom	2.8	uR/hr	Closet
E9	3.8	uR/hr	No		Hallway		uR/hr	
E10	2.8	uR/hr	No		Closet	3.2	uR/hr	Hallway
E11	3.2	uR/hr	No		Utility	3.2	uR/hr	Closet
E12	3.2	uR/hr	No		Utility	3.6	uR/hr	Closet
E13	3.2	uR/hr	No		Storage	3.6	uR/hr	Closet
F1	3.2	uR/hr	No		Dining Room		uR/hr	
F2	3.2	uR/hr	No		Dining Room		uR/hr	
F3	3.2	uR/hr	No		Dining Room		uR/hr	
F4	3.2	uR/hr	No		Dining Room		uR/hr	
F5	3.2	uR/hr	No		Bedroom	2.8	uR/hr	Closet
F6	2.8	uR/hr	No		Bedroom	2.8	uR/hr	Storage
F7	2.8	uR/hr	No		Bedroom		uR/hr	
F8	3.2	uR/hr	No		Hallway		uR/hr	Closet
F9	3.2	uR/hr	No		Hallway		uR/hr	
F10	3.2	uR/hr	No		Bathroom	3.2	uR/hr	Hallway
F11	3.2	uR/hr	No		Bathroom		uR/hr	
F12	3.6	uR/hr	No		Bathroom		uR/hr	
F13	3.2	uR/hr	No		Bathroom		uR/hr	
G1	2.8	uR/hr	No	Partial grid-fridge coving 50% of grid	Dining Room	2.8	uR/hr	Kitchen

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
G2	3.2	uR/hr	No		Dining Room	3.2	uR/hr	Kitchen
G3	3.2	uR/hr	No		Dining Room	3.2	uR/hr	Kitchen
G4	2.8	uR/hr	No		Dining Room	3.2	uR/hr	Kitchen
G5	3.2	uR/hr	No		Bedroom	3.2	uR/hr	Bedroom
G6	3.2	uR/hr	No		Bedroom		uR/hr	
G7	3.2	uR/hr	No		Bedroom		uR/hr	
G8	3.2	uR/hr	No		Closet	2.8	uR/hr	Hallway
G9	3.2	uR/hr	No		Hallway	2.8	uR/hr	Bedroom
G10	3.2	uR/hr	No		Bathroom	3.2	uR/hr	Hallway
G11	3.2	uR/hr	No		Bathroom	3.2	uR/hr	Bedroom
G12	3.2	uR/hr	No		Bathroom	3.2	uR/hr	Bedroom
G13	3.2	uR/hr	No		Bathroom	3.6	uR/hr	Bedroom
H1	2.8	uR/hr	No	Partial grid-cabinet coving 75% of grid	Kitchen		uR/hr	
H2	3.2	uR/hr	No		Kitchen		uR/hr	
H3	3.2	uR/hr	No		Kitchen		uR/hr	
H4	3.2	uR/hr	No		Kitchen	3.2	uR/hr	Bedroom
H5	3.2	uR/hr	No		Bedroom	3.2	uR/hr	Bedroom
H6	3.2	uR/hr	No		Bedroom		uR/hr	
H7	3.2	uR/hr	No		Bedroom		uR/hr	
H8	3.2	uR/hr	No		Closet		uR/hr	
H9	3.2	uR/hr	No		Bedroom	3.2	uR/hr	Closet
H10	3.2	uR/hr	No		Bedroom		uR/hr	
H11	3.2	uR/hr	No		Bedroom		uR/hr	
H12	3.2	uR/hr	No		Bedroom		uR/hr	
H13	3.2	uR/hr	No		Closet		uR/hr	
I1	3.2	uR/hr	No	Partial grid-stove coving 50% of grid	Kitchen		uR/hr	
I2	3.2	uR/hr	No		Kitchen		uR/hr	
I3	3.2	uR/hr	No		Kitchen		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
I4	3.2	uR/hr	No		Kitchen		uR/hr	
I5	3.2	uR/hr	No		Bedroom		uR/hr	Outside
I6	3.2	uR/hr	No		Bedroom		uR/hr	Outside
I7	3.2	uR/hr	No		Bedroom		uR/hr	
I8	3.2	uR/hr	No		Bedroom	3.2	uR/hr	Closet
I9	3.2	uR/hr	No		Bedroom	3.2	uR/hr	Closet
I10	3.2	uR/hr	No		Bedroom		uR/hr	
I11	3.2	uR/hr	No		Bedroom		uR/hr	
I12	3.2	uR/hr	No		Bedroom		uR/hr	
I13	3.2	uR/hr	No		Closet		uR/hr	
J1	3.2	uR/hr	No	Partial grid-cabinet coving 75% of grid	Kitchen		uR/hr	
J2	3.2	uR/hr	No		Kitchen		uR/hr	
J3	3.2	uR/hr	No		Kitchen		uR/hr	
J3	3.2	uR/hr	No		Kitchen		uR/hr	
J4	3.6	uR/hr	No		Kitchen		uR/hr	
J5	3.2	uR/hr	No		Kitchen		uR/hr	Outside
J9	3.2	uR/hr	No		Bedroom		uR/hr	
J10	3.2	uR/hr	No		Bedroom		uR/hr	
J11	3.2	uR/hr	No		Bedroom		uR/hr	
J12	3.2	uR/hr	No		Bedroom		uR/hr	
J13	3.2	uR/hr	No		Closet		uR/hr	
K1	3.2	uR/hr	No		Kitchen	3.2	uR/hr	Kitchen
K2	3.2	uR/hr	No	Partial grid-sink coving 50% of grid	Kitchen	3.2	uR/hr	Kitchen
K3	3.2	uR/hr	No		Kitchen	3.2	uR/hr	Kitchen
K4	3.2	uR/hr	No		Kitchen	3.6	uR/hr	Kitchen
K5	3.2	uR/hr	No		Kitchen		uR/hr	Outside
K9	3.2	uR/hr	No		Bedroom		uR/hr	Outside
K10	3.2	uR/hr	No		Bedroom		uR/hr	Outside

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
K11	3.2	uR/hr	No		Bedroom		uR/hr	Outside
K12	3.2	uR/hr	No		Bedroom		uR/hr	Outside
K13	3.2	uR/hr	No		Closet		uR/hr	Outside

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Luguna

Signature :



Summary Report
1432 Halibut Court Unit G1

Unit Summary :

Completion Date: 6/16/2014 3:18 PM
Instrument: 193-6
Serial #: 309099
Layout: Garage
Background Reading: 3.6 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.43	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	3.20	uR/hr
Maximum:	4.00	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

GARAGE

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.8	uR/hr	Garage			uR/hr				uR/hr			No	
B1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	4.0	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Garage			uR/hr				uR/hr			No	Partial grid-exterior wall within grid
D3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	Partial grid-exterior wall within grid
D4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	Partial grid-exterior wall within grid
D5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	Partial grid-exterior wall within grid
D6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	Partial grid-exterior wall within grid
D7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	Partial grid-exterior wall within grid
D8	4.0	uR/hr	Garage			uR/hr				uR/hr			No	Partial grid-exterior wall within grid
D9	4.0	uR/hr	Garage			uR/hr				uR/hr			No	Partial grid-exterior wall within grid

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Mark Cafouras

Signature :



Signoff Notes:

Unit Summary :


Completion Date:	6/16/2014 3:52 PM	
Instrument:	193-6	
Serial #:	309119	
Layout:	Garage	
Background Reading:	3.6	uR/hr

Summary Statistics :

Total # of Readings:	36	
Average:	3.20	uR/hr
Standard Deviation:	0.14	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.60	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Summary Report
1432 Halibut Court Unit G2

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No	scan bottom shelf of bookcase, 1/16"metal, 3"high. scan at 4", static at 12"	Garage		uR/hr	
A2	3.2	uR/hr	No		Garage		uR/hr	
A3	3.2	uR/hr	No		Garage		uR/hr	
A4	3.2	uR/hr	No		Garage		uR/hr	
A5	3.2	uR/hr	No		Garage		uR/hr	
A6	3.2	uR/hr	No		Garage		uR/hr	
A7	3.2	uR/hr	No		Garage		uR/hr	
A8	3.6	uR/hr	No		Garage		uR/hr	
A9		uR/hr	No	n/a- grid is outside of interior boundary	Garage		uR/hr	
B1	3.2	uR/hr	No	scan bottom shelf of bookcase, 1/16"metal, 3"high. scan at 4", static at 12"	Garage		uR/hr	
B2	3.2	uR/hr	No		Garage		uR/hr	
B3	3.2	uR/hr	No		Garage		uR/hr	
B4	3.2	uR/hr	No		Garage		uR/hr	
B5	3.2	uR/hr	No		Garage		uR/hr	
B6	3.2	uR/hr	No		Garage		uR/hr	
B7	3.2	uR/hr	No		Garage		uR/hr	
B8	3.2	uR/hr	No		Garage		uR/hr	
B9		uR/hr	No	n/a- grid is outside of interior boundary	Garage		uR/hr	
C1	2.8	uR/hr	No	scan bottom shelf of bookcase, 1/16"metal, 3"high. scan at 4", static at 12"	Garage		uR/hr	
C2	3.2	uR/hr	No		Garage		uR/hr	
C3	3.2	uR/hr	No		Garage		uR/hr	
C4	3.6	uR/hr	No		Garage		uR/hr	
C5	3.2	uR/hr	No		Garage		uR/hr	
C6	3.2	uR/hr	No		Garage		uR/hr	
C7	3.2	uR/hr	No		Garage		uR/hr	
C8	3.2	uR/hr	No		Garage		uR/hr	
C9		uR/hr	No	n/a- grid is outside of interior boundary	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	2.8	uR/hr	No	Partial grid- Remaining grid is outside floor plan. scan bottom shelf of bookcase, 1/16"metal, 3"high. scan at 4", static at 12"	Garage		uR/hr	
D2	3.2	uR/hr	No	Partial grid- Remaining grid is outside floor plan. scan bottom shelf of bookcase, 1/16"metal, 3"high. scan at 4", static at 12"	Garage		uR/hr	
D3	3.2	uR/hr	No	Partial grid- Remaining grid is outside floor plan. scan bottom shelf of bookcase, 1/16"metal, 3"high. scan at 4", static at 12"	Garage		uR/hr	
D4	3.2	uR/hr	No	Partial grid- Remaining grid outside of floor plan	Garage		uR/hr	
D5	3.2	uR/hr	No	Partial grid- Remaining grid outside of floor plan	Garage		uR/hr	
D6	3.2	uR/hr	No	Partial grid- Remaining grid outside of floor plan	Garage		uR/hr	
D7	3.2	uR/hr	No	Partial grid- Remaining grid outside of floor plan	Garage		uR/hr	
D8	3.2	uR/hr	No	Partial grid- Remaining grid outside of floor plan	Garage		uR/hr	
D9		uR/hr	No	n/a- grid is outside of interior boundary	Garage		uR/hr	

CBI Supervisor : Joyce McGee

Signature :



Senior Technician : Efraim Ramirez

Signature :



Unit Summary :


Completion Date:	6/18/2014 2:02 PM	
Instrument:	193-6	
Serial #:	293633	
Layout:	Garage	
Background Reading:	3.6	uR/hr

Summary Statistics :

Total # of Readings:	36	
Average:	3.75	uR/hr
Standard Deviation:	0.22	uR/hr
Minimum:	3.60	uR/hr
Maximum:	4.40	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Summary Report
1432 Halibut Court Unit G3

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	4.0	uR/hr	No		Garage		uR/hr	
A2	4.0	uR/hr	No		Garage		uR/hr	
A3	4.0	uR/hr	No		Garage		uR/hr	
A4	4.0	uR/hr	No		Garage		uR/hr	
A5	3.6	uR/hr	No		Garage		uR/hr	
A6	3.6	uR/hr	No		Garage		uR/hr	
A7	4.0	uR/hr	No		Garage		uR/hr	
A8	4.4	uR/hr	No		Garage		uR/hr	
A9		uR/hr	No	n/a grids are outside unit interior boundary, depth of housing unit 8 meters	Garage		uR/hr	
B1	4.0	uR/hr	No		Garage		uR/hr	
B2	3.6	uR/hr	No		Garage		uR/hr	
B3	3.6	uR/hr	No		Garage		uR/hr	
B4	3.6	uR/hr	No		Garage		uR/hr	
B5	3.6	uR/hr	No		Garage		uR/hr	
B6	3.6	uR/hr	No		Garage		uR/hr	
B7	4.0	uR/hr	No		Garage		uR/hr	
B8	4.0	uR/hr	No		Garage		uR/hr	
B9		uR/hr	No	n/a grids are outside unit interior boundary, depth of housing unit 8 meters	Garage		uR/hr	
C1	3.6	uR/hr	No		Garage		uR/hr	
C2	3.6	uR/hr	No		Garage		uR/hr	
C3	3.6	uR/hr	No		Garage		uR/hr	
C4	3.6	uR/hr	No		Garage		uR/hr	
C5	3.6	uR/hr	No		Garage		uR/hr	
C6	3.6	uR/hr	No		Garage		uR/hr	
C7	4.0	uR/hr	No		Garage		uR/hr	
C8	3.6	uR/hr	No		Garage		uR/hr	
C9		uR/hr	No	n/a grids are outside unit interior boundary, depth of housing unit 8 meters	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	3.6	uR/hr	No	partial grid 50% outside unit interior boundary	Garage		uR/hr	
D2	3.6	uR/hr	No	partial grid 50% outside unit interior boundary	Garage		uR/hr	
D3	3.6	uR/hr	No	partial grid 50% outside unit interior boundary	Garage		uR/hr	
D4	3.6	uR/hr	No	partial grid 50% outside unit interior boundary	Garage		uR/hr	
D5	3.6	uR/hr	No	partial grid 50% outside unit interior boundary	Garage		uR/hr	
D6	3.6	uR/hr	No	partial grid. 50% outside unit interior boundary	Garage		uR/hr	
D7	3.6	uR/hr	No	partial grid 50% outside unit interior boundary	Garage		uR/hr	
D8	4.0	uR/hr	No	partial grid 50% outside unit interior boundary	Garage		uR/hr	
D9		uR/hr	No	n/a grids are outside unit interior boundary, depth of housing unit 8 meters	Garage		uR/hr	

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Summary Report
1432 Halibut Court Unit G4

Unit Summary :

Completion Date: 6/19/2014 9:24 AM

Instrument: 193-6

Serial #: 309099

Layout: Garage

Background Reading: 3.6 uR/hr

Dimensions (m): D W

Unit Furnished:

Tenant Present:

Unit Notes:

Summary Statistics :


Total # of Readings:	36	
Average:	3.54	uR/hr
Standard Deviation:	0.22	uR/hr
Minimum:	3.20	uR/hr
Maximum:	4.00	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No		Garage		uR/hr	
A2	3.2	uR/hr	No		Garage		uR/hr	
A3	3.2	uR/hr	No		Garage		uR/hr	
A4	3.6	uR/hr	No		Garage		uR/hr	
A5	3.6	uR/hr	No		Garage		uR/hr	
A6	3.2	uR/hr	No		Garage		uR/hr	
A7	3.2	uR/hr	No		Garage		uR/hr	
A8	3.6	uR/hr	No		Garage		uR/hr	
A9	3.6	uR/hr	No	75%	Garage		uR/hr	
B1	3.6	uR/hr	No		Garage		uR/hr	
B2	3.2	uR/hr	No		Garage		uR/hr	
B3	3.6	uR/hr	No		Garage		uR/hr	
B4	3.6	uR/hr	No		Garage		uR/hr	
B5	3.2	uR/hr	No		Garage		uR/hr	
B6	3.2	uR/hr	No		Garage		uR/hr	
B7	3.6	uR/hr	No		Garage		uR/hr	
B8	3.6	uR/hr	No		Garage		uR/hr	
B9	3.6	uR/hr	No	75%	Garage		uR/hr	
C1	3.6	uR/hr	No		Garage		uR/hr	
C2	3.6	uR/hr	No		Garage		uR/hr	
C3	3.6	uR/hr	No		Garage		uR/hr	
C4	3.6	uR/hr	No		Garage		uR/hr	
C5	3.6	uR/hr	No		Garage		uR/hr	
C6	3.6	uR/hr	No		Garage		uR/hr	
C7	3.6	uR/hr	No		Garage		uR/hr	
C8	3.6	uR/hr	No		Garage		uR/hr	
C9	4.0	uR/hr	No	75%	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	3.6	uR/hr	No		Garage		uR/hr	
D2	3.6	uR/hr	No		Garage		uR/hr	
D3	3.6	uR/hr	No		Garage		uR/hr	
D4	3.6	uR/hr	No		Garage		uR/hr	
D5	3.6	uR/hr	No		Garage		uR/hr	
D6	3.6	uR/hr	No		Garage		uR/hr	
D7	3.6	uR/hr	No		Garage		uR/hr	
D8	4.0	uR/hr	No		Garage		uR/hr	
D9	4.0	uR/hr	No	75%	Garage		uR/hr	

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Luguna

Signature :



Signoff Notes:

Summary Report
1432 Halibut Court Unit G5

Unit Summary :

Completion Date: 6/19/2014 10:20 AM

Instrument: 193-6

Serial #: 309099

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D W

Unit Furnished:

Tenant Present:

Unit Notes:

Summary Statistics :


Total # of Readings:	36	
Average:	3.21	uR/hr
Standard Deviation:	0.07	uR/hr
Minimum:	3.20	uR/hr
Maximum:	3.60	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No		Garage		uR/hr	
A2	3.2	uR/hr	No		Garage		uR/hr	
A3	3.2	uR/hr	No		Garage		uR/hr	
A4	3.2	uR/hr	No		Garage		uR/hr	
A5	3.2	uR/hr	No		Garage		uR/hr	
A6	3.2	uR/hr	No		Garage		uR/hr	
A7	3.2	uR/hr	No		Garage		uR/hr	
A8	3.2	uR/hr	No		Garage		uR/hr	
A9	3.2	uR/hr	No	75%	Garage		uR/hr	
B1	3.2	uR/hr	No		Garage		uR/hr	
B2	3.2	uR/hr	No		Garage		uR/hr	
B3	3.2	uR/hr	No		Garage		uR/hr	
B4	3.2	uR/hr	No		Garage		uR/hr	
B5	3.2	uR/hr	No		Garage		uR/hr	
B6	3.2	uR/hr	No		Garage		uR/hr	
B7	3.2	uR/hr	No		Garage		uR/hr	
B8	3.2	uR/hr	No		Garage		uR/hr	
B9	3.2	uR/hr	No	75%	Garage		uR/hr	
C1	3.2	uR/hr	No		Garage		uR/hr	
C2	3.2	uR/hr	No		Garage		uR/hr	
C3	3.2	uR/hr	No		Garage		uR/hr	
C4	3.6	uR/hr	No		Garage		uR/hr	
C5	3.2	uR/hr	No		Garage		uR/hr	
C6	3.2	uR/hr	No		Garage		uR/hr	
C7	3.2	uR/hr	No		Garage		uR/hr	
C8	3.2	uR/hr	No		Garage		uR/hr	
C9	3.2	uR/hr	No	75%	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	3.2	uR/hr	No		Garage		uR/hr	
D2	3.2	uR/hr	No		Garage		uR/hr	
D3	3.2	uR/hr	No		Garage		uR/hr	
D4	3.2	uR/hr	No		Garage		uR/hr	
D5	3.2	uR/hr	No		Garage		uR/hr	
D6	3.2	uR/hr	No		Garage		uR/hr	
D7	3.2	uR/hr	No		Garage		uR/hr	
D8	3.2	uR/hr	No		Garage		uR/hr	
D9	3.2	uR/hr	No	75%	Garage		uR/hr	

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Luguna

Signature :



Signoff Notes:

Unit Summary :


Completion Date:	6/18/2014 12:10 PM	
Instrument:	193-6	
Serial #:	309099	
Layout:	Garage	
Background Reading:	3.2	uR/hr

Summary Statistics :

Total # of Readings:	36	
Average:	3.34	uR/hr
Standard Deviation:	0.26	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Summary Report
1432 Halibut Court Unit G6

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No		Garage		uR/hr	
A2	3.2	uR/hr	No		Garage		uR/hr	
A3	3.6	uR/hr	No		Garage		uR/hr	
A4	3.6	uR/hr	No		Garage		uR/hr	
A5	3.6	uR/hr	No		Garage		uR/hr	
A6	3.6	uR/hr	No		Garage		uR/hr	
A7	3.6	uR/hr	No		Garage		uR/hr	
A8	4.0	uR/hr	No		Garage		uR/hr	
A9	4.0	uR/hr	No		Garage		uR/hr	
B1	3.2	uR/hr	No		Garage		uR/hr	
B2	3.2	uR/hr	No		Garage		uR/hr	
B3	3.2	uR/hr	No		Garage		uR/hr	
B4	3.2	uR/hr	No		Garage		uR/hr	
B5	3.2	uR/hr	No		Garage		uR/hr	
B6	3.6	uR/hr	No		Garage		uR/hr	
B7	3.6	uR/hr	No		Garage		uR/hr	
B8	3.6	uR/hr	No		Garage		uR/hr	
B9	3.6	uR/hr	No		Garage		uR/hr	
C1	3.2	uR/hr	No		Garage		uR/hr	
C2	3.2	uR/hr	No		Garage		uR/hr	
C3	3.2	uR/hr	No		Garage		uR/hr	
C4	3.2	uR/hr	No		Garage		uR/hr	
C5	3.2	uR/hr	No		Garage		uR/hr	
C6	3.2	uR/hr	No		Garage		uR/hr	
C7	3.2	uR/hr	No		Garage		uR/hr	
C8	3.2	uR/hr	No		Garage		uR/hr	
C9	3.2	uR/hr	No		Garage		uR/hr	
D1	3.2	uR/hr	No	Partial grid-exterior wall within grid	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D2	2.8	uR/hr	No	Partial grid-exterior wall within grid	Garage		uR/hr	
D3	3.2	uR/hr	No	Partial grid-exterior wall within grid	Garage		uR/hr	
D4	3.2	uR/hr	No	Partial grid-exterior wall within grid	Garage		uR/hr	
D5	3.2	uR/hr	No	Partial grid-exterior wall within grid	Garage		uR/hr	
D6	3.2	uR/hr	No	Partial grid-exterior wall within grid	Garage		uR/hr	
D7	3.6	uR/hr	No	Partial grid-exterior wall within grid	Garage		uR/hr	
D8	3.2	uR/hr	No	Partial grid-exterior wall within grid	Garage		uR/hr	
D9	3.2	uR/hr	No	Partial grid-exterior wall within grid	Garage		uR/hr	

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Luguna

Signature :



Unit Summary :


Completion Date:	6/16/2014 3:37 PM
Instrument:	193-6
Serial #:	309127
Layout:	Floor Plan 8
Background Reading:	3.6 uR/hr
Dimensions (m):	D W
Unit Furnished:	
Tenant Present:	
Unit Notes:	

Summary Statistics :

Total # of Readings:	117	
Average:	3.65	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	3.20	uR/hr
Maximum:	4.80	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid-installed base cabinets within grid
A2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid installed dishwasher
A4	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid-installed base cabinets
A5	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	no optional reading-no actual partial
A9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A13	4.0	uR/hr	Closet			uR/hr				uR/hr			No	
B1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid-installed stove within grid
B2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	no optional reading-no actual partial in bedroom
B6		uR/hr	Bedroom			uR/hr				uR/hr			No	N/A- Grids are outside unit interior boundary.
B7		uR/hr	Bedroom			uR/hr				uR/hr			No	N/A- Grids are outside unit interior boundary.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8		uR/hr	Closet			uR/hr				uR/hr			No	N/A- Grids are outside unit interior boundary.
B9	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B13	4.0	uR/hr	Closet			uR/hr				uR/hr			No	
C1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid- installed base cabinets
C2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C13	4.0	uR/hr	Closet			uR/hr				uR/hr			No	
D1	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	20% partial grid- installed fridge within grid
D2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
D5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
D9	3.6	uR/hr	Hallway		3.6	uR/hr	Bedroom			uR/hr			No	
D10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	20% partial grid.
D11	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	20% partial grid.
D12	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
D13	4.0	uR/hr	Bathroom		4.0	uR/hr	Closet			uR/hr			No	
E1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	4.8	uR/hr	Bathroom			uR/hr				uR/hr			No	elevated measurements due to NORM in toilet bowl and tile material, MCA measurement performed. NORM K-40.
E12	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E13	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	reading taken within bath tub
F1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
F9	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
F10	3.6	uR/hr	Bathroom		3.6	uR/hr	Closet			uR/hr			No	reading taken from inside bathroom cabinet
F11	4.8	uR/hr	Bathroom		3.2	uR/hr	Utility			uR/hr			No	elevated measurements due to NORM in toilet bowl and tile material, MCA measurement performed. NORM K-40.
F12	4.0	uR/hr	Bathroom		3.6	uR/hr	Storage			uR/hr			No	
F13	4.0	uR/hr	Bathroom		3.6	uR/hr	Storage			uR/hr			No	partial grid- grid partially contained within wall construction
G1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Closet		3.2	uR/hr	Utility			uR/hr			No	
G11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Utility		3.6	uR/hr	Storage			uR/hr			No	
G13	4.0	uR/hr	Storage			uR/hr				uR/hr			No	
H1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
H7	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	partial grid- grid partially contained within wall construction
H8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	partial grid- grid partially contained within wall construction
H9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	partial grid- grid partially contained within wall construction
H10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	partial grid- grid partially contained within wall construction
H11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	partial grid- grid partially contained within wall construction

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	partial grid- grid partially contained within wall construction
H13	3.6	uR/hr	Storage			uR/hr				uR/hr			No	partial grid- grid partially contained within wall construction
I1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I3	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
I4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
I6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
J1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J4	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
J5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	partial grid- grid partially contained within wall construction
J6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	partial grid- grid partially contained within wall construction
K1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	partial grid- grid partially contained within wall construction

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
K2	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	partial grid- grid partially contained within wall construction
K3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
K4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	partial grid- grid partially contained within wall construction

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 6/16/2014 4:04 PM

Instrument: 193-6

Serial #: 309136

Layout: Floor Plan 8B

Background Reading: 2.8 uR/hr

Dimensions (m): D W

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

MCA File 20140616113821 applicable to all elevated bathroom measurements. Performed by PRSO.

Summary Statistics :


Total # of Readings:	114	
Average:	3.09	uR/hr
Standard Deviation:	0.58	uR/hr
Minimum:	2.80	uR/hr
Maximum:	5.20	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	partial grid-grid partially contained within wall construction
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	partial grid-grid partially contained within wall construction
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D6	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	partial grid-grid partially contained within wall construction
D7	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	partial grid-grid partially contained within wall construction-75%
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	partial grid-grid partially contained within wall construction
D10	2.8	uR/hr	Utility			uR/hr				uR/hr			No	partial grid-grid partially contained within wall construction
D11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	partial grid-grid partially contained within wall construction
D12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	partial grid-grid partially contained within wall construction
D13	3.2	uR/hr	Storage			uR/hr				uR/hr			No	partial grid-grid partially contained within wall construction
E1	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E5	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
E6	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr	Storage		No	
E8	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Closet		2.8	uR/hr	Utility			uR/hr			No	
E11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Storage			uR/hr				uR/hr			No	Survey performed on non-movable network router and database hub at 1.2 meters in height. Item is steel, hollow housing measuring 1m by 1m filled with CPUs. Scan measurement = 3.2 uR/hr.
F1	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Bedroom		2.8	uR/hr	Closet			uR/hr			No	storage unit locked (no key) non-movable furnace and water heater
F8	2.8	uR/hr	Hallway		2.8	uR/hr	Bedroom		2.8	uR/hr	Closet		No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F10	3.6	uR/hr	Bathroom		2.8	uR/hr	Closet			uR/hr			No	
F11	4.4	uR/hr	Bathroom		4.4	uR/hr	Bathroom			uR/hr			No	
F12	5.2	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurements due to NORM in ceramic floor tile fabrication materials, MCA measurement indicates K-40. File 20140616113821.
F13	5.2	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurements due to NORM in toilet and ceramic floor tile fabrication materials, MCA measurement indicates K-40. File 20140616113821.
G1	2.8	uR/hr	Dining Room		2.8	uR/hr	Kitchen			uR/hr			No	
G2	2.8	uR/hr	Dining Room		2.8	uR/hr	Kitchen			uR/hr			No	
G3	2.8	uR/hr	Dining Room		2.8	uR/hr	Kitchen			uR/hr			No	
G4	2.8	uR/hr	Dining Room		2.8	uR/hr	Kitchen			uR/hr			No	
G5	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Bedroom		2.8	uR/hr	Hallway		2.8	uR/hr	Closet		No	
G9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	4.8	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurements due to NORM in toilet and ceramic floor tile fabrication materials, MCA measurement indicates K-40.
G12	5.2	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurements due to NORM in toilet and ceramic floor tile fabrication materials, MCA measurement indicates K-40. File 20140616113821.
G13	4.8	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurements due to NORM in ceramic floor tile fabrication materials, MCA measurement indicates K-40.
H1	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid-25% scan due to installed base cabinet
H2	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
H3	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
H4	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
H5	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
H6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H7	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
H8	3.2	uR/hr	Closet		3.2	uR/hr	Bedroom			uR/hr			No	
H9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	wrong dimensions
H11	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
H12	4.8	uR/hr	Bedroom			uR/hr				uR/hr			No	Elevated measurements due to NORM ceramic floor tile fabrication materials, MCA measurement indicates K-40.
H13	5.2	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurements due to NORM in ceramic floor tile fabrication materials, MCA measurement indicates K-40. File 20140616113821.
I1	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid-80% scan due to installed base cabinet
I2	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
I3	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
I4	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
I5	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
I6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I8	3.2	uR/hr	Closet		3.2	uR/hr	Bedroom			uR/hr			No	
I9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
I10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I11	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
I12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I13	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
J1	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	partial grid-60% scan due to installed base cabinet
J2	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
J3	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
J4	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
J5		uR/hr	Kitchen			uR/hr				uR/hr			No	N/A-grids are outside unit interior boundary. Room is 3.83m wide.
J9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J11	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J12	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
J13	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
K1	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	15% scan due to base cabinet and wall construction
K2	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	Partial grid-grid partially contained within wall construction.
K3	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	Partial grid-grid partially contained within wall construction.
K4	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	Partial grid-grid partially contained within wall construction.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
K5		uR/hr	Kitchen			uR/hr				uR/hr			No	N/A-grids are outside unit interior boundary. Room is 3.83m wide.
K9	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	partial grid-grid partially contained within wall construction
K10	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	partial grid-grid partially contained within wall construction
K11	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	partial grid-grid partially contained within wall construction
K12	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	partial grid-grid partially contained within wall construction 30% grid
K13	3.2	uR/hr	Closet			uR/hr				uR/hr			No	partial grid-grid partially contained within wall construction

Secondary Readings : H13

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Static Reading - On Contact, Center	193-6	309136	5.2	uR/hr		
Static Reading - 12 inch height, Center	193-6	309136	5.2	uR/hr		
Static Reading - 36 inch height, Center	193-6	309136	5.2	uR/hr		

Secondary Type	Notes



WIN_20140616_105007.JPG

Secondary Readings : G12

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Static Reading - On Contact, Center	193-6	309136	5.2	uR/hr		
Static Reading - 12 inch height, Center	193-6	309136	4.8	uR/hr		
Static Reading - 36 inch height, Center	193-6	309136	4.8	uR/hr		

Secondary Type	Notes

Secondary Readings : F13

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Static Reading - On Contact, Center	193-6	309136	5.2	uR/hr		
Static Reading - 12 inch height, Center	193-6	309136	5.2	uR/hr		
Static Reading - 36 inch height, Center	193-6	309136	5.2	uR/hr		

Secondary Type	Notes



WIN_20140616_105841.JPG

Secondary Readings : F12

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Static Reading - On Contact, Center	193-6	309136	5.2	uR/hr		
Static Reading - 12 inch height, Center	193-6	309136	5.2	uR/hr		
Static Reading - 36 inch height, Center	193-6	309136	4.8	uR/hr		

Secondary Type	Notes



WIN_20140616_105834.JPG

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Unit Summary :


Completion Date:	6/16/2014 3:41 PM	
Instrument:	193-6	
Serial #:	309127	
Layout:	Garage	
Background Reading:	3.6	uR/hr

Summary Statistics :

Total # of Readings:	36	
Average:	3.66	uR/hr
Standard Deviation:	0.15	uR/hr
Minimum:	3.60	uR/hr
Maximum:	4.00	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Summary Report
1433 Halibut Court Unit G1

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.6	uR/hr	No		Garage		uR/hr	
A2	3.6	uR/hr	No		Garage		uR/hr	
A3	3.6	uR/hr	No		Garage		uR/hr	
A4	3.6	uR/hr	No		Garage		uR/hr	
A5	3.6	uR/hr	No		Garage		uR/hr	
A6	3.6	uR/hr	No		Garage		uR/hr	
A7	3.6	uR/hr	No		Garage		uR/hr	
A8	3.6	uR/hr	No		Garage		uR/hr	
A9		uR/hr	No	no actual partial shown while gridding	Garage		uR/hr	
B1	3.6	uR/hr	No		Garage		uR/hr	
B2	3.6	uR/hr	No		Garage		uR/hr	
B3	3.6	uR/hr	No		Garage		uR/hr	
B4	3.6	uR/hr	No		Garage		uR/hr	
B5	3.6	uR/hr	No		Garage		uR/hr	
B6	3.6	uR/hr	No		Garage		uR/hr	
B7	3.6	uR/hr	No		Garage		uR/hr	
B8	3.6	uR/hr	No		Garage		uR/hr	
B9		uR/hr	No	no actual partial shown while gridding	Garage		uR/hr	
C1	3.6	uR/hr	No		Garage		uR/hr	
C2	3.6	uR/hr	No		Garage		uR/hr	
C3	3.6	uR/hr	No		Garage		uR/hr	
C4	3.6	uR/hr	No		Garage		uR/hr	
C5	3.6	uR/hr	No		Garage		uR/hr	
C6	3.6	uR/hr	No		Garage		uR/hr	
C7	3.6	uR/hr	No		Garage		uR/hr	
C8	3.6	uR/hr	No		Garage		uR/hr	
C9		uR/hr	No	no actual partial shown while gridding	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D2	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D3	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D4	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D5	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D6	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D7	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D8	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D9		uR/hr	No	no actual partial shown while gridding	Garage		uR/hr	

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Unit Summary :


Completion Date:	6/16/2014 3:44 PM	
Instrument:	193-6	
Serial #:	309127	
Layout:	Garage	
Background Reading:	4.0	uR/hr

Summary Statistics :

Total # of Readings:	36	
Average:	3.60	uR/hr
Standard Deviation:	0.00	uR/hr
Minimum:	3.60	uR/hr
Maximum:	3.60	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Summary Report
1433 Halibut Court Unit G2

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.6	uR/hr	No		Garage		uR/hr	
A2	3.6	uR/hr	No		Garage		uR/hr	
A3	3.6	uR/hr	No		Garage		uR/hr	
A4	3.6	uR/hr	No		Garage		uR/hr	
A5	3.6	uR/hr	No		Garage		uR/hr	
A6	3.6	uR/hr	No		Garage		uR/hr	
A7	3.6	uR/hr	No		Garage		uR/hr	
A8	3.6	uR/hr	No		Garage		uR/hr	
A9		uR/hr	No	no actual partial shown while gridding	Garage		uR/hr	
B1	3.6	uR/hr	No		Garage		uR/hr	
B2	3.6	uR/hr	No		Garage		uR/hr	
B3	3.6	uR/hr	No		Garage		uR/hr	
B4	3.6	uR/hr	No		Garage		uR/hr	
B5	3.6	uR/hr	No		Garage		uR/hr	
B6	3.6	uR/hr	No		Garage		uR/hr	
B7	3.6	uR/hr	No		Garage		uR/hr	
B8	3.6	uR/hr	No		Garage		uR/hr	
B9		uR/hr	No	no actual partial shown while gridding	Garage		uR/hr	
C1	3.6	uR/hr	No		Garage		uR/hr	
C2	3.6	uR/hr	No		Garage		uR/hr	
C3	3.6	uR/hr	No		Garage		uR/hr	
C4	3.6	uR/hr	No		Garage		uR/hr	
C5	3.6	uR/hr	No		Garage		uR/hr	
C6	3.6	uR/hr	No		Garage		uR/hr	
C7	3.6	uR/hr	No		Garage		uR/hr	
C8	3.6	uR/hr	No		Garage		uR/hr	
C9		uR/hr	No	no actual partial shown while gridding	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D2	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D3	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D4	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D5	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D6	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D7	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D8	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D9		uR/hr	No	no actual partial shown while gridding	Garage		uR/hr	

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Unit Summary :


Completion Date:	6/17/2014 3:47 PM	
Instrument:	193-6	
Serial #:	309136	
Layout:	Garage	
Background Reading:	3.2	uR/hr

Summary Statistics :

Total # of Readings:	36	
Average:	3.06	uR/hr
Standard Deviation:	0.19	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.20	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No		Garage		uR/hr	
A2	3.2	uR/hr	No		Garage		uR/hr	
A3	3.2	uR/hr	No		Garage		uR/hr	
A4	3.2	uR/hr	No		Garage		uR/hr	
A5	3.2	uR/hr	No		Garage		uR/hr	
A6	3.2	uR/hr	No		Garage		uR/hr	
A7	3.2	uR/hr	No		Garage		uR/hr	
A8	3.2	uR/hr	No		Garage		uR/hr	
A9	2.8	uR/hr	No	Partial grid-partial grid contained within wall construction (30%).	Garage		uR/hr	
B1	3.2	uR/hr	No		Garage		uR/hr	
B2	3.2	uR/hr	No		Garage		uR/hr	
B3	3.2	uR/hr	No		Garage		uR/hr	
B4	3.2	uR/hr	No		Garage		uR/hr	
B5	3.2	uR/hr	No		Garage		uR/hr	
B6	3.2	uR/hr	No		Garage		uR/hr	
B7	3.2	uR/hr	No		Garage		uR/hr	
B8	3.2	uR/hr	No		Garage		uR/hr	
B9	2.8	uR/hr	No	Partial grid-partial grid contained within wall construction (10%).	Garage		uR/hr	
C1	3.2	uR/hr	No		Garage		uR/hr	
C2	3.2	uR/hr	No		Garage		uR/hr	
C3	3.2	uR/hr	No		Garage		uR/hr	
C4	3.2	uR/hr	No		Garage		uR/hr	
C5	3.2	uR/hr	No		Garage		uR/hr	
C6	3.2	uR/hr	No		Garage		uR/hr	
C7	2.8	uR/hr	No		Garage		uR/hr	
C8	2.8	uR/hr	No		Garage		uR/hr	
C9	2.8	uR/hr	No	Partial grid-partial grid contained within wall construction (10%).	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	3.2	uR/hr	No	Partial grid-partial grid contained within wall construction (50%). Static taken at 9" due to mounted wooden shelving.	Garage		uR/hr	
D2	2.8	uR/hr	No	Partial grid-partial grid contained within wall construction (50%).	Garage		uR/hr	
D3	2.8	uR/hr	No	Partial grid-partial grid contained within wall construction (50%).	Garage		uR/hr	
D4	2.8	uR/hr	No	Partial grid-partial grid contained within wall construction (50%).	Garage		uR/hr	
D5	2.8	uR/hr	No	Partial grid-partial grid contained within wall construction (50%).	Garage		uR/hr	
D6	2.8	uR/hr	No	Partial grid-partial grid contained within wall construction (50%).	Garage		uR/hr	
D7	2.8	uR/hr	No	Partial grid-partial grid contained within wall construction (50%).	Garage		uR/hr	
D8	2.8	uR/hr	No	Partial grid-partial grid contained within wall construction (50%).	Garage		uR/hr	
D9	2.8	uR/hr	No	Partial grid-partial grid contained within wall construction (30%).	Garage		uR/hr	

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Unit Summary :


Completion Date:	6/17/2014 3:30 PM	
Instrument:	193-6	
Serial #:	309127	
Layout:	Garage	
Background Reading:	4.0	uR/hr

Summary Statistics :

Total # of Readings:	36	
Average:	3.96	uR/hr
Standard Deviation:	0.19	uR/hr
Minimum:	3.60	uR/hr
Maximum:	4.40	uR/hr
Median:	4.00	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Summary Report
1433 Halibut Court Unit G4

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	4.0	uR/hr	No		Garage		uR/hr	
A2	3.6	uR/hr	No		Garage		uR/hr	
A3	3.6	uR/hr	No		Garage		uR/hr	
A4	4.0	uR/hr	No		Garage		uR/hr	
A5	3.6	uR/hr	No		Garage		uR/hr	
A6	4.0	uR/hr	No		Garage		uR/hr	
A7	3.6	uR/hr	No		Garage		uR/hr	
A8	3.6	uR/hr	No		Garage		uR/hr	
A9		uR/hr	No	no actual partial there when gridding	Garage		uR/hr	
B1	4.0	uR/hr	No		Garage		uR/hr	
B2	4.0	uR/hr	No		Garage		uR/hr	
B3	4.0	uR/hr	No		Garage		uR/hr	
B4	4.0	uR/hr	No		Garage		uR/hr	
B5	4.0	uR/hr	No		Garage		uR/hr	
B6	4.0	uR/hr	No		Garage		uR/hr	
B7	4.0	uR/hr	No		Garage		uR/hr	
B8	4.0	uR/hr	No		Garage		uR/hr	
B9		uR/hr	No	no actual partial there when gridding	Garage		uR/hr	
C1	4.0	uR/hr	No		Garage		uR/hr	
C2	4.0	uR/hr	No		Garage		uR/hr	
C3	4.0	uR/hr	No		Garage		uR/hr	
C4	4.0	uR/hr	No		Garage		uR/hr	
C5	4.0	uR/hr	No		Garage		uR/hr	
C6	4.0	uR/hr	No		Garage		uR/hr	
C7	4.0	uR/hr	No		Garage		uR/hr	
C8	4.0	uR/hr	No		Garage		uR/hr	
C9		uR/hr	No	no actual partial there when gridding	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	4.4	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D2	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D3	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D4	4.4	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D5	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D6	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D7	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D8	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D9		uR/hr	No	no actual partial there when gridding	Garage		uR/hr	

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Unit Summary :


Completion Date:	6/16/2014 3:28 PM	
Instrument:	193-6	
Serial #:	309136	
Layout:	Garage	
Background Reading:	2.8	uR/hr

Summary Statistics :

Total # of Readings:	36	
Average:	2.97	uR/hr
Standard Deviation:	0.20	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.20	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Summary Report
1433 Halibut Court Unit G5

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	2.8	uR/hr	No		Garage		uR/hr	
A2	3.2	uR/hr	No		Garage		uR/hr	
A3	2.8	uR/hr	No		Garage		uR/hr	
A4	3.2	uR/hr	No		Garage		uR/hr	
A5	2.8	uR/hr	No		Garage		uR/hr	
A6	2.8	uR/hr	No		Garage		uR/hr	
A7	2.8	uR/hr	No		Garage		uR/hr	
A8	2.8	uR/hr	No		Garage		uR/hr	
A9	2.8	uR/hr	No	Partial grid-30% partial cell	Garage		uR/hr	
B1	3.2	uR/hr	No		Garage		uR/hr	
B2	3.2	uR/hr	No		Garage		uR/hr	
B3	3.2	uR/hr	No		Garage		uR/hr	
B4	2.8	uR/hr	No		Garage		uR/hr	
B5	3.2	uR/hr	No		Garage		uR/hr	
B6	2.8	uR/hr	No		Garage		uR/hr	
B7	2.8	uR/hr	No		Garage		uR/hr	
B8	2.8	uR/hr	No		Garage		uR/hr	
B9	2.8	uR/hr	No	Partial grid-10% partial cell	Garage		uR/hr	
C1	3.2	uR/hr	No		Garage		uR/hr	
C2	3.2	uR/hr	No		Garage		uR/hr	
C3	2.8	uR/hr	No		Garage		uR/hr	
C4	3.2	uR/hr	No		Garage		uR/hr	
C5	2.8	uR/hr	No		Garage		uR/hr	
C6	2.8	uR/hr	No		Garage		uR/hr	
C7	2.8	uR/hr	No		Garage		uR/hr	
C8	2.8	uR/hr	No		Garage		uR/hr	
C9	2.8	uR/hr	No	Partial grid-10% partial cell	Garage		uR/hr	
D1	3.2	uR/hr	No	Partial grid-Partial grid-50% partial cell	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D2	3.2	uR/hr	No	Partial grid-50% partial cell	Garage		uR/hr	
D3	3.2	uR/hr	No	Partial grid-50% partial cell	Garage		uR/hr	
D4	3.2	uR/hr	No	Partial grid-50% partial cell	Garage		uR/hr	
D5	3.2	uR/hr	No	Partial grid-50% partial cell	Garage		uR/hr	
D6	3.2	uR/hr	No	Partial grid-50% partial cell	Garage		uR/hr	
D7	2.8	uR/hr	No	Partial grid-50% partial cell	Garage		uR/hr	
D8	2.8	uR/hr	No	Partial grid-50% partial cell	Garage		uR/hr	
D9	2.8	uR/hr	No	Partial grid-30% partial cell	Garage		uR/hr	

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Unit Summary :


Completion Date:	6/16/2014 4:05 PM	
Instrument:	193-6	
Serial #:	309136	
Layout:	Garage	
Background Reading:	2.8	uR/hr

Summary Statistics :

Total # of Readings:	36	
Average:	2.91	uR/hr
Standard Deviation:	0.18	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.20	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Summary Report
1433 Halibut Court Unit G6

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	2.8	uR/hr	No		Garage		uR/hr	
A2	2.8	uR/hr	No		Garage		uR/hr	
A3	2.8	uR/hr	No		Garage		uR/hr	
A4	3.2	uR/hr	No		Garage		uR/hr	
A5	3.2	uR/hr	No		Garage		uR/hr	
A6	3.2	uR/hr	No		Garage		uR/hr	
A7	3.2	uR/hr	No		Garage		uR/hr	
A8	3.2	uR/hr	No		Garage		uR/hr	
A9	2.8	uR/hr	No	Partial grid-30% partial cell	Garage		uR/hr	
B1	2.8	uR/hr	No		Garage		uR/hr	
B2	2.8	uR/hr	No		Garage		uR/hr	
B3	2.8	uR/hr	No		Garage		uR/hr	
B4	3.2	uR/hr	No		Garage		uR/hr	
B5	3.2	uR/hr	No		Garage		uR/hr	
B6	2.8	uR/hr	No		Garage		uR/hr	
B7	3.2	uR/hr	No		Garage		uR/hr	
B8	2.8	uR/hr	No		Garage		uR/hr	
B9	2.8	uR/hr	No	Partial grid-10% partial cell	Garage		uR/hr	
C1	2.8	uR/hr	No		Garage		uR/hr	
C2	2.8	uR/hr	No		Garage		uR/hr	
C3	2.8	uR/hr	No		Garage		uR/hr	
C4	2.8	uR/hr	No		Garage		uR/hr	
C5	2.8	uR/hr	No		Garage		uR/hr	
C6	3.2	uR/hr	No		Garage		uR/hr	
C7	3.2	uR/hr	No		Garage		uR/hr	
C8	2.8	uR/hr	No		Garage		uR/hr	
C9	2.8	uR/hr	No	Partial grid-10% partial cell	Garage		uR/hr	
D1	2.8	uR/hr	No	Partial grid-50% partial cell	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D2	2.8	uR/hr	No	Partial grid-50% partial cell	Garage		uR/hr	
D3	2.8	uR/hr	No	Partial grid-50% partial cell	Garage		uR/hr	
D4	2.8	uR/hr	No	Partial grid-50% partial cell	Garage		uR/hr	
D5	2.8	uR/hr	No	Partial grid-50% partial cell	Garage		uR/hr	
D6	2.8	uR/hr	No	Partial grid-50% partial cell	Garage		uR/hr	
D7	2.8	uR/hr	No	Partial grid-50% partial cell	Garage		uR/hr	
D8	2.8	uR/hr	No	Partial grid-50% partial cell	Garage		uR/hr	
D9	2.8	uR/hr	No	Partial grid-30% partial cell	Garage		uR/hr	


CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Unit Summary :


Completion Date:	6/18/2014 4:02 PM
Instrument:	193-6
Serial #:	309110
Layout:	Floor Plan 8
Background Reading:	3.6 uR/hr

Summary Statistics :

Total # of Readings:	117	
Average:	3.64	uR/hr
Standard Deviation:	0.21	uR/hr
Minimum:	3.20	uR/hr
Maximum:	4.00	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.6	uR/hr	No	partial grid 10% accessible- installed base cabinets	Kitchen		uR/hr	
A2	3.6	uR/hr	No	partial grid 20% accessible- installed dishwasher/cabinet	Kitchen		uR/hr	
A3	4.0	uR/hr	No	partial grid 95% accessible- installed cabinets	Kitchen		uR/hr	
A4	4.0	uR/hr	No		Kitchen		uR/hr	
A5	3.6	uR/hr	No	40% was surveyed, the remaining area falls outside the interior floor surface	Kitchen		uR/hr	
A9	4.0	uR/hr	No		Bedroom		uR/hr	
A10	3.6	uR/hr	No		Bedroom		uR/hr	
A11	3.6	uR/hr	No		Bedroom		uR/hr	
A12	3.6	uR/hr	No		Bedroom		uR/hr	
A13	3.6	uR/hr	No		Closet		uR/hr	
B1	3.6	uR/hr	No	partial grid 40% accessible- installed base cabinets	Kitchen		uR/hr	
B2	3.6	uR/hr	No		Kitchen		uR/hr	
B3	4.0	uR/hr	No		Kitchen		uR/hr	
B4	4.0	uR/hr	No		Kitchen		uR/hr	
B5	3.6	uR/hr	No	partial grid 5% accessible in bedroom- contained within wall construction	Bedroom		uR/hr	
B6	3.6	uR/hr	No	partial grid 5% accessible- contained within wall construction	Bedroom		uR/hr	
B7	4.0	uR/hr	No	partial grid 5% accessible- contained within wall construction	Bedroom		uR/hr	
B8	3.6	uR/hr	No	partial grid 5% accessible-contained within wall construction	Closet	3.6	uR/hr	Bedroom
B9	4.0	uR/hr	No		Bedroom		uR/hr	
B10	4.0	uR/hr	No		Bedroom		uR/hr	
B11	3.6	uR/hr	No		Bedroom		uR/hr	
B12	3.6	uR/hr	No		Bedroom		uR/hr	
B13	4.0	uR/hr	No		Closet		uR/hr	
C1	3.6	uR/hr	No	partial grid 40% accessible- installed base cabinets/stove	Kitchen		uR/hr	
C2	3.6	uR/hr	No		Kitchen		uR/hr	
C3	4.0	uR/hr	No		Kitchen		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C4	3.6	uR/hr	No		Kitchen		uR/hr	
C5	3.6	uR/hr	No	partial grid 20% kitchen non-accessible- contained within wall construction	Bedroom		uR/hr	
C6	3.6	uR/hr	No		Bedroom		uR/hr	
C7	3.6	uR/hr	No		Bedroom		uR/hr	
C8	3.6	uR/hr	No		Closet	3.6	uR/hr	Bedroom
C9	3.6	uR/hr	No		Bedroom		uR/hr	
C10	3.6	uR/hr	No		Bedroom		uR/hr	
C11	3.6	uR/hr	No		Bedroom		uR/hr	
C12	3.6	uR/hr	No		Bedroom		uR/hr	
C13	3.6	uR/hr	No		Closet		uR/hr	
D1	3.6	uR/hr	No		Kitchen		uR/hr	
D2	3.6	uR/hr	No		Kitchen		uR/hr	
D3	3.6	uR/hr	No		Kitchen		uR/hr	
D4	4.0	uR/hr	No		Kitchen		uR/hr	
D5	3.6	uR/hr	No	partial grid 20% kitchen non-accessible- contained within wall construction	Bedroom		uR/hr	
D6	3.6	uR/hr	No		Bedroom		uR/hr	
D7	3.6	uR/hr	No		Bedroom		uR/hr	
D8	3.6	uR/hr	No		Closet		uR/hr	
D9	3.2	uR/hr	No		Bedroom	3.6	uR/hr	Hallway
D10	3.6	uR/hr	No		Bedroom	3.6	uR/hr	Bathroom
D11	3.6	uR/hr	No		Bedroom		uR/hr	
D12	4.0	uR/hr	No		Bedroom	3.6	uR/hr	Bathroom
D13	4.0	uR/hr	No		Closet	4.0	uR/hr	Bathroom
E1	3.6	uR/hr	No		Dining Room		uR/hr	
E2	3.6	uR/hr	No		Dining Room		uR/hr	
E3	3.6	uR/hr	No		Dining Room		uR/hr	
E4	3.6	uR/hr	No		Dining Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E5	3.6	uR/hr	No	partial grid 20% dining room non-accessible contained within wall construction	Bedroom		uR/hr	
E6	3.6	uR/hr	No		Bedroom		uR/hr	
E7	3.2	uR/hr	No		Bedroom		uR/hr	
E8	3.6	uR/hr	No	split	Hallway	3.6	uR/hr	Bedroom
E9	3.6	uR/hr	No		Hallway		uR/hr	
E10	3.6	uR/hr	No	partial grid- 20% surveyed inside installed bathroom cabinets	Bathroom	3.6	uR/hr	Hallway
E11	3.6	uR/hr	No	partial grid- 5% surveyed inside installed bathroom cabinets	Bathroom		uR/hr	
E12	3.6	uR/hr	No		Bathroom		uR/hr	
E13	4.0	uR/hr	No		Bathroom		uR/hr	
F1	3.6	uR/hr	No		Dining Room		uR/hr	
F2	3.6	uR/hr	No		Dining Room		uR/hr	
F3	3.6	uR/hr	No		Dining Room		uR/hr	
F4	3.6	uR/hr	No		Dining Room		uR/hr	
F5	3.6	uR/hr	No	partial grid 20% dining room non-accessible contained within wall construction	Closet		uR/hr	
F6	3.6	uR/hr	No	90% of storage is non accessible	Closet		uR/hr	Closet
F7	3.2	uR/hr	No	60% storage is non accessible	Closet		uR/hr	
F8	3.6	uR/hr	No		Hallway	3.6	uR/hr	Closet
F9	3.6	uR/hr	No		Hallway	3.6	uR/hr	Closet
F10	3.2	uR/hr	No	partial grid- 20% surveyed inside installed bathroom cabinets. Utility partial non-accessible-installed dryer.	Closet	3.6	uR/hr	Bathroom
F11	4.0	uR/hr	No	partial grid- 5% surveyed inside installed bathroom cabinets. Utility partial non-accessible-installed dryer.	Bathroom		uR/hr	Bathroom
F12	3.6	uR/hr	No	Utility partial non-accessible-installed dryer.	Storage	4.0	uR/hr	Bathroom
F13	4.0	uR/hr	No	split	Storage	4.0	uR/hr	Bathroom
G1	3.6	uR/hr	No		Dining Room		uR/hr	
G2	3.6	uR/hr	No		Dining Room		uR/hr	
G3	3.6	uR/hr	No		Dining Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
G4	3.6	uR/hr	No		Dining Room		uR/hr	
G5	3.6	uR/hr	No		Hallway		uR/hr	
G6	3.6	uR/hr	No		Hallway	3.6	uR/hr	Storage
G7	3.6	uR/hr	No		Hallway	3.6	uR/hr	Closet
G8	3.2	uR/hr	No		Hallway	3.2	uR/hr	Closet
G9	3.6	uR/hr	No		Hallway	3.2	uR/hr	Utility
G10	3.2	uR/hr	No		Utility	3.2	uR/hr	Closet
G11	3.2	uR/hr	No		Utility		uR/hr	
G12	3.6	uR/hr	No		Storage	3.6	uR/hr	Utility
G13	4.0	uR/hr	No		Storage		uR/hr	
H1	3.6	uR/hr	No		Living Room		uR/hr	
H2	3.6	uR/hr	No		Living Room		uR/hr	
H3	3.6	uR/hr	No		Living Room		uR/hr	
H4	3.6	uR/hr	No		Living Room		uR/hr	
H5	3.6	uR/hr	No		Hallway		uR/hr	
H6	3.6	uR/hr	No	partial grid 5% non accessible- contained within wall construction	Hallway		uR/hr	
H7	3.2	uR/hr	No	partial grid 20% accessible- contained within wall construction	Hallway		uR/hr	
H8	3.2	uR/hr	No	partial grid 20% accessible- contained within wall construction	Hallway		uR/hr	
H9	3.2	uR/hr	No	partial grid 20% accessible- contained within wall construction	Hallway	3.6	uR/hr	Utility
H10	3.6	uR/hr	No	partial grid 20% accessible- contained within wall construction	Utility		uR/hr	
H11	3.2	uR/hr	No	partial grid 20% accessible- contained within wall construction	Utility		uR/hr	
H12	4.0	uR/hr	No	partial grid 20% accessible- contained within wall construction	Storage	3.6	uR/hr	Utility
H13	4.0	uR/hr	No	partial grid 20% accessible- contained within wall construction	Storage		uR/hr	
I1	3.6	uR/hr	No		Living Room		uR/hr	
I2	3.6	uR/hr	No		Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
I3	3.6	uR/hr	No		Living Room		uR/hr	
I4	3.6	uR/hr	No		Living Room		uR/hr	
I5	3.6	uR/hr	No		Hallway		uR/hr	
I6	3.6	uR/hr	No	partial grid 10% non accessible- contained within wall construction	Hallway		uR/hr	
J1	3.6	uR/hr	No		Living Room		uR/hr	
J2	3.6	uR/hr	No		Living Room		uR/hr	
J3	3.6	uR/hr	No		Living Room		uR/hr	
J4	4.0	uR/hr	No		Living Room		uR/hr	
J5	3.6	uR/hr	No	partial grid 40% accessible- contained within wall construction	Hallway		uR/hr	
J6	3.6	uR/hr	No	partial grid 35% accessible- contained within wall construction	Hallway		uR/hr	
K1	3.6	uR/hr	No	partial grid 50% accessible- contained within wall construction	Living Room		uR/hr	
K2	4.0	uR/hr	No	partial grid 50% accessible- contained within wall construction	Living Room		uR/hr	
K3	4.0	uR/hr	No	partial grid 50% accessible- contained within wall construction	Living Room		uR/hr	
K4	4.0	uR/hr	No	partial grid 50% accessible- contained within wall construction	Living Room		uR/hr	

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Unit Summary :


Completion Date:	6/18/2014 4:04 PM	
Instrument:	193-6	
Serial #:	309119	
Layout:	Floor Plan 8B	
Background Reading:	3.2	uR/hr
Dimensions (m):	D	W
Unit Furnished:		
Tenant Present:		
Unit Notes:		

Summary Statistics :

Total # of Readings:	115	
Average:	3.47	uR/hr
Standard Deviation:	0.48	uR/hr
Minimum:	2.80	uR/hr
Maximum:	5.60	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No		Living Room		uR/hr	
A2	3.2	uR/hr	No		Living Room		uR/hr	
A3	3.2	uR/hr	No		Living Room		uR/hr	
A4	3.6	uR/hr	No	partial grid - remainder of grid outside exterior wall of unit - 50%	Living Room		uR/hr	
B1	3.2	uR/hr	No		Living Room		uR/hr	
B2	3.2	uR/hr	No		Living Room		uR/hr	
B3	3.2	uR/hr	No		Living Room		uR/hr	
B4	3.6	uR/hr	No		Living Room	3.2	uR/hr	Hallway
B5	3.2	uR/hr	No	partial grid, 90% accessible, remainder of grid outside exterior wall	Hallway		uR/hr	
B6	3.2	uR/hr	No	partial grid, 60% accessible, remainder of grid outside exterior wall	Hallway		uR/hr	
C1	3.2	uR/hr	No		Living Room		uR/hr	
C2	3.2	uR/hr	No		Living Room		uR/hr	
C3	3.2	uR/hr	No		Living Room		uR/hr	
C4	3.2	uR/hr	No		Living Room	3.2	uR/hr	Hallway
C5	3.2	uR/hr	No		Hallway		uR/hr	
C6	3.2	uR/hr	No	partial grid, 40% accessible remainder of grid outside exterior wall	Hallway		uR/hr	
D1	3.2	uR/hr	No		Living Room		uR/hr	
D2	3.2	uR/hr	No		Living Room		uR/hr	
D3	3.2	uR/hr	No		Living Room		uR/hr	
D4	3.2	uR/hr	No		Living Room		uR/hr	
D5	3.2	uR/hr	No		Hallway		uR/hr	
D6	3.2	uR/hr	No		Hallway		uR/hr	
D7	3.2	uR/hr	No		Hallway		uR/hr	
D8	3.2	uR/hr	No		Hallway		uR/hr	
D9	3.2	uR/hr	No		Hallway		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D10	2.8	uR/hr	No		Utility		uR/hr	
D11	3.2	uR/hr	No		Utility		uR/hr	
D12	3.2	uR/hr	No		Utility		uR/hr	
D13	3.6	uR/hr	No	partial grid, remainder of grid is outside of exterior wall. 20% accessible.	Storage		uR/hr	
E1	3.2	uR/hr	No		Dining Room		uR/hr	
E2	3.2	uR/hr	No		Dining Room		uR/hr	
E3	3.2	uR/hr	No		Dining Room		uR/hr	
E4	3.2	uR/hr	No		Dining Room		uR/hr	
E5	3.2	uR/hr	No		Closet	3.2	uR/hr	Hallway
E6	2.8	uR/hr	No	30% accessible, contact reading on wood 20" above floor	Storage		uR/hr	
E7	3.2	uR/hr	No	partial grid-storage section n/a 40% accessible	Closet		uR/hr	
E8	3.2	uR/hr	No		Hallway		uR/hr	
E9	3.2	uR/hr	No		Hallway	3.2	uR/hr	Closet
E10	3.2	uR/hr	No	partial grid, installed dryer, 10% closet accessible, 10% utility room accessible	Closet	3.2	uR/hr	Utility
E11	3.6	uR/hr	No	partial grid, installed dryer- 10% accessible	Utility		uR/hr	
E12	4.0	uR/hr	No	partial grid, installed washing machine- 80% accessible	Utility		uR/hr	
E13	4.0	uR/hr	No	partial grid, remainder of grid is outside of exterior wall. 20% accessible.	Storage		uR/hr	
F1	3.2	uR/hr	No		Dining Room		uR/hr	
F2	3.2	uR/hr	No		Dining Room		uR/hr	
F3	3.2	uR/hr	No		Dining Room		uR/hr	
F4	3.2	uR/hr	No		Dining Room		uR/hr	
F5	3.2	uR/hr	No	partial grid 80% accessible in bedroom	Bedroom		uR/hr	
F6	3.2	uR/hr	No	partial grid- 80% accessible from bedroom	Bedroom		uR/hr	
F7	3.2	uR/hr	No		Bedroom		uR/hr	
F8	3.2	uR/hr	No		Bedroom		uR/hr	
F9	3.6	uR/hr	No		Hallway		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F10	4.0	uR/hr	No	2x2" tile	Bathroom		uR/hr	
F11	4.4	uR/hr	No	2x2" tile -near toilet. MCA file# 20140618093638, K40 NORM	Bathroom		uR/hr	
F12	5.2	uR/hr	No	2x2" tiles - walk in handicapped shower. K40 NORM by shower	Bathroom		uR/hr	
F13	5.6	uR/hr	No	2x2" tiles - walk in handicapped shower- partial grid, remainder of grid is outside exterior wall. 20% accessible. K40 NORM by shower	Bathroom		uR/hr	
G1	2.8	uR/hr	No	wall and kitchen section of grid is 55% but covered by frig so larger reading is in dining room	Dining Room	3.2	uR/hr	Kitchen
G2	3.2	uR/hr	No		Kitchen	3.2	uR/hr	Dining Room
G3	3.2	uR/hr	No	gg	Kitchen	3.2	uR/hr	Dining Room
G4	3.2	uR/hr	No		Kitchen	3.2	uR/hr	Dining Room
G5	3.2	uR/hr	No	grid is fully in bedroom	Bedroom		uR/hr	
G6	3.2	uR/hr	No		Bedroom		uR/hr	
G7	3.2	uR/hr	No		Bedroom		uR/hr	
G8	3.2	uR/hr	No		Closet	3.2	uR/hr	Hallway
G9	3.6	uR/hr	No		Hallway		uR/hr	
G10	4.0	uR/hr	No	2x2" tile	Bathroom		uR/hr	
G11	4.4	uR/hr	No	2x2" tile	Bathroom		uR/hr	
G12	4.8	uR/hr	No	2x2" tiles - walk in Handicap shower	Bathroom		uR/hr	
G13	5.2	uR/hr	No	2x2" tiles - ?alk in handicapped shower - partial grid, remainder of grid is exterior. K40 NORM by shower	Bathroom		uR/hr	
H1	3.2	uR/hr	No	partial grid- installed base cabinet- 30% accessible	Kitchen		uR/hr	
H2	3.2	uR/hr	No		Kitchen		uR/hr	
H3	3.6	uR/hr	No		Kitchen		uR/hr	
H4	3.6	uR/hr	No		Kitchen		uR/hr	
H5	3.2	uR/hr	No		Bedroom		uR/hr	
H6	3.6	uR/hr	No		Bedroom		uR/hr	
H7	3.2	uR/hr	No		Bedroom		uR/hr	
H8	3.2	uR/hr	No		Closet	3.2	uR/hr	Bedroom

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
H9	3.2	uR/hr	No		Bedroom		uR/hr	
H10	3.6	uR/hr	No		Bedroom	4.0	uR/hr	Bathroom
H11	4.0	uR/hr	No		Bedroom	4.4	uR/hr	Bathroom
H12	4.4	uR/hr	No	2x2"tiles walk in handicapped shower for optional reading	Bedroom	5.2	uR/hr	Bathroom
H13	4.4	uR/hr	No	partial grid, remainder of grid is exterior. 2x2 "tiles in walk in handicapped shower	Closet	5.6	uR/hr	Bathroom
I1	3.2	uR/hr	No	partial grid- installed stove- 30% accessible	Kitchen		uR/hr	
I2	3.2	uR/hr	No		Kitchen		uR/hr	
I3	3.6	uR/hr	No		Kitchen		uR/hr	
I4	3.6	uR/hr	No		Kitchen		uR/hr	
I5	3.6	uR/hr	No	partial grid, 20% accessible, remainder of grid outside exterior wall	Bedroom		uR/hr	
I6	3.6	uR/hr	No	partial grid, 20% accessible, remainder of grid outside exterior wall	Bedroom		uR/hr	
I7	3.6	uR/hr	No	partial grid, 20% accessible, remainder of grid outside exterior wall	Bedroom		uR/hr	
I8	3.6	uR/hr	No		Closet	3.6	uR/hr	Bedroom
I9	3.6	uR/hr	No		Bedroom		uR/hr	
I10	3.6	uR/hr	No		Bedroom		uR/hr	
I11	3.6	uR/hr	No		Bedroom		uR/hr	
I12	3.6	uR/hr	No		Bedroom		uR/hr	
I13	4.0	uR/hr	No	partial grid, remainder of grid is exterior	Closet		uR/hr	
J1	3.2	uR/hr	No	partial grid- base cabinet installed 30% accessible	Kitchen		uR/hr	
J2	3.6	uR/hr	No		Kitchen		uR/hr	
J3	3.2	uR/hr	No	partial grid- installed dish washer - 50%	Kitchen		uR/hr	
J4	3.6	uR/hr	No		Kitchen		uR/hr	
J5		uR/hr	No	n/a grid outside exterior wall- not in floor plan	Kitchen		uR/hr	
J8	3.6	uR/hr	No	partial grid- 20% accessible, remainder is exterior	Bedroom		uR/hr	
J9	3.6	uR/hr	No		Bedroom		uR/hr	
J10	3.6	uR/hr	No		Bedroom		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
J11	3.6	uR/hr	No		Bedroom		uR/hr	
J12	3.6	uR/hr	No		Bedroom		uR/hr	
J13	3.6	uR/hr	No	partial grid, remainder of grid is exterior	Closet		uR/hr	
K1		uR/hr	No	n/a grid outside exterior wall- not in floor plan	Kitchen		uR/hr	
K2		uR/hr	No	n/a grid outside exterior wall- not in floor plan	Kitchen		uR/hr	
K3		uR/hr	No	n/a grid outside exterior wall- not in floor plan	Kitchen		uR/hr	
K4		uR/hr	No	n/a grid outside exterior wall- not in floor plan	Kitchen		uR/hr	
K5		uR/hr	No	n/a grid outside exterior wall- not in floor plan	Kitchen		uR/hr	
K9		uR/hr	No	n/a grid outside exterior wall- not in floor pla	Bedroom		uR/hr	
K10		uR/hr	No	n/a grid outside exterior wall- not in floor pla	Bedroom		uR/hr	
K11		uR/hr	No	n/a grid outside exterior wall- not in floor pla	Bedroom		uR/hr	
K12		uR/hr	No	n/a grid outside exterior wall- not in floor pla	Bedroom		uR/hr	
K13		uR/hr	No	n/a grid outside exterior wall- not in floor pla	Closet		uR/hr	

Secondary Readings : G13

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Inspector 1000 Spectrum	Inspector 1000 Spectrum	13000529				Radium

Secondary Type	Notes
Inspector 1000 Spectrum	MCA file #20140618100056, K40 NORM by shower

Secondary Readings : F13

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Inspector 1000 Spectrum	Inspector 1000 Spectrum	13000529				Radium

Secondary Type	Notes
Inspector 1000 Spectrum	MCA file #20140618100056 K40 NORM by shower

Secondary Readings : F12

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Inspector 1000 Spectrum	Inspector 1000 Spectrum	13000529				Radium

Secondary Type	Notes
Inspector 1000 Spectrum	MCA file #20140618100056, K40 NORM by shower

Secondary Readings : H12

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Inspector 1000 Spectrum	Inspector 1000 Spectrum	13000529				Radium

Secondary Type	Notes
Inspector 1000 Spectrum	MCA file #20140618100056, K40 NORM by shower

Secondary Readings : H13

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Inspector 1000 Spectrum	Inspector 1000 Spectrum	13000529				Radium

Secondary Type	Notes
Inspector 1000 Spectrum	MCA file #20140618100056, K40 NORM by shower

CBI Supervisor : Joyce McGee

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Unit Summary :


Completion Date:	6/18/2014 3:49 PM	
Instrument:	193-6	
Serial #:	309110	
Layout:	Garage	
Background Reading:	3.6	uR/hr

Summary Statistics :

Total # of Readings:	36	
Average:	3.60	uR/hr
Standard Deviation:	0.29	uR/hr
Minimum:	3.20	uR/hr
Maximum:	4.00	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Summary Report
1434 Halibut Court Unit G1

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.6	uR/hr	No		Garage		uR/hr	
A2	3.2	uR/hr	No		Garage		uR/hr	
A3	3.2	uR/hr	No		Garage		uR/hr	
A4	3.2	uR/hr	No		Garage		uR/hr	
A5	3.2	uR/hr	No		Garage		uR/hr	
A6	3.2	uR/hr	No		Garage		uR/hr	
A7	3.6	uR/hr	No		Garage		uR/hr	
A8	3.6	uR/hr	No		Garage		uR/hr	
A9	3.6	uR/hr	No	partial grid 40% accessible contained within wall construction	Garage		uR/hr	
B1	3.6	uR/hr	No		Garage		uR/hr	
B2	3.2	uR/hr	No		Garage		uR/hr	
B3	3.6	uR/hr	No		Garage		uR/hr	
B4	3.6	uR/hr	No		Garage		uR/hr	
B5	3.6	uR/hr	No		Garage		uR/hr	
B6	3.6	uR/hr	No		Garage		uR/hr	
B7	3.6	uR/hr	No		Garage		uR/hr	
B8	3.6	uR/hr	No		Garage		uR/hr	
B9	3.6	uR/hr	No	partial grid 40% accessible contained within wall construction	Garage		uR/hr	
C1	3.6	uR/hr	No		Garage		uR/hr	
C2	3.2	uR/hr	No		Garage		uR/hr	
C3	3.6	uR/hr	No		Garage		uR/hr	
C4	3.6	uR/hr	No		Garage		uR/hr	
C5	3.6	uR/hr	No		Garage		uR/hr	
C6	3.6	uR/hr	No		Garage		uR/hr	
C7	4.0	uR/hr	No		Garage		uR/hr	
C8	4.0	uR/hr	No		Garage		uR/hr	
C9	4.0	uR/hr	No	partial grid 40% accessible contained within wall construction	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	3.2	uR/hr	No	partial grid 50% accessible contained within wall construction	Garage		uR/hr	
D2	3.2	uR/hr	No	partial grid 50% accessible contained within wall construction	Garage		uR/hr	
D3	3.6	uR/hr	No	partial grid 50% accessible contained within wall construction	Garage		uR/hr	
D4	4.0	uR/hr	No	partial grid 50% accessible contained within wall construction	Garage		uR/hr	
D5	4.0	uR/hr	No	partial grid 50% accessible contained within wall construction	Garage		uR/hr	
D6	4.0	uR/hr	No	partial grid 50% accessible contained within wall construction	Garage		uR/hr	
D7	4.0	uR/hr	No	partial grid 50% accessible contained within wall construction	Garage		uR/hr	
D8	4.0	uR/hr	No	partial grid 50% accessible contained within wall construction	Garage		uR/hr	
D9	4.0	uR/hr	No	partial grid 20% accessible contained within wall construction	Garage		uR/hr	

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Summary Report
1434 Halibut Court Unit G2

Unit Summary :

Completion Date: 6/19/2014 1:50 PM

Instrument: 193-6

Serial #: 309119

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D W

Unit Furnished:

Tenant Present:

Unit Notes:

Summary Statistics :


Total # of Readings:	36	
Average:	3.13	uR/hr
Standard Deviation:	0.15	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.20	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No		Garage		uR/hr	
A2	3.2	uR/hr	No		Garage		uR/hr	
A3	3.2	uR/hr	No		Garage		uR/hr	
A4	3.2	uR/hr	No		Garage		uR/hr	
A5	3.2	uR/hr	No		Garage		uR/hr	
A6	3.2	uR/hr	No		Garage		uR/hr	
A7	3.2	uR/hr	No		Garage		uR/hr	
A8	3.2	uR/hr	No		Garage		uR/hr	
A9	3.2	uR/hr	No		Garage		uR/hr	
B1	3.2	uR/hr	No		Garage		uR/hr	
B2	3.2	uR/hr	No		Garage		uR/hr	
B3	3.2	uR/hr	No		Garage		uR/hr	
B4	3.2	uR/hr	No		Garage		uR/hr	
B5	3.2	uR/hr	No		Garage		uR/hr	
B6	3.2	uR/hr	No		Garage		uR/hr	
B7	3.2	uR/hr	No		Garage		uR/hr	
B8	3.2	uR/hr	No		Garage		uR/hr	
B9	3.2	uR/hr	No		Garage		uR/hr	
C1	3.2	uR/hr	No		Garage		uR/hr	
C2	3.2	uR/hr	No		Garage		uR/hr	
C3	2.8	uR/hr	No		Garage		uR/hr	
C4	3.2	uR/hr	No		Garage		uR/hr	
C5	3.2	uR/hr	No		Garage		uR/hr	
C6	2.8	uR/hr	No		Garage		uR/hr	
C7	3.2	uR/hr	No		Garage		uR/hr	
C8	3.2	uR/hr	No		Garage		uR/hr	
C9	3.2	uR/hr	No		Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	2.8	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D2	2.8	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D3	2.8	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D4	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D5	2.8	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D6	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D7	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D8	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D9	3.2	uR/hr	No		Garage		uR/hr	

CBI Supervisor : Joyce McGee

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1434 Halibut Court Unit G3

Unit Summary :

Completion Date: 6/19/2014 1:56 PM

Instrument: 193-6

Serial #: 309119

Layout: Garage

Background Reading: 3.2 uR/hr

Dimensions (m): D W

Unit Furnished:

Tenant Present:

Unit Notes:

Summary Statistics :


Total # of Readings:	36	
Average:	3.33	uR/hr
Standard Deviation:	0.21	uR/hr
Minimum:	3.20	uR/hr
Maximum:	4.00	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	4.0	uR/hr	No		Garage		uR/hr	
A2	3.6	uR/hr	No		Garage		uR/hr	
A3	3.6	uR/hr	No		Garage		uR/hr	
A4	3.2	uR/hr	No		Garage		uR/hr	
A5	3.6	uR/hr	No		Garage		uR/hr	
A6	3.6	uR/hr	No		Garage		uR/hr	
A7	3.6	uR/hr	No		Garage		uR/hr	
A8	3.6	uR/hr	No		Garage		uR/hr	
A9	3.2	uR/hr	No		Garage		uR/hr	
B1	3.6	uR/hr	No		Garage		uR/hr	
B2	3.2	uR/hr	No		Garage		uR/hr	
B3	3.6	uR/hr	No		Garage		uR/hr	
B4	3.2	uR/hr	No		Garage		uR/hr	
B5	3.2	uR/hr	No		Garage		uR/hr	
B6	3.2	uR/hr	No		Garage		uR/hr	
B7	3.2	uR/hr	No		Garage		uR/hr	
B8	3.2	uR/hr	No		Garage		uR/hr	
B9	3.2	uR/hr	No		Garage		uR/hr	
C1	3.6	uR/hr	No		Garage		uR/hr	
C2	3.2	uR/hr	No		Garage		uR/hr	
C3	3.2	uR/hr	No		Garage		uR/hr	
C4	3.2	uR/hr	No		Garage		uR/hr	
C5	3.2	uR/hr	No		Garage		uR/hr	
C6	3.2	uR/hr	No		Garage		uR/hr	
C7	3.2	uR/hr	No		Garage		uR/hr	
C8	3.2	uR/hr	No		Garage		uR/hr	
C9	3.2	uR/hr	No		Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	3.6	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D2	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D3	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D4	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D5	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D6	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D7	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D8	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D9	3.2	uR/hr	No		Garage		uR/hr	

CBI Supervisor : Joyce McGee

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Unit Summary :


Completion Date: 6/19/2014 1:08 PM
Instrument: 193-6
Serial #: 293633
Layout: Garage
Background Reading: 3.6 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.82	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	3.60	uR/hr
Maximum:	4.40	uR/hr
Median:	3.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.6	uR/hr	No		Garage		uR/hr	
A2	3.6	uR/hr	No		Garage		uR/hr	
A3	3.6	uR/hr	No		Garage		uR/hr	
A4	3.6	uR/hr	No		Garage		uR/hr	
A5	3.6	uR/hr	No		Garage		uR/hr	
A6	3.6	uR/hr	No		Garage		uR/hr	
A7	4.0	uR/hr	No		Garage		uR/hr	
A8	3.6	uR/hr	No		Garage		uR/hr	
A9	3.6	uR/hr	No	90% falls outside of exterior wall	Garage		uR/hr	
B1	4.0	uR/hr	No		Garage		uR/hr	
B2	3.6	uR/hr	No		Garage		uR/hr	
B3	3.6	uR/hr	No		Garage		uR/hr	
B4	3.6	uR/hr	No		Garage		uR/hr	
B5	3.6	uR/hr	No		Garage		uR/hr	
B6	3.6	uR/hr	No		Garage		uR/hr	
B7	3.6	uR/hr	No		Garage		uR/hr	
B8	4.0	uR/hr	No		Garage		uR/hr	
B9	4.0	uR/hr	No	90% falls outside of exterior wall	Garage		uR/hr	
C1	4.4	uR/hr	No		Garage		uR/hr	
C2	3.6	uR/hr	No		Garage		uR/hr	
C3	3.6	uR/hr	No		Garage		uR/hr	
C4	4.0	uR/hr	No		Garage		uR/hr	
C5	4.0	uR/hr	No		Garage		uR/hr	
C6	4.0	uR/hr	No		Garage		uR/hr	
C7	3.6	uR/hr	No		Garage		uR/hr	
C8	4.0	uR/hr	No		Garage		uR/hr	
C9	4.0	uR/hr	No	90% falls outside of exterior wall	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	4.4	uR/hr	No	50% falls outside of exterior wall	Garage		uR/hr	
D2	4.0	uR/hr	No	50% falls outside of exterior wall	Garage		uR/hr	
D3	4.0	uR/hr	No	50% falls outside of exterior wall	Garage		uR/hr	
D4	4.0	uR/hr	No	50% falls outside of exterior wall	Garage		uR/hr	
D5	4.0	uR/hr	No	50% falls outside of exterior wall	Garage		uR/hr	
D6	4.0	uR/hr	No	50% falls outside of exterior wall	Garage		uR/hr	
D7	4.0	uR/hr	No	50% falls outside of exterior wall	Garage		uR/hr	
D8	4.0	uR/hr	No	50% falls outside of exterior wall	Garage		uR/hr	
D9	3.6	uR/hr	No	90% falls outside of exterior wall	Garage		uR/hr	

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1434 Halibut Court Unit G5

Unit Summary :

Completion Date: 6/19/2014 1:48 PM

Instrument: 193-6

Serial #: 309119

Layout: Garage

Background Reading: 3.6 uR/hr

Dimensions (m): D W

Unit Furnished:

Tenant Present:

Unit Notes:

Summary Statistics :


Total # of Readings:	36	
Average:	3.22	uR/hr
Standard Deviation:	0.09	uR/hr
Minimum:	3.20	uR/hr
Maximum:	3.60	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No		Garage		uR/hr	
A2	3.2	uR/hr	No		Garage		uR/hr	
A3	3.2	uR/hr	No		Garage		uR/hr	
A4	3.2	uR/hr	No		Garage		uR/hr	
A5	3.2	uR/hr	No		Garage		uR/hr	
A6	3.6	uR/hr	No		Garage		uR/hr	
A7	3.2	uR/hr	No		Garage		uR/hr	
A8	3.2	uR/hr	No		Garage		uR/hr	
A9	3.2	uR/hr	No		Garage		uR/hr	
B1	3.2	uR/hr	No		Garage		uR/hr	
B2	3.2	uR/hr	No		Garage		uR/hr	
B3	3.2	uR/hr	No		Garage		uR/hr	
B4	3.2	uR/hr	No		Garage		uR/hr	
B5	3.2	uR/hr	No		Garage		uR/hr	
B6	3.2	uR/hr	No		Garage		uR/hr	
B7	3.2	uR/hr	No		Garage		uR/hr	
B8	3.2	uR/hr	No		Garage		uR/hr	
B9	3.2	uR/hr	No		Garage		uR/hr	
C1	3.2	uR/hr	No		Garage		uR/hr	
C2	3.2	uR/hr	No		Garage		uR/hr	
C3	3.2	uR/hr	No		Garage		uR/hr	
C4	3.2	uR/hr	No		Garage		uR/hr	
C5	3.2	uR/hr	No		Garage		uR/hr	
C6	3.2	uR/hr	No		Garage		uR/hr	
C7	3.6	uR/hr	No		Garage		uR/hr	
C8	3.2	uR/hr	No		Garage		uR/hr	
C9	3.2	uR/hr	No		Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D2	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D3	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D4	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D5	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D6	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D7	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D8	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	
D9	3.2	uR/hr	No	partial grid- 20% accessible exterior wall within grid	Garage		uR/hr	

CBI Supervisor : Joyce McGee

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Unit Summary :


Completion Date:	6/18/2014 12:59 PM	
Instrument:	193-6	
Serial #:	309119	
Layout:	Garage	
Background Reading:	3.6	uR/hr

Summary Statistics :

Total # of Readings:	36	
Average:	3.39	uR/hr
Standard Deviation:	0.20	uR/hr
Minimum:	3.20	uR/hr
Maximum:	3.60	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Summary Report
1434 Halibut Court Unit G6

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No		Garage		uR/hr	
A2	3.2	uR/hr	No		Garage		uR/hr	
A3	3.6	uR/hr	No		Garage		uR/hr	
A4	3.6	uR/hr	No		Garage		uR/hr	
A5	3.6	uR/hr	No		Garage		uR/hr	
A6	3.6	uR/hr	No		Garage		uR/hr	
A7	3.6	uR/hr	No		Garage		uR/hr	
A8	3.6	uR/hr	No		Garage		uR/hr	
A9		uR/hr	No	n/a, grid is outside unit interior boundary	Garage		uR/hr	
B1	3.2	uR/hr	No		Garage		uR/hr	
B2	3.2	uR/hr	No		Garage		uR/hr	
B3	3.2	uR/hr	No		Garage		uR/hr	
B4	3.6	uR/hr	No		Garage		uR/hr	
B5	3.6	uR/hr	No		Garage		uR/hr	
B6	3.6	uR/hr	No		Garage		uR/hr	
B7	3.6	uR/hr	No		Garage		uR/hr	
B8	3.6	uR/hr	No		Garage		uR/hr	
B9		uR/hr	No	n/a, grid is outside unit interior boundary	Garage		uR/hr	
C1	3.2	uR/hr	No		Garage		uR/hr	
C2	3.2	uR/hr	No		Garage		uR/hr	
C3	3.6	uR/hr	No		Garage		uR/hr	
C4	3.2	uR/hr	No		Garage		uR/hr	
C5	3.2	uR/hr	No		Garage		uR/hr	
C6	3.2	uR/hr	No		Garage		uR/hr	
C7	3.6	uR/hr	No		Garage		uR/hr	
C8	3.6	uR/hr	No		Garage		uR/hr	
C9		uR/hr	No	n/a, grid is outside unit interior boundary	Garage		uR/hr	
D1	3.2	uR/hr	No	partial grid, 30% accessible, remainder is on exterior wall	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D2	3.2	uR/hr	No	partial grid, 30% accessible, remainder is on exterior wall	Garage		uR/hr	
D3	3.2	uR/hr	No	partial grid, 30% accessible, remainder is on exterior wall	Garage		uR/hr	
D4	3.6	uR/hr	No	partial grid, 30% accessible, remainder is on exterior wall	Garage		uR/hr	
D5	3.2	uR/hr	No	partial grid, 30% accessible, remainder is on exterior wall	Garage		uR/hr	
D6	3.2	uR/hr	No	partial grid, 30% accessible, remainder is on exterior wall	Garage		uR/hr	
D7	3.2	uR/hr	No	partial grid, 30% accessible, remainder is on exterior wall	Garage		uR/hr	
D8	3.2	uR/hr	No	partial grid, 30% accessible, remainder is on exterior wall	Garage		uR/hr	
D9		uR/hr	No	n/a, grid is outside unit interior boundary	Garage		uR/hr	

CBI Supervisor : Joyce McGee

Signature :



Senior Technician : Efraim Ramirez

Signature :



Unit Summary :


Completion Date:	6/18/2014 3:43 PM
Instrument:	193-6
Serial #:	309127
Layout:	Floor Plan 8
Background Reading:	3.6 uR/hr

Summary Statistics :

Total # of Readings:	116	
Average:	3.67	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	3.20	uR/hr
Maximum:	5.20	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Summary Report
1435 Halibut Court Unit A

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.6	uR/hr	No	partial grid- installed base cabinets	Kitchen		uR/hr	
A2	3.6	uR/hr	No	partial grid- installed dishwasher	Kitchen		uR/hr	
A3	3.6	uR/hr	No		Kitchen		uR/hr	
A4	4.0	uR/hr	No		Kitchen		uR/hr	
A9	4.0	uR/hr	No		Bedroom		uR/hr	
A10	3.6	uR/hr	No		Bedroom		uR/hr	
A11	4.0	uR/hr	No		Bedroom		uR/hr	
A12	3.6	uR/hr	No		Bedroom		uR/hr	
A13	4.0	uR/hr	No		Bedroom	4.0	uR/hr	Closet
B1	3.6	uR/hr	No		Kitchen		uR/hr	
B2	3.6	uR/hr	No		Kitchen		uR/hr	
B3	3.6	uR/hr	No		Kitchen		uR/hr	
B4	3.6	uR/hr	No		Kitchen		uR/hr	
B5	3.6	uR/hr	No	partial grid- outside unit interior boundary	Bedroom		uR/hr	
B6	3.6	uR/hr	No	partial grid- outside unit interior boundary	Bedroom		uR/hr	
B7	3.6	uR/hr	No	partial grid- outside unit interior boundary	Bedroom		uR/hr	
B8	3.6	uR/hr	No	partial grid- outside unit interior boundary	Closet		uR/hr	
B9	4.0	uR/hr	No		Bedroom		uR/hr	
B10	3.6	uR/hr	No		Bedroom		uR/hr	
B11	4.0	uR/hr	No		Bedroom		uR/hr	
B12	4.0	uR/hr	No		Bedroom		uR/hr	
B13	4.0	uR/hr	No		Closet	4.0	uR/hr	Bedroom
C1	3.6	uR/hr	No	partial grid- installed base cabinets	Kitchen		uR/hr	
C2	3.6	uR/hr	No		Kitchen		uR/hr	
C3	3.6	uR/hr	No		Kitchen		uR/hr	
C4	4.0	uR/hr	No		Kitchen		uR/hr	
C5	3.6	uR/hr	No	no actual partial there in dinning room	Bedroom		uR/hr	
C6	3.6	uR/hr	No		Bedroom		uR/hr	

Summary Report
1435 Halibut Court Unit A

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C7	3.6	uR/hr	No		Bedroom		uR/hr	
C8	3.6	uR/hr	No		Closet	3.6	uR/hr	Bedroom
C9	3.6	uR/hr	No		Bedroom		uR/hr	
C10	3.6	uR/hr	No		Bedroom		uR/hr	
C11	3.6	uR/hr	No		Bedroom		uR/hr	
C12	4.0	uR/hr	No		Bedroom		uR/hr	
C13	3.6	uR/hr	No		Bedroom	4.0	uR/hr	Closet
D1	3.6	uR/hr	No	reading taken in front of fridge	Kitchen		uR/hr	
D2	3.6	uR/hr	No		Kitchen		uR/hr	
D3	3.6	uR/hr	No		Kitchen		uR/hr	
D4	3.6	uR/hr	No		Kitchen		uR/hr	
D5	3.6	uR/hr	No	no actual partial there in dinning room	Bedroom		uR/hr	
D6	3.6	uR/hr	No		Bedroom		uR/hr	
D7	3.6	uR/hr	No		Bedroom		uR/hr	
D8	3.6	uR/hr	No		Closet	3.6	uR/hr	Bedroom
D9	3.6	uR/hr	No		Bedroom		uR/hr	
D10	3.6	uR/hr	No		Bathroom	3.6	uR/hr	Bedroom
D11	3.6	uR/hr	No		Bathroom	4.0	uR/hr	Bedroom
D12	4.0	uR/hr	No		Bathroom	3.6	uR/hr	Bedroom
D13	3.6	uR/hr	No	scan taken in the bath tub	Bedroom	4.0	uR/hr	Closet
E1	3.6	uR/hr	No		Dining Room		uR/hr	
E2	3.6	uR/hr	No		Dining Room		uR/hr	
E3	3.6	uR/hr	No		Dining Room		uR/hr	
E4	3.6	uR/hr	No		Dining Room		uR/hr	
E5	3.6	uR/hr	No	no actual partial there in dinning room	Bedroom		uR/hr	
E6	3.6	uR/hr	No		Bedroom		uR/hr	
E7	3.6	uR/hr	No		Bedroom		uR/hr	
E8	3.6	uR/hr	No		Hallway	3.6	uR/hr	Bedroom

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E9	3.6	uR/hr	No		Hallway		uR/hr	
E10	3.6	uR/hr	No		Bathroom		uR/hr	
E11	5.2	uR/hr	No	reading taken on left side of toilet corner of the grid. Elevated measurements due to NORM in toilet bowl materials.	Bathroom		uR/hr	
E12	4.8	uR/hr	No	reading taken on right side of toilet corner of the grid. Elevated measurements due to NORM in toilet bowl materials.	Bathroom		uR/hr	
E13	4.0	uR/hr	No	scan taken in the bath tub	Bathroom		uR/hr	
F1	3.6	uR/hr	No		Dining Room		uR/hr	
F2	3.6	uR/hr	No		Dining Room		uR/hr	
F3	3.6	uR/hr	No		Dining Room		uR/hr	
F4	3.6	uR/hr	No		Dining Room		uR/hr	
F5	3.6	uR/hr	No	no actual partial there in dinning room. full grid in closet	Closet		uR/hr	
F6	3.2	uR/hr	No	full grid in storage. scan and static taken 24". static taken in front of furnace	Storage		uR/hr	
F7	3.2	uR/hr	No	scan and static taken in storage at 24". static taken in front of water heater	Storage	3.6	uR/hr	Closet
F8	3.6	uR/hr	No	no closet partial	Hallway		uR/hr	
F9	3.6	uR/hr	No		Hallway	3.6	uR/hr	Closet
F10	3.6	uR/hr	No	scan taken at 7""	Bathroom	3.6	uR/hr	Closet
F11	4.0	uR/hr	No	reading taken on left side of toilet- elevated measurements due to NORM in toilet bowl materials	Bathroom	3.6	uR/hr	Utility
F12	4.0	uR/hr	No		Bathroom	3.6	uR/hr	Storage
F13	3.6	uR/hr	No	scan taken in the bath tub	Storage	4.0	uR/hr	Bathroom
G1	3.6	uR/hr	No		Dining Room		uR/hr	
G2	3.6	uR/hr	No		Dining Room		uR/hr	
G3	3.6	uR/hr	No		Dining Room		uR/hr	
G4	3.6	uR/hr	No		Dining Room		uR/hr	
G5	3.6	uR/hr	No		Hallway		uR/hr	
G6	3.2	uR/hr	No		Hallway		uR/hr	
G7	3.2	uR/hr	No		Hallway		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
G8	3.6	uR/hr	No		Hallway		uR/hr	
G9	3.2	uR/hr	No		Hallway	3.2	uR/hr	Utility
G10	3.6	uR/hr	No		Utility	3.6	uR/hr	Closet
G11	3.2	uR/hr	No		Utility		uR/hr	
G12	3.6	uR/hr	No		Storage	3.6	uR/hr	Storage
G13	3.6	uR/hr	No		Storage		uR/hr	
H1	3.6	uR/hr	No		Living Room		uR/hr	
H2	3.6	uR/hr	No		Living Room		uR/hr	
H3	3.6	uR/hr	No	partial grid- outside unit interior boundary	Living Room		uR/hr	
H4	3.6	uR/hr	No	optional reading 10"	Living Room	3.6	uR/hr	Hallway
H5	3.6	uR/hr	No		Hallway		uR/hr	
H6	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Hallway		uR/hr	
H7	3.6	uR/hr	No	partial grid- outside unit interior boundary	Hallway		uR/hr	
H8	3.2	uR/hr	No	partial grid- outside unit interior boundary	Hallway		uR/hr	
H9	3.6	uR/hr	No	partial grid- outside unit interior boundary	Hallway	3.6	uR/hr	Utility
H10	3.2	uR/hr	No	partial grid- outside unit interior boundary	Hallway		uR/hr	
H11	3.2	uR/hr	No	partial grid- outside unit interior boundary	Utility		uR/hr	
H12	3.6	uR/hr	No	partial grid- outside unit interior boundary	Utility	3.6	uR/hr	Storage
H13	3.6	uR/hr	No	partial grid- outside unit interior boundary	Storage		uR/hr	
I1	3.6	uR/hr	No		Living Room		uR/hr	
I2	3.6	uR/hr	No		Living Room		uR/hr	
I3	3.6	uR/hr	No		Living Room		uR/hr	
I4	3.6	uR/hr	No	optional reading 10"	Living Room	3.6	uR/hr	Hallway
I5	3.6	uR/hr	No		Hallway		uR/hr	
I6	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Hallway		uR/hr	
J1	3.6	uR/hr	No		Living Room		uR/hr	
J2	4.0	uR/hr	No		Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
J3	4.0	uR/hr	No		Living Room		uR/hr	
J4	4.0	uR/hr	No		Living Room		uR/hr	
J5	4.0	uR/hr	No	partial grid- outside unit interior boundary	Hallway		uR/hr	
J6	4.0	uR/hr	No	partial grid- outside unit interior boundary	Hallway		uR/hr	
K1	4.0	uR/hr	No	partial grid- outside unit interior boundary	Living Room		uR/hr	
K2	4.0	uR/hr	No	partial grid- outside unit interior boundary	Living Room		uR/hr	
K3	4.0	uR/hr	No	partial grid- outside unit interior boundary	Living Room		uR/hr	
K4	4.0	uR/hr	No	partial grid- outside unit interior boundary	Living Room		uR/hr	

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Unit Summary :


Completion Date:	6/18/2014 1:57 PM	
Instrument:	193-6	
Serial #:	309136	
Layout:	Floor Plan 8B	
Background Reading:	2.8	uR/hr
Dimensions (m):	D	W
Unit Furnished:		
Tenant Present:		
Unit Notes:		

Summary Statistics :

Total # of Readings:	114	
Average:	3.10	uR/hr
Standard Deviation:	0.51	uR/hr
Minimum:	2.80	uR/hr
Maximum:	5.20	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	2.8	uR/hr	No		Living Room		uR/hr	
A2	2.8	uR/hr	No		Living Room		uR/hr	
A3	2.8	uR/hr	No		Living Room		uR/hr	
A4	3.2	uR/hr	No		Living Room		uR/hr	
B1	2.8	uR/hr	No		Living Room		uR/hr	
B2	3.2	uR/hr	No		Living Room		uR/hr	
B3	2.8	uR/hr	No		Living Room		uR/hr	
B4	2.8	uR/hr	No		Living Room		uR/hr	
B5	3.2	uR/hr	No		Hallway		uR/hr	
B6	2.8	uR/hr	No		Hallway		uR/hr	
C1	2.8	uR/hr	No		Living Room		uR/hr	
C2	2.8	uR/hr	No		Living Room		uR/hr	
C3	2.8	uR/hr	No		Living Room		uR/hr	
C4	2.8	uR/hr	No		Living Room		uR/hr	
C5	2.8	uR/hr	No		Hallway		uR/hr	
C6	2.8	uR/hr	No		Hallway		uR/hr	
D1	2.8	uR/hr	No		Living Room		uR/hr	
D2	2.8	uR/hr	No		Living Room		uR/hr	
D3	2.8	uR/hr	No		Living Room		uR/hr	
D4	2.8	uR/hr	No		Living Room		uR/hr	
D5	2.8	uR/hr	No		Hallway		uR/hr	
D6	2.8	uR/hr	No	partial grid-grid partially contained within wall construction (70%)	Hallway		uR/hr	
D7	2.8	uR/hr	No		Hallway		uR/hr	
D8	2.8	uR/hr	No		Hallway		uR/hr	
D9	2.8	uR/hr	No		Hallway		uR/hr	
D10	2.8	uR/hr	No		Utility		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D11	2.8	uR/hr	No		Utility		uR/hr	
D12	2.8	uR/hr	No		Utility		uR/hr	
D13	3.2	uR/hr	No		Storage		uR/hr	
E1	2.8	uR/hr	No		Dining Room		uR/hr	
E2	2.8	uR/hr	No		Dining Room		uR/hr	
E3	2.8	uR/hr	No		Dining Room		uR/hr	
E4	2.8	uR/hr	No		Dining Room		uR/hr	
E5	2.8	uR/hr	No		Hallway	2.8	uR/hr	Closet
E6	2.8	uR/hr	No	partial grid-installed furnace and water heater (measurement taken at .53m above ground level with a 12" from that point)	Hallway	2.8	uR/hr	Closet
E7	2.8	uR/hr	No	partial grid-installed furnace and water heater (measurement taken at .53m above ground level with a 12" from that point)	Hallway	2.4	uR/hr	Storage
E8	2.8	uR/hr	No		Closet	2.8	uR/hr	Hallway
E9	2.8	uR/hr	No		Hallway	2.8	uR/hr	Closet
E10	2.8	uR/hr	No		Closet	3.2	uR/hr	Utility
E11	3.2	uR/hr	No	partial grid-installed dryer (30%)	Utility		uR/hr	
E12	3.6	uR/hr	No	partial grid-installed washer (30%)	Utility		uR/hr	
E13	3.6	uR/hr	No		Storage		uR/hr	
F1	2.8	uR/hr	No		Dining Room		uR/hr	
F2	2.8	uR/hr	No		Dining Room		uR/hr	
F3	2.8	uR/hr	No		Dining Room		uR/hr	
F4	2.8	uR/hr	No		Dining Room		uR/hr	
F5	2.8	uR/hr	No		Bedroom	2.8	uR/hr	Closet
F6	2.8	uR/hr	No	partial grid-installed furnace and water heater (measurement taken at .53m above ground level with a 12" from that point)	Bedroom	2.8	uR/hr	Closet
F7	2.8	uR/hr	No	partial grid-installed furnace and water heater (measurement taken at .53m above ground level with a 12" from that point)	Bedroom	2.8	uR/hr	Closet
F8	2.8	uR/hr	No		Bedroom	2.8	uR/hr	Closet

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F9	2.8	uR/hr	No		Hallway	2.8	uR/hr	Closet
F10	3.2	uR/hr	No		Bathroom	2.8	uR/hr	Closet
F11	4.4	uR/hr	No		Bathroom		uR/hr	
F12	4.4	uR/hr	No		Bathroom		uR/hr	
F13	5.2	uR/hr	No	elevated measurements due to NORM in ceramic floor tile fabrication materials.	Bathroom		uR/hr	
G1	2.8	uR/hr	No	partial grid- 75% grid partially contained within wall construction and refrigerator	Dining Room	2.8	uR/hr	Kitchen
G2	2.8	uR/hr	No		Dining Room	2.8	uR/hr	Kitchen
G3	2.8	uR/hr	No		Dining Room	2.8	uR/hr	Kitchen
G4	2.8	uR/hr	No		Dining Room	2.8	uR/hr	Kitchen
G5	2.8	uR/hr	No		Bedroom	2.8	uR/hr	Kitchen
G6	2.8	uR/hr	No		Bedroom		uR/hr	
G7	2.8	uR/hr	No		Bedroom		uR/hr	
G8	3.2	uR/hr	No		Closet	3.2	uR/hr	Hallway
G9	3.2	uR/hr	No		Hallway		uR/hr	
G10	3.6	uR/hr	No		Bathroom		uR/hr	
G11	4.0	uR/hr	No		Bathroom		uR/hr	
G12	4.8	uR/hr	No	elevated measurements due to NORM in toilet and ceramic floor tile fabrication materials.	Bathroom		uR/hr	
G13	4.8	uR/hr	No	elevated measurements due to NORM in ceramic floor tile fabrication materials.	Bathroom		uR/hr	
H1	2.8	uR/hr	No	partial grid-installed refrigerator (15%)	Kitchen		uR/hr	
H2	2.8	uR/hr	No		Kitchen		uR/hr	
H3	3.2	uR/hr	No		Kitchen		uR/hr	
H4	2.8	uR/hr	No		Kitchen		uR/hr	
H5	2.8	uR/hr	No		Bedroom	2.8	uR/hr	Dining Room
H6	2.8	uR/hr	No		Bedroom		uR/hr	
H7	2.8	uR/hr	No		Bedroom		uR/hr	
H8	3.2	uR/hr	No		Closet		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
H9	2.8	uR/hr	No		Bathroom		uR/hr	
H10	3.6	uR/hr	No	bathroom length (3.45m) bathroom width (2.6m)	Bathroom		uR/hr	
H11	4.0	uR/hr	No	bathroom length (3.45m) bathroom width	Bedroom		uR/hr	
H12	4.8	uR/hr	No	elevated measurements due to NORM in ceramic floor tile fabrication materials.	Bathroom		uR/hr	
H13	4.8	uR/hr	No	elevated measurements due to NORM in ceramic floor tile fabrication materials.	Bathroom		uR/hr	
I1	2.8	uR/hr	No	partial grid-installed base cabinets and stove (35%)	Kitchen		uR/hr	
I2	3.2	uR/hr	No		Kitchen		uR/hr	
I3	3.2	uR/hr	No		Kitchen		uR/hr	
I4	2.8	uR/hr	No		Kitchen		uR/hr	
I5	3.2	uR/hr	No	partial grid-partial grid exists within wall construction; partial grid-partial grid exists outside of floor plan	Bedroom	2.8	uR/hr	Dining Room
I6	3.2	uR/hr	No	partial grid-grid partially contained within wall construction; grid partially existing outside of the floorplan	Bedroom		uR/hr	
I7	3.2	uR/hr	No	partial grid-grid partially contained within wall construction; grid partially existing outside of the floorplan	Bedroom		uR/hr	
I8	2.8	uR/hr	No	partial grid-grid partially contained within wall construction; grid partially existing outside of the floorplan	Closet		uR/hr	
I9	3.2	uR/hr	No		Bedroom		uR/hr	
I10	3.2	uR/hr	No		Bedroom		uR/hr	
I11	3.2	uR/hr	No		Bedroom		uR/hr	
I12	3.6	uR/hr	No		Bedroom		uR/hr	
I13	3.6	uR/hr	No		Closet		uR/hr	
J1	2.8	uR/hr	No	partial grid-installed base cabinets (35%)	Kitchen		uR/hr	
J2	3.2	uR/hr	No		Kitchen		uR/hr	
J3	2.8	uR/hr	No		Kitchen		uR/hr	
J4	3.2	uR/hr	No		Kitchen		uR/hr	
J5		uR/hr	No	N/A grid outside unit interior boundary. Kitchen length (3.8m) kitchen width (3.6m)	Kitchen		uR/hr	
J9	3.2	uR/hr	No		Bedroom		uR/hr	
J10	3.2	uR/hr	No		Bedroom		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
J11	3.2	uR/hr	No		Bedroom		uR/hr	
J12	3.2	uR/hr	No		Bedroom		uR/hr	
J13	3.2	uR/hr	No	partial grid-partial grid exists within wall construction 58%	Closet		uR/hr	
K1	2.8	uR/hr	No	partial grid-installed base cabinets 20%	Kitchen		uR/hr	
K2	3.2	uR/hr	No	partial grid-grid partially contained within wall construction	Kitchen		uR/hr	
K3	3.2	uR/hr	No	partial grid-installed dish washer 20%	Kitchen		uR/hr	
K4	3.2	uR/hr	No	partial grid-grid partially contained within wall construction 55%	Kitchen		uR/hr	
K5		uR/hr	No	N/A grid outside unit interior boundary. Kitchen length (3.8m) kitchen width (3.6m)	Kitchen		uR/hr	
K9	3.2	uR/hr	No	partial grid-partial grid exists within wall construction (50%)	Bedroom		uR/hr	
K10	3.2	uR/hr	No	partial grid-partial grid exists within wall construction (50%)	Bedroom		uR/hr	
K11	3.2	uR/hr	No	partial grid-partial grid exists within wall construction (50%)	Bedroom		uR/hr	
K12	3.2	uR/hr	No	partial grid-partial grid exists within wall construction (87%)	Bedroom		uR/hr	
K13	3.2	uR/hr	No	partial grid-partial grid exists within wall construction 58%	Closet		uR/hr	

Secondary Readings : H12

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Static Reading - 36 inch height, Center	193-6	309136	4.0	uR/hr		

Secondary Type	Notes

Secondary Readings : H13

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Static Reading - 12 inch height, Center	193-6	309136	4.8	uR/hr		
Static Reading - 36 inch height, Center	193-6	309136	4.0	uR/hr		

Secondary Type	Notes

Secondary Readings : G12

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Static Reading - 12 inch height, Center	193-6	309136	4.8	uR/hr		
Static Reading - 36 inch height, Center	193-6	309136	4.4	uR/hr		

Secondary Type	Notes

Secondary Readings : G13

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Static Reading - 12 inch height, Center	193-6	309136	4.8	uR/hr		
Static Reading - 36 inch height, Center	193-6	309136	4.4	uR/hr		

Secondary Type	Notes

Secondary Readings : F13

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Static Reading - 12 inch height, Center	193-6	309136	5.2	uR/hr		

Secondary Type	Notes

Secondary Readings : K5

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC

Secondary Type	Notes



WIN_20140618_122606.JPG

Secondary Readings : J5

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC

Secondary Type	Notes



WIN_20140618_122606.JPG

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Unit Summary :


Completion Date:	6/18/2014 3:47 PM	
Instrument:	193-6	
Serial #:	309127	
Layout:	Garage	
Background Reading:	4.0	uR/hr

Summary Statistics :

Total # of Readings:	37	
Average:	3.75	uR/hr
Standard Deviation:	0.20	uR/hr
Minimum:	3.60	uR/hr
Maximum:	4.00	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Summary Report
1435 Halibut Court Unit G1

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.6	uR/hr	No		Garage		uR/hr	
A2	3.6	uR/hr	No		Garage		uR/hr	
A3	3.6	uR/hr	No		Garage		uR/hr	
A4	3.6	uR/hr	No		Garage		uR/hr	
A5	3.6	uR/hr	No		Garage		uR/hr	
A5	4.0	uR/hr	No	partial outside unit interior boundary	Kitchen		uR/hr	
A6	4.0	uR/hr	No		Garage		uR/hr	
A7	3.6	uR/hr	No		Garage		uR/hr	
A8	3.6	uR/hr	No		Garage		uR/hr	
A9	3.6	uR/hr	No	partial grid- outside unit interior boundary	Garage		uR/hr	
B1	3.6	uR/hr	No		Garage		uR/hr	
B2	3.6	uR/hr	No		Garage		uR/hr	
B3	3.6	uR/hr	No		Garage		uR/hr	
B4	3.6	uR/hr	No		Garage		uR/hr	
B5	3.6	uR/hr	No		Garage		uR/hr	
B6	4.0	uR/hr	No		Garage		uR/hr	
B7	4.0	uR/hr	No		Garage		uR/hr	
B8	3.6	uR/hr	No		Garage		uR/hr	
B9	3.6	uR/hr	No	partial grid- outside unit interior boundary	Garage		uR/hr	
C1	3.6	uR/hr	No		Garage		uR/hr	
C2	3.6	uR/hr	No		Garage		uR/hr	
C3	3.6	uR/hr	No		Garage		uR/hr	
C4	3.6	uR/hr	No		Garage		uR/hr	
C5	3.6	uR/hr	No		Garage		uR/hr	
C6	4.0	uR/hr	No		Garage		uR/hr	
C7	4.0	uR/hr	No		Garage		uR/hr	
C8	4.0	uR/hr	No		Garage		uR/hr	
C9	4.0	uR/hr	No	partial grid- outside unit interior boundary	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D2	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D3	3.6	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D4	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D5	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D6	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D7	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D8	4.0	uR/hr	No	partial grid- grid partially contained within wall construction	Garage		uR/hr	
D9	4.0	uR/hr	No	partial grid- outside unit interior boundary	Garage		uR/hr	


CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Summary Report
1435 Halibut Court Unit G2

Unit Summary :


Completion Date: 6/19/2014 3:09 PM
Instrument: 193-6
Serial #: 293633
Layout: Garage
Background Reading: 3.2 uR/hr
Dimensions (m): D W
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings:	36	
Average:	3.58	uR/hr
Standard Deviation:	0.13	uR/hr
Minimum:	3.20	uR/hr
Maximum:	4.00	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C1	3.2	uR/hr	Garage			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Garage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Garage			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
D2	3.2	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
D3	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
D4	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
D5	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
D6	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
D7	4.0	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
D8	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
D9	3.6	uR/hr	Garage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1435 Halibut Court Unit G3

Unit Summary :


Completion Date:	6/19/2014 4:09 PM	
Instrument:	193-6	
Serial #:	309110	
Layout:	Garage	
Background Reading:	3.6	uR/hr
Dimensions (m):	D	W
Unit Furnished:		
Tenant Present:		
Unit Notes:		

Summary Statistics :

Total # of Readings:	36	
Average:	3.64	uR/hr
Standard Deviation:	0.13	uR/hr
Minimum:	3.60	uR/hr
Maximum:	4.00	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	4.0	uR/hr	No		Garage		uR/hr	
A2	3.6	uR/hr	No		Garage		uR/hr	
A3	4.0	uR/hr	No		Garage		uR/hr	
A4	3.6	uR/hr	No		Garage		uR/hr	
A5	3.6	uR/hr	No		Garage		uR/hr	
A6	3.6	uR/hr	No		Garage		uR/hr	
A7	3.6	uR/hr	No		Garage		uR/hr	
A8	3.6	uR/hr	No		Garage		uR/hr	
A9	3.6	uR/hr	No	50% accessible	Garage		uR/hr	
B1	4.0	uR/hr	No		Garage		uR/hr	
B2	3.6	uR/hr	No		Garage		uR/hr	
B3	3.6	uR/hr	No		Garage		uR/hr	
B4	3.6	uR/hr	No		Garage		uR/hr	
B5	3.6	uR/hr	No		Garage		uR/hr	
B6	3.6	uR/hr	No		Garage		uR/hr	
B7	3.6	uR/hr	No		Garage		uR/hr	
B8	3.6	uR/hr	No		Garage		uR/hr	
B9	3.6	uR/hr	No	50% accessible	Garage		uR/hr	
C1	4.0	uR/hr	No		Garage		uR/hr	
C2	3.6	uR/hr	No		Garage		uR/hr	
C3	3.6	uR/hr	No		Garage		uR/hr	
C4	3.6	uR/hr	No		Garage		uR/hr	
C5	3.6	uR/hr	No		Garage		uR/hr	
C6	3.6	uR/hr	No		Garage		uR/hr	
C7	3.6	uR/hr	No		Garage		uR/hr	
C8	3.6	uR/hr	No		Garage		uR/hr	
C9	3.6	uR/hr	No	50% accessible	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	3.6	uR/hr	No		Garage		uR/hr	
D2	3.6	uR/hr	No	50% accessible	Garage		uR/hr	
D3	3.6	uR/hr	No		Garage		uR/hr	
D4	3.6	uR/hr	No	50% accessible	Garage		uR/hr	
D5	3.6	uR/hr	No	50% accessible	Garage		uR/hr	
D6	3.6	uR/hr	No	50% accessible	Garage		uR/hr	
D7	3.6	uR/hr	No	50% accessible	Garage		uR/hr	
D8	3.6	uR/hr	No	50% accessible	Garage		uR/hr	
D9	3.6	uR/hr	No	15% accessible	Garage		uR/hr	

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1435 Halibut Court Unit G4

Unit Summary :

Completion Date: 6/23/2014 1:14 PM

Instrument: 193-6

Serial #: 293633

Layout: Garage

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Summary Statistics :


Total # of Readings:	36	
Average:	3.66	uR/hr
Standard Deviation:	0.17	uR/hr
Minimum:	3.20	uR/hr
Maximum:	4.00	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.6	uR/hr	No		Garage		uR/hr	
A2	3.6	uR/hr	No		Garage		uR/hr	
A3	3.6	uR/hr	No		Garage		uR/hr	
A4	3.6	uR/hr	No		Garage		uR/hr	
A5	3.6	uR/hr	No		Garage		uR/hr	
A6	3.6	uR/hr	No		Garage		uR/hr	
A7	3.6	uR/hr	No		Garage		uR/hr	
A8	3.6	uR/hr	No		Garage		uR/hr	
A9	3.2	uR/hr	No	10% accessible	Garage		uR/hr	
B1	4.0	uR/hr	No		Garage		uR/hr	
B2	3.6	uR/hr	No		Garage		uR/hr	
B3	3.6	uR/hr	No		Garage		uR/hr	
B4	3.6	uR/hr	No		Garage		uR/hr	
B5	3.6	uR/hr	No		Garage		uR/hr	
B6	3.6	uR/hr	No		Garage		uR/hr	
B7	3.6	uR/hr	No		Garage		uR/hr	
B8	3.6	uR/hr	No		Garage		uR/hr	
B9	3.6	uR/hr	No	10% accessible	Garage		uR/hr	
C1	3.6	uR/hr	No		Garage		uR/hr	
C2	4.0	uR/hr	No		Garage		uR/hr	
C3	4.0	uR/hr	No		Garage		uR/hr	
C4	3.6	uR/hr	No		Garage		uR/hr	
C5	3.6	uR/hr	No		Garage		uR/hr	
C6	3.6	uR/hr	No		Garage		uR/hr	
C7	3.6	uR/hr	No		Garage		uR/hr	
C8	3.6	uR/hr	No		Garage		uR/hr	
C9	3.6	uR/hr	No	10% accessible	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	4.0	uR/hr	No	30% accessible	Garage		uR/hr	
D2	4.0	uR/hr	No	30% accessible	Garage		uR/hr	
D3	3.6	uR/hr	No	30% accessible	Garage		uR/hr	
D4	3.6	uR/hr	No	30% accessible	Garage		uR/hr	
D5	3.6	uR/hr	No	30% accessible	Garage		uR/hr	
D6	3.6	uR/hr	No	30% accessible	Garage		uR/hr	
D7	3.6	uR/hr	No	30% accessible	Garage		uR/hr	
D8	4.0	uR/hr	No	30% accessible	Garage		uR/hr	
D9	3.6	uR/hr	No	10% accessible	Garage		uR/hr	

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1435 Halibut Court Unit G5

Unit Summary :

Completion Date: 6/23/2014 11:22 AM

Instrument: 193-6

Serial #: 293633

Layout: Garage

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.1 W 3.3

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Summary Statistics :


Total # of Readings:	36	
Average:	3.57	uR/hr
Standard Deviation:	0.11	uR/hr
Minimum:	3.20	uR/hr
Maximum:	3.60	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.6	uR/hr	No		Garage		uR/hr	
A2	3.6	uR/hr	No		Garage		uR/hr	
A3	3.6	uR/hr	No		Garage		uR/hr	
A4	3.6	uR/hr	No		Garage		uR/hr	
A5	3.6	uR/hr	No		Garage		uR/hr	
A6	3.6	uR/hr	No		Garage		uR/hr	
A7	3.6	uR/hr	No		Garage		uR/hr	
A8	3.6	uR/hr	No		Garage		uR/hr	
A9	3.6	uR/hr	No	10% accessible	Garage		uR/hr	
B1	3.6	uR/hr	No		Garage		uR/hr	
B2	3.6	uR/hr	No		Garage		uR/hr	
B3	3.6	uR/hr	No		Garage		uR/hr	
B4	3.6	uR/hr	No		Garage		uR/hr	
B5	3.6	uR/hr	No		Garage		uR/hr	
B6	3.6	uR/hr	No		Garage		uR/hr	
B7	3.6	uR/hr	No		Garage		uR/hr	
B8	3.6	uR/hr	No		Garage		uR/hr	
B9	3.6	uR/hr	No	10% accessible	Garage		uR/hr	
C1	3.6	uR/hr	No		Garage		uR/hr	
C2	3.6	uR/hr	No		Garage		uR/hr	
C3	3.6	uR/hr	No		Garage		uR/hr	
C4	3.6	uR/hr	No		Garage		uR/hr	
C5	3.6	uR/hr	No		Garage		uR/hr	
C6	3.6	uR/hr	No		Garage		uR/hr	
C7	3.6	uR/hr	No		Garage		uR/hr	
C8	3.6	uR/hr	No		Garage		uR/hr	
C9	3.6	uR/hr	No	10% accessible	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	3.6	uR/hr	No	30% accessible	Garage		uR/hr	
D2	3.6	uR/hr	No	30% accessible	Garage		uR/hr	
D3	3.6	uR/hr	No	30% accessible	Garage		uR/hr	
D4	3.2	uR/hr	No	30% accessible	Garage		uR/hr	
D5	3.2	uR/hr	No	30% accessible	Garage		uR/hr	
D6	3.6	uR/hr	No	30% accessible	Garage		uR/hr	
D7	3.6	uR/hr	No	30% accessible	Garage		uR/hr	
D8	3.6	uR/hr	No	30% accessible	Garage		uR/hr	
D9	3.2	uR/hr	No	10% accessible	Garage		uR/hr	


CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Unit Summary :


Completion Date:	6/18/2014 2:32 PM	
Instrument:	193-6	
Serial #:	309136	
Layout:	Garage	
Background Reading:	3.2	uR/hr

Summary Statistics :

Total # of Readings:	36	
Average:	3.07	uR/hr
Standard Deviation:	0.21	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.60	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Summary Report
1435 Halibut Court Unit G6

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	2.8	uR/hr	No		Garage		uR/hr	
A2	2.8	uR/hr	No		Garage		uR/hr	
A3	2.8	uR/hr	No		Garage		uR/hr	
A4	3.2	uR/hr	No		Garage		uR/hr	
A5	3.2	uR/hr	No		Garage		uR/hr	
A6	3.6	uR/hr	No		Garage		uR/hr	
A7	3.2	uR/hr	No		Garage		uR/hr	
A8	3.2	uR/hr	No		Garage		uR/hr	
A9	2.8	uR/hr	No	partial grid-grid partially contained within wall construction (30%)	Garage		uR/hr	
B1	2.8	uR/hr	No		Garage		uR/hr	
B2	3.2	uR/hr	No		Garage		uR/hr	
B3	3.2	uR/hr	No		Garage		uR/hr	
B4	3.2	uR/hr	No		Garage		uR/hr	
B5	2.8	uR/hr	No		Garage		uR/hr	
B6	3.2	uR/hr	No		Garage		uR/hr	
B7	3.2	uR/hr	No		Garage		uR/hr	
B8	3.2	uR/hr	No		Garage		uR/hr	
B9	3.2	uR/hr	No	partial grid-grid partially contained within wall construction (10%)	Garage		uR/hr	
C1	2.8	uR/hr	No		Garage		uR/hr	
C2	2.8	uR/hr	No		Garage		uR/hr	
C3	2.8	uR/hr	No		Garage		uR/hr	
C4	3.2	uR/hr	No		Garage		uR/hr	
C5	3.2	uR/hr	No		Garage		uR/hr	
C6	3.2	uR/hr	No		Garage		uR/hr	
C7	2.8	uR/hr	No		Garage		uR/hr	
C8	3.2	uR/hr	No		Garage		uR/hr	
C9	3.2	uR/hr	No	partial grid-grid partially contained within wall construction (10%)	Garage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D1	2.8	uR/hr	No	partial grid-grid partially contained within wall construction (50%)	Garage		uR/hr	
D2	2.8	uR/hr	No	partial grid-grid partially contained within wall construction (50%)	Garage		uR/hr	
D3	3.2	uR/hr	No	partial grid-grid partially contained within wall construction (50%)	Garage		uR/hr	
D4	3.2	uR/hr	No	partial grid-grid partially contained within wall construction (50%)	Garage		uR/hr	
D5	3.2	uR/hr	No	partial grid-grid partially contained within wall construction (50%)	Garage		uR/hr	
D6	3.2	uR/hr	No		Garage		uR/hr	
D7	3.2	uR/hr	No	partial grid-grid partially contained within wall construction (50%)	Garage		uR/hr	
D8	2.8	uR/hr	No	partial grid-grid partially contained within wall construction (50%)	Garage		uR/hr	
D9	3.2	uR/hr	No	partial grid-grid partially contained within wall construction (30%)	Garage		uR/hr	


CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Unit Summary :

Completion Date: 8/13/2014 10:52 AM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 8

Background Reading: 3.6 uR/hr

Dimensions (m): D 10.2 W 12.4

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids H7-H13, J5, J6 fall outside unit. Grids B6 and B7 are less than 6" and surveyed with adjacent grid.

Summary Statistics :


Total # of Readings:	142	
Average:	3.58	uR/hr
Standard Deviation:	0.23	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A2	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	50% accessible
A3	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
A4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
A5	4.0	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	4.0	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
A10	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A11	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A12	4.0	uR/hr	Bedroom			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B1	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
B2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B8	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
B9	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C1	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
C2	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Kitchen		3.6	uR/hr	Bedroom			uR/hr			No	
C6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Closet		3.6	uR/hr	Bedroom			uR/hr			No	
C9	3.6	uR/hr	Bedroom		3.6	uR/hr	Hallway			uR/hr			No	
C10	3.2	uR/hr	Bedroom		3.6	uR/hr	Bathroom			uR/hr			No	
C11	3.6	uR/hr	Bedroom		3.6	uR/hr	Bathroom			uR/hr			No	
C12	3.2	uR/hr	Bedroom		3.6	uR/hr	Bathroom			uR/hr			No	
C13	4.0	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D1	3.2	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Dining Room			uR/hr			No	60% accessible, refrigerator moved for survey
D2	3.6	uR/hr	Kitchen		3.2	uR/hr	Dining Room			uR/hr			No	
D3	3.6	uR/hr	Kitchen		3.6	uR/hr	Dining Room			uR/hr			No	
D4	3.2	uR/hr	Kitchen	Installed refrigerator.	3.6	uR/hr	Dining Room			uR/hr			No	80% accessible, second installed refrigerator moved for survey

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D5	3.6	uR/hr	Kitchen		3.2	uR/hr	Dining Room		3.6	uR/hr	Bedroom		No	
D6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D13	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.	4.0	uR/hr	Closet			uR/hr			No	40% accessible, bath tub surveyed
E1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Dining Room		3.6	uR/hr	Bedroom			uR/hr			No	
E6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
E11	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E12	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E13	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, bathtub surveyed

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Dining Room		3.2	uR/hr	Closet		3.6	uR/hr	Hallway		No	
F6	3.2	uR/hr	Closet		3.2	uR/hr	Mech Room	Installed furnace.		uR/hr			No	60% accessible, Static taken at 21" above floor
F7	3.6	uR/hr	Closet		2.8	uR/hr	Mech Room	Installed water heater.		uR/hr			No	50% accessible, closet Static taken at 10" above floor. mech room Static taken at 21" above floor
F8	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
F9	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
F10	3.6	uR/hr	Closet		3.6	uR/hr	Utility			uR/hr			No	
F11	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	50% accessible
F12	3.6	uR/hr	Storage		3.6	uR/hr	Utility	Washing machine within grid.		uR/hr			No	50% accessible
F13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G1	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G2	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G3	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
G9	3.6	uR/hr	Hallway		3.6	uR/hr	Utility			uR/hr			No	
G10	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Storage		3.6	uR/hr	Utility			uR/hr			No	
G13	4.0	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
H5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible
H7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
I2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
I3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
I4	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
I5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
I6	3.6	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible
J1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
J4	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
J5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
K1	4.0	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
K2	4.0	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
K3	4.0	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr	Kitchen		No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
K4	4.0	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/13/2014 11:17 AM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 8B

Background Reading: 3.2 uR/hr

Dimensions (m): D 12.3 W 10.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids K1 to K4 were less than 6" and were scanned with adjacent grids. Grids in row 14, A5, J5, and K5 are outside of floor plan.

Summary Statistics :


Total # of Readings:	147	
Average:	3.19	uR/hr
Standard Deviation:	0.16	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
A5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
B5	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	55% accessible
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
C5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	55% accessible
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D7	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D8	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D9	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Utility			uR/hr			No	80% accessible
D10	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D13	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	45% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E1	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E5	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
E6	3.2	uR/hr	Mech Room	Installed furnace.	3.2	uR/hr	Hallway			uR/hr			No	60% accessible. Static taken in mech room 25" from floor surface

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	2.8	uR/hr	Mech Room	Installed water heater.	3.2	uR/hr	Hallway			uR/hr			No	60% accessible. Static taken in mech room 25" from floor surface
E8	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Closet		3.2	uR/hr	Hallway		3.2	uR/hr	Utility		No	
E10	3.2	uR/hr	Closet		3.2	uR/hr	Utility			uR/hr			No	moved installed washer to survey grid
E11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	moved installed dryer to survey grid
E12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
E13	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	45% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F1	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Bedroom		3.2	uR/hr	Closet			uR/hr			No	
F6	3.2	uR/hr	Bedroom		2.8	uR/hr	Mech Room	Installed furnace.		uR/hr			No	60% accessible. Static taken in mech room 25" from floor surface
F7	3.2	uR/hr	Bedroom		2.8	uR/hr	Mech Room	Installed water heater.		uR/hr			No	60% accessible. Static taken in mech room 25" from floor surface

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	3.2	uR/hr	Bedroom		3.2	uR/hr	Closet		3.2	uR/hr	Hallway		No	
F9	3.2	uR/hr	Hallway		3.2	uR/hr	Bedroom			uR/hr			No	
F10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
F11	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	static taken by toilet
F12	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	45% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G1	3.2	uR/hr	Kitchen		2.8	uR/hr	Dining Room			uR/hr			No	moved installed refrigerator to survey grid
G2	3.2	uR/hr	Kitchen		3.2	uR/hr	Dining Room			uR/hr			No	
G3	3.2	uR/hr	Kitchen		3.2	uR/hr	Dining Room			uR/hr			No	
G4	3.2	uR/hr	Kitchen		3.2	uR/hr	Dining Room			uR/hr			No	
G5	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
G9	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
G10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.	3.2	uR/hr	Closet			uR/hr			No	45% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H1	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H8	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
H9	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
H10	2.8	uR/hr	Bedroom		3.2	uR/hr	Bathroom			uR/hr			No	
H11	3.2	uR/hr	Bedroom		3.2	uR/hr	Bathroom			uR/hr			No	
H12	3.2	uR/hr	Bedroom		3.2	uR/hr	Bathroom			uR/hr			No	
H13	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	45% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I1	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
I2	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
I3	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
I4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
I5	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
I6	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
I7	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible