

Appendix C

Daily Housing Unit Survey Reports



Summary Report
1108 Halburton Court Unit A

Unit Summary :

Completion Date: 7/16/2014 9:58 AM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A10-G10 partial grids are outside unit interior boundary

Summary Statistics :

Total # of Readings: 88
Average: 3.30 uR/hr
Standard Deviation: 0.29 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	moved refrigerator to survey grid
A5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	moved refrigerator to survey grid
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.6	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
B6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1108 Halburton Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen		3.2	uR/hr	Storage		No	static taken at 4" due to cabinet shelf
C5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	40% accessible from storage, kitchen half of grid installed stove
C6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	40% accessible from storage, kitchen half of grid installed cabinet drawers.
C7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D5	3.2	uR/hr	Storage		3.6	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E5	3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
E6	3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Dining Room		3.6	uR/hr	Mech Room			uR/hr			No	
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	65% accessible
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
F5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	75% accessible
F7	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	static reading 1.8 meters from floor for stairs
F8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static reading .6 meters from floor
F9	3.6	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Stairs			uR/hr			No	30% accessible
F12	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.6	uR/hr	Trash			uR/hr			No	90% accessible
F13	4.0	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1108 Halburton Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	4.0	uR/hr	Bathroom			uR/hr			No	30% accessible
G5	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible- installed washer and dryer
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. static reading 1.8 meters from floor
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. static reading 1.3 meters from floor
G9	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	15% accessible- installed water heater
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
G13	4.0	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Summary Report
1108 Halburton Court Unit B

Unit Summary :

Completion Date: 7/16/2014 10:19 AM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 2B
Background Reading: 2.8 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
A10 to G10, C12 to C14, A14 and B14 were
outside of floor plan. Total depth of unit is 9 m.

Summary Statistics :

Total # of Readings: 91
Average: 2.93 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
A5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	30% accessible
A7	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1.2 m from ground level
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at .8 m from ground level
A9	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	70% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	depth is 9 m
A12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A13	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
A14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
B5	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B6	2.8	uR/hr	Utility	Clothes dryer within grid.	2.8	uR/hr	Hallway			uR/hr			No	60% accessible, dryer moved for survey
B7	2.8	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
B8	2.8	uR/hr	Dining Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .4 m from ground level
B9	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr			No	40% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	depth is 9 m
B12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B13	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
C5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	depth is 9 m
C12		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C13		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
D5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	depth is 9 m
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible
E6	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	depth is 9 m
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F6	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F7	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
F8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	installed refrigerator moved for survey
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	depth is 9 m
G1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1108 Halburton Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible, no base cabinets
G5	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, survey performed in base cabinets
G6	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, survey performed in base cabinets
G7	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed dishwasher
G8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed refrigerator moved for survey
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	depth is 9 m



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Summary Report
1108 Halburton Court Unit C

Unit Summary :

Completion Date: 7/16/2014 11:11 AM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 2
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

A10-G10 are grids outside the floor plan.

Summary Statistics :

Total # of Readings: 97
Average: 3.23 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
A5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible.
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
A10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		No	Kitchen reading taken 12" from floor inside base cabinet.
C5	2.8	uR/hr	Kitchen	Installed Stove.	3.2	uR/hr	Storage			uR/hr			No	50% accessible. Kitchen reading taken 12" from floor inside base cabinet.
C6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	40% accessible. Partial grid-partial grid due to kitchen reading is inaccessible due to installed base cabinet.
C7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
C10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1108 Halburton Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		3.2	uR/hr	Hallway		No	
D5	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
D10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
E5	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E6	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E7	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.2	uR/hr	Dining Room		3.2	uR/hr	Stairs			uR/hr			No	Stairs reading taken 12" from floor.
E9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr			No	60% accessible.
E10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1108 Halburton Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
F5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	40% accessible.
F7	2.8	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	Stairs reading taken 52" from floor.
F8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 36" from floor.
F9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. Partial grid-partial grid due to installed furnace.
F10		uR/hr	Mech Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F12	3.6	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
F13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.6	uR/hr	Trash			uR/hr			No	70% accessible.
G1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom			uR/hr			No	30% accessible.




Summary Report
1108 Halburton Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid-partial grid due to installed dryer
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs reading taken 52" from floor.
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs reading taken 36" from floor.
G9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible. Partial grid-partial grid due to installed water heater.
G10		uR/hr	Mech Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G13	4.0	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.


CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Summary Report
1108 Halburton Court Unit D

Unit Summary :

Completion Date: 7/16/2014 10:36 AM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 2B
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A10-G10, C12-C14, A14 and B14 outside unit interior floor plan

Summary Statistics :

Total # of Readings: 94
Average: 2.64 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.20 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	Static by toilet
A5	2.8	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	90% accessible
A6	2.8	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	70% accessible
A7	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Static reading at 1.5 meters above ground level
A8	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Static reading at 1.1 meters above ground level
A9	2.8	uR/hr	Mech Room			uR/hr				uR/hr			No	70% accessible hot water heater
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
A12	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A13	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.4	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B5	2.8	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	90% accessible
B6	2.4	uR/hr	Bathroom	Clothes dryer within grid.	2.4	uR/hr	Hallway			uR/hr			No	70% accessible
B7	2.8	uR/hr	Closet		2.4	uR/hr	Hallway			uR/hr			No	
B8	2.4	uR/hr	Stairs		2.4	uR/hr	Dining Room			uR/hr			No	Static reading at 0.5 meters above ground level
B9	2.4	uR/hr	Mech Room	Installed furnace.	2.4	uR/hr	Dining Room			uR/hr			No	50% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B13	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.4	uR/hr	Living Room		2.8	uR/hr	Hallway		2.4	uR/hr	Storage		No	
C5	2.4	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C6	2.4	uR/hr	Hallway		2.4	uR/hr	Storage			uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible



Summary Report
1108 Halburton Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
D5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D6	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	2.4	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
E5	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible
E6	2.4	uR/hr	Kitchen	Installed base cabinets.	2.8	uR/hr	Dining Room			uR/hr			No	50% accessible
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	
F5	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
F8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G1	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G2	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room			uR/hr			No	30% accessible, installed refrigerator
G5	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed refrigerator moved for survey and surveyed inside base cabinet
G6	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, static inside base cabinet
G7	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed dishwasher
G8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1109 Kepler Court Unit A

Unit Summary :

Completion Date: 7/17/2014 11:00 AM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 2
Background Reading: 3.6 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
A10-G10 grids are outside floor plan.

Summary Statistics :

Total # of Readings: 99
Average: 3.36 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
A5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible.
A8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1109 Keppler Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	Reading taken at 12" from floor inside base cabinet.
C5	3.2	uR/hr	Kitchen	Installed Stove.	3.2	uR/hr	Storage			uR/hr			No	40% accessible. Reading taken 12" from floor inside base cabinet.
C6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	30% accessible. Kitchen reading inaccessible due to installed base cabinet.
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Storage		No	
D5	3.6	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.6	uR/hr	Hallway			uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1109 Keppler Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom		No	
E5	3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
E6	3.6	uR/hr	Hallway		3.2	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr			No	80% accessible.
E7	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.
E9	3.2	uR/hr	Dining Room		3.2	uR/hr	Mech Room	Installed furnace.		uR/hr			No	90% accessible.
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
F1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
F5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	50% accessible.
F7	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	Stairs reading taken 60" from floor.



**Summary Report
1109 Keppler Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.8	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	Stairs reading taken 36" from floor.
F9	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	60% accessible.
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F12	3.6	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
F13	4.0	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom			uR/hr			No	30% accessible.
G5	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid-partial grid due to installed washer.
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs reading taken 60" from floor.
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs reading taken 36" from floor.




Summary Report
1109 Keppler Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid-partial grid due to installed water heater.
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G13	4.0	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.

CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Summary Report
1109 Kepler Court Unit B

Unit Summary :

Completion Date: 7/17/2014 12:53 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 2B
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
A10-G10, C12-C14, A14 and B14 grids are outside unit interior floor plan. Bed in grids E4-E5, F4-F5, G4-G5, moved bed for survey.

Summary Statistics :

Total # of Readings: 92
Average: 2.71 uR/hr
Standard Deviation: 0.22 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	Static by toilet
A5	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	Static by toilet
A6	2.4	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible
A7	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.5 meters above ground floor
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.1 meters above ground floor
A9	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, Installed hot water heater
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
A12	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A13	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B4	2.4	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
B5	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
B6	2.4	uR/hr	Bathroom	Clothes dryer within grid.	2.8	uR/hr	Hallway			uR/hr			No	60% accessible
B7	2.4	uR/hr	Closet		2.4	uR/hr	Hallway			uR/hr			No	
B8	2.4	uR/hr	Stairs		2.8	uR/hr	Dining Room			uR/hr			No	Stair static taken at 0.5 meters above ground floor
B9	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Dining Room			uR/hr			No	40% accessible, installed furnace
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B12	2.4	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B13	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
C5	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
C6	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
C7	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible



**Summary Report
1109 Keppler Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.4	uR/hr	Closet			uR/hr			No	
D5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D6	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid, moved bed for survey



**Summary Report
1109 Keppler Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	Bed in grid, moved bed for survey
E5	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
E6	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible.
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid, moved bed for survey
F4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid, moved bed for survey
F5	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	installed refrigerator, moved for survey
F6	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F7	2.8	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
F8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1109 Kepler Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G1	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Bed in grid, moved bed for survey
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	30% accessible, moved refrigerator for survey, Bed in grid, moved bed for survey
G5	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed refrigerator, moved for survey
G6	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, static inside base cabinet
G7	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible, installed dishwasher
G8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



Summary Report
1109 Keppler Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1109 Kepler Court Unit C

Unit Summary :

Completion Date: 7/17/2014 11:12 AM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 2
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Grids A10-G10 are outside of interior unit floor plan.

Summary Statistics :

Total # of Readings: 90
Average: 2.74 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room			uR/hr	Kitchen			uR/hr			No	installed dishwasher, 70% accessible
A5	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	Installed refrigerator
A6	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	2.8	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	50% accessible
A8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
B5	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	70% accessible
B6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	80% accessible, installed cabinets

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		2.8	uR/hr	Closet			uR/hr			No	
C5	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	50% accessible, installed cabinets
C6	2.8	uR/hr	Storage	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Storage		2.4	uR/hr	Hallway		No	
D5	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
D6	2.8	uR/hr	Storage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E5	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Hallway		2.4	uR/hr	Bathroom			uR/hr			No	70% accessible, installed dryer
E7	2.8	uR/hr	Dining Room		2.4	uR/hr	Closet			uR/hr			No	
E8	2.8	uR/hr	Dining Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static at 0.5 meter above ground floor
E9	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E13	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	Static by toilet
F5	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	2.4	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	70% accessible
F7	2.4	uR/hr	Closet		2.0	uR/hr	Stairs			uR/hr			No	Stair static at 1.5 meter above ground floor
F8	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static at 1.1 meter above ground floor
F9	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Dining Room			uR/hr			No	50% accessible, installed furnace
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F12	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.8	uR/hr	Storage Shed			uR/hr			No	
F13	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.8	uR/hr	Storage Shed			uR/hr			No	
G1	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Bathroom			uR/hr			No	30% accessible

**Summary Report
1109 Keppler Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, by toilet
G6	2.4	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed washer
G7	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Stair static at 1.5 meter above ground floor
G8	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Stair static at 1.1 meter above ground floor
G9	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, hot water heater
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G12	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G13	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1109 Kepler Court Unit D

Unit Summary :

Completion Date: 7/17/2014 12:46 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 2B
Background Reading: 3.6 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Rows 10 and 14 are outside of unit interior boundary.

Summary Statistics :

Total # of Readings: 92
Average: 3.47 uR/hr
Standard Deviation: 0.23 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
A5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	moved clothes washer to survey grid
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading 1.8 meters from floor for stairs
A8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading 1.3 meters from floor for stairs
A9	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
A12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A13	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B4	3.6	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
B5	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
B6	3.6	uR/hr	Bathroom	Clothes dryer within grid.	3.2	uR/hr	Hallway			uR/hr			No	25% accessible. moved clothes dryer to survey grid
B7	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
B8	3.2	uR/hr	Stairs		3.2	uR/hr	Closet		3.6	uR/hr	Hallway		No	reading .6 meters from floor for stairs
B9	3.2	uR/hr	Mech Room	Installed furnace.	3.2	uR/hr	Dining Room			uR/hr			No	50% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B13	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
C5	3.6	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C6	3.6	uR/hr	Hallway		3.6	uR/hr	Storage			uR/hr			No	
C7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
C13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D5	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
E5	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible



Summary Report
1109 Keppler Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
E7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F5	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	moved refrigerator to survey grid
F6	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F7	3.6	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
F8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1109 Keppler Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible. moved refrigerator to survey grid
G5	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. moved refrigerator to survey grid
G6	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G7	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible- installed dishwasher
G8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Summary Report
1109 Kepler Court Unit E

Unit Summary :

Completion Date: 7/17/2014 1:17 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 3B
Background Reading: 3.2 uR/hr
Dimensions (m): D 7.4 W 7.4
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
Grids C11 to C13, A13, and B13 are outside of floor plan.

Summary Statistics :

Total # of Readings: 91
Average: 3.12 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.60 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage	Grid partially obstructed by installed.		uR/hr			No	90% accessible, heavy safe located in storage grid
A5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
A7	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A11	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A12	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	depth on shed is 1.8 m
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .8 m from ground level
B5	2.8	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
B6	3.2	uR/hr	Storage		2.8	uR/hr	Hallway		3.2	uR/hr	Closet		No	
B7	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway		3.2	uR/hr	Closet		No	
B8	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr			No	40% accessible

**Summary Report
1109 Keppler Court Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B12	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	depth on shed is 1.8 m
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .4 m from ground level
C5	2.8	uR/hr	Stairs		3.2	uR/hr	Hallway			uR/hr			No	reading on stairs taken at .4 m from ground level
C6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1109 Keppler Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room		3.2	uR/hr	Closet			uR/hr			No	
E5	3.2	uR/hr	Closet		3.2	uR/hr	Dining Room			uR/hr			No	
E6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F1	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr			No	80% accessible
F2	3.2	uR/hr	Living Room		2.8	uR/hr	Utility			uR/hr			No	
F3	2.8	uR/hr	Living Room		2.8	uR/hr	Utility			uR/hr			No	
F4	2.8	uR/hr	Living Room		2.8	uR/hr	Utility			uR/hr			No	
F5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F7	2.8	uR/hr	Dining Room	Installed base cabinets.		uR/hr				uR/hr			No	20% accessible, survey performed in installed base cabinets

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	survey performed in installed base cabinets, 20% accessible
G1	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	90% accessible
G2	2.8	uR/hr	Pantry	Clothes dryer within grid.		uR/hr				uR/hr			No	80% accessible
G3	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Utility	Installed refrigerator.		uR/hr				uR/hr			No	60% accessible, SECOND refrigerator moved for survey
G5	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	60% accessible
G6	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H1	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	20% accessible
H2	3.2	uR/hr	Pantry	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H3	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed dryer moved for survey
H4	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, SECOND installed refrigerator, moved for survey

**Summary Report
1109 Keppler Court Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H5	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed refrigerator
H6	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed gas stove moved for survey, installed base cabinets
H7	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed gas stove moved for survey, installed base cabinets
H8	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, survey performed in installed base cabinets



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Summary Report
1109 Keppler Court Unit F

Unit Summary :

Completion Date: 7/17/2014 2:16 PM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 3
Background Reading: 3.6 uR/hr
Dimensions (m): D 7.4 W 7.4
Unit Furnished: Yes
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 93
Average: 3.56 uR/hr
Standard Deviation: 0.27 uR/hr
Minimum: 3.20 uR/hr
Maximum: 4.00 uR/hr
Median: 3.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	60% accessible.
A2	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Pantry		3.2	uR/hr	Kitchen	Washing machine within grid.		uR/hr			No	70% accessible.
A4	3.2	uR/hr	Kitchen	Clothes dryer within grid.		uR/hr				uR/hr			No	70% accessible.
A5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	70% accessible.
A7	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	10% accessible
A8	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Reading taken 12" from floor inside base cabinet.
B1	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	40% accessible.
B2	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Pantry		3.2	uR/hr	Kitchen			uR/hr			No	
B4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B8	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Reading taken 12" from floor inside base cabinet.



**Summary Report
1109 Keppler Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room	Grid partially contained within wall construction.	3.2	uR/hr	Closet			uR/hr			No	90% accessible.
C5	3.6	uR/hr	Dining Room	Grid partially contained within wall construction.	3.2	uR/hr	Closet			uR/hr			No	80% accessible.
C6	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Closet		No	
D5	3.2	uR/hr	Dining Room		3.6	uR/hr	Closet			uR/hr			No	
D6	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
E1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.



**Summary Report
1109 Keppler Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E5	3.6	uR/hr	Dining Room		3.6	uR/hr	Stairs			uR/hr			No	Stairs reading taken 12" from floor.
E6	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
F1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Living Room		3.6	uR/hr	Stairs			uR/hr			No	Stairs reading taken 20" from floor.
F5	3.2	uR/hr	Stairs		3.6	uR/hr	Dining Room			uR/hr			No	Stairs reading taken 20" from floor.
F6	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Dining Room		4.0	uR/hr	Bathroom			uR/hr			No	
F8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.	4.0	uR/hr	Bathroom			uR/hr			No	40% accessible.
F11	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
F12	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
F13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	3.6	uR/hr	Living Room		3.6	uR/hr	Storage			uR/hr			No	
G5	3.6	uR/hr	Storage			uR/hr				uR/hr			No	



Summary Report
1109 Kepler Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.6	uR/hr	Storage		3.6	uR/hr	Closet		4	uR/hr	Bathroom		No	
G7	4.0	uR/hr	Bathroom		3.6	uR/hr	Closet			uR/hr			No	
G8	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
G11	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G12	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
H1	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H3	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage			uR/hr			No	40% accessible.
H5	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H6	3.6	uR/hr	Storage	Percentage of grid falls outside of unit.	4.0	uR/hr	Bathroom			uR/hr			No	40% accessible.
H7	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H8	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
H11	4.0	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.



Summary Report
1109 Keppler Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H12	4.0	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H13	4.0	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.




CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Summary Report
1111 Kepler Court Unit A

Unit Summary :

Completion Date: 7/15/2014 4:59 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 2
Background Reading: 2.8 uR/hr
Dimensions (m): D 9 W 6.2
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:
A10-G10 outside unit interior floorplan

Summary Statistics :

Total # of Readings: 87
Average: 2.77 uR/hr
Standard Deviation: 0.36 uR/hr
Minimum: 2.00 uR/hr
Maximum: 4.00 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A5	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	Installed refrigerator, 75% accessible
A6	2.4	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible
A7	2.4	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	50% accessible
A8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
B5	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible
B6	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible
B7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1111 Keppler Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	2.4	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.4	uR/hr	Storage		No	
C5	2.8	uR/hr	Storage	Installed Stove.		uR/hr				uR/hr			No	40% accessible
C6	2.8	uR/hr	Storage	Installed base cabinets.	4.0	uR/hr	Kitchen			uR/hr			No	40% accessible, Model 19 #267078 background at standard location 4uR/hr, used to scan under inaccessible base cabinets on 50% of grid scanned at 4" above ground level
C7	2.8	uR/hr	Dining Room		4.0	uR/hr	Dining Room			uR/hr			No	Model 19 #267078, background at standard location 4uR/hr used to scan under non-movable furniture on 50% of grid 4" above ground level
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.4	uR/hr	Storage			uR/hr			No	
D5	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	



**Summary Report
1111 Keppler Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D6	2.8	uR/hr	Storage		2.4	uR/hr	Hallway			uR/hr			No	
D7	2.8	uR/hr	Dining Room		4.0	uR/hr	Dining Room			uR/hr			No	Model 19 #267078, background at standard location 4uR/hr used to scan under non-movable furniture on 50% of grid 4" above ground level
D8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.4	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
E5	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E6	2.4	uR/hr	Hallway	Clothes dryer within grid.		uR/hr				uR/hr			No	70% accessible
E7	2.8	uR/hr	Dining Room		2.4	uR/hr	Closet			uR/hr			No	
E8	2.8	uR/hr	Dining Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken 0.5 meters above ground floor
E9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
E13	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.4	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	



**Summary Report
1111 Keppler Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	survey by toilet
F6	2.8	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	80% accessible
F7	2.8	uR/hr	Closet		2.0	uR/hr	Stairs			uR/hr			No	Stair static taken 1.5 meters above ground floor
F8	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	90% accessible. Stair static taken 1.1 meters above ground floor, no mech room survey HVAC at 0.5 meters above ground level
F9	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	40% accessible
F12	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.	2.8	uR/hr	Storage Shed			uR/hr			No	80% accessible
F13	2.8	uR/hr	Trash		3.2	uR/hr	Storage Shed			uR/hr			No	
G1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Bathroom			uR/hr			No	20% accessible
G5	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, survey by toilet



Summary Report
1111 Keppler Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	2.4	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed washer
G7	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, Stair static taken 1.5 meters above ground floor
G8	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.4	uR/hr	Mech Room	Installed water heater.		uR/hr			No	15% accessible, Stair static taken 1.1 meters above ground floor
G9	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible, installed water heater
G12	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G13	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1111 Kepler Court Unit B

Unit Summary :

Completion Date: 7/17/2014 4:25 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 2B
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Rows 10 and 14, grids C12 and C13 outside of floor plan. Bed in grids A1-A4, B2, B3, C2, C3 with removable drawers underneath. Drawers removed and survey performed at 4" above ground floor.

Summary Statistics :

Total # of Readings: 94
Average: 2.70 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	Living area used as bedroom, bed with removable drawers in grid survey 4" above ground floor
A2	2.8	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	Living area used as bedroom, bed with removable drawers in grid survey 4" above ground floor, 90% accessible
A3	2.8	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	Living area used as bedroom, bed with removable drawers in grid survey 4" above ground floor, 90% accessible
A4	2.8	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	Living area used as bedroom, bed with removable drawers in grid survey 4" above ground floor, static by toilet
A5	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	survey by toilet
A6	2.8	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A7	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.5 meter above ground floor
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.1 meter above ground floor
A9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed hot water heater
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
A12	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A13	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	Living area used as bedroom, bed in grid not moved for survey 4" above ground floor
B2	2.8	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	Living area used as bedroom, bed with removable drawers in grid survey 4" above ground floor, 85% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B3	2.8	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	Living area used as bedroom, bed with removable drawers in grid survey 4" above ground floor, 85% accessible
B4	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	Living area used as bedroom, bed in grid not moved for survey 4" above ground floor
B5	2.8	uR/hr	Bathroom		2.4	uR/hr	Hallway			uR/hr			No	
B6	2.4	uR/hr	Bathroom	Clothes dryer within grid.	2.4	uR/hr	Hallway			uR/hr			No	60% accessible
B7	2.4	uR/hr	Closet		2.8	uR/hr	Dining Room			uR/hr			No	
B8	2.4	uR/hr	Stairs		2.8	uR/hr	Dining Room			uR/hr			No	Stair static taken at 0.5 meter above ground floor
B9	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Dining Room			uR/hr			No	50% accessible, installed furnace
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B12	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B13	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	Living area used as bedroom, bed in grid not moved for survey 4" above ground floor
C2	2.8	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	Living area used as bedroom, bed with removable drawers in grid survey 4" above ground floor 90% accessible
C3	2.8	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	Living area used as bedroom, bed with removable drawers in grid survey 4" above ground floor, 90% accessible
C4	2.4	uR/hr	Living Room	Survey performed on non-movable item.	2.4	uR/hr	Hallway		2.8	uR/hr	Storage		No	Living area used as bedroom, bed in grid not moved for survey 4" above ground floor, 90% accessible
C5	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C6	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.4	uR/hr	Living Room	Survey performed on non-movable item.	2.8	uR/hr	Storage			uR/hr			No	desk not moved for survey, scanned inside bottom shelf, 60% accessible
D5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	2.8	uR/hr	Living Room		2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
E5	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible, surveyed inside base cabinets
E6	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible, no survey in base cabinet/ drawers
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
F5	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	installed refrigerator moved for survey
F6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
F8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible



**Summary Report
1111 Keppler Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, static taken at 4" above ground floor, desk drawers removed for survey
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Kitchen			uR/hr			No	30% accessible, installed refrigerator moved for survey
G5	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed refrigerator moved for survey
G6	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G7	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible, installed dishwasher
G8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



Summary Report
1111 Keppler Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1111 Kepler Court Unit C

Unit Summary :

Completion Date: 7/17/2014 1:40 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: No
Unit Notes:
A10-G10 falls outside unit

Summary Statistics :

Total # of Readings: 93
Average: 3.24 uR/hr
Standard Deviation: 0.22 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accessible
A5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	partial grid installed refrigerator (50% accessible)
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	moved second refrigerator for survey
A9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible



**Summary Report
1111 Keppler Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
B7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
C5	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		3.2	uR/hr	Hallway		No	
D5	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1111 Keppler Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
E5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E7	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room		3.2	uR/hr	Stairs			uR/hr			No	static taken 12" above floor
E9	3.2	uR/hr	Dining Room		3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr			No	(80% accessible) installed furnace
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
F5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	



**Summary Report
1111 Kepler Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F6	3.2	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	70% accessible
F7	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	static taken 60" above floor
F8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static taken 36" above floor
F9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(50% accessible) installed furnace & hot water heater
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.6	uR/hr	Trash			uR/hr			No	90% accessible
F13	3.6	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom			uR/hr			No	30% accessible
G5	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(30% accessible) installed washing machine moved for survey




Summary Report
1111 Keppler Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(20% accessible) installed hot water heater moved for survey
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G13	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30%. accessible

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1111 Kepler Court Unit D

Unit Summary :


Completion Date: 6/23/2014 9:27 AM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 2B
Background Reading: 2.8 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings: 67
Average: 3.08 uR/hr
Standard Deviation: 0.20 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.60 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No		Living Room		uR/hr	
A2	2.8	uR/hr	No		Living Room		uR/hr	
A3	3.2	uR/hr	No		Living Room		uR/hr	
A4	3.2	uR/hr	No		Living Room	4.4	uR/hr	Bathroom
A5	3.6	uR/hr	No		Bathroom		uR/hr	
A6	2.8	uR/hr	No		Bathroom		uR/hr	
A7		uR/hr	No	N/A- Stairway above floor scan area.	Stairs		uR/hr	
A8		uR/hr	No	N/A- Stairway above floor scan area.	Stairs		uR/hr	
A9	3.2	uR/hr	No		Mech Room		uR/hr	
A12	2.8	uR/hr	No		Trash		uR/hr	
A13	3.2	uR/hr	No		Trash		uR/hr	
B1	3.2	uR/hr	No		Living Room		uR/hr	
B2	2.8	uR/hr	No		Living Room		uR/hr	
B3	3.2	uR/hr	No		Living Room		uR/hr	
B4	3.2	uR/hr	No		Living Room	3.2	uR/hr	Bathroom
B5	3.2	uR/hr	No		Bathroom	2.8	uR/hr	Hallway
B6	2.8	uR/hr	No		Bathroom	2.8	uR/hr	Hallway
B7	2.8	uR/hr	No		Closet		uR/hr	
B8		uR/hr	No	N/A- Stairway above floor scan area.	Stairs		uR/hr	
B9	2.8	uR/hr	No		Mech Room		uR/hr	
B12	3.2	uR/hr	No		Storage Shed		uR/hr	
B13	3.2	uR/hr	No		Storage Shed		uR/hr	
C1	3.2	uR/hr	No		Living Room		uR/hr	
C2	3.2	uR/hr	No		Living Room		uR/hr	
C3	3.2	uR/hr	No		Living Room		uR/hr	
C4	2.8	uR/hr	No	closet of C4	Living Room	3.2	uR/hr	Closet
C5	3.2	uR/hr	No		Hallway		uR/hr	



Summary Report
1111 Keppler Court Unit D

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C6	2.8	uR/hr	No		Hallway		uR/hr	
C7	3.2	uR/hr	No		Dining Room		uR/hr	
C8	3.2	uR/hr	No		Dining Room		uR/hr	
C9	2.8	uR/hr	No		Dining Room		uR/hr	
D1	3.2	uR/hr	No		Living Room		uR/hr	
D2	3.2	uR/hr	No		Living Room		uR/hr	
D3	2.8	uR/hr	No		Living Room		uR/hr	
D4	3.2	uR/hr	No		Living Room	3.2	uR/hr	Closet
D5	2.8	uR/hr	No		Storage		uR/hr	
D6	2.8	uR/hr	No		Storage		uR/hr	
D7	3.2	uR/hr	No		Dining Room	2.8	uR/hr	Dining Room
D8	3.2	uR/hr	No		Dining Room		uR/hr	
D9	2.8	uR/hr	No		Dining Room		uR/hr	
E1	3.2	uR/hr	No		Living Room		uR/hr	
E2	3.2	uR/hr	No		Living Room		uR/hr	
E3	3.2	uR/hr	No		Living Room		uR/hr	
E4	3.2	uR/hr	No		Living Room	3.2	uR/hr	Kitchen
E5	3.2	uR/hr	No		Kitchen		uR/hr	
E6	3.2	uR/hr	No		Kitchen		uR/hr	
E7	3.2	uR/hr	No		Dining Room	2.8	uR/hr	Dining Room
E8	3.2	uR/hr	No		Dining Room		uR/hr	
E9	3.2	uR/hr	No		Dining Room		uR/hr	
F1	2.8	uR/hr	No		Living Room		uR/hr	
F2	3.2	uR/hr	No		Living Room		uR/hr	
F3	3.2	uR/hr	No		Living Room		uR/hr	
F4	3.2	uR/hr	No		Living Room		uR/hr	
F5	3.2	uR/hr	No		Kitchen		uR/hr	
F6	2.8	uR/hr	No		Kitchen		uR/hr	



Summary Report
1111 Keppler Court Unit D

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F7	2.8	uR/hr	No		Dining Room		uR/hr	
F8	3.2	uR/hr	No		Dining Room		uR/hr	
F9	3.2	uR/hr	No		Dining Room		uR/hr	
G1	3.2	uR/hr	No		Living Room		uR/hr	
G2	3.2	uR/hr	No		Living Room		uR/hr	
G3	3.2	uR/hr	No		Living Room		uR/hr	
G4	3.2	uR/hr	No		Living Room		uR/hr	
G5	3.2	uR/hr	No	Refrigerator blocks majority of grid. Adjacent area scanned.	Kitchen		uR/hr	
G6	2.8	uR/hr	No		Kitchen		uR/hr	
G7	2.8	uR/hr	No		Dining Room		uR/hr	
G8	2.8	uR/hr	No		Dining Room		uR/hr	
G9	2.8	uR/hr	No		Dining Room		uR/hr	

CBI Supervisor : Natalie Rothell

Senior Technician : Mark Cafouras

Signature :



Signature :



Signoff Notes:



Summary Report
1112 Hutchins Court Unit A

Unit Summary :

Completion Date: 7/16/2014 1:08 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 1
Background Reading: 3.2 uR/hr
Dimensions (m): D 7.7 W 7.1
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Bed in living room. Grid cells H1 through H8, H11, and H12 are under 6" and included in survey for adjacent row.

Summary Statistics :

Total # of Readings: 69
Average: 2.93 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey
A4	2.8	uR/hr	Bedroom		2.8	uR/hr	Pantry			uR/hr			No	
A5	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	30% accessible
A7	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, survey performed in base cabinets
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey
B4	2.8	uR/hr	Bedroom		2.8	uR/hr	Pantry			uR/hr			No	
B5	2.8	uR/hr	Pantry			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
B8	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, survey performed in base cabinet
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey



Summary Report
1112 Hutchins Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey
C4	2.8	uR/hr	Bedroom		2.8	uR/hr	Pantry			uR/hr			No	
C5	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
E5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

**Summary Report
1112 Hutchins Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 1 m from ground level
F5	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible, reading on stairs taken at 1 m from ground level
F6	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Bathroom		2.8	uR/hr	Dining Room			uR/hr			No	
F8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed furnace
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F11	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F12	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	survey performed in base cabinet
G3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 1.4 m from ground level
G5	2.0	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, reading on stairs taken at 1.4 m from ground level



Summary Report
1112 Hutchins Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible
G7	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed water heater
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G11	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Summary Report
1112 Hutchins Court Unit B

Unit Summary :

Completion Date: 7/16/2014 1:56 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 1B
Background Reading: 2.8 uR/hr
Dimensions (m): D 7.7 W 7.1
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
Grids A9 to H9, A13 to C13 were outside of floor plan. Grids H1-H9, C11,C12 less than 6" wide. Grids surveyed with adjacent columns. Bed installed in grids D1,D2 and E1,E2 in living room.

Summary Statistics :

Total # of Readings: 84
Average: 2.55 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.4	uR/hr	Living Room		2.0	uR/hr	Stairs			uR/hr			No	Stair Static taken at 1.5 meters above ground level
A5	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair Static taken at 1.5 meters above ground level
A6	2.8	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	60% accessible
A7	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	Static survey by toilet
A8	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed water heater
A9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
A11	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1112 Hutchins Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B4	2.4	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair Static taken at 1.1 meters above ground level
B5	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair Static taken at 1.1 meters above ground level
B6	2.8	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	60% accessible
B7	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed furnace
B9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B11	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.4	uR/hr	Living Room		2.4	uR/hr	Stairs		2.4	uR/hr	Hallway		No	Stair Static taken at 0.5 meters above ground level
C5	2.4	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	Stair Static taken at 0.5 meters above ground level
C6	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1112 Hutchins Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
C9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	bed moved for survey
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	bed moved for survey
D3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		2.4	uR/hr	Storage		No	
D5	2.4	uR/hr	Hallway		2.4	uR/hr	Storage			uR/hr			No	
D6	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Dining Room	Installed Stove.		uR/hr				uR/hr			No	70% accessible
D9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	bed moved for survey
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	bed moved for survey
E3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.4	uR/hr	Living Room		2.4	uR/hr	Storage		2.4	uR/hr	Pantry		No	
E5	2.8	uR/hr	Storage		2.8	uR/hr	Pantry			uR/hr			No	
E6	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1112 Hutchins Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
E9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.4	uR/hr	Living Room		2.4	uR/hr	Pantry			uR/hr			No	
F5	2.8	uR/hr	Pantry			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	2.4	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
F8	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, surveyed inside installed base cabinets
F9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	2.8	uR/hr	Living Room		2.8	uR/hr	Pantry			uR/hr			No	
G5	2.4	uR/hr	Pantry			uR/hr				uR/hr			No	
G6	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	Installed refrigerator moved for survey
G7	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	Installed base cabinets



Summary Report
1112 Hutchins Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible survey inside base cabinet at 4" above ground level
G9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1112 Hutchins Court Unit C

Unit Summary :

Completion Date: 7/16/2014 12:40 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 1
Background Reading: 3.2 uR/hr
Dimensions (m): D 7.7 W 7.1
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
H1-H8, H11, H12 grids less than 6", surveyed with adjacent grid. F10 and G10 were outside of floor plan. Two beds in living room.

Summary Statistics :

Total # of Readings: 80
Average: 3.14 uR/hr
Standard Deviation: 0.32 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	bed moved for survey
A4	2.8	uR/hr	Living Room		3.2	uR/hr	Pantry			uR/hr			No	bed moved for survey
A5	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	30% accessible
A7	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible
A8	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	Partial grid (20% accessible) reminder of grid falls outside unit
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	bed moved for survey
B4	2.8	uR/hr	Living Room		3.2	uR/hr	Pantry			uR/hr			No	bed moved for survey
B5	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	partial grid (70% accessible) remainder of grid falls outside unit
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	bed moved for survey



**Summary Report
1112 Hutchins Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room		2.8	uR/hr	Storage		3.2	uR/hr	Pantry		No	bed moved for survey
C5	3.2	uR/hr	Storage		3.2	uR/hr	Pantry			uR/hr			No	
C6	3.2	uR/hr	Kitchen		3.2	uR/hr	Storage			uR/hr			No	
C7	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	partial grid (60% accessible) grid falls outside unit
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		4	uR/hr	Storage		No	
D5	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E5	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1112 Hutchins Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	bed moved for survey
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	bed moved for survey
F4	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken 8" above floor
F5	3.2	uR/hr	Bathroom	Clothes dryer within grid.	2.8	uR/hr	Stairs		3.2	uR/hr	Hallway		No	(80% accessible) stairs static taken 8" above floor
F6	3.2	uR/hr	Bathroom	Clothes dryer within grid.	3.2	uR/hr	Hallway	Installed refrigerator.		uR/hr			No	70% accessible
F7	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
F8	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	Partial grid (60% accessible) reminder of grid falls outside unit
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F11	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F12	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	bed moved for survey
G3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	bed moved for survey
G4	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	stairs static taken 52" above floor



Summary Report
1112 Hutchins Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	2.8	uR/hr	Bathroom	Washing machine within grid.	2.4	uR/hr	Stairs			uR/hr			No	(70% accessible) stairs static taken 52" above floor
G6	3.2	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	60% accessible (installed washer)
G7	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	Partial grid (20% accessible) reminder of grid falls outside unit
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G11	3.6	uR/hr	Trash		3.6	uR/hr	Storage Shed			uR/hr			No	
G12	4.0	uR/hr	Trash	Percentage of grid falls outside of unit.	4.0	uR/hr	Storage Shed			uR/hr			No	90% accessible


CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1112 Hutchins Court Unit D

Unit Summary :

Completion Date: 7/16/2014 12:28 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 1B
Background Reading: 2.8 uR/hr
Dimensions (m): D 7.7 W 7.1
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:

H1 to H8 and C11 and C12 are less than 6" and were scanned with adjacent grids. A9 through H9 and A13 through C13 are outside unit boundary.

Summary Statistics :

Total # of Readings: 90
Average: 2.82 uR/hr
Standard Deviation: 0.18 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 56" from floor surface
A5	2.4	uR/hr	Stairs		2.8	uR/hr	Bathroom			uR/hr			No	static taken on stairs 56" from floor surface
A6	2.8	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	70% accessible
A7	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	static reading near toilet
A8	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	40% accessible
A9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
A11	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 32" from floor surface
B5	2.4	uR/hr	Stairs		2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway		No	static taken on stairs 32" from floor surface



**Summary Report
1112 Hutchins Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B6	2.8	uR/hr	Bathroom	Clothes dryer within grid.	2.8	uR/hr	Hallway			uR/hr			No	70% accessible
B7	2.8	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
B8	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Hallway			uR/hr			No	40% accessible
B9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B11	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		No	static taken on stairs 8" from floor surface
C5	2.8	uR/hr	Stairs		2.8	uR/hr	Dining Room			uR/hr			No	static taken on stairs 8" from floor surface
C6	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
C9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



**Summary Report
1112 Hutchins Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Closet		2.8	uR/hr	Hallway		No	
D5	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
D6	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Pantry		2.8	uR/hr	Living Room		2.8	uR/hr	Closet		No	
E5	2.8	uR/hr	Pantry		2.8	uR/hr	Closet			uR/hr			No	
E6	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
E9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Pantry		2.8	uR/hr	Living Room			uR/hr			No	
F5	2.8	uR/hr	Pantry			uR/hr				uR/hr			No	



Summary Report
1112 Hutchins Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
F8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, installed base cabinet
F9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	2.8	uR/hr	Living Room		2.8	uR/hr	Pantry			uR/hr			No	
G5	2.8	uR/hr	Pantry			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	Refrigerator moved, 100% scanned
G7	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
G8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, installed base cabinet
G9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan


CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Summary Report
1113 Kepler Court Unit A

Unit Summary :

Completion Date: 7/18/2014 9:51 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:
A10-G10 falls outside unit

Summary Statistics :

Total # of Readings: 92
Average: 3.29 uR/hr
Standard Deviation: 0.27 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
A5	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	60% accessible installed refrigerator
A6	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.6	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B5	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible
B6	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
B7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1113 Keppler Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room	Installed base cabinets.	3.2	uR/hr	Storage			uR/hr			No	90% accessible
C5	3.2	uR/hr	Storage	Installed Stove.		uR/hr				uR/hr			No	40% accessible
C6	3.2	uR/hr	Storage	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Storage		No	
D5	3.6	uR/hr	Storage		3.6	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1113 Keppler Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		No	
E5	3.6	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E6	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Closet		3.2	uR/hr	Dining Room			uR/hr			No	
E8	3.6	uR/hr	Dining Room		3.2	uR/hr	Stairs			uR/hr			No	stairs static taken 12" above floor
E9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
F5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	



Summary Report
1113 Keppler Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F6	3.2	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	50% accessible
F7	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	stairs static taken 60" above floor
F8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	stairs static taken 36" above floor
F9	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	(50% accessible) installed hot water heater
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	90% accessible
F13	3.6	uR/hr	Trash		3.6	uR/hr	Storage Shed			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom			uR/hr			No	30% accessible
G5	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible installed washing machine



Summary Report
1113 Keppler Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible stairs static taken 60" above floor
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible stairs static taken 36" above floor
G9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible installed hot water heater
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G13	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1113 Kepler Court Unit B

Unit Summary :

Completion Date: 7/18/2014 10:02 AM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 2B
Background Reading: 3.2 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:

Rows 10 and 14 are outside floor plan, C12 and C13 were less than 6" and were scanned with adjacent grids

Summary Statistics :

Total # of Readings: 94
Average: 2.96 uR/hr
Standard Deviation: 0.23 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

LIVING

STORAGE

KITCHEN

STAIRS

DINING

MECH ROOM

ENTRY

TRASH

SHED STORAGE

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
A5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Static taken on stairs 56" from floor surface
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Static taken on stairs 32" from floor surface
A9	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	40% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
A12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A13	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
B5	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
B6	2.8	uR/hr	Bathroom	Washing machine within grid.	2.8	uR/hr	Closet		2.8	uR/hr	Hallway		No	40% accessible



Summary Report
1113 Keppler Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B7	2.8	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
B8	2.8	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	Static taken on stairs 8" from floor surface
B9	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Hallway			uR/hr			No	40% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B13	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		2.8	uR/hr	Storage		2.8	uR/hr	Hallway		No	
C5	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C6	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1113 Keppler Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
D5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
E5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
E6	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed base cabinets
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1113 Kepler Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F4	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	
F5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
F8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
G1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	30% accessible. Refrigerator moved for survey.
G5	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed base cabinets
G6	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed base cabinets
G7	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed base cabinets
G8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1113 Keppler Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan

CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Summary Report
1113 Kepler Court Unit C

Unit Summary :


Completion Date: 7/18/2014 10:12 AM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 3B
Background Reading: 4.0 uR/hr
Dimensions (m): D 7.5 W 7.4
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 92
Average: 3.57 uR/hr
Standard Deviation: 0.29 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
A5	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Storage		4.0	uR/hr	Bathroom			uR/hr			No	
A7	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
A11	4.0	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A12	4.0	uR/hr	Trash			uR/hr				uR/hr			No	
A13	4.0	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Living Room		3.6	uR/hr	Storage			uR/hr			No	
B5	3.6	uR/hr	Storage	Grid partially contained within wall construction.	2.8	uR/hr	Stairs			uR/hr			No	30% accessible. reading 1.3 meters from floor for stairs
B6	3.6	uR/hr	Storage		3.6	uR/hr	Closet			uR/hr			No	
B7	3.6	uR/hr	Closet		4.0	uR/hr	Bathroom			uR/hr			No	
B8	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B11	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible



**Summary Report
1113 Keppler Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	reading .6 meters from floor for stairs
C5	3.2	uR/hr	Stairs		3.6	uR/hr	Hallway			uR/hr			No	reading .6 meters from floor for stairs
C6	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	4.0	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C11	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C12	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
D5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	4.0	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	4.0	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1113 Keppler Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
E1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Living Room		3.2	uR/hr	Closet			uR/hr			No	
E5	3.6	uR/hr	Closet		3.6	uR/hr	Dining Room			uR/hr			No	
E6	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F1	3.2	uR/hr	Living Room		3.2	uR/hr	Mech Room	Installed furnace.		uR/hr			No	90% accessible
F2	3.2	uR/hr	Living Room		3.2	uR/hr	Pantry			uR/hr			No	
F3	3.2	uR/hr	Living Room		3.2	uR/hr	Pantry		3.2	uR/hr	Kitchen		No	
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen		3.2	uR/hr	Closet		No	
F5	3.6	uR/hr	Closet	Grid partially contained within wall construction.	3.6	uR/hr	Kitchen			uR/hr			No	70% accessible
F6	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	75% accessible
F7	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G1	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	60% accessible
G2	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
G3	3.6	uR/hr	Pantry		3.2	uR/hr	Kitchen			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G5	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
G8	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
H1	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	20% accessible
H2	3.6	uR/hr	Pantry	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. static taken at 9" due to shelf
H3	3.6	uR/hr	Pantry	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. static taken at 9" due to shelf
H4	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. moved dryer to survey grid
H5	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H6	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H7	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible-installed stove
H8	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Survey performed within accessible base cabinet.



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Summary Report
1113 Keppler Court Unit D

Unit Summary :

Completion Date: 7/18/2014 10:23 AM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 3
Background Reading: 3.6 uR/hr
Dimensions (m): D 7.4 W 7.4
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
Grids F13 through H13 are outside unit floor plan

Summary Statistics :

Total # of Readings: 89
Average: 3.22 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	70% accessible
A2	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Pantry	Grid partially contained within wall construction.	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr			No	60% accessible
A4	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible
A5	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	30% accessible
A6	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A7	2.8	uR/hr	Kitchen	Grid partially obstructed by installed.		uR/hr				uR/hr			No	50% accessible, installed stove and base cabinets
A8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, survey performed in installed base cabinets
B1	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	40% accessible
B2	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Pantry		3.2	uR/hr	Utility			uR/hr			No	
B4	2.8	uR/hr	Utility	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible
B5	3.2	uR/hr	Kitchen	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
B6	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
B7	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, survey performed in installed base cabinets
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		3.2	uR/hr	Closet			uR/hr			No	
C5	3.2	uR/hr	Dining Room	Grid partially contained within wall construction.	2.8	uR/hr	Closet	Grid partially contained within wall construction.		uR/hr			No	90% accessible
C6	3.2	uR/hr	Dining Room	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
C7	3.2	uR/hr	Dining Room	Installed base cabinets.		uR/hr				uR/hr			No	70% accessible
C8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D5	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E5	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .8 m from ground level
F5	2.8	uR/hr	Stairs		3.2	uR/hr	Dining Room			uR/hr			No	reading on stairs taken at .8 m from ground level
F6	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F11	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
F13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	



Summary Report
1113 Keppler Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.2	uR/hr	Storage		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 1.4 m from ground level
G6	3.6	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
G7	3.6	uR/hr	Bathroom		3.6	uR/hr	Closet			uR/hr			No	
G8	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G11	3.2	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	80% accessible
G12	3.6	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
G13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr			No	40% accessible
H5	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H6	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom			uR/hr			No	40% accessible
H7	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H8	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



Summary Report
1113 Keppler Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H11	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Summary Report
1113 Keppler Court Unit E

Unit Summary :

Completion Date: 7/18/2014 10:26 AM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 3B
Background Reading: 4.0 uR/hr
Dimensions (m): D 7.4 W 7.4
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
C11-C13 grids are less than 6 inch wide and were surveyed along with adjacent grids.

Summary Statistics :

Total # of Readings: 95
Average: 3.54 uR/hr
Standard Deviation: 0.27 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.40 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
A5	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Storage		4.4	uR/hr	Bathroom			uR/hr			No	
A7	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
A11	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A12	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
A13	4.0	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 36" from floor.
B5	3.6	uR/hr	Storage		3.2	uR/hr	Stairs		3.6	uR/hr	Hallway		No	Stairs reading taken 36" from floor.
B6	3.6	uR/hr	Storage		3.6	uR/hr	Closet		3.6	uR/hr	Hallway		No	
B7	3.2	uR/hr	Closet		3.6	uR/hr	Hallway		4	uR/hr	Bathroom		No	
B8	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.	3.6	uR/hr	Hallway			uR/hr			No	40% accessible.
B11	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.



**Summary Report
1113 Keppler Court Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.
C5	3.2	uR/hr	Stairs		3.6	uR/hr	Hallway			uR/hr			No	Stairs reading taken 12" from floor.
C6	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
D5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	4.0	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
E1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Closet			uR/hr			No	
E5	3.6	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	



**Summary Report
1113 Keppler Court Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
F1	3.2	uR/hr	Living Room	Installed furnace.	3.2	uR/hr	Mech Room			uR/hr			No	70% accessible.
F2	3.2	uR/hr	Living Room		3.6	uR/hr	Pantry			uR/hr			No	
F3	3.2	uR/hr	Living Room		3.6	uR/hr	Pantry		3.2	uR/hr	Utility		No	
F4	3.2	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible.
F5	3.6	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible.
F6	3.6	uR/hr	Dining Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F7	3.6	uR/hr	Dining Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	40% accessible. Kitchen reading taken 12" from floor inside base cabinet.
G1	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	80% accessible.
G2	3.6	uR/hr	Pantry			uR/hr				uR/hr			No	
G3	3.6	uR/hr	Pantry		3.6	uR/hr	Utility			uR/hr			No	
G4	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G5	3.2	uR/hr	Utility			uR/hr				uR/hr			No	



Summary Report
1113 Keppler Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Kitchen reading taken 12" from floor inside base cabinet.
H1	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid-partial grid due to installed water heater.
H2	3.6	uR/hr	Pantry	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H3	3.6	uR/hr	Pantry	Percentage of grid falls outside of unit.	3.2	uR/hr	Utility			uR/hr			No	10% accessible. Partial grid-partial grid due to installed washer.
H4	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid-partial grid due to installed dryer
H5	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H6	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid-partial grid due to installed base cabinet.



Summary Report
1113 Keppler Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H7	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Partial grid-partial grid due to installed stove.
H8	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible. Kitchen reading taken 12" from floor inside base cabinet.




CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Summary Report
1113 Keppler Court Unit F

Unit Summary :

Completion Date: 7/18/2014 11:43 AM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 3
Background Reading: 3.2 uR/hr
Dimensions (m): D 7.4 W 7.5
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
F13, G13, H13 are outside of interior unit floor plan. H2,H3,G2,G3 bed in grids, moved for survey.

Summary Statistics :

Total # of Readings: 91
Average: 2.78 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.4	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible
A2	2.8	uR/hr	Pantry			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Pantry			uR/hr				uR/hr			No	
A4	2.4	uR/hr	Kitchen	Clothes dryer within grid.		uR/hr				uR/hr			No	90% accessible
A5	2.4	uR/hr	Kitchen	Washing machine within grid.		uR/hr				uR/hr			No	90% accessible
A6	2.4	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	90% accessible
A7	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed cabinets, static at 4 inches
B1	2.4	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	40% accessible
B2	2.8	uR/hr	Pantry			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Pantry		2.8	uR/hr	Kitchen			uR/hr			No	
B4	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B5	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
B7	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
B8	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.4	uR/hr	Living Room		2.8	uR/hr	Closet			uR/hr			No	



**Summary Report
1113 Keppler Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C5	2.8	uR/hr	Dining Room		2.4	uR/hr	Closet			uR/hr			No	
C6	2.8	uR/hr	Dining Room	Installed Stove.	2.8	uR/hr	Kitchen			uR/hr			No	40% accessible
C7	2.4	uR/hr	Dining Room	Installed Stove.		uR/hr				uR/hr			No	50% accessible
C8	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.4	uR/hr	Dining Room			uR/hr			No	40% accessible
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Closet			uR/hr			No	
D5	2.8	uR/hr	Dining Room		2.4	uR/hr	Closet			uR/hr			No	
D6	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	
E5	2.8	uR/hr	Dining Room		2.4	uR/hr	Stairs			uR/hr			No	
E6	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	



**Summary Report
1113 Keppler Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F5	2.4	uR/hr	Stairs		2.8	uR/hr	Dining Room			uR/hr			No	stair static taken at 1 meter above ground floor
F6	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F11	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
F13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid falls outside of unit floor plan
G1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	bed in grid, moved for survey.
G3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	bed in grid, moved for survey.
G4	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
G5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	static taken by toilet
G7	3.2	uR/hr	Bathroom		2.8	uR/hr	Closet			uR/hr			No	
G8	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.	3.2	uR/hr	Dining Room			uR/hr			No	40% accessible
G11	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.2	uR/hr	Trash			uR/hr			No	85% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.2	uR/hr	Trash			uR/hr			No	70% accessible
G13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid falls outside of unit floor plan
H1	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50%, bed in grid, moved for survey.
H3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, bed in grid, moved for survey.
H4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Storage			uR/hr			No	20% accessible, static taken at 4 inches off floor due to limited access in cabinets attached to wall in living room.
H5	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H11	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible



Summary Report
1113 Keppler Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes	
H12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible	
H13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid falls outside of unit floor plan	

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1113 Kepler Court Unit G

Unit Summary :

Completion Date: 7/18/2014 11:48 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 2
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:
A10-G10 Falls outside of unit

Summary Statistics :

Total # of Readings: 93
Average: 3.32 uR/hr
Standard Deviation: 0.33 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.80 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accessible
A5	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	(60% accessible) installed refrigerator
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.6	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	50% accessible
A8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B5	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible
B6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible



Summary Report
1113 Keppler Court Unit G

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room	Installed base cabinets.	3.2	uR/hr	Storage			uR/hr			No	90% accessible
C5	3.2	uR/hr	Storage	Installed Stove.		uR/hr				uR/hr			No	40% accessible
C6	3.2	uR/hr	Storage	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
C7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Storage		No	
D5	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1113 Keppler Court Unit G**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
E7	3.2	uR/hr	Closet		3.2	uR/hr	Dining Room			uR/hr			No	
E8	3.2	uR/hr	Dining Room		3.2	uR/hr	Stairs			uR/hr			No	stairs static taken 12" above floor
E9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr			No	60% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
F5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	



**Summary Report
1113 Keppler Court Unit G**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F6	3.2	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible
F7	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	stairs static taken 60" above floor
F8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	stairs static taken 36" above floor
F9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(60% accessible) installed furnace & hot water heater
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F12	3.2	uR/hr	Trash		3.2	uR/hr	Storage Shed			uR/hr			No	
F13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage Shed			uR/hr			No	70% accessible
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	4.8	uR/hr	Bathroom	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	static taken near base of toilet (30% accessible)
G5	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(10% accessible) installed washing machine



Summary Report
1113 Keppler Court Unit G

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(30% accessible) stairs static taken 60" above floor
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(30% accessible) stairs static taken 36" above floor
G9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(20% accessible) installed hot water heater
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G13	4.0	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1113 Kepler Court Unit H

Unit Summary :

Completion Date: 7/18/2014 12:29 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 2B
Background Reading: 2.8 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:

Rows 10 and 14 are outside floor plan. C12 and C13 were less than 6" and were scanned with adjacent grids.

Summary Statistics :

Total # of Readings: 94
Average: 2.85 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
A5	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	2.4	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	60% accessible
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 48" from floor surface
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 32" from floor surface
A9	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	40% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
A12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A13	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
B5	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
B6	2.8	uR/hr	Bathroom	Clothes dryer within grid.	2.8	uR/hr	Closet		2.8	uR/hr	Hallway		No	60% accessible



**Summary Report
1113 Keppler Court Unit H**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B7	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
B8	2.8	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	static taken on stairs 8" from floor surface
B9	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Hallway			uR/hr			No	40% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B13	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Closet		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
C5	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
C6	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1113 Keppler Court Unit H**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
D5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
E5	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
E6	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	refrigerator moved, 100% scanned



**Summary Report
1113 Keppler Court Unit H**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F5	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
F8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
G1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	30% accessible, moved refrigerator to get scan
G5	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed cabinets
G6	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed base cabinets
G7	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, install dishwasher
G8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1113 Keppler Court Unit H

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan


CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Summary Report
1114 Hutchins Court Unit A

Unit Summary :

Completion Date: 7/17/2014 10:46 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
A10 - G10 falls outside of unit. Two beds moved for survey in living room

Summary Statistics :

Total # of Readings: 92
Average: 3.26 uR/hr
Standard Deviation: 0.34 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.80 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room	Installed refrigerator.		uR/hr				uR/hr			No	80% accessible
A5	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	40% accessible
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	moved second refrigerator to survey
A9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B5	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
B6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1114 Hutchins Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room	Installed base cabinets.	3.2	uR/hr	Storage			uR/hr			No	70% accessible
C5	3.2	uR/hr	Storage	Installed Stove.		uR/hr				uR/hr			No	40% accessible
C6	3.2	uR/hr	Storage	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		3.2	uR/hr	Storage		No	
D5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1114 Hutchins Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed for survey
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed for survey
E4	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway		No	moved bed for survey
E5	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E6	3.2	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
E7	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Mech Room	Installed furnace.		uR/hr			No	70% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed for survey
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed for survey
F4	3.2	uR/hr	Living Room		4.0	uR/hr	Bathroom			uR/hr			No	moved bed for survey



**Summary Report
1114 Hutchins Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F5	4.8	uR/hr	Bathroom			uR/hr				uR/hr			No	static reading taken near toilet
F6	2.8	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible
F7	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	stairs static taken 60" above floor
F8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static taken 20" above floor
F9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(40% accessible) installed furnace & hot water heater
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	90% accessible
F13	3.6	uR/hr	Trash		3.6	uR/hr	Storage Shed			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(30% accessible) moved bed for survey
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(30% accessible) moved bed for survey
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	4.0	uR/hr	Bathroom			uR/hr			No	(30% accessible) moved bed for survey
G5	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1114 Hutchins Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible (installed washing machine)
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(30% accessible) static taken 60" above floor
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(30% accessible) static taken 36" above floor
G9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(10% accessible) installed hot water heater
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

CBI Supervisor : Tina Piquet

Signature :



Signoff Notes:

Senior Technician : Daphne Degering

Signature :





Summary Report
1114 Hutchins Court Unit B

Unit Summary :

Completion Date: 7/17/2014 9:58 AM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 2B
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: No
Tenant Present: No


Unit Notes:
A10 to G10 and A14 to C14 are outside floor plan. C12 and C13 are less than 6" and were scanned with adjacent grids.

Summary Statistics :

Total # of Readings: 95
Average: 2.83 uR/hr
Standard Deviation: 0.16 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
A5	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	toilet removed
A6	2.4	uR/hr	Stairs		2.8	uR/hr	Bathroom			uR/hr			No	washer removed, static taken on stairs 56" from floor surface
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 32" from floor surface
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	40% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan
A12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A13	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
B5	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
B6	2.8	uR/hr	Closet		2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom		No	dryer removed



**Summary Report
1114 Hutchins Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B7	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
B8	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
B9	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Hallway			uR/hr			No	40% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan
B12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B13	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Storage		2.8	uR/hr	Hallway		2.8	uR/hr	Living Room		No	
C5	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C6	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



**Summary Report
1114 Hutchins Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Storage		2.8	uR/hr	Living Room			uR/hr			No	
D5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
E5	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
E6	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1114 Hutchins Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	refrigerator moved 100% scanned
F5	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan
G1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	moved installed refrigerator, 30% scanned
G5	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed base cabinets
G6	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed base cabinets
G7	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed dishwasher



Summary Report
1114 Hutchins Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan


CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Summary Report
1114 Hutchins Court Unit C

Unit Summary :

Completion Date: 7/17/2014 10:35 AM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 2
Background Reading: 3.6 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
A10-G10 grids are outside unit interior boundary.

Summary Statistics :

Total # of Readings: 91
Average: 3.38 uR/hr
Standard Deviation: 0.29 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	moved refrigerator to survey grid
A5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	moved refrigerator to survey grid
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.6	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
A8	3.6	uR/hr	Dining Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	Survey performed on 10% of grid cell under non-movable china cabinet with Model 19 s/n 267078, reading is 4 microR/hr, background 4 microR/hr at standard location. Remainder surveyed with 193-6.



**Summary Report
1114 Hutchins Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A9	3.6	uR/hr	Dining Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	Survey performed on 10% of grid cell under non-movable china cabinet with Model 19 s/n 267078, reading is 4 microR/hr, background 4 microR/hr at standard location. Remainder surveyed with 193-6.
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
B5	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
B6	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
B7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	moved 2nd refrigerator to survey grid
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1114 Hutchins Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Storage		No	
C5	3.2	uR/hr	Kitchen	Installed Stove.	3.6	uR/hr	Storage			uR/hr			No	40% accessible. Elevated reading of 6 microR/hr on contact due to ceramic plates found in several boxes. Boxes were removed during survey of cell.
C6	3.6	uR/hr	Storage			uR/hr				uR/hr			No	40% accessible from storage, kitchen half of grid installed cabinet drawers.
C7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.6	uR/hr	Storage			uR/hr			No	
D5	3.6	uR/hr	Storage		3.6	uR/hr	Hallway			uR/hr			No	
D6	3.6	uR/hr	Storage		3.6	uR/hr	Hallway			uR/hr			No	



Summary Report
1114 Hutchins Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Dining Room		3.2	uR/hr	Mech Room			uR/hr			No	
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	65% accessible
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
F5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	



Summary Report
1114 Hutchins Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F6	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	moved clothes dryer to survey grid
F7	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	reading 1.8 meters from floor for stairs
F8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading .6 meters from floor for stairs
F9	3.2	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Stairs			uR/hr			No	40% accessible
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.6	uR/hr	Trash			uR/hr			No	90% accessible
F13	3.6	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. moved clothes washer to survey grid

Summary Report
1114 Hutchins Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. reading 1.8 meters from floor for stairs
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. reading 1.3 meters from floor for stairs
G9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	15% accessible-installed water heater. reading 1.3 meters from floor for stairs
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Summary Report
1114 Hutchins Court Unit D

Unit Summary :

Completion Date: 7/17/2014 10:11 AM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 2B
Background Reading: 3.2 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Grids A10 through G10, C12 through C14, A14 and B14 are outside of floor plan. 9 m unit depth

Summary Statistics :

Total # of Readings: 86
Average: 2.99 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
A5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible, washer moved for survey
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1 m from ground level
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at .8 m from ground level
A9	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	60% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
A12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A13	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
B5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B6	2.8	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible, dryer moved for survey
B7	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Dining Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .4 m from ground level
B9	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Dining Room			uR/hr			No	50% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B13	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
C5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



**Summary Report
1114 Hutchins Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
D5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
E6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1114 Hutchins Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	70% accessible
F5	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
F6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
F8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed refrigerator in kitchen grid



Summary Report
1114 Hutchins Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, survey performed in base cabinets
G6	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G7	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible, installed dishwasher
G8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Summary Report
1115 Kepler Court Unit A

Unit Summary :

Completion Date: 7/18/2014 1:33 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 2
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
A10-G10 row outside unit footprint. Bed was moved to survey in E1, F1, G1, E2, F2, G2 living room grid cells.

Summary Statistics :

Total # of Readings: 96
Average: 2.64 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.4	uR/hr	Living Room	Installed refrigerator.	2.4	uR/hr	Kitchen			uR/hr			No	70% accessible
A5	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	70% accessible
A6	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	2.8	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
A8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B5	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
B6	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.4	uR/hr	Living Room		2.4	uR/hr	Storage			uR/hr			No	
C5	2.4	uR/hr	Kitchen	Installed Stove.	2.8	uR/hr	Storage			uR/hr			No	30% accessible
C6	2.8	uR/hr	Kitchen	Installed base cabinets.	2.8	uR/hr	Storage			uR/hr			No	70% accessible, no survey inside cabinet drawers
C7	2.4	uR/hr	Dining Room		2.4	uR/hr	Storage			uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.4	uR/hr	Living Room		2.4	uR/hr	Storage			uR/hr			No	
D5	2.8	uR/hr	Storage		2.8	uR/hr	Storage			uR/hr			No	
D6	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
D7	2.8	uR/hr	Dining Room		2.4	uR/hr	Storage			uR/hr			No	
D8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1115 Keppler Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
E2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.4	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
E5	2.4	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
E6	2.4	uR/hr	Hallway	Clothes dryer within grid.	2.8	uR/hr	Bathroom			uR/hr			No	70% accessible
E7	2.4	uR/hr	Dining Room		2.4	uR/hr	Closet			uR/hr			No	
E8	2.4	uR/hr	Dining Room		2.4	uR/hr	Stairs			uR/hr			No	
E9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E12	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E13	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
F1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
F2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey



**Summary Report
1115 Keppler Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F5	2.8	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible
F6	2.8	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	30% accessible
F7	2.8	uR/hr	Dining Room		2.4	uR/hr	Closet			uR/hr			No	
F8	2.0	uR/hr	Stairs		2.4	uR/hr	Closet			uR/hr			No	stair static taken at 1 meter above floor level
F9	2.4	uR/hr	Mech Room	Installed furnace.	2.4	uR/hr	Dining Room			uR/hr			No	30% accessible
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F12	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.4	uR/hr	Trash			uR/hr			No	85% accessible
F13	2.8	uR/hr	Storage Shed		2.8	uR/hr	Trash			uR/hr			No	
G1	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Bed in grid moved for survey
G2	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Bed in grid moved for survey
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, by toilet



Summary Report
1115 Keppler Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	2.8	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed dryer.
G7	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, stair static taken at 1.5 meters above ground floor
G8	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, stair static taken at 1 meter above floor level
G9	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed water heater
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G12	2.4	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G13	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1115 Kepler Court Unit B

Unit Summary :


Completion Date: 6/19/2014 2:46 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 2B
Background Reading: 3.2 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings: 76
Average: 3.26 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.40 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No	Installed wall shelf unit with 2 inch thick wood composite base. Survey performed over base material.	Living Room		uR/hr	
A2	3.6	uR/hr	No	Installed wall shelf unit with 2 inch thick wood composite base. Survey performed over base material.	Living Room		uR/hr	
A3	3.2	uR/hr	No	Installed wall shelf unit with 2 inch thick wood composite base. Survey performed over base material.	Living Room		uR/hr	
A4	3.2	uR/hr	No	Scan inside fish tank cabinet base, base is four inches off ground with 1 inch composite wood.	Living Room		uR/hr	
A5	4.4	uR/hr	No	top of grid near the toilet	Bathroom		uR/hr	
A6		uR/hr	No	unable to move washer	Bathroom		uR/hr	
A7		uR/hr	No	N/A- Stairway above floor scan area.	Stairs		uR/hr	
A8		uR/hr	No	N/A- Stairway above floor scan area.	Stairs		uR/hr	
A9	2.8	uR/hr	No	partial accessibility due to water heater.	Mech Room		uR/hr	
A10	2.8	uR/hr	No		Mech Room		uR/hr	
A12	3.2	uR/hr	No		Trash		uR/hr	
A13	3.6	uR/hr	No		Trash		uR/hr	
B1	3.2	uR/hr	No		Living Room		uR/hr	
B2	3.6	uR/hr	No		Living Room		uR/hr	
B3	3.2	uR/hr	No		Living Room		uR/hr	
B4	3.2	uR/hr	No	Scan inside fish tank cabinet base, base is four inches off ground with 1 inch composite wood.	Living Room		uR/hr	
B5	3.2	uR/hr	No		Bathroom		uR/hr	Hallway
B6		uR/hr	No	unable to move dryer	Bathroom		uR/hr	
B7	3.2	uR/hr	No		Closet	2.8	uR/hr	Hallway
B8	3.2	uR/hr	No		Stairs	3.2	uR/hr	Closet
B9	2.8	uR/hr	No	Partial accessibility due to installed furnace.	Mech Room	2.8	uR/hr	Hallway
B10	2.8	uR/hr	No		Mech Room	2.8	uR/hr	Hallway
B12	3.6	uR/hr	No		Storage Shed		uR/hr	
B13	4.0	uR/hr	No		Storage Shed		uR/hr	
C1	3.2	uR/hr	No		Living Room		uR/hr	



Summary Report
1115 Keppler Court Unit B

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C2	3.2	uR/hr	No		Living Room		uR/hr	
C3	3.2	uR/hr	No		Living Room		uR/hr	
C4	3.2	uR/hr	No		Living Room		uR/hr	
C5	3.2	uR/hr	No		Hallway		uR/hr	
C6	3.2	uR/hr	No		Hallway		uR/hr	
C7	3.2	uR/hr	No		Dining Room		uR/hr	
C8	3.2	uR/hr	No		Dining Room		uR/hr	
C9	3.2	uR/hr	No		Dining Room		uR/hr	
C10	3.2	uR/hr	No		Dining Room		uR/hr	
C12	3.6	uR/hr	No		Storage Shed		uR/hr	
C13	3.6	uR/hr	No		Storage Shed		uR/hr	
D1	3.6	uR/hr	No		Living Room		uR/hr	
D2	3.2	uR/hr	No		Living Room		uR/hr	
D3	3.2	uR/hr	No		Living Room		uR/hr	
D4	3.2	uR/hr	No		Living Room		uR/hr	
D5	3.2	uR/hr	No		Storage		uR/hr	
D6	3.2	uR/hr	No		Storage		uR/hr	
D7	3.6	uR/hr	No		Dining Room		uR/hr	
D8	3.2	uR/hr	No		Dining Room		uR/hr	
D9	3.2	uR/hr	No		Dining Room		uR/hr	
D10	2.8	uR/hr	No		Dining Room		uR/hr	
E1	3.2	uR/hr	No		Living Room		uR/hr	
E2	3.2	uR/hr	No		Living Room		uR/hr	
E3	3.6	uR/hr	No		Living Room		uR/hr	
E4	3.2	uR/hr	No		Living Room		uR/hr	
E5	3.2	uR/hr	No		Kitchen		uR/hr	
E6	3.2	uR/hr	No		Kitchen		uR/hr	
E7	3.2	uR/hr	No		Dining Room		uR/hr	



Summary Report
1115 Keppler Court Unit B

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E8	3.2	uR/hr	No		Dining Room		uR/hr	
E9	3.2	uR/hr	No		Dining Room		uR/hr	
E10	3.2	uR/hr	No		Dining Room		uR/hr	
F1	3.6	uR/hr	No		Living Room		uR/hr	
F2	3.6	uR/hr	No		Living Room		uR/hr	
F3	3.2	uR/hr	No		Living Room		uR/hr	
F4	3.2	uR/hr	No		Living Room		uR/hr	
F5	3.2	uR/hr	No		Kitchen		uR/hr	
F6	3.2	uR/hr	No		Kitchen		uR/hr	
F7	3.2	uR/hr	No		Dining Room		uR/hr	
F8	3.2	uR/hr	No		Dining Room		uR/hr	
F9	3.2	uR/hr	No		Dining Room		uR/hr	
F10	3.2	uR/hr	No		Dining Room		uR/hr	
G1	3.2	uR/hr	No		Living Room		uR/hr	
G2	3.2	uR/hr	No		Living Room		uR/hr	
G3	3.2	uR/hr	No		Living Room		uR/hr	
G4	3.2	uR/hr	No		Living Room		uR/hr	
G5	3.2	uR/hr	No		Kitchen		uR/hr	
G6	3.2	uR/hr	No		Kitchen		uR/hr	
G7	3.2	uR/hr	No		Dining Room		uR/hr	
G8	3.2	uR/hr	No	Installed wall cabinet. Additional scan performed under the unit with Ludlum M19. All floor scanned measurements are 4.5 uR/hr. SN#67006 bkg 4.5uR/hr	Dining Room		uR/hr	
G9	3.2	uR/hr	No	Installed wall cabinet. Additional scan performed under the unit with Ludlum M19. All floor scanned measurements are 4.5 uR/hr. SN#67006 bkg 4.5uR/hr	Dining Room		uR/hr	
G10	3.2	uR/hr	No		Dining Room		uR/hr	


CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1115 Kepler Court Unit C

Unit Summary :

Completion Date: 7/1/2014 3:49 PM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 2

Background Reading: 3.6 uR/hr

Dimensions (m): D 9 W 6.3

Unit Furnished: No

Tenant Present: No

Unit Notes:

Actual dimensions 6.3 meters by 9 meters, no partials as shown. Apartment totally gutted (fire), wood framing in place, no sheet rock.

Summary Statistics :

Total # of Readings: 69

Average: 3.37 uR/hr

Standard Deviation: 0.20 uR/hr

Minimum: 3.20 uR/hr


Maximum: 3.60 uR/hr

Median: 3.20 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.		uR/hr			No	
A5	3.2	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.		uR/hr				uR/hr			No	
A6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.		uR/hr				uR/hr			No	
A8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
B5	3.2	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.		uR/hr				uR/hr			No	
B6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1115 Keppler Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		3.6	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.	No	
C5	3.6	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.	3.6	uR/hr	Storage			uR/hr			No	
C6	3.6	uR/hr	Kitchen		3.6	uR/hr	Storage			uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway		3.2	uR/hr	Storage		No	
D5	3.6	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
E5	3.6	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E6	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E7	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.6	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E9	3.2	uR/hr	Dining Room		3.2	uR/hr	Mech Room			uR/hr			No	



Summary Report
1115 Keppler Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
E13	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
F5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	no toilet or base cabinets installed
F6	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Closet		3.2	uR/hr	Stairs			uR/hr			No	70% accessible. stair partial floor accessible
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	floor accessible
F9	3.2	uR/hr	Mech Room		3.2	uR/hr	Stairs			uR/hr			No	furnace not installed
F12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.2	uR/hr	Trash			uR/hr			No	90% accessible
F13	3.2	uR/hr	Storage Shed		3.2	uR/hr	Trash			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible



Summary Report
1115 Keppler Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G7	3.2	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, floor accessible
G8	3.2	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, floor accessible
G9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Stairs			uR/hr			No	30% accessible, water heater not installed
G12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
G13	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Summary Report
1115 Kepler Court Unit D

Unit Summary :

Completion Date: 7/1/2014 3:44 PM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 2B

Background Reading: 3.6 uR/hr

Dimensions (m): D 9 W 6.3

Unit Furnished: No

Tenant Present: No

Unit Notes:

Actual dimensions 6.3 meters by 9 meters, no partial grids as shown. Apartment totally gutted (fire), wood framing in place, no sheet rock.

Summary Statistics :

Total # of Readings: 69

Average: 3.46 uR/hr

Standard Deviation: 0.19 uR/hr

Minimum: 3.20 uR/hr


Maximum: 3.60 uR/hr

Median: 3.60 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom	Bathroom fixtures not installed.		uR/hr			No	
A5	3.6	uR/hr	Bathroom	Bathroom fixtures not installed.		uR/hr				uR/hr			No	
A6	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Stairs			uR/hr				uR/hr			No	floor accessible
A8	3.6	uR/hr	Stairs			uR/hr				uR/hr			No	floor accessible
A9	3.2	uR/hr	Mech Room			uR/hr				uR/hr			No	water heater not installed
A12	3.2	uR/hr	Trash			uR/hr				uR/hr			No	90% accessible
A13	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom	Bathroom fixtures not installed.		uR/hr			No	
B5	3.2	uR/hr	Bathroom	Bathroom fixtures not installed.	3.2	uR/hr	Hallway			uR/hr			No	
B6	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
B7	3.2	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
B8	3.2	uR/hr	Stairs		3.2	uR/hr	Hallway		3.2	uR/hr	Closet		No	floor accessible
B9	3.6	uR/hr	Mech Room		3.2	uR/hr	Hallway			uR/hr			No	furnace not installed



Summary Report
1115 Keppler Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	90% accessible
B13	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
C5	3.6	uR/hr	Hallway		3.6	uR/hr	Storage			uR/hr			No	
C6	3.6	uR/hr	Hallway		3.6	uR/hr	Storage			uR/hr			No	
C7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
C13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D5	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1115 Keppler Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.		uR/hr			No	
E5	3.6	uR/hr	Kitchen	Kitchen cabinets and appliances not installed.		uR/hr				uR/hr			No	
E6	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
F5	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	
F6	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	
F7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G1	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1115 Keppler Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	30% accessible
G5	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G7	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Summary Report
1115 Kepler Court Unit E

Unit Summary :

Completion Date: 7/18/2014 12:43 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 2
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
Grids A10 through G10 are outside floor plan.
Unit depth is 8.9 m

Summary Statistics :

Total # of Readings: 89
Average: 3.00 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accessible
A5	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	50% accessible
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit depth is 8.9 m
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	70% accessible
B6	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1115 Keppler Court Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit depth is 8.9 m
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
C5	2.8	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible, installed stove and base cabinets in kitchen grid
C6	2.8	uR/hr	Storage	Grid partially obstructed by installed.		uR/hr				uR/hr			No	30% accessible, installed base cabinets in kitchen grid
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit depth is 8.9 m
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
D5	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	



**Summary Report
1115 Keppler Court Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit depth is 8.9 m
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
E5	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
E8	2.8	uR/hr	Dining Room		2.8	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .4 m from ground level
E9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit depth is 8.9 m
E12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
E13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
F5	3.2	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	60% accessible
F6	2.8	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	90% accessible
F7	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at .8 m from ground level
F9	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	80% accessible, installed steam pipes
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit depth is 8.9 m
F12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr			No	80% accessible
F13	3.2	uR/hr	Storage Shed		3.2	uR/hr	Trash			uR/hr			No	
G1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible
G5	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	2.8	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, moved washer for survey



Summary Report
1115 Keppler Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, reading on stairs taken at 1.2 m from ground level
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, reading on stairs taken at .9 m from ground level
G9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed water heater
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit depth is 8.9 m
G12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/18/2014 1:17 PM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 2B
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A10-G10 and A14-C14 grids are outside of floor plan. C12-C13 grids less than 6 inch wide and were surveyed along with adjacent grids.

Summary Statistics :

Total # of Readings: 95
Average: 3.35 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
A5	3.2	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	90% accessible.
A6	3.2	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	40% accessible.
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 44" from floor.
A8	3.2	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 36" from floor.
A9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Partial grid-partial grid due to installed water heater
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
A12	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1115 Keppler Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
B5	3.2	uR/hr	Bathroom	Clothes dryer within grid.	3.2	uR/hr	Hallway			uR/hr			No	90% accessible.
B6	3.2	uR/hr	Bathroom	Clothes dryer within grid.	3.2	uR/hr	Hallway		3.2	uR/hr	Closet		No	60% accessible.
B7	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
B8	3.2	uR/hr	Stairs		3.2	uR/hr	Dining Room			uR/hr			No	Stairs reading taken 12" from floor.
B9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Dining Room			uR/hr			No	40% accessible. Partial grid-partial grid due to installed water heater
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B12	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Storage		No	
C5	3.2	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C6	3.2	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1115 Keppler Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D5	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
E5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible.



**Summary Report
1115 Keppler Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible.
E7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	4.0	uR/hr	Living Room		3.6	uR/hr	Living Room			uR/hr			No	Additional readings taken near the dish cabinet on grid G4
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G1	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.



**Summary Report
1115 Keppler Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G3	4.0	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G4	4.0	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible. Additional scan and static taken under non-movable china cabinet using #267078 Model 19, static reading 5 uR/hr with background of 5 uR/hr at standard location.
G5	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G6	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Kitchen reading taken 12" from floor inside base cabinet
G7	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible. Partial grid-partial grid due to installed dishwasher.
G8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :

Signature :

Signoff Notes:



Summary Report
1115 Kepler Court Unit G

Unit Summary :

Completion Date: 7/18/2014 2:42 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:
A10-G10 Falls outside unit

Summary Statistics :

Total # of Readings: 93
Average: 3.25 uR/hr
Standard Deviation: 0.27 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accessible
A5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	(60%) partial grid installed refrigerator
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.6	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	50% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
B6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room	Installed base cabinets.	3.2	uR/hr	Storage			uR/hr			No	90% accessible
C5	3.2	uR/hr	Storage	Installed Stove.		uR/hr				uR/hr			No	40% accessible
C6	3.2	uR/hr	Storage	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		3.2	uR/hr	Hallway		No	
D5	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1115 Keppler Court Unit G**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
E5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E7	3.2	uR/hr	Closet		3.2	uR/hr	Dining Room			uR/hr			No	
E8	3.6	uR/hr	Dining Room		3.2	uR/hr	Stairs			uR/hr			No	stairs static taken 12" above floor
E9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, installed furnace
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
E13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	



**Summary Report
1115 Keppler Court Unit G**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	60% accessible
F7	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	stairs static taken 60" above floor
F8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	stairs static taken 36" above floor
F9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed furnace, hot water heater
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage Shed			uR/hr			No	70% accessible
F13	3.6	uR/hr	Trash		3.6	uR/hr	Storage Shed			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom			uR/hr			No	30% accessible
G5	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(10% accessible) installed washing machine



Summary Report
1115 Keppler Court Unit G

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(30% accessible) stairs static taken 60" above floor
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed hot water heater
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1115 Kepler Court Unit H

Unit Summary :

Completion Date: 7/18/2014 12:17 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 2B
Background Reading: 3.6 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Rows 10 and 14 are outside unit interior boundary.

Summary Statistics :

Total # of Readings: 88
Average: 3.54 uR/hr
Standard Deviation: 0.22 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
A5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	moved washer to survey grid
A7	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading 1.8 meters from floor for stairs
A8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading 1.3 meters from floor for stairs
A9	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	40% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
A12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A13	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible



**Summary Report
1115 Keppler Court Unit H**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B5	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
B6	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	moved dryer to survey grid
B7	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
B8	3.2	uR/hr	Stairs		3.2	uR/hr	Dining Room		3.2	uR/hr	Closet		No	reading .6 meters from floor for stairs
B9	3.2	uR/hr	Mech Room	Installed furnace.	3.6	uR/hr	Dining Room			uR/hr			No	50% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B13	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
C5	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



**Summary Report
1115 Keppler Court Unit H**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room	Survey performed on non-movable item.	3.6	uR/hr	Storage			uR/hr			No	surveyed on non moveable book shelf
D5	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Living Room	Survey performed on non-movable item.	4.0	uR/hr	Kitchen			uR/hr			No	surveyed on non moveable book shelf
E5	4.0	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
E6	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible



**Summary Report
1115 Keppler Court Unit H**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
F8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G1	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. moved refrigerator to survey grid



Summary Report
1115 Keppler Court Unit H

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. moved refrigerator to survey grid
G6	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G7	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible- installed dishwasher
G8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Summary Report
1116 Hutchins Court Unit A

Unit Summary :


Completion Date: 7/1/2014 9:59 AM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 69
Average: 3.22 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
A5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	50% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1116 Hutchins Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		No	Kitchen reading taken 9" from floor
C5	3.2	uR/hr	Kitchen		3.2	uR/hr	Storage			uR/hr			No	
C6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	Partial grid-partial grid due to installed base cabinets in kitchen. 50% accessible
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		3.2	uR/hr	Hallway		No	
D5	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
E5	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	



**Summary Report
1116 Hutchins Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E7	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.2	uR/hr	Dining Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 12" from floor
E9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
F5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	Reading taken 12" from floor inside dryer
F7	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	Stairs reading taken 52" from floor
F8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 28" from floor
F9	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	50% accessible
F12	3.6	uR/hr	Storage Shed		4.0	uR/hr	Trash			uR/hr			No	
F13	4.0	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1116 Hutchins Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Bathroom			uR/hr			No	30% accessible
G5	2.8	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Reading taken 36" from floor inside installed washing machine
G7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 52" from floor
G8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 36" from floor
G9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible. Water heater installed
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible


CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Summary Report
1117 Kepler Court Unit A

Unit Summary :

Completion Date: 7/1/2014 11:45 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 6.4
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


A10 through G10 are outside model 19 scanned under cabinet in living room on contact s/n is 67006

Summary Statistics :

Total # of Readings: 69
Average: 3.52 uR/hr
Standard Deviation: 0.42 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.80 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
A5	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	10% accessible
A6	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	10% accessible
A7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	10% accessible installed sink
A8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
B6	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.6	uR/hr	Closet	Grid partially contained within wall construction.		uR/hr			No	



Summary Report
1117 Keppler Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C5	4.0	uR/hr	Closet	Grid partially contained within wall construction.		uR/hr				uR/hr			No	10% accessible
C6	4.4	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	10% accessible. Ceramic on shelves in storage closet.
C7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.6	uR/hr	Closet			uR/hr			No	
D5	4.0	uR/hr	Storage			uR/hr				uR/hr			No	
D6	4.4	uR/hr	Storage		3.6	uR/hr	Hallway			uR/hr			No	Ceramic on shelves in storage closet
D7	4.0	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		4.0	uR/hr	Bathroom			uR/hr			No	
E5	4.0	uR/hr	Hallway			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1117 Keppler Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Static reading taken on the first riser; total height was 12 inches from the floor.
E9	3.2	uR/hr	Dining Room		3.2	uR/hr	Mech Room	Installed water heater.		uR/hr			No	20% accessible
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	4.8	uR/hr	Bathroom	Elevated measurements due to NORM in toilet bowl m	5.0	uR/hr	Living Room			uR/hr			No	Model 19 SN# 67006 used to scan under cabinet in living room; scan performed on contact. Optional static taken on contact. 40% accessible
F5	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible
F7	2.4	uR/hr	Stairs		3.6	uR/hr	Closet			uR/hr			No	Static reading was taken on 52 inches off the ground
F8	2.8	uR/hr	Stairs		3.6	uR/hr	Closet			uR/hr			No	Static reading was taken at 36 inches. 10% accessible



**Summary Report
1117 Keppler Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.8	uR/hr	Stairs		3.2	uR/hr	Mech Room	Installed water heater.		uR/hr			No	static reading was taken at 36 inches
F12	3.6	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
F13	3.6	uR/hr	Storage Shed		4.0	uR/hr	Trash			uR/hr			No	
G1	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.	5.0	uR/hr	Living Room			uR/hr			No	Model 19 SN# 67006 used to scan under cabinet in living room; scan performed on contact. Optional static taken on contact. 40% accessible
G5	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G6	2.8	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible due to dryer
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Static reading was taken 52 inches off the ground. 40% accessible
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Static reading taken at 36 inches. 40% accessible.




Summary Report
1117 Keppler Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr			No	Static reading taken at 36 inches; stairs 5% accessible. Mechanical room 20% accessible.
G12	3.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible


CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1116 Hutchins Court Unit C

Unit Summary :

Completion Date: 7/17/2014 3:38 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 2
Background Reading: 2.8 uR/hr
Dimensions (m): D 9 W 6.2
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
A10 to G10 outside floor plan

Summary Statistics :

Total # of Readings: 104
Average: 2.93 uR/hr
Standard Deviation: 0.34 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.80 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	40% accessible
A5	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
A6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
A7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
A8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
B5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1116 Hutchins Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed base cabinets.	2.8	uR/hr	Storage		No	
C5	2.8	uR/hr	Storage		3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	
C6	2.8	uR/hr	Storage		3.2	uR/hr	Kitchen			uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Storage		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
D5	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
D6	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Bathroom		3.2	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
E5	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
E6	2.8	uR/hr	Bathroom		2.8	uR/hr	Closet		2.8	uR/hr	Hallway		No	



**Summary Report
1116 Hutchins Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
E8	2.8	uR/hr	Dining Room		2.8	uR/hr	Closet			uR/hr			No	
E9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan
E12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	4.8	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	static taken by toilet
F5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Hallway		2.8	uR/hr	Closet		2.8	uR/hr	Bathroom	Clothes dryer within grid.	No	60% accessible
F7	2.4	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	static taken on stairs 40" from floor surface
F8	2.8	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	static taken on stairs 8" from floor surface
F9	2.8	uR/hr	Mech Room	Installed furnace.	2.4	uR/hr	Stairs		2.8	uR/hr	Dining Room		No	static taken on stairs 32" from floor surface, 40% accessible
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan
F12	3.6	uR/hr	Storage Shed		3.2	uR/hr	Trash			uR/hr			No	
F13	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	



Summary Report
1116 Hutchins Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	4.4	uR/hr	Bathroom	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	20% accessible, static taken by toilet
G5	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G6	2.8	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed washer in grid
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 8" from floor surface, 20% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	static taken on stairs 40" from floor surface, 20% accessible
G9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 32" from floor surface, installed water heater 20% accessible
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan
G12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



Summary Report
1116 Hutchins Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G13	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible


CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Summary Report
1116 Hutchins Court Unit D

Unit Summary :

Completion Date: 7/1/2014 11:58 AM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 2B
Background Reading: 3.2 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A10, B10, C10, D10, E10, F10 and G10 grids are outside of floor plan.

Summary Statistics :

Total # of Readings: 84
Average: 3.25 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.80 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room		4.8	uR/hr	Bathroom			uR/hr			No	Elevated measurements due to NORM in toilet bowl and tile materials.
A5	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	Reading taken 36" from floor at top opening of washer. Static only.
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 44" from floor
A8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 36" from floor
A9	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible
A12	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
B5	3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
B6	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		3.2	uR/hr	Closet		No	25% accessible. Reading taken 12" from floor inside dryer
B7	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1116 Hutchins Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8	3.2	uR/hr	Hallway		2.8	uR/hr	Stairs		3.2	uR/hr	Closet		No	Stairs reading taken 12" from floor
B9	3.2	uR/hr	Hallway		3.2	uR/hr	Mech Room	Installed furnace.		uR/hr			No	50% accessible
B12	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Storage		No	
C5	3.2	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C6	3.2	uR/hr	Hallway		3.6	uR/hr	Storage			uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
E5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F7	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	75% accessible
F8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1116 Hutchins Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	30% accessible
G5	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Survey performed within accessible cabinets
G6	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G7	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible. Partial grid-partial grid due to installed dishwasher
G8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Summary Report
1116 Hutchins Court Unit E

Unit Summary :


Completion Date: 7/2/2014 3:21 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 91
Average: 3.38 uR/hr
Standard Deviation: 0.33 uR/hr
Minimum: 2.80 uR/hr
Maximum: 5.20 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accessible
A5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	30% accessible-installed refrigerator
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible
A8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B5	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
B6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
B7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1116 Hutchins Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		3.2	uR/hr	Kitchen	Installed base cabinets.	No	90% accessible
C5	3.6	uR/hr	Storage		3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	40% accessible
C6	4.0	uR/hr	Storage		3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	40% accessible
C7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D5	3.6	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.6	uR/hr	Storage			uR/hr			3.6	uR/hr	Hallway		No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway		No	
E5	3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
E6	3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
E7	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.2	uR/hr	Dining Room		3.2	uR/hr	Stairs			uR/hr			No	
E9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



**Summary Report
1116 Hutchins Court Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
F5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible
F7	3.2	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	reading 1.8 meters above apartment first floor for stairs
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	
F9	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	40% accessible
F12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	4.0	uR/hr	Trash			uR/hr			No	90% accessible
F13	4.0	uR/hr	Storage Shed		4.0	uR/hr	Trash			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible
G5	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible



Summary Report
1116 Hutchins Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. reading 1.8 meters above apartment first floor
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. reading 1.3 meters above apartment first floor
G9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	30% accessible, installed water heater. reading 1.3 meters above apartment first floor for stairs
G12	5.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Adjacent shed (1116 F) has boxes of ceramic tile stored
G13	4.0	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Summary Report
1116 Hutchins Court Unit F

Unit Summary :

Completion Date: 7/2/2014 3:18 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 2B
Background Reading: 2.8 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 87
Average: 2.99 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	2nd reading near toilet
A5	3.2	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	60% accessible
A6	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	90% accessible
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading taken at 2.5 m from ground level
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading taken at 1 m from ground level
A9	2.8	uR/hr	Mech Room	Installed water heater.	2.8	uR/hr	Stairs			uR/hr			No	60% accessible
A10		uR/hr	Outside			uR/hr				uR/hr			No	length is 9 m
A12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A13	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway		No	
B5	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
B6	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	90% accessible
B7	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading taken at .6 m from ground level



Summary Report
1116 Hutchins Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Stairs			uR/hr			No	50% accessible
B10		uR/hr	Outside			uR/hr				uR/hr			No	length is 9 m
B12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B13	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Closet		No	
C5	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
C6	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside			uR/hr				uR/hr			No	length is 9 m
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Closet			uR/hr			No	
D5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Outside			uR/hr				uR/hr			No	length is 9 m
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
E5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	10% accessible
E6	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	20% accessible
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10		uR/hr	Outside			uR/hr				uR/hr			No	length is 9 m
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
F5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
F7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10		uR/hr	Outside			uR/hr				uR/hr			No	length is 9 m
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Summary Report
1116 Hutchins Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	30% accessible.
G6	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G7	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible , installed dishwasher.
G8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G10		uR/hr	Outside			uR/hr				uR/hr			No	length is 9 m



CBI Supervisor : Steve Phelps

Senior Technician : Robert Minard

Signature :



Signature :



Signoff Notes:



Summary Report
1117 Kepler Court Unit A

Unit Summary :

Completion Date: 7/1/2014 11:45 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 6.4
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Model 19 (S/N:67006) was used to scan under cabinet on contact in living room. Background 4.0 uR/h. The maximum reading with Model 19 was 5.0 uR/h.

Summary Statistics :

Total # of Readings: 69
Average: 3.52 uR/hr
Standard Deviation: 0.42 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.80 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
A5	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	10% accessible
A6	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	10% accessible
A7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	10% accessible installed sink
A8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
B6	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.6	uR/hr	Closet	Grid partially contained within wall construction.		uR/hr			No	80% accessible



Summary Report
1117 Keppler Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C5	4.0	uR/hr	Closet	Grid partially contained within wall construction.		uR/hr				uR/hr			No	10% accessible
C6	4.4	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	10% accessible. Ceramic on shelves in storage closet.
C7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.6	uR/hr	Closet			uR/hr			No	
D5	4.0	uR/hr	Storage			uR/hr				uR/hr			No	
D6	4.4	uR/hr	Storage		3.6	uR/hr	Hallway			uR/hr			No	Ceramic on shelves in storage closet
D7	4.0	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		4.0	uR/hr	Bathroom			uR/hr			No	
E5	4.0	uR/hr	Hallway			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1117 Keppler Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Static reading taken on the first riser; total height was 12 inches from the floor.
E9	3.2	uR/hr	Dining Room		3.2	uR/hr	Mech Room	Installed water heater.		uR/hr			No	20% accessible
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	4.8	uR/hr	Bathroom		5.0	uR/hr	Living Room			uR/hr			No	Elevated measurement in bathroom due to NORM in tiles. Model 19 SN# 67006 used to scan under cabinet in living room; scan performed on contact. Optional static taken on contact. 40% accessible
F5	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible
F7	2.4	uR/hr	Stairs		3.6	uR/hr	Closet			uR/hr			No	Static reading was taken on 52 inches off the ground

**Summary Report
1117 Keppler Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.8	uR/hr	Stairs		3.6	uR/hr	Closet			uR/hr			No	Static reading was taken at 36 inches. 10% accessible
F9	2.8	uR/hr	Stairs		3.2	uR/hr	Mech Room	Installed water heater.		uR/hr			No	static reading was taken at 36 inches
F12	3.6	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
F13	3.6	uR/hr	Storage Shed		4.0	uR/hr	Trash			uR/hr			No	
G1	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.	5.0	uR/hr	Living Room			uR/hr			No	Model 19 SN# 67006 used to scan under cabinet in living room; scan performed on contact. Optional static taken on contact. 40% accessible
G5	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G6	2.8	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible due to dryer
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Static reading was taken 52 inches off the ground. 40% accessible




Summary Report
1117 Keppler Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Static reading taken at 36 inches. 40% accessible.
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr			No	Static reading taken at 36 inches; stairs 5% accessible. Mechanical room 20% accessible.
G12	3.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible


CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1117 Kepler Court Unit B

Unit Summary :

Completion Date: 7/1/2014 10:18 AM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 2B
Background Reading: 3.2 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 76
Average: 3.14 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		4.0	uR/hr	Bathroom			uR/hr			No	
A5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	10% accessible
A7	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 60 inches from floor surface
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 44 inches from floor surface
A9	2.8	uR/hr	Mech Room	Installed water heater.	2.4	uR/hr	Stairs			uR/hr			No	20% accessible
A10	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A12	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
B5	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
B6	2.8	uR/hr	Bathroom	Clothes dryer within grid.	3.2	uR/hr	Hallway			uR/hr			No	10% accessible
B7	2.8	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	

**Summary Report
1117 Keppler Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8	2.8	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	static taken on stairs 28 inches from floor surface
B9	2.8	uR/hr	Dining Room		2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Stairs		No	20% accessible
B10	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B12	3.2	uR/hr	Storage Shed		3.2	uR/hr	Trash			uR/hr			No	
B13	3.6	uR/hr	Storage Shed		3.2	uR/hr	Trash			uR/hr			No	
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Storage		No	
C5	3.2	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr	Storage		No	
E5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
E6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F5	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	10% accessible
F6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
F7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1117 Keppler Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G5	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, static taken 6 inches from floor surface
G6	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G7	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan

CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Luguna

Signature :



Signature :



Signoff Notes:



Summary Report
1117 Kepler Court Unit C

Unit Summary :

Completion Date: 7/1/2014 3:47 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 2
Background Reading: 3.6 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Actual dimensions are 6.3 meters by 9 meters,
no partial grids as shown.

Summary Statistics :

Total # of Readings: 69
Average: 3.52 uR/hr
Standard Deviation: 0.23 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	moved the refrigerator to survey grid in kitchen
A5	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	moved the refrigerator to survey grid
A6	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	4.0	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
B5	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

**Summary Report
1117 Keppler Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Storage		No	
C5	3.6	uR/hr	Kitchen	Installed Stove.	3.6	uR/hr	Storage			uR/hr			No	30% accessible. survey performed within accessible base cabinets
C6	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Storage			uR/hr			No	
C7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room		3.6	uR/hr	Storage			uR/hr			No	
D5	3.6	uR/hr	Storage		3.6	uR/hr	Hallway			uR/hr			No	
D6	3.6	uR/hr	Storage		3.6	uR/hr	Hallway			uR/hr			No	
D7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E5	3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
E6	3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
E7	3.6	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
F5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible
F7	3.6	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	stairs reading 1.8 meters above apartment first floor
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	
F9	3.2	uR/hr	Mech Room	Installed furnace.	3.2	uR/hr	Stairs			uR/hr			No	40% accessible
F12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr			No	90% accessible
F13	3.6	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
G1	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G2	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	4.0	uR/hr	Bathroom			uR/hr			No	30% accessible
G5	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible-installed washer
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. reading 1.8 meters above apartment first floor
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. reading 1.3 meters above apartment first floor
G9	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	20% accessible. stairs reading 1.3 meters above apartment first floor
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Summary Report
1117 Kepler Court Unit D

Unit Summary :

Completion Date: 7/1/2014 12:50 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 2B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A10, B10, C10, D10, E10, F10, G10 are exterior,
outside unit floor plan.

Summary Statistics :

Total # of Readings: 69
Average: 3.09 uR/hr
Standard Deviation: 0.33 uR/hr
Minimum: 2.40 uR/hr
Maximum: 5.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
A5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	near toilet
A6	2.8	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1.4 m above ground floor
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1 m above ground floor
A9	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	60% accessible
A12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A13	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
B5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	Washing machine in grid, moved for reading.
B7	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
B8	2.4	uR/hr	Stairs		2.8	uR/hr	Dining Room			uR/hr			No	reading on stairs taken at 0.4 m above ground floor



Summary Report
1117 Keppler Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	2.8	uR/hr	Mech Room	Installed furnace.	3.2	uR/hr	Hallway			uR/hr			No	60% accessible
B12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B13	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Storage		No	
C5	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C13	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1117 Keppler Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	80% accessible in kitchen
E5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible
E6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
F5	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
F6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Dining Room	Installed base cabinets.		uR/hr				uR/hr			No	70% accessible
F8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1117 Keppler Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	5.0	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	30% accessible, unmovable/unstable furniture in grid bottom drawers removed for reading, reading taken with model 19, #2670780. bkg 4 uR/hr at standard location
G5	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, surveyed under installed base cabinets at 13 cm from floor
G7	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Installed base cabinets
G8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Summary Report
1118 Hutchins Court Unit A

Unit Summary :

Completion Date: 6/20/2014 4:26 PM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings: 76
Average: 3.24 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No		Living Room		uR/hr	
A2	3.2	uR/hr	No		Living Room		uR/hr	
A3	3.2	uR/hr	No		Living Room		uR/hr	
A4	3.2	uR/hr	No	50% living room 33% kitchen	Living Room	3.2	uR/hr	Kitchen
A5	3.2	uR/hr	No	40% scan taken in base cabinet	Kitchen		uR/hr	
A6	3.2	uR/hr	No	30% scan in base cabinet. scan taken 9" from floor in base cabinet.	Kitchen		uR/hr	
A7	3.2	uR/hr	No	45% dining room. partial due to dish washer	Dining Room		uR/hr	
A8	3.2	uR/hr	No		Dining Room		uR/hr	
A9	3.2	uR/hr	No		Dining Room		uR/hr	
A10		uR/hr	No	no partial 9 meters across	Dining Room		uR/hr	
B1	3.2	uR/hr	No		Living Room		uR/hr	
B2	3.2	uR/hr	No		Living Room		uR/hr	
B3	3.2	uR/hr	No		Living Room		uR/hr	
B4	3.2	uR/hr	No	50% living room 45% kitchen	Living Room	3.2	uR/hr	Kitchen
B5	3.2	uR/hr	No	66% kitchen due to installed stub	Kitchen		uR/hr	
B6	3.2	uR/hr	No	90% kitchen	Kitchen		uR/hr	
B7	3.2	uR/hr	No		Dining Room		uR/hr	
B8	3.6	uR/hr	No		Dining Room		uR/hr	
B9	3.2	uR/hr	No		Dining Room		uR/hr	
B10		uR/hr	No	no partial 9 meters across	Dining Room		uR/hr	
C1	3.2	uR/hr	No		Living Room		uR/hr	
C2	3.6	uR/hr	No		Living Room		uR/hr	
C3	3.2	uR/hr	No		Living Room		uR/hr	
C4	3.2	uR/hr	No	15% storage 50% living room. no kitchen partial because of installed cabinet	Storage	3.2	uR/hr	Dining Room
C5	3.2	uR/hr	No	25% storage 75% installed base cabinet	Storage		uR/hr	
C6	3.2	uR/hr	No	25% storage 75% installed base cabinet	Storage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C7	3.2	uR/hr	No		Dining Room		uR/hr	
C8	3.2	uR/hr	No		Dining Room		uR/hr	
C9	3.2	uR/hr	No		Dining Room		uR/hr	
C10		uR/hr	No	no partial 9 meters across	Dining Room		uR/hr	
D1	3.2	uR/hr	No		Living Room		uR/hr	
D2	3.2	uR/hr	No		Living Room		uR/hr	
D3	3.2	uR/hr	No		Living Room		uR/hr	
D4	3.2	uR/hr	No	25% storage 15% hallway 50% living room	Storage	3.2	uR/hr	Hallway
D5	3.6	uR/hr	No	25% hallway 75% storage	Hallway	3.2	uR/hr	Storage
D6	3.2	uR/hr	No	25% hallway 75% closet	Hallway	3.2	uR/hr	Storage
D7	3.2	uR/hr	No		Dining Room		uR/hr	
D8	3.2	uR/hr	No		Dining Room		uR/hr	
D9	3.2	uR/hr	No		Dining Room		uR/hr	
D10		uR/hr	No	no partial 9 meters across	Dining Room		uR/hr	
E1	3.2	uR/hr	No		Living Room		uR/hr	
E2	3.2	uR/hr	No		Living Room		uR/hr	
E3	3.2	uR/hr	No		Living Room		uR/hr	
E4	3.2	uR/hr	No	25% hallway 10% bathroom	Hallway	3.2	uR/hr	Bathroom
E5	3.2	uR/hr	No	60% hallway 40% bathroom	Hallway	3.2	uR/hr	Bathroom
E6	3.2	uR/hr	No	60% dining room 20% bathroom	Hallway	3.6	uR/hr	Bathroom
E7	3.2	uR/hr	No	60% dining room 40% closet	Dining Room	3.2	uR/hr	Closet
E8	3.2	uR/hr	No	66% dining room 34% stairs, stairs reading taken at 16" from floor	Dining Room	2.8	uR/hr	Stairs
E9	3.2	uR/hr	No	60% dining room 5% mech room	Dining Room	2.8	uR/hr	Mech Room
E10		uR/hr	No	no partial 9 meters across	Dining Room		uR/hr	
E12	4.0	uR/hr	No	50% accessible	Storage Shed		uR/hr	
E13	4.0	uR/hr	No	50% accessible	Storage Shed		uR/hr	
F1	3.2	uR/hr	No		Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F2	3.2	uR/hr	No		Living Room		uR/hr	
F3	3.2	uR/hr	No		Living Room		uR/hr	
F4	3.2	uR/hr	No	50% living room 50% bathroom	Living Room	3.6	uR/hr	Bathroom
F5	3.2	uR/hr	No		Bathroom		uR/hr	
F6	3.2	uR/hr	No	40% bathroom 1.9 meters	Bathroom		uR/hr	
F7	3.2	uR/hr	No	33% closet 50% stairs.	Closet	2.8	uR/hr	Stairs
F8	2.8	uR/hr	No	static taken 20" from the floor	Stairs		uR/hr	
F9	3.2	uR/hr	No	no partial in stairs 40% due to installed furnace and water heater	Mech Room		uR/hr	
F10		uR/hr	No	no partial 9 meters across	Mech Room		uR/hr	
F12	4.0	uR/hr	No		Storage Shed	3.6	uR/hr	Trash
F13	3.6	uR/hr	No		Storage Shed	3.6	uR/hr	Trash
G1	3.2	uR/hr	No	25% living room	Living Room		uR/hr	
G2	3.2	uR/hr	No	25% living room	Living Room		uR/hr	
G3	3.2	uR/hr	No	25% living room	Living Room		uR/hr	
G4	3.2	uR/hr	No	15% living room 10% bathroom	Living Room	3.6	uR/hr	Bathroom
G5	3.6	uR/hr	No	25% bathroom	Bathroom		uR/hr	
G6	3.2	uR/hr	No	20% bathroom 1.9 meters	Bathroom		uR/hr	
G7	2.4	uR/hr	No	25% stairs. reading taken at 44" from the floor	Stairs		uR/hr	
G8	2.4	uR/hr	No	25% stairs static taken 3 ft from the floor	Stairs		uR/hr	
G9	2.8	uR/hr	No	no partial in stairs 20% mech room	Mech Room		uR/hr	
G10		uR/hr	No	no partial 9 meters across	Mech Room		uR/hr	
G12	3.6	uR/hr	No	50% accessible	Trash		uR/hr	
G13	3.6	uR/hr	No	50% accessible	Trash		uR/hr	



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Summary Report
1118 Hutchins Court Unit B

Unit Summary :

Completion Date: 7/15/2014 1:55 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 2B
Background Reading: 2.8 uR/hr
Dimensions (m): D 9 W 6.2
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A10-G10, A11, B11, C12, C13, C14, A14 and B14 outside unit interior floor plan.

Summary Statistics :

Total # of Readings: 90
Average: 2.55 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.20 uR/hr
Median: 2.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	Survey by toilet
A5	2.4	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	2.4	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	40% accessible
A7	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.5 meters above ground floor
A8	2.0	uR/hr	Stairs		2.4	uR/hr	Mech Room			uR/hr			No	Stair static taken at 1.1 meters above ground floor
A9	2.4	uR/hr	Mech Room			uR/hr				uR/hr			No	
A10		uR/hr	Mech Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
A12	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A13	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
A14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.4	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
B5	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	



**Summary Report
1118 Hutchins Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B6	2.4	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	60% accessible
B7	2.4	uR/hr	Closet		2.4	uR/hr	Hallway			uR/hr			No	
B8	2.4	uR/hr	Stairs		2.4	uR/hr	Dining Room			uR/hr			No	90% accessible. Stair static taken at 0.5 meters above ground floor, no mech room survey, water heater 0.5 meters above ground floor
B9	2.4	uR/hr	Mech Room		2.4	uR/hr	Kitchen			uR/hr			No	
B10		uR/hr	Mech Room			uR/hr				uR/hr			No	outside of floor plan
B12	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B13	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		2.4	uR/hr	Hallway			uR/hr			No	
C5	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
C7	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1118 Hutchins Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C12		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C13		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.4	uR/hr	Living Room		2.4	uR/hr	Storage			uR/hr			No	
D5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D6	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E5	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible, surveyed in base cabinets
E6	2.4	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	50% accessible
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.4	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	
F5	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G2	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G3	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



Summary Report
1118 Hutchins Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Kitchen			uR/hr			No	20% accessible
G5	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, surveyed in base cabinets
G6	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Installed stove. 10% accessible
G7	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G8	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G9	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1118 Hutchins Court Unit C

Unit Summary :

Completion Date: 7/16/2014 10:01 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 9 W 6.2
Unit Furnished: Yes
Tenant Present: No

Unit Notes:
Wall shown within F12 and F13 doesn't exist.
A10-G10 falls outside unit

Summary Statistics :

Total # of Readings: 94
Average: 3.10 uR/hr
Standard Deviation: 0.30 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
A5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	partial grid (installed refrigerator) 50% accessible
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	50% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	70% accessible
B6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	70% accessible
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1118 Hutchins Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room	Installed base cabinets.	3.2	uR/hr	Storage			uR/hr			No	90% accessible
C5	3.2	uR/hr	Storage	Installed Stove.		uR/hr				uR/hr			No	40% accessible
C6	3.2	uR/hr	Storage	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Storage		No	
D5	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1118 Hutchins Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E5	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E6	3.2	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
E7	2.8	uR/hr	Closet		3.2	uR/hr	Dining Room			uR/hr			No	
E8	2.8	uR/hr	Dining Room		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken 12" above floor
E9	2.8	uR/hr	Dining Room		2.8	uR/hr	Mech Room	Installed furnace.		uR/hr			No	50% accessible
E10		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
E13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
F5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	70% accessible
F7	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	
F8	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	stairs static taken 28" above floor (90% accessible)



Summary Report
1118 Hutchins Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.8	uR/hr	Mech Room	Installed furnace.	2.4	uR/hr	Stairs			uR/hr			No	stairs static taken 28" above floor (60% accessible)
F10		uR/hr	Mech Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F12	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
F13	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom			uR/hr			No	20% accessible
G5	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G6	2.8	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(10% accessible) installed washing machine
G7	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	stairs static taken 76" above floor (20% accessible)
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	stairs static taken 52" above floor (20% accessible)



Summary Report
1118 Hutchins Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Mech Room	Installed water heater.	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	(10% accessible) stairs static taken 52" above floor
G10		uR/hr	Mech Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible


CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1118 Hutchins Court Unit D

Unit Summary :

Completion Date: 7/16/2014 10:14 AM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 2B
Background Reading: 2.8 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Row 10 and 14 were outside of floor plan. Grids C12 and C13 less than 6" were scanned with adjacent grids.

Summary Statistics :

Total # of Readings: 95
Average: 2.81 uR/hr
Standard Deviation: 0.20 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
A5	3.2	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	60% accessible
A6	2.0	uR/hr	Stairs		2.8	uR/hr	Bathroom	Washing machine within grid.		uR/hr			No	static taken on stairs 80" from floor surface, 60% accessible
A7	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 56" from floor surface
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 32" from floor surface
A9	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
A12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A13	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1118 Hutchins Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B4	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
B5	2.8	uR/hr	Bathroom	Clothes dryer within grid.	2.8	uR/hr	Hallway			uR/hr			No	60% accessible
B6	2.8	uR/hr	Bathroom	Clothes dryer within grid.	2.8	uR/hr	Hallway			uR/hr			No	60% accessible
B7	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
B8	2.4	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	static taken on stairs 16" from floor surface
B9	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Hallway			uR/hr			No	50% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B13	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Storage		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
C5	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C6	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C7	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1118 Hutchins Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Storage		2.8	uR/hr	Living Room			uR/hr			No	
D5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Kitchen	Installed base cabinets.	2.8	uR/hr	Living Room			uR/hr			No	80% accessible
E5	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
E6	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1118 Hutchins Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
F5	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
F8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
G1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	20% accessible, installed refrigerator
G5	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, base cabinets installed.
G6	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, base cabinets installed.




Summary Report
1118 Hutchins Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed dishwasher
G8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan


CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :




Signature :



Signoff Notes:



Unit Notes:



Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	2.8	uR/hr	No		Living Room		uR/hr	
A2	2.8	uR/hr	No		Living Room		uR/hr	
A3	2.8	uR/hr	No		Living Room		uR/hr	
A4	2.8	uR/hr	No	kitchen reading partial /refrigerator installed	Living Room	2.8	uR/hr	Kitchen
A5	2.8	uR/hr	No	partial survey/ refrigerator installed.	Kitchen		uR/hr	
A6	2.8	uR/hr	No		Kitchen		uR/hr	
A7	2.8	uR/hr	No	partial survey /dishwasher installed.	Dining Room		uR/hr	
A8	2.8	uR/hr	No		Dining Room		uR/hr	
A9	2.8	uR/hr	No		Dining Room		uR/hr	
A10		uR/hr	No	N/A- Grids are outside unit interior boundary.	Dining Room		uR/hr	
B1	2.8	uR/hr	No		Living Room		uR/hr	
B2	3.2	uR/hr	No		Living Room		uR/hr	
B3	2.8	uR/hr	No		Living Room		uR/hr	
B4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Kitchen
B5	2.8	uR/hr	No	partial survey/ stove installed.	Kitchen		uR/hr	
B6	2.8	uR/hr	No	partial survey/ base cabinet.	Kitchen		uR/hr	
B7	2.8	uR/hr	No		Dining Room		uR/hr	
B8	3.2	uR/hr	No		Dining Room		uR/hr	
B9	2.8	uR/hr	No		Dining Room		uR/hr	
B10		uR/hr	No	N/A- Grids are outside unit interior boundary.	Dining Room		uR/hr	
C1	2.8	uR/hr	No		Living Room		uR/hr	
C2	2.8	uR/hr	No		Living Room		uR/hr	
C3	2.8	uR/hr	No		Living Room		uR/hr	
C4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Storage
C5	2.8	uR/hr	No	reading in closet/ kitchen not accessible	Kitchen		uR/hr	
C6	2.8	uR/hr	No		Kitchen		uR/hr	
C7	2.8	uR/hr	No		Dining Room		uR/hr	



Summary Report
1120 Reeves Court Unit A

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C8	2.8	uR/hr	No		Dining Room		uR/hr	
C9	3.2	uR/hr	No		Dining Room		uR/hr	
C10		uR/hr	No	N/A- Grids are outside unit interior boundary.	Dining Room		uR/hr	
D1	2.8	uR/hr	No		Living Room		uR/hr	
D2	2.8	uR/hr	No		Living Room		uR/hr	
D3	2.8	uR/hr	No		Living Room		uR/hr	
D4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Storage
D5	2.8	uR/hr	No		Storage	2.8	uR/hr	Hallway
D6	2.8	uR/hr	No		Storage	2.8	uR/hr	Hallway
D7	2.8	uR/hr	No		Dining Room		uR/hr	
D8	2.8	uR/hr	No		Dining Room		uR/hr	
D9	2.8	uR/hr	No		Dining Room		uR/hr	
D10		uR/hr	No	N/A- Grids are outside unit interior boundary.	Dining Room		uR/hr	
E1	2.8	uR/hr	No		Living Room		uR/hr	
E2	2.8	uR/hr	No		Living Room		uR/hr	
E3	2.8	uR/hr	No		Living Room		uR/hr	
E4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Hallway
E5	2.8	uR/hr	No		Hallway	2.8	uR/hr	Bathroom
E6	2.8	uR/hr	No		Hallway	2.8	uR/hr	Bathroom
E7	2.8	uR/hr	No		Dining Room	2.8	uR/hr	Closet
E8	2.8	uR/hr	No		Dining Room		uR/hr	
E9	2.8	uR/hr	No		Dining Room	3.2	uR/hr	Mech Room
E10		uR/hr	No	N/A- Grids are outside unit interior boundary.	Dining Room		uR/hr	
E12	3.6	uR/hr	No		Storage Shed		uR/hr	
E13	3.6	uR/hr	No		Storage Shed		uR/hr	
F1	2.8	uR/hr	No		Living Room		uR/hr	
F2	2.8	uR/hr	No		Living Room		uR/hr	
F3	2.8	uR/hr	No		Living Room		uR/hr	



Summary Report
1120 Reeves Court Unit A

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F4	2.8	uR/hr	No		Living Room	3.2	uR/hr	Bathroom
F5	3.2	uR/hr	No		Bathroom		uR/hr	
F6	2.8	uR/hr	No		Bathroom		uR/hr	
F7	2.8	uR/hr	No	partial under stairs unable to survey/ stairs	Closet		uR/hr	
F8		uR/hr	No	N/A- Stairway above floor scan area.	Stairs		uR/hr	
F9	2.8	uR/hr	No		Mech Room		uR/hr	
F10		uR/hr	No	N/A- Grids are outside unit interior boundary.	Mech Room		uR/hr	
F12	3.2	uR/hr	No		Storage Shed	3.2	uR/hr	Trash
F13	3.2	uR/hr	No		Storage Shed	3.2	uR/hr	Trash
G1	2.4	uR/hr	No		Living Room		uR/hr	
G2	2.8	uR/hr	No		Living Room		uR/hr	
G3	2.8	uR/hr	No		Living Room		uR/hr	
G4	2.8	uR/hr	No		Living Room	3.2	uR/hr	Bathroom
G5	2.8	uR/hr	No		Bathroom		uR/hr	
G6	2.8	uR/hr	No		Bathroom		uR/hr	
G7		uR/hr	No	N/A- Stairway above floor scan area.	Stairs		uR/hr	
G8		uR/hr	No	N/A- Stairway above floor scan area.	Stairs		uR/hr	
G9	2.4	uR/hr	No		Mech Room		uR/hr	
G10		uR/hr	No	N/A- Grids are outside unit interior boundary.	Mech Room		uR/hr	
G12	3.2	uR/hr	No		Trash		uR/hr	
G13	3.2	uR/hr	No		Trash		uR/hr	



CBI Supervisor : Joyce McGee

Senior Technician : Efraim Ramirez

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature appears to read "J McGee" in a cursive script.

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is stylized and appears to read "E Ramirez" in a cursive script.

Signoff Notes:



Summary Report
1120 Reeves Court Unit B

Unit Summary :

Completion Date: 7/16/2014 3:22 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 2B
Background Reading: 2.8 uR/hr
Dimensions (m): D 9 W 6.2
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Row 10 and 14 were outside floor plan. C12 and C13 less than 6" were scanned with adjacent grids.

Summary Statistics :

Total # of Readings: 92
Average: 2.83 uR/hr
Standard Deviation: 0.14 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
A5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	static reading was taken near toilet
A6	2.8	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 56" from floor surface
A8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 32" from floor surface
A9	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	40% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
A12	3.2	uR/hr	Trash			uR/hr				uR/hr			No	70% accessible
A13	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom		No	
B5	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
B6	2.8	uR/hr	Bathroom	Washing machine within grid.	2.8	uR/hr	Hallway			uR/hr			No	40% accessible



**Summary Report
1120 Reeves Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B7	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
B8	2.8	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	static taken on stairs 16" from floor surface
B9	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Hallway			uR/hr			No	40% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B12	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	70% accessible
B13	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Storage		2.8	uR/hr	Hallway		2.8	uR/hr	Living Room		No	
C5	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C6	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Storage		2.8	uR/hr	Living Room			uR/hr			No	



**Summary Report
1120 Reeves Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
E5	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
E6	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	60% accessible
F5	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
F7	2.8	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
G1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	moved refrigerator, 20% accessible
G5	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed base cabinet
G6	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed base cabinet
G7	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed dishwasher
G8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan



CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is cursive and appears to read "N. Rothell".

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is cursive and appears to read "Ricky Laguna".

Signoff Notes:



- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Page 1 of 7

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
A5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	75% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
B6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



**Summary Report
1120 Reeves Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	80% accessible-installed cabinet drawers in kitchen
C5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	40% accessible from storage, kitchen half of grid installed stove
C6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage			uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D5	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1120 Reeves Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Dining Room		3.2	uR/hr	Mech Room			uR/hr			No	
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E12	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	65% accessible
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
F5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F6	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	moved clothes dryer to survey grid
F7	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	reading taken 1.8 meters from floor
F8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading taken .6 meters from floor
F9	3.2	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Stairs			uR/hr			No	30% accessible. reading taken .6 meters from floor for stairs
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.6	uR/hr	Trash			uR/hr			No	90% accessible
F13	3.6	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	20% accessible
G5	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. moved clothes washer to survey grid



Summary Report
1120 Reeves Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. reading taken 1.8 meters from floor
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. reading taken 1.3 meters from floor
G9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	15% accessible-installed water heater. reading taken 1.3 meters from floor
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Summary Report
1120 Reeves Court Unit D

Unit Summary :

Completion Date: 7/22/2014 2:46 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 2B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:
A10-G10, A14-C14, C12 and C13 Fall outside of unit

Summary Statistics :

Total # of Readings: 97
Average: 3.18 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
A5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	40% accessible
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	stairs static taken 60" above floor
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	stairs static taken 36" above floor
A9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible installed furnace & hot water heater
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
A12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A13	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room		3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom		No	
B5	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	



**Summary Report
1120 Reeves Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B6	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr			No	40% accessible
B7	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
B8	3.2	uR/hr	Stairs		3.2	uR/hr	Dining Room			uR/hr			No	stairs static taken 12" above floor
B9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Mech Room			uR/hr			No	60% accessible installed furnace
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.6	uR/hr	Trash			uR/hr			No	80% accessible
B13	4.0	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		2.8	uR/hr	Storage		2.8	uR/hr	Hallway		No	
C5	2.8	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C6	2.8	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



**Summary Report
1120 Reeves Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Storage		3.2	uR/hr	Living Room			uR/hr			No	
D5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room			uR/hr			No	
E5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible



Summary Report
1120 Reeves Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Living Room			uR/hr			No	90% accessible
F5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	partial grid installed refrigerator 70% accessible
F6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible
F8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1120 Reeves Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	20% accessible
G5	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible installed refrigerator
G6	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	percentage of grid falls outside of unit 30% accessible
G7	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	partial grid installed dishwasher 10% accessible
G8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan


CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1122 Reeves Court Unit A

Unit Summary :

Completion Date: 7/21/2014 10:00 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:
A10-G10 Falls outside unit

Summary Statistics :

Total # of Readings: 96
Average: 3.19 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accessible
A5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	(60% accessible) installed refrigerator
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible
B6	3.2	uR/hr	Kitchen	Installed base cabinets.	3.2	uR/hr	Dining Room			uR/hr			No	90% accessible
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1122 Reeves Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
C5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Storage		2.8	uR/hr	Dining Room			uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Storage		No	
D5	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Dining Room			uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible



**Summary Report
1122 Reeves Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
E5	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E6	3.2	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
E7	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.2	uR/hr	Dining Room		3.2	uR/hr	Stairs			uR/hr			No	stairs static taken 12" above floor
E9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr			No	70% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
F5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible



**Summary Report
1122 Reeves Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F7	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	stairs static taken 60" above floor
F8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	stairs static taken 36" above floor
F9	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	(40% accessible) installed furnace
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	70% accessible
F13	4.0	uR/hr	Trash		3.6	uR/hr	Storage Shed			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(10% accessible) installed washing machine
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(30% accessible) stairs static taken 60" above floor




Summary Report
1122 Reeves Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(30% accessible) stairs static taken 36" above floor
G9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(10% accessible) installed hot water heater
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1122 Reeves Court Unit B

Unit Summary :

Completion Date: 7/1/2014 2:45 PM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 2B
Background Reading: 3.6 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: No
Tenant Present: No


Unit Notes:
Grids A10 thru G10 are outside of floor plan

Summary Statistics :

Total # of Readings: 83
Average: 3.26 uR/hr
Standard Deviation: 0.19 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
A5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	No washer installed
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 44" from floor
A8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 36" from floor
A9	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible
A12	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		No	
B5	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
B6	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	No dryer installed
B7	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
B8	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs			uR/hr			No	Stairs reading taken 12" from floor
B9	3.2	uR/hr	Dining Room		3.2	uR/hr	Mech Room	Installed furnace.		uR/hr			No	50% accessible
B12	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.6	uR/hr	Storage		No	
C5	3.6	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C6	3.2	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
E5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	25% accessible. Partial grid-partial grid due to installed stove



Summary Report
1122 Reeves Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	25% accessible
F8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	30% accessible
G5	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Survey performed inside installed base cabinets