



Summary Report
1139 Ozbourn Court Unit E

Unit Summary :

Completion Date: 7/3/2014 10:22 AM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: No

Unit Notes:


Actual dimensions 6.3 meters by 9 meters, no partial grids as shown.

Summary Statistics :

Total # of Readings: 94
Average: 3.23 uR/hr
Standard Deviation: 0.30 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
A5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	moved refrigerator to survey grid
A6	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.6	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	50% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
B6	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		No	
C5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	50% accessible from Storage, Kitchen half of grid cell has installed stove
C6	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Storage			uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		3.2	uR/hr	Hallway		No	
D5	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		No	
E5	3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
E7	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.2	uR/hr	Dining Room		2.8	uR/hr	Stairs		2.8	uR/hr	Closet		No	static taken on stairs 0.6 meters above from floor
E9	3.2	uR/hr	Dining Room		2.8	uR/hr	Mech Room			uR/hr			No	
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Living Room		4.0	uR/hr	Bathroom			uR/hr			No	
F5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	moved clothes washer and dryer to survey grid
F7	3.2	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 1.3 meters above from floor
F8	2.8	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	
F9	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Stairs			uR/hr			No	50% accessible
F12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.6	uR/hr	Trash			uR/hr			No	90% accessible
F13	3.6	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	4.0	uR/hr	Bathroom			uR/hr			No	30% accessible
G5	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	2.8	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, moved clothes dryer to survey grid
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, reading 1.8 meters above apartment first floor
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, reading 1.3 meters above apartment first floor
G9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible, installed water heater, reading 1.3 meters above apartment first floor
G12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Summary Report
1139 Ozborn Court Unit F

Unit Summary :


Completion Date: 7/3/2014 11:41 AM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 2B
Background Reading: 2.8 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:
bed in living room

Summary Statistics :

Total # of Readings: 88
Average: 2.85 uR/hr
Standard Deviation: 0.29 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.40 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		4.4	uR/hr	Bathroom			uR/hr			No	Elevated measurements due to NORM in toilet bowl materials.
A5	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurements due to NORM in toilet bowl materials.
A6	2.8	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading taken at 1.22 m from ground level
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading taken at .77 m from ground level
A9	2.8	uR/hr	Mech Room	Installed water heater.	2.4	uR/hr	Stairs			uR/hr			No	50% accessible in mech room
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length is 9 m
A12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A13	2.8	uR/hr	Trash			uR/hr				uR/hr			No	
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room		2.8	uR/hr	Bedroom			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B5	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
B6	3.2	uR/hr	Bathroom	Clothes dryer within grid.	2.8	uR/hr	Hallway			uR/hr			No	70% accessible, washer and dryer moved for survey
B7	2.8	uR/hr	Closet		2.8	uR/hr	Bathroom			uR/hr			No	installed clothes dryer in bathroom
B8	2.4	uR/hr	Stairs		2.8	uR/hr	Closet		2.8	uR/hr	Hallway		No	stairs reading taken at .4 m from ground level
B9	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Hallway		2.4	uR/hr	Stairs		No	40% accessible in mech room
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length is 9 m
B12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B13	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
C6	2.8	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length is 9 m

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length is 9 m
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
E5	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	
E6	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length is 9 m
F1	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	bed in living room
F2	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	bed in living room
F3	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	bed in living room

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F4	2.8	uR/hr	Bedroom		2.8	uR/hr	Kitchen			uR/hr			No	bed in living room
F5	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	30% accessible
F6	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length is 9 m
G1	2.8	uR/hr	Bedroom	Grid partially contained within wall construction.		uR/hr				uR/hr			No	bed in living room, 30% accessible
G2	2.8	uR/hr	Bedroom	Grid partially contained within wall construction.		uR/hr				uR/hr			No	bed in living room, 30% accessible
G3	2.8	uR/hr	Bedroom	Grid partially contained within wall construction.		uR/hr				uR/hr			No	bed in living room, 30% accessible
G4	2.8	uR/hr	Bedroom	Grid partially contained within wall construction.		uR/hr				uR/hr			No	bed in living room, 30% accessible
G5	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	30% accessible
G6	2.8	uR/hr	Kitchen	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible
G7	2.8	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible



Summary Report
1139 Ozbourn Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.8	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible
G9	2.8	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length is 9 m



CBI Supervisor : Steve Phelps

Signature :

Signoff Notes:

Senior Technician : Mark Cafouras

Signature :



Summary Report
1141 Ozbourn Court Unit A

Unit Summary :

Completion Date: 7/23/2014 9:56 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:
A10-G10 Falls outside unit

Summary Statistics :

Total # of Readings: 94
Average: 3.25 uR/hr
Standard Deviation: 0.31 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.40 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Living Room	Installed refrigerator.		uR/hr				uR/hr			No	90% accessible
A5	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	partial grid installed refrigerator 60% accessible
A6	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.6	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible
B6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible



**Summary Report
1141 Ozbourn Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room	Installed base cabinets.	2.8	uR/hr	Storage			uR/hr			No	95% accessible
C5	3.2	uR/hr	Storage	Installed Stove.		uR/hr				uR/hr			No	40% accessible
C6	3.2	uR/hr	Storage	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Storage		No	
D5	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1141 Ozbourn Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		No	
E5	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E6	3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
E7	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.2	uR/hr	Dining Room		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken 12" above floor
E9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Mech Room			uR/hr			No	60% accessible installed furnace
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
E13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	



**Summary Report
1141 Ozborn Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible
F7	2.8	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	stairs static taken 60" above floor
F8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	stairs static taken 36" above floor
F9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible installed furnace & hot water heater
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage			uR/hr			No	70% accessible
F13	4.0	uR/hr	Trash		3.6	uR/hr	Storage Shed			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	4.4	uR/hr	Bathroom			uR/hr			No	30% accessible
G5	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible installed washing machine



Summary Report
1141 Ozbourn Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible stairs static taken 60" above floor
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible stairs static taken 36" above floor
G9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible installed hot water heater
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1141 Ozborn Court Unit B

Unit Summary :

Completion Date: 7/23/2014 3:44 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 2B
Background Reading: 2.8 uR/hr
Dimensions (m): D 9.1 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A10-G10 less than 6" wide, surveyed with adjacent row, Grids A14, B14, C14, C12 and C13 are outside of the survey unit

Summary Statistics :

Total # of Readings: 87
Average: 2.54 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.4	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	static by toilet
A5	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible due to toilet with static taken at toilet
A6	2.4	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible
A7	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.3 meter above floor level
A8	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 0.9 meter above floor level
A9	2.4	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	55% accessible
A12	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
A13	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.4	uR/hr	Living Room		2.4	uR/hr	Bathroom			uR/hr			No	
B5	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	



Summary Report
1141 Ozbourn Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B6	2.4	uR/hr	Bathroom	Clothes dryer within grid.	2.4	uR/hr	Hallway			uR/hr			No	50% accessible
B7	2.4	uR/hr	Closet		2.4	uR/hr	Dining Room			uR/hr			No	
B8	2.4	uR/hr	Stairs		2.4	uR/hr	Hallway			uR/hr			No	Stair static taken at 0.5 meter above floor level
B9	2.4	uR/hr	Mech Room	Installed furnace.	2.4	uR/hr	Dining Room			uR/hr			No	50% accessible
B12	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B13	2.8	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		2.4	uR/hr	Storage		No	
C5	2.8	uR/hr	Hallway		2.4	uR/hr	Storage			uR/hr			No	
C6	2.4	uR/hr	Hallway		2.4	uR/hr	Storage			uR/hr			No	
C7	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



Summary Report
1141 Ozbourn Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.4	uR/hr	Living Room		2.4	uR/hr	Storage			uR/hr			No	
D5	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
D6	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	surveyed inside installed cabinets
E5	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible, surveyed inside installed cabinet
E6	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	50% accessible
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1141 Ozbourn Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	
F5	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	surveyed inside installed cabinets
F7	2.4	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
F8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G1	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Kitchen			uR/hr			No	30% accessible
G5	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, refrigerator moved for survey
G6	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, surveyed inside installed cabinets
G7	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed dishwasher



Summary Report
1141 Ozbourn Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes	
G8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible	
G9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible	


CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1141 Ozbourn Court Unit C

Unit Summary :

Completion Date: 7/23/2014 12:51 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 2
Background Reading: 3.6 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
A10-G10 grids are outside unit interior boundary.
There was a bed in living room; moved for survey.

Summary Statistics :

Total # of Readings: 89
Average: 3.35 uR/hr
Standard Deviation: 0.23 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	moved bed to survey grid. moved refrigerator to survey grid
A5	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	moved refrigerator to survey grid
A6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	75% accessible
A8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
B3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	moved bed to survey grid
B5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen		3.2	uR/hr	Storage		No	
C5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	50% accessible. Partial grid in kitchen inaccessible due to installed stove.
C6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	50% accessible. Partial grid in kitchen inaccessible due to installed base cabinet.
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		3.2	uR/hr	Hallway		No	
D5	3.6	uR/hr	Storage		3.6	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1141 Ozbourn Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
F5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	moved dryer to survey grid



**Summary Report
1141 Ozborn Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F7	2.8	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	reading 1.8 meters from floor for stairs
F8	3.2	uR/hr	Stairs			uR/hr				uR/hr			No	reading .6 meters from floor for stairs
F9	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	40% accessible
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.6	uR/hr	Trash			uR/hr			No	80% accessible
F13	3.6	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible-contained within wall construction.
G5	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. moved washer to survey grid
G7	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. reading 1.8 meters from floor for stairs



Summary Report
1141 Ozbourn Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. reading 1.3 meters from floor for stairs
G9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible- installed water heater
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Unit Summary :

Completion Date: 7/23/2014 12:16 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 2B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Rows 10 and 14, grids C12 and C13 are outside the floor plan. Depth is 8.9 m.

Summary Statistics :

Total # of Readings: 91
Average: 2.79 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.20 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
A5	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1.8 m from ground level.
A7	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1.2 m from ground level
A8	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at .8 m from ground level
A9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, installed water heater
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
A12	3.2	uR/hr	Trash		3.2	uR/hr	Storage Shed			uR/hr			No	
A13	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr			No	80% accessible
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B5	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	30% accessible, installed washer in partial bathroom grid.
B7	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	reading on stairs taken at .4 m from ground level
B9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr			No	60% accessible, installed furnace
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B12	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
C5	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C6	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1141 Ozborn Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
D5	2.8	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
D6	2.8	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



**Summary Report
1141 Ozbourn Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	90% accessible
E5	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
E6	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	70% accessible
F5	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	70% accessible, survey performed inside base cabinets
F6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	survey performed in base cabinets
F7	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible



**Summary Report
1141 Ozborn Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.8	uR/hr	Dining Room	Installed refrigerator.		uR/hr				uR/hr			No	90% accessible, installed 2nd refrigerator
F9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G1	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed refrigerator in kitchen portion of grid
G5	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, survey performed in base cabinets
G6	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, survey performed in base cabinets
G7	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed base cabinets and installed 2nd refrigerator, moved for survey



Summary Report
1141 Ozbourn Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes	
G8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed 2nd refrigerator	
G9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible	
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan	

CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Summary Report
1141 Ozbourn Court Unit E

Unit Summary :

Completion Date: 6/20/2014 4:03 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings: 79
Average: 3.26 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No		Living Room		uR/hr	
A2	3.2	uR/hr	No		Living Room		uR/hr	
A3	3.2	uR/hr	No		Living Room		uR/hr	
A4	2.8	uR/hr	No		Living Room	3.2	uR/hr	Kitchen
A5	3.6	uR/hr	No	40% accessible	Kitchen		uR/hr	
A6	3.2	uR/hr	No	40% accessible	Kitchen		uR/hr	
A7	3.6	uR/hr	No	75% accessible	Dining Room		uR/hr	
A8	3.6	uR/hr	No		Dining Room		uR/hr	
A9	3.6	uR/hr	No		Dining Room		uR/hr	
A10	3.2	uR/hr	No	10% accessible	Dining Room		uR/hr	
B1	3.2	uR/hr	No		Living Room		uR/hr	
B2	3.2	uR/hr	No		Living Room		uR/hr	
B3	3.2	uR/hr	No		Living Room		uR/hr	
B4	3.2	uR/hr	No		Living Room	3.2	uR/hr	Kitchen
B5	3.6	uR/hr	No	90% accessible	Kitchen		uR/hr	
B6	3.2	uR/hr	No	90% accessible- installed stove	Kitchen		uR/hr	
B7	3.2	uR/hr	No		Dining Room		uR/hr	
B8	3.6	uR/hr	No		Dining Room		uR/hr	
B9	3.6	uR/hr	No		Dining Room		uR/hr	
B10	3.2	uR/hr	No	10% accessible	Dining Room		uR/hr	
C1	3.2	uR/hr	No		Living Room		uR/hr	
C2	3.2	uR/hr	No		Living Room		uR/hr	
C3	3.2	uR/hr	No		Living Room		uR/hr	
C4	2.8	uR/hr	No		Living Room	3.2	uR/hr	Storage
C5	3.2	uR/hr	No		Storage	3.6	uR/hr	Kitchen
C6	3.2	uR/hr	No	60% non accessible in kitchen due to installed base cabinets	Storage		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C7	3.6	uR/hr	No		Dining Room		uR/hr	
C8	3.6	uR/hr	No		Dining Room		uR/hr	
C9	3.2	uR/hr	No		Dining Room		uR/hr	
C10	3.2	uR/hr	No	10% accessible	Dining Room		uR/hr	
D1	3.2	uR/hr	No		Living Room		uR/hr	
D2	3.2	uR/hr	No		Living Room		uR/hr	
D3	3.2	uR/hr	No		Living Room		uR/hr	
D4	3.2	uR/hr	No		Living Room	3.2	uR/hr	Hallway
D5	3.2	uR/hr	No		Storage	3.2	uR/hr	Hallway
D6	3.2	uR/hr	No		Storage	2.8	uR/hr	Hallway
D7	3.2	uR/hr	No		Dining Room		uR/hr	
D8	3.2	uR/hr	No		Dining Room		uR/hr	
D9	3.2	uR/hr	No		Dining Room		uR/hr	
D10	3.2	uR/hr	No	10% accessible	Dining Room		uR/hr	
E1	3.2	uR/hr	No		Living Room		uR/hr	
E2	3.2	uR/hr	No		Living Room		uR/hr	
E3	3.2	uR/hr	No		Living Room		uR/hr	
E4	3.2	uR/hr	No		Living Room	3.2	uR/hr	Hallway
E5	3.2	uR/hr	No		Hallway	3.2	uR/hr	Bathroom
E6	3.2	uR/hr	No		Hallway	3.2	uR/hr	Bathroom
E7	3.2	uR/hr	No		Dining Room		uR/hr	
E8	3.6	uR/hr	No		Dining Room	3.2	uR/hr	Stairs
E9	3.6	uR/hr	No		Dining Room	3.2	uR/hr	Mech Room
E10	3.2	uR/hr	No	10% accessible	Dining Room		uR/hr	
E12	3.6	uR/hr	No	45% accessible	Storage Shed		uR/hr	
E13	3.6	uR/hr	No	50% accessible	Storage Shed		uR/hr	
E14		uR/hr	No	1.75 meters L by 1.1 meters W			uR/hr	
F1	3.2	uR/hr	No		Living Room		uR/hr	



**Summary Report
1141 Ozbourn Court Unit E**

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F2	3.2	uR/hr	No		Living Room		uR/hr	
F3	3.2	uR/hr	No		Living Room		uR/hr	
F4	2.8	uR/hr	No		Living Room	3.6	uR/hr	Bathroom
F5	3.2	uR/hr	No		Bathroom		uR/hr	
F6	2.8	uR/hr	No		Bathroom		uR/hr	
F7	3.2	uR/hr	No	survey conducted at 1.3 meters above apt first floor	Closet	2.8	uR/hr	Stairs
F8	3.2	uR/hr	No		Closet	2.8	uR/hr	Stairs
F9	3.6	uR/hr	No		Mech Room		uR/hr	
F10	3.2	uR/hr	No	10% accessible	Mech Room		uR/hr	
F12	3.6	uR/hr	No	90% accessible	Storage Shed	3.2	uR/hr	Trash
F13	4.0	uR/hr	No		Storage Shed	3.6	uR/hr	Trash
F14		uR/hr	No	1.75 meters L by 1.1 meters W			uR/hr	
G1	3.2	uR/hr	No	60% accessible	Living Room		uR/hr	
G2	3.2	uR/hr	No	60% accessible	Living Room		uR/hr	
G3		uR/hr	No	60% accessible	Living Room		uR/hr	
G4	3.2	uR/hr	No	60% accessible	Living Room	3.6	uR/hr	Bathroom
G5	3.6	uR/hr	No	60% accessible	Bathroom		uR/hr	
G6	2.8	uR/hr	No	60% accessible	Bathroom		uR/hr	
G7	2.8	uR/hr	No	60% accessible- survey conducted at 1.3 meters above apt first floor.	Stairs		uR/hr	
G8	2.8	uR/hr	No	60% accessible- survey conducted at .75 meters above apt first floor.	Stairs		uR/hr	
G9	3.2	uR/hr	No	60% accessible	Mech Room		uR/hr	
G10	3.2	uR/hr	No	5% accessible	Mech Room		uR/hr	
G12	3.2	uR/hr	No	55% accessible	Trash		uR/hr	
G13	3.6	uR/hr	No	60% accessible	Trash		uR/hr	
G14		uR/hr	No	1.75 meters L by 1.1 meters W			uR/hr	



CBI Supervisor : Carlos Bernal

Signature :



Signoff Notes:

Senior Technician : Antonio Neotti

Signature :





Summary Report
1141 Ozborn Court Unit F

Unit Summary :

Completion Date: 7/23/2014 1:08 PM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 2B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A10-G10 and A14-C14 grids are outside of floor plan. C12-C13 grids are less than 6 inch wide and were surveyed along with adjacent grids.

Summary Statistics :

Total # of Readings: 92
Average: 3.18 uR/hr
Standard Deviation: 0.19 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
A5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	60% accessible.
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 44" from floor.
A8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 36" from floor.
A9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Partial grid due to installed water heater.
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
A12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
A13	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		No	
B5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	



**Summary Report
1141 Ozbourn Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B6	3.2	uR/hr	Bathroom	Clothes dryer within grid.	2.8	uR/hr	Hallway			uR/hr			No	60% accessible.
B7	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
B8	2.8	uR/hr	Stairs		3.2	uR/hr	Dining Room			uR/hr			No	Stairs reading taken 12" from floor.
B9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	40% accessible. Partial grid due to installed furnace.
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
B12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
B13	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		3.2	uR/hr	Hallway		No	
C5	3.2	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C6	2.8	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.



**Summary Report
1141 Ozborn Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	80% accessible. Wine rack installed.
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
E5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible.
E6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	75% accessible.
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible.
F8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	30% accessible.



Summary Report
1141 Ozborn Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Reading taken 12" from floor inside base cabinet.
G6	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Reading taken 12" from floor inside base cabinet.
G7	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid due to installed dishwasher.
G8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.




CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Summary Report
1143 Ozborn Court Unit A

Unit Summary :

Completion Date: 7/31/2014 3:20 PM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A10-G10 grids are outside of floor plan.

Summary Statistics :

Total # of Readings: 95
Average: 3.22 uR/hr
Standard Deviation: 0.19 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
A5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible.
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		3.2	uR/hr	Kitchen		No	
C5	3.2	uR/hr	Kitchen	Installed Stove.	3.2	uR/hr	Storage			uR/hr			No	50% accessible.
C6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	40% accessible. Kitchen reading inaccessible due to base cabinet.
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		3.2	uR/hr	Hallway		No	
D5	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1143 Ozbourn Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		No	
E5	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E6	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E7	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.2	uR/hr	Dining Room		3.2	uR/hr	Stairs			uR/hr			No	Stairs reading taken 12" from floor.
E9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
F5	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	70% accessible.
F7	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	Stairs reading taken 52" from floor.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 36" from floor.
F9	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	30% accessible.
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
F12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	
F13	3.6	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom			uR/hr			No	30% accessible.
G5	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible. Partial grid due to installed washer.
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs reading taken 52" from floor.
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs reading taken 36" from floor.



Summary Report
1143 Ozbourn Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible. Partial grid due to installed water heater.
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
G12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :

Signature :

Signoff Notes:



Summary Report
1143 Ozborn Court Unit B

Unit Summary :

Completion Date: 6/19/2014 3:51 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 2B
Background Reading: 2.4 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings: 76
Average: 2.59 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 2.00 uR/hr
Maximum: 2.80 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
A5	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
A7	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	
A9	2.4	uR/hr	Mech Room			uR/hr				uR/hr			No	
A10		uR/hr	Mech Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	N/A - outside unit interior boundary
A12	2.8	uR/hr	Trash			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Trash			uR/hr				uR/hr			No	
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.4	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
B5	2.4	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	second day background reading 2.4uR.
B6	2.4	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
B7	2.4	uR/hr	Closet		2.4	uR/hr	Hallway			uR/hr			No	
B8	2.4	uR/hr	Stairs		2.4	uR/hr	Hallway			uR/hr			No	
B9	2.4	uR/hr	Mech Room		2.4	uR/hr	Hallway			uR/hr			No	
B10		uR/hr	Mech Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	N/A - outside unit interior boundary
B12	2.8	uR/hr	Storage Shed			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	2.8	uR/hr	Storage Shed			uR/hr				uR/hr			No	
C1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	2.8	uR/hr	Hallway		2.4	uR/hr	Closet			uR/hr			No	
C6	2.4	uR/hr	Hallway		2.4	uR/hr	Closet			uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C12		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	N/A - outside unit interior boundary
C13		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	N/A - outside unit interior boundary
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.4	uR/hr	Living Room		2.4	uR/hr	Closet			uR/hr			No	
D5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D6	2.4	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10	2.4	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	
E5	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
E6	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10	2.4	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	
F5	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G1	2.4	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	25% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G2	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G5	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G6	2.4	uR/hr	Kitchen		2.4	uR/hr	Kitchen			uR/hr			No	40% accessible, reminder of grid is exterior
G7	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G10	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1143 Ozbourn Court Unit C

Unit Summary :

Completion Date: 7/23/2014 11:49 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:
A10-G10 Falls outside unit

Summary Statistics :

Total # of Readings: 95
Average: 3.16 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accessible
A5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	partial grid installed refrigerator 50% accessible
A6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	50% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible
B6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room	Installed base cabinets.	3.2	uR/hr	Storage			uR/hr			No	95% accessible
C5	3.2	uR/hr	Storage	Installed Stove.		uR/hr				uR/hr			No	40% accessible
C6	2.8	uR/hr	Storage	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Storage		No	
D5	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1143 Ozbourn Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
E5	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E6	3.2	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
E7	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
E8	3.2	uR/hr	Dining Room		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken 20" above floor
E9	3.2	uR/hr	Dining Room		2.8	uR/hr	Mech Room	Installed furnace.		uR/hr			No	70% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
E13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
F5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible
F7	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	stairs static taken 60" above floor



Summary Report
1143 Ozbourn Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	stairs static taken 36" above floor
F9	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible installed furnace
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F12	3.2	uR/hr	Trash		3.6	uR/hr	Storage Shed			uR/hr			No	
F13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	70% accessible
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom			uR/hr			No	30% accessible
G5	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible installed washing machine
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible stairs static taken 60" above floor



Summary Report
1143 Ozbourn Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible stairs static taken 36" above floor
G9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible installed hot water heater
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

CBI Supervisor : Tina Piquet

Signature :



Signoff Notes:

Senior Technician : Daphne Degering

Signature :





Summary Report
1143 Ozborn Court Unit D

Unit Summary :

Completion Date: 6/23/2014 1:58 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 2B
Background Reading: 2.8 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: No
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 76
Average: 2.81 uR/hr
Standard Deviation: 0.20 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	2.8	uR/hr	No		Living Room		uR/hr	
A2	2.8	uR/hr	No		Living Room		uR/hr	
A3	2.8	uR/hr	No		Living Room		uR/hr	
A4	2.8	uR/hr	No		Living Room	3.2	uR/hr	Bathroom
A5	3.2	uR/hr	No		Bathroom		uR/hr	
A6	2.8	uR/hr	No		Bathroom		uR/hr	
A7	2.4	uR/hr	No		Stairs		uR/hr	
A8	2.4	uR/hr	No		Stairs		uR/hr	
A9	2.4	uR/hr	No		Mech Room		uR/hr	
A10	2.8	uR/hr	No	10% accessible	Mech Room		uR/hr	
A12	3.2	uR/hr	No		Trash	3.2	uR/hr	Trash
A13	3.2	uR/hr	No		Trash	3.2	uR/hr	Trash
B1	2.8	uR/hr	No		Living Room		uR/hr	
B2	2.8	uR/hr	No		Living Room		uR/hr	
B3	2.8	uR/hr	No		Living Room		uR/hr	
B4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Hallway
B5	2.8	uR/hr	No		Bathroom	2.8	uR/hr	Hallway
B6	2.8	uR/hr	No		Bathroom	2.8	uR/hr	Hallway
B7	2.8	uR/hr	No		Closet	2.8	uR/hr	Hallway
B8	2.4	uR/hr	No		Stairs	2.8	uR/hr	Closet
B9	2.4	uR/hr	No		Mech Room	2.8	uR/hr	Stairs
B10	2.8	uR/hr	No	10% accessible	Mech Room	2.8	uR/hr	Living Room
B12	3.2	uR/hr	No		Storage Shed	3.2	uR/hr	Storage Shed
B13	3.2	uR/hr	No		Storage Shed	3.2	uR/hr	Trash
C1	2.8	uR/hr	No		Living Room		uR/hr	
C2	3.2	uR/hr	No		Living Room		uR/hr	
C3	2.8	uR/hr	No		Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Hallway
C5	2.8	uR/hr	No		Hallway	2.8	uR/hr	Storage
C6	2.8	uR/hr	No		Hallway	2.8	uR/hr	Storage
C7	2.8	uR/hr	No		Dining Room		uR/hr	
C8	2.8	uR/hr	No		Dining Room		uR/hr	
C9	2.8	uR/hr	No		Dining Room		uR/hr	
C10	2.8	uR/hr	No		Dining Room		uR/hr	
C12	3.2	uR/hr	No	10% accessible	Storage Shed		uR/hr	
C13	3.6	uR/hr	No	10% accessible	Storage Shed		uR/hr	
D1	2.8	uR/hr	No		Living Room		uR/hr	
D2	2.8	uR/hr	No		Living Room		uR/hr	
D3	2.8	uR/hr	No		Living Room		uR/hr	
D4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Storage Shed
D5	2.8	uR/hr	No		Storage		uR/hr	
D6	2.8	uR/hr	No		Storage		uR/hr	
D7	2.8	uR/hr	No		Dining Room		uR/hr	
D8	2.8	uR/hr	No		Dining Room		uR/hr	
D9	2.8	uR/hr	No		Dining Room		uR/hr	
D10		uR/hr	No	Outside floor plan	Dining Room		uR/hr	
E1	2.8	uR/hr	No		Living Room		uR/hr	
E2	2.8	uR/hr	No		Living Room		uR/hr	
E3	2.8	uR/hr	No		Living Room		uR/hr	
E4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Kitchen
E5	2.8	uR/hr	No		Kitchen		uR/hr	
E6	2.8	uR/hr	No	40% accessible stove within grid	Kitchen		uR/hr	
E7	2.8	uR/hr	No		Dining Room		uR/hr	
E8	2.8	uR/hr	No		Dining Room		uR/hr	
E9	2.8	uR/hr	No		Dining Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E10		uR/hr	No	Outside floor plan	Dining Room		uR/hr	
F1	2.8	uR/hr	No		Living Room		uR/hr	
F2	2.8	uR/hr	No		Living Room		uR/hr	
F3	2.8	uR/hr	No		Living Room		uR/hr	
F4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Kitchen
F5	2.8	uR/hr	No	50% accessible	Kitchen		uR/hr	
F6	2.8	uR/hr	No		Kitchen		uR/hr	
F7	2.8	uR/hr	No		Dining Room		uR/hr	
F8	2.8	uR/hr	No		Dining Room		uR/hr	
F9	2.8	uR/hr	No		Dining Room		uR/hr	
F10		uR/hr	No	Outside floor plan	Dining Room		uR/hr	
G1	2.8	uR/hr	No	20% accessible	Living Room		uR/hr	
G2	2.4	uR/hr	No	20% accessible	Living Room		uR/hr	
G3	2.8	uR/hr	No	20% accessible	Living Room		uR/hr	
G4	2.4	uR/hr	No	20% accessible	Living Room		uR/hr	
G5	2.8	uR/hr	No	20% accessible	Kitchen		uR/hr	
G6	2.8	uR/hr	No	20% accessible	Kitchen		uR/hr	
G7	2.8	uR/hr	No	20% accessible	Dining Room		uR/hr	
G8	2.8	uR/hr	No	20% accessible	Dining Room		uR/hr	
G9	2.8	uR/hr	No	20% accessible	Dining Room		uR/hr	
G10		uR/hr	No	Outside floor plan	Dining Room		uR/hr	

CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Luguna

Signature :



Signature :



Signoff Notes:



Summary Report
1143 Ozbourn Court Unit E

Unit Summary :

Completion Date: 7/23/2014 12:46 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 2
Background Reading: 2.4 uR/hr
Dimensions (m): D 9.1 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Grids A10-G10 less than 6" wide , surveyed with adjacent Row 9

Summary Statistics :

Total # of Readings: 84
Average: 2.50 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.4	uR/hr	Living Room	Installed refrigerator.	2.4	uR/hr	Kitchen			uR/hr			No	70% accessible
A5	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	Installed refrigerator moved for survey.
A6	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A7	2.4	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	50% accessible
A8	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
A9	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
B1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	
B5	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	70% accessible
B6	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible, Scanned inside base cabinets
B7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1143 Ozbourn Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C5	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
C6	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
C7	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway			uR/hr			No	
D5	2.4	uR/hr	Storage		2.4	uR/hr	Hallway			uR/hr			No	
D6	2.4	uR/hr	Storage		2.4	uR/hr	Hallway			uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		2.4	uR/hr	Bathroom		No	
E5	2.4	uR/hr	Hallway		2.4	uR/hr	Bathroom			uR/hr			No	
E6	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
E7	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.4	uR/hr	Mech Room	Installed furnace.	2.4	uR/hr	Dining Room			uR/hr			No	50% accessible
E12	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.4	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	static by toilet
F5	2.8	uR/hr	Bathroom	Grid partially obstructed by installed.		uR/hr				uR/hr			No	90% accessible, partial grid-installed toilet
F6	2.4	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	50% accessible
F7	2.4	uR/hr	Closet		2.0	uR/hr	Stairs			uR/hr			No	stair static taken at 1.1 meter above ground level
F8	2.4	uR/hr	Stairs		2.4	uR/hr	Dining Room			uR/hr			No	stair static taken at 0.5 meter above ground level
F9	2.4	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	40% accessible
F12	2.8	uR/hr	Trash		2.8	uR/hr	Storage Shed			uR/hr			No	
F13	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.	2.8	uR/hr	Storage Shed			uR/hr			No	70% accessible
G1	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom			uR/hr			No	30% accessible, static by toilet



Summary Report
1143 Ozbourn Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	2.4	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	2.4	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	30% accessible
G7	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, static on stairs taken at 1.1 meter above ground level
G8	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, stair static taken at 1 meter above ground level
G9	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed hot water heater
G12	2.4	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G13	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :

A handwritten signature in black ink on a light blue background. The signature appears to be "AH" with a long horizontal stroke extending to the right.

Signature :

A handwritten signature in black ink on a light blue background. The signature appears to be "PB" with a large, stylized "B" that has a loop at the bottom.

Signoff Notes:



Summary Report
1143 Ozborn Court Unit F

Unit Summary :

Completion Date: 7/23/2014 3:04 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 2B
Background Reading: 3.2 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Rows 10 and 14 grids C12 and C13 fall outside unit

Summary Statistics :

Total # of Readings: 96
Average: 3.17 uR/hr
Standard Deviation: 0.22 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		4.0	uR/hr	Bathroom			uR/hr			No	
A5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	stairs static taken 60" above floor
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	stairs static taken 36" above floor
A9	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
A12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A13	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
B5	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
B6	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
B7	3.2	uR/hr	Dining Room		2.8	uR/hr	Closet			uR/hr			No	



**Summary Report
1143 Ozborn Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8	2.8	uR/hr	Dining Room		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken 12" above floor
B9	2.8	uR/hr	Dining Room		2.8	uR/hr	Mech Room	Installed furnace.		uR/hr			No	60% accessible
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.2	uR/hr	Trash			uR/hr			No	80% accessible
B13	3.6	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		2.8	uR/hr	Storage		3.2	uR/hr	Hallway		No	
C5	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



**Summary Report
1143 Ozbourn Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
E5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
E6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1143 Ozbourn Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accessible
F5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	partial grid installed refrigerator 60% accessible
F6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1143 Ozborn Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes	
G5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	partial grid remainder of grid falls outside 20% accessible (installed refrigerator)	
G6	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible	
G7	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible installed dishwasher	
G8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible	
G9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible	
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan	

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Summary Report
1145 Ozborn Court Unit A

Unit Summary :


Completion Date: 6/23/2014 4:07 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 2
Background Reading: 2.8 uR/hr
Dimensions (m): D 9 W 6.35
Unit Furnished: No
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 76
Average: 2.79 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	2.8	uR/hr	No		Living Room		uR/hr	
A2	2.8	uR/hr	No		Living Room		uR/hr	
A3	2.8	uR/hr	No		Living Room		uR/hr	
A4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Kitchen
A5	2.8	uR/hr	No	30% accessible	Kitchen		uR/hr	
A6	2.8	uR/hr	No	50% accessible	Kitchen		uR/hr	
A7	2.8	uR/hr	No		Dining Room		uR/hr	
A8	2.8	uR/hr	No		Dining Room		uR/hr	
A9	2.8	uR/hr	No		Dining Room		uR/hr	
A10		uR/hr	No	outside floor plan	Dining Room		uR/hr	
B1	2.8	uR/hr	No		Living Room		uR/hr	
B2	2.8	uR/hr	No		Living Room		uR/hr	
B3	2.8	uR/hr	No		Living Room		uR/hr	
B4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Kitchen
B5	2.8	uR/hr	No	60% accessible	Kitchen		uR/hr	
B6	2.8	uR/hr	No		Kitchen		uR/hr	
B7	2.8	uR/hr	No		Dining Room		uR/hr	
B8	2.8	uR/hr	No		Dining Room		uR/hr	
B9	2.8	uR/hr	No		Dining Room		uR/hr	
B10		uR/hr	No	outside floor plan	Dining Room		uR/hr	
C1	2.8	uR/hr	No		Living Room		uR/hr	
C2	2.8	uR/hr	No		Living Room		uR/hr	
C3	2.8	uR/hr	No		Living Room		uR/hr	
C4	2.8	uR/hr	No		Living Room	2.4	uR/hr	Storage
C5	2.8	uR/hr	No		Kitchen	2.8	uR/hr	Storage
C6	2.8	uR/hr	No		Kitchen	2.8	uR/hr	Storage
C7	2.8	uR/hr	No		Dining Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C8	2.8	uR/hr	No		Dining Room		uR/hr	
C9	2.8	uR/hr	No		Dining Room		uR/hr	
C10		uR/hr	No	outside floor plan	Dining Room		uR/hr	
D1	2.8	uR/hr	No		Living Room		uR/hr	
D2	2.8	uR/hr	No		Living Room		uR/hr	
D3	2.8	uR/hr	No		Living Room		uR/hr	
D4	2.4	uR/hr	No		Living Room	2.8	uR/hr	Hallway
D5	2.8	uR/hr	No		Storage		uR/hr	
D6	2.8	uR/hr	No		Storage	2.8	uR/hr	Hallway
D7	2.8	uR/hr	No		Dining Room		uR/hr	
D8	2.8	uR/hr	No		Dining Room		uR/hr	
D9	2.8	uR/hr	No		Dining Room		uR/hr	
D10		uR/hr	No	outside floor plan	Dining Room		uR/hr	
E1	2.8	uR/hr	No		Living Room		uR/hr	
E2	2.8	uR/hr	No		Living Room		uR/hr	
E3	2.8	uR/hr	No		Living Room		uR/hr	
E4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Hallway
E5	2.8	uR/hr	No		Hallway	2.8	uR/hr	Bathroom
E6	2.8	uR/hr	No		Hallway	2.8	uR/hr	Bathroom
E7	2.8	uR/hr	No		Dining Room	2.8	uR/hr	Closet
E8	2.8	uR/hr	No		Dining Room	2.8	uR/hr	Stairs
E9	2.8	uR/hr	No		Dining Room	2.8	uR/hr	Mech Room
E10	2.8	uR/hr	No	10% accessible	Dining Room		uR/hr	
E12	3.2	uR/hr	No	60% accessible	Storage Shed		uR/hr	
E13	3.6	uR/hr	No	60% accessible	Storage Shed		uR/hr	
F1	2.8	uR/hr	No		Living Room		uR/hr	
F2	2.8	uR/hr	No		Living Room		uR/hr	
F3	2.8	uR/hr	No		Living Room		uR/hr	



Summary Report
1145 Ozbourn Court Unit A

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F4	2.8	uR/hr	No		Living Room	3.6	uR/hr	Bathroom
F5	3.2	uR/hr	No		Bathroom		uR/hr	
F6	2.8	uR/hr	No		Bathroom	2.8	uR/hr	Closet
F7	2.8	uR/hr	No		Closet		uR/hr	Closet
F8	2.4	uR/hr	No	20% accessible, static 31 inches above floor surface on stairs	Stairs	2.8	uR/hr	Closet
F9	2.8	uR/hr	No	30% accessible, static 31 inches above floor surface on stairs	Mech Room	2.4	uR/hr	Stairs
F10	2.4	uR/hr	No	10% accessible	Mech Room		uR/hr	
F12	3.2	uR/hr	No		Storage Shed		uR/hr	
F13	3.2	uR/hr	No		Storage Shed		uR/hr	
G1	2.4	uR/hr	No	20% accessible	Living Room		uR/hr	
G2	2.8	uR/hr	No	20% accessible	Living Room		uR/hr	
G3	2.4	uR/hr	No	20% accessible	Living Room		uR/hr	
G4	2.8	uR/hr	No	20% accessible	Living Room	3.2	uR/hr	Bathroom
G5	3.2	uR/hr	No	20% accessible	Bathroom		uR/hr	
G6	2.8	uR/hr	No	20% accessible	Bathroom		uR/hr	
G7	2.0	uR/hr	No	20% accessible	Stairs		uR/hr	
G8	2.0	uR/hr	No	20% accessible, static 48 inches above floor surface	Stairs		uR/hr	
G9	2.4	uR/hr	No	20% accessible, installed water heater	Mech Room		uR/hr	
G10	2.8	uR/hr	No	20% accessible	Mech Room	2.8	uR/hr	Mech Room
G12	3.2	uR/hr	No	40% accessible	Trash		uR/hr	
G13	3.2	uR/hr	No	40% accessible	Trash		uR/hr	

CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Luguna

Signature :



Signature :



Signoff Notes:



Summary Report
1145 Ozbourn Court Unit B

Unit Summary :

Completion Date: 7/23/2014 3:27 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 2B
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Rows 10 and 14, grids C12 and C13 are outside floor plan. Unit is 8.9 m deep. Bed in living room, moved for survey.

Summary Statistics :

Total # of Readings: 93
Average: 2.80 uR/hr
Standard Deviation: 0.19 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.20 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
A5	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1.8 m from ground level
A7	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1.2 m from ground level
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at .8 m from ground level
A9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, installed water heater
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
A12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr			No	80% accessible
A13	3.2	uR/hr	Trash		3.2	uR/hr	Storage Shed			uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B5	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
B6	2.8	uR/hr	Hallway	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible
B7	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
B8	2.4	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	reading on stairs taken at .4 m from ground level
B9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Hallway			uR/hr			No	40% accessible, installed furnace and steam pipes
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B13	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
C5	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C6	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
D5	2.8	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
D6	2.8	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1145 Ozbourn Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	survey performed in base cabinets
E5	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
E6	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible
F5	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	80% accessible
F6	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F7	2.8	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
F8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed refrigerator in kitchen grid.
G5	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, survey performed in base cabinets
G6	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, survey performed in base cabinets
G7	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed dishwasher
G8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Summary Report
1145 Ozborn Court Unit C

Unit Summary :

Completion Date: 7/24/2014 10:30 AM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 3B
Background Reading: 3.2 uR/hr
Dimensions (m): D 7.4 W 7.4
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
A13, B13, C11, C12, C13 were less than 6" and were scanned with adjacent grids

Summary Statistics :

Total # of Readings: 89
Average: 2.89 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.40 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
A5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
A6	4.4	uR/hr	Bathroom		3.2	uR/hr	Storage			uR/hr			No	static taken by toilet
A7	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	static taken by toilet
A8	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A11	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A12	3.2	uR/hr	Trash			uR/hr				uR/hr			No	
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 40" from floor surface
B5	2.8	uR/hr	Storage		2.8	uR/hr	Hallway		2.4	uR/hr	Stairs		No	static taken on stairs 40" from floor surface
B6	2.8	uR/hr	Storage		2.8	uR/hr	Closet		2.8	uR/hr	Hallway		No	
B7	2.8	uR/hr	Bathroom		3.2	uR/hr	Closet		2.8	uR/hr	Hallway		No	
B8	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	40% accessible
B11	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B12	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	



**Summary Report
1145 Ozbourn Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	static taken on stairs 16" from floor surface
C5	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
C6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
D5	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Closet		2.8	uR/hr	Living Room			uR/hr			No	
E5	2.8	uR/hr	Dining Room		2.8	uR/hr	Closet			uR/hr			No	
E6	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1145 Ozbourn Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F1	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Living Room			uR/hr			No	50% accessible
F2	2.8	uR/hr	Pantry		2.8	uR/hr	Living Room			uR/hr			No	
F3	2.8	uR/hr	Pantry		2.8	uR/hr	Living Room			uR/hr			No	immoveable and broken wardrobe, scanned 3" from floor surface on particle board.
F4	2.8	uR/hr	Pantry		2.8	uR/hr	Living Room			uR/hr			No	immoveable and broken wardrobe, scanned 3" from floor surface on particle board.
F5	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F7	2.8	uR/hr	Dining Room	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
F8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G1	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	60% accessible
G2	2.8	uR/hr	Pantry			uR/hr				uR/hr			No	
G3	2.8	uR/hr	Pantry			uR/hr				uR/hr			No	
G4	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G5	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H1	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed water heater
H2	2.8	uR/hr	Pantry	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed immovable shelf, static taken 5" from floor surface. 40% accessible.
H3	2.8	uR/hr	Pantry	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	40% accessible, installed immovable shelf, static taken 5" from floor surface.
H4	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H5	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	moved installed refrigerator, 40% accessible
H6	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H7	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible


CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Unit Summary :


Completion Date: 7/24/2014 10:13 AM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 3
Background Reading: 3.2 uR/hr
Dimensions (m): D 7.6 W 7.4
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 86
Average: 3.30 uR/hr
Standard Deviation: 0.27 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.40 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible
A2	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Pantry		3.2	uR/hr	Kitchen			uR/hr			No	moved dryer to survey grid
A4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	moved washer to survey grid
A5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	moved refrigerator to survey grid
A6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
A7	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A8	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible-installed base cabinets
B1	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	50% accessible
B2	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Pantry		3.2	uR/hr	Kitchen			uR/hr			No	
B4	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	75% accessible
B7	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	75% accessible
B8	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		3.2	uR/hr	Closet			uR/hr			No	



**Summary Report
1145 Ozborn Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C5	3.2	uR/hr	Dining Room	Grid partially contained within wall construction.	3.2	uR/hr	Closet			uR/hr			No	75% accessible
C6	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	75% accessible
C7	3.6	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	75% accessible
C8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Closet		No	
D5	3.2	uR/hr	Dining Room		3.6	uR/hr	Closet			uR/hr			No	
D6	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E5	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1145 Ozbourn Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading .6 meters from floor for stairs
F5	2.8	uR/hr	Stairs		3.2	uR/hr	Dining Room			uR/hr			No	reading .6 meters from floor for stairs
F6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F11	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
F12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
G1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
G5	3.2	uR/hr	Storage	Grid partially obstructed by installed.		uR/hr				uR/hr			No	20% accessible
G6	3.2	uR/hr	Storage		3.2	uR/hr	Closet			uR/hr			No	
G7	3.2	uR/hr	Closet		4.0	uR/hr	Bathroom			uR/hr			No	
G8	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible



Summary Report
1145 Ozbourn Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G12	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G13	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage			uR/hr			No	40% accessible
H5	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H6	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H7	4.4	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H8	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H11	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Summary Report
1145 Ozbourn Court Unit E

Unit Summary :

Completion Date: 7/24/2014 10:14 AM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 3B
Background Reading: 3.2 uR/hr
Dimensions (m): D 7.4 W 7.4
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:

Row A13 to C13 and Grids C11 and C12 are outside floor plan.

Summary Statistics :

Total # of Readings: 94
Average: 2.93 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room		2.4	uR/hr	Storage			uR/hr			No	
A5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
A7	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A11	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr			No	70% accessible
A12	3.2	uR/hr	Trash		3.2	uR/hr	Storage Shed			uR/hr			No	
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 1 m from ground level
B5	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
B6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway		3.2	uR/hr	Closet		No	
B7	3.2	uR/hr	Closet		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
B8	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	40% accessible
B11	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
C5	3.2	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .4 m from ground level
C6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1145 Ozborn Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room		2.8	uR/hr	Closet			uR/hr			No	
E5	2.8	uR/hr	Dining Room		2.8	uR/hr	Closet			uR/hr			No	
E6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F1	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr			No	70% accessible
F2	2.8	uR/hr	Living Room		2.8	uR/hr	Pantry			uR/hr			No	
F3	2.8	uR/hr	Living Room		2.8	uR/hr	Pantry			uR/hr			No	
F4	2.4	uR/hr	Living Room		2.8	uR/hr	Utility			uR/hr			No	
F5	3.2	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
F6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G1	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	90% accessible
G2	2.8	uR/hr	Pantry			uR/hr				uR/hr			No	



Summary Report
1145 Ozbourn Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G3	2.8	uR/hr	Pantry	Grid partially contained within wall construction.	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr			No	80% accessible, installed stackable washer/dryer
G4	2.8	uR/hr	Utility	Installed refrigerator.		uR/hr				uR/hr			No	70% accessible, installed stackable washer/dryer and second refrigerator in grid
G5	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	70% accessible, installed refrigerator moved for survey
G6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
G7	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible
G8	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, survey performed in base cabinets
H1	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed water heater
H2	2.8	uR/hr	Pantry	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H3	2.8	uR/hr	Pantry	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, partial grid in utility is inaccessible due to installed stackable washer/dryer



Summary Report
1145 Ozbourn Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed stackable washer/dryer and second refrigerator in grid
H5	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed second refrigerator, moved for survey
H6	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible, installed base cabinets and installed refrigerator, moved for survey.
H7	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible, installed base cabinets and installed stove. Stove moved for survey
H8	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, survey performed in base cabinets

CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Unit Summary :


Completion Date: 6/19/2014 3:06 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 3
Background Reading: 3.2 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings: 73
Average: 3.39 uR/hr
Standard Deviation: 0.23 uR/hr
Minimum: 3.20 uR/hr
Maximum: 4.40 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.2	uR/hr	No	partial grid due to water heater	Mech Room		uR/hr	
A2	3.2	uR/hr	No		Pantry		uR/hr	
A3	3.2	uR/hr	No		Pantry	3.2	uR/hr	Kitchen
A4	3.2	uR/hr	No		Kitchen		uR/hr	
A5	3.2	uR/hr	No	partial grid due to refrigerator	Kitchen		uR/hr	
A6	3.2	uR/hr	No	partial grid due to refrigerator/countertop	Kitchen		uR/hr	
A7	3.6	uR/hr	No	partial grid due to stove/countertop	Kitchen		uR/hr	
A8	3.2	uR/hr	No	partial grid due to sink/countertop	Kitchen		uR/hr	
B1	3.2	uR/hr	No	partial grid due to furnace	Mech Room		uR/hr	
B2	3.2	uR/hr	No		Pantry		uR/hr	
B3	3.6	uR/hr	No		Pantry		uR/hr	
B4	3.2	uR/hr	No		Kitchen		uR/hr	
B5	3.2	uR/hr	No		Kitchen		uR/hr	
B6	3.2	uR/hr	No	partial grid due to dishwasher/countertop	Kitchen		uR/hr	
B7	3.6	uR/hr	No	partial grid due to dishwasher	Kitchen		uR/hr	
B8	3.6	uR/hr	No	partial grid remaining exterior	Kitchen		uR/hr	
C1	3.2	uR/hr	No		Living Room		uR/hr	
C2	3.2	uR/hr	No		Living Room		uR/hr	
C3	3.2	uR/hr	No		Living Room		uR/hr	
C4	3.2	uR/hr	No		Living Room	3.2	uR/hr	Closet
C5	3.2	uR/hr	No		Kitchen	3.2	uR/hr	Closet
C6	3.6	uR/hr	No	partial grid due to base cabinet.	Dining Room		uR/hr	
C7	3.6	uR/hr	No	partial grid due to base cabinet.	Dining Room		uR/hr	
C8	3.2	uR/hr	No	partial grid.	Dining Room		uR/hr	
D1	3.2	uR/hr	No		Living Room		uR/hr	
D2	3.2	uR/hr	No		Living Room		uR/hr	
D3	3.2	uR/hr	No		Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D4	3.2	uR/hr	No		Living Room	2.8	uR/hr	Closet
D5	3.2	uR/hr	No		Dining Room	3.2	uR/hr	Closet
D6	3.2	uR/hr	No		Dining Room		uR/hr	
D7	3.2	uR/hr	No		Dining Room		uR/hr	
D8	3.2	uR/hr	No	partial grid.	Dining Room		uR/hr	
E1	3.2	uR/hr	No		Living Room		uR/hr	
E2	3.2	uR/hr	No		Living Room		uR/hr	
E3	3.2	uR/hr	No		Living Room		uR/hr	
E4	3.2	uR/hr	No		Living Room		uR/hr	
E5	3.6	uR/hr	No		Dining Room		uR/hr	
E6	3.6	uR/hr	No		Dining Room		uR/hr	
E7	3.6	uR/hr	No		Dining Room		uR/hr	
E8	3.6	uR/hr	No	partial grid.	Dining Room		uR/hr	
F1	3.2	uR/hr	No		Living Room		uR/hr	
F2	3.6	uR/hr	No		Living Room		uR/hr	
F3	3.2	uR/hr	No		Living Room		uR/hr	
F4	3.2	uR/hr	No	partial grid non accessible due to the stairs	Living Room		uR/hr	
F5	3.6	uR/hr	No	partial grid due to stairs	Dining Room		uR/hr	
F6	3.6	uR/hr	No		Dining Room		uR/hr	
F7	3.6	uR/hr	No		Dining Room		uR/hr	
F8	3.2	uR/hr	No	partial grid.	Dining Room		uR/hr	
F11	3.6	uR/hr	No	partial grid.	Storage Shed		uR/hr	
F12	3.6	uR/hr	No	partial grid.	Storage Shed		uR/hr	
F13	3.6	uR/hr	No	partial grid.	Storage Shed		uR/hr	
G1	3.6	uR/hr	No		Living Room		uR/hr	
G2	3.2	uR/hr	No		Living Room		uR/hr	
G3	3.2	uR/hr	No		Living Room		uR/hr	
G4	3.2	uR/hr	No	partial grid non accessible due to stairs	Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
G5	3.6	uR/hr	No		Storage		uR/hr	
G6	3.6	uR/hr	No		Storage	3.6	uR/hr	Closet
G7	3.6	uR/hr	No		Closet	3.6	uR/hr	Bathroom
G8	3.6	uR/hr	No	partial grid.	Bathroom		uR/hr	
G11	3.6	uR/hr	No		Storage Shed		uR/hr	
G12	3.6	uR/hr	No		Storage Shed		uR/hr	
G13	3.6	uR/hr	No		Storage Shed		uR/hr	
H1	3.6	uR/hr	No	partial grid	Living Room		uR/hr	
H2	3.2	uR/hr	No	partial grid	Living Room		uR/hr	
H3	3.2	uR/hr	No	partial grid	Living Room		uR/hr	
H4	3.2	uR/hr	No		Living Room	3.6	uR/hr	Storage
H5	3.6	uR/hr	No		Storage		uR/hr	
H6	3.6	uR/hr	No		Storage	4.0	uR/hr	Bathroom
H7	4.4	uR/hr	No	partial grid due to toilet	Bathroom		uR/hr	
H8	3.6	uR/hr	No		Bathroom		uR/hr	
H11	3.6	uR/hr	No		Trash		uR/hr	
H12	3.6	uR/hr	No		Trash		uR/hr	
H13	3.6	uR/hr	No		Trash		uR/hr	



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Summary Report
1147 Ozborn Court Unit A

Unit Summary :


Completion Date: 6/23/2014 2:44 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 2
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: No
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 76
Average: 2.69 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.20 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	2.8	uR/hr	No		Living Room		uR/hr	
A2	2.8	uR/hr	No		Living Room		uR/hr	
A3	2.8	uR/hr	No		Living Room		uR/hr	
A4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Kitchen
A5	2.8	uR/hr	No	20% accessible	Kitchen		uR/hr	
A6	2.8	uR/hr	No	80% accessible	Kitchen		uR/hr	
A7	2.8	uR/hr	No	built in dishwasher, 70% accessible	Kitchen		uR/hr	
A8	2.8	uR/hr	No		Dining Room		uR/hr	
A9	2.8	uR/hr	No		Dining Room		uR/hr	
A10		uR/hr	No	Unit is only 8.9 m long. Grid is 100% exterior			uR/hr	
B1	2.8	uR/hr	No		Living Room		uR/hr	
B2	2.8	uR/hr	No		Living Room		uR/hr	
B3	2.8	uR/hr	No		Living Room		uR/hr	
B4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Kitchen
B5	2.8	uR/hr	No		Kitchen		uR/hr	
B6	2.8	uR/hr	No		Kitchen		uR/hr	
B7	2.8	uR/hr	No		Dining Room		uR/hr	
B8	2.8	uR/hr	No		Dining Room		uR/hr	
B9	2.8	uR/hr	No		Dining Room		uR/hr	
B10		uR/hr	No	Unit is only 8.9 m long. Grid is 100% exterior			uR/hr	
C1	2.8	uR/hr	No		Living Room		uR/hr	
C2	2.8	uR/hr	No		Living Room		uR/hr	
C3	2.8	uR/hr	No		Living Room		uR/hr	
C4	2.4	uR/hr	No		Living Room		uR/hr	
C5	2.8	uR/hr	No	20% accessible	Kitchen		uR/hr	
C6	2.8	uR/hr	No	stove in grid. 60% accessible	Kitchen		uR/hr	
C7	2.8	uR/hr	No		Dining Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C8	2.8	uR/hr	No		Dining Room		uR/hr	
C9	2.8	uR/hr	No		Dining Room		uR/hr	
C10		uR/hr	No	Unit is only 8.9 m long. Grid is 100% exterior			uR/hr	
D1	2.8	uR/hr	No		Living Room		uR/hr	
D2	2.8	uR/hr	No		Living Room		uR/hr	
D3	2.8	uR/hr	No		Living Room		uR/hr	
D4	2.8	uR/hr	No		Living Room	2.4	uR/hr	Hallway
D5	2.8	uR/hr	No		Storage		uR/hr	
D6	2.8	uR/hr	No		Storage		uR/hr	
D7	2.8	uR/hr	No		Dining Room		uR/hr	
D8	2.4	uR/hr	No		Dining Room		uR/hr	
D9	2.8	uR/hr	No		Dining Room		uR/hr	
D10		uR/hr	No	Unit is only 8.9 m long. Grid is 100% exterior			uR/hr	
E1	2.8	uR/hr	No		Living Room		uR/hr	
E2	2.8	uR/hr	No		Living Room		uR/hr	
E3	2.8	uR/hr	No		Living Room		uR/hr	
E4	2.4	uR/hr	No		Living Room	2.8	uR/hr	Hallway
E5	2.8	uR/hr	No		Hallway	2.8	uR/hr	Bathroom
E6	2.8	uR/hr	No		Hallway	2.8	uR/hr	Bathroom
E7	2.4	uR/hr	No		Dining Room	2.8	uR/hr	Closet
E8	2.4	uR/hr	No		Dining Room	2.4	uR/hr	Stairs
E9	2.4	uR/hr	No		Dining Room		uR/hr	Mech Room
E10		uR/hr	No	Unit is only 8.9 m long. Grid is 100% exterior			uR/hr	
E12	2.8	uR/hr	No	50% accessible	Storage Shed		uR/hr	
E13	3.2	uR/hr	No	50% accessible	Storage Shed		uR/hr	
F1	2.8	uR/hr	No		Living Room		uR/hr	
F2	2.8	uR/hr	No		Living Room		uR/hr	
F3	2.4	uR/hr	No		Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F4	2.8	uR/hr	No		Living Room		uR/hr	Bathroom
F5	3.2	uR/hr	No	near toilet	Bathroom		uR/hr	
F6	2.8	uR/hr	No		Bathroom		uR/hr	
F7	2.4	uR/hr	No		Closet	2.4	uR/hr	Bathroom
F8	2.0	uR/hr	No		Stairs		uR/hr	
F9	2.4	uR/hr	No	30% accessible	Mech Room		uR/hr	
F10		uR/hr	No	Unit is only 8.9 m long. Grid is 100% exterior	Mech Room		uR/hr	
F12	2.8	uR/hr	No		Storage Shed		uR/hr	
F13	2.8	uR/hr	No		Storage Shed		uR/hr	
G1	2.4	uR/hr	No	20% accessible	Living Room		uR/hr	
G2	2.4	uR/hr	No	20% accessible	Living Room		uR/hr	
G3	2.4	uR/hr	No	20% accessible	Living Room		uR/hr	
G4	2.8	uR/hr	No	20% accessible	Living Room		uR/hr	Bathroom
G5	2.8	uR/hr	No	20% accessible	Bathroom		uR/hr	
G6	2.4	uR/hr	No	20% accessible	Bathroom		uR/hr	
G7	2.0	uR/hr	No	60" above apartment floor	Stairs		uR/hr	
G8	2.0	uR/hr	No	31" above apartment floor	Stairs		uR/hr	
G9	2.4	uR/hr	No	20% accessible	Mech Room		uR/hr	
G10		uR/hr	No	Unit is only 8.9 m long. Grid is 100% exterior	Mech Room		uR/hr	
G12	2.4	uR/hr	No	50% accessible	Trash		uR/hr	
G13	2.8	uR/hr	No	50% accessible	Trash		uR/hr	

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1147 Ozborn Court Unit B

Unit Summary :

Completion Date: 7/24/2014 10:31 AM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 2B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 6.4
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A10-G10, A14-C14 grids are outside of floor plan. C12-C13 grids are less than 6 inch and were surveyed along with adjacent grids.

Summary Statistics :

Total # of Readings: 92
Average: 3.24 uR/hr
Standard Deviation: 0.22 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		4.0	uR/hr	Bathroom			uR/hr			No	
A5	3.2	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	80% accessible.
A6	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 44" from floor.
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 36" from floor.
A9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. Partial grid due to installed water heater.
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan.
A12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
A13	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		No	



**Summary Report
1147 Ozborn Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B5	3.2	uR/hr	Bathroom	Clothes dryer within grid.	3.2	uR/hr	Hallway			uR/hr			No	80% accessible.
B6	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
B7	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Stairs		3.2	uR/hr	Dining Room			uR/hr			No	Stairs reading taken 12" from floor.
B9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	50% accessible. Partial grid due to installed furnace.
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
B12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
B13	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Storage		No	
C5	3.2	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C6	3.2	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.



Summary Report
1147 Ozbourn Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
E5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible.
E6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible.
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan.
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F5	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible.
F8	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F9	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan.
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	40% accessible.




Summary Report
1147 Ozborn Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Reading taken 12" from floor inside base cabinet.
G6	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Reading taken 12" from floor inside base cabinet.
G7	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible. Partial grid due to installed dishwasher.
G8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
G9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible.
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan.

CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Summary Report
1147 Ozborn Court Unit C

Unit Summary :

Completion Date: 7/24/2014 11:02 AM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 3B
Background Reading: 2.8 uR/hr
Dimensions (m): D 7.4 W 7.4
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Grids A13,B13 + C11,12,13 are outside of survey unit

Summary Statistics :

Total # of Readings: 94
Average: 2.68 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.4	uR/hr	Living Room		2.4	uR/hr	Storage			uR/hr			No	
A5	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	Static by toilet
A7	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	Static taken by toilet
A8	2.8	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A11	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
A12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	85% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.4	uR/hr	Living Room		2.0	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.3 meters above ground floor
B5	2.8	uR/hr	Storage		2.0	uR/hr	Stairs		2.8	uR/hr	Dining Room		No	Stair static taken at 1.3 meters above ground floor
B6	2.8	uR/hr	Storage		2.8	uR/hr	Dining Room		2.8	uR/hr	Closet		No	
B7	2.8	uR/hr	Closet		2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom		No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8	2.8	uR/hr	Bathroom	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	40% accessible
B11	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	85% accessible
B12	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.4	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 0.5 meters above ground floor
C5	2.4	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	Stair static taken at 0.5 meters above ground floor
C6	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
C12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.



**Summary Report
1147 Ozbourn Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D5	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.4	uR/hr	Living Room		2.8	uR/hr	Closet			uR/hr			No	
E5	2.8	uR/hr	Closet		2.4	uR/hr	Hallway			uR/hr			No	
E6	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	50% accessible. Mech room portion of grid covered by furnace.
F2	2.4	uR/hr	Living Room		2.8	uR/hr	Pantry			uR/hr			No	
F3	2.4	uR/hr	Living Room		2.4	uR/hr	Pantry		2.4	uR/hr	Kitchen		No	
F4	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	90% accessible. Partially contained wall construction.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F5	2.8	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible
F6	2.8	uR/hr	Dining Room	Installed Dishwasher.	2.8	uR/hr	Kitchen			uR/hr			No	30% accessible
F7	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	surveyed inside installed cabinets
F8	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, survey inside installed cabinets
G1	2.4	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible
G2	2.8	uR/hr	Pantry			uR/hr				uR/hr			No	
G3	2.4	uR/hr	Pantry		2.4	uR/hr	Kitchen			uR/hr			No	
G4	2.4	uR/hr	Kitchen	Washing machine within grid.		uR/hr				uR/hr			No	70% accessible
G5	2.4	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	70% accessible
G6	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	moved stove for survey
G7	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	moved stove for survey
G8	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, survey inside installed cabinets
H1	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed water heater

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H2	2.8	uR/hr	Pantry	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, static taken at 4" due to shelf
H3	2.8	uR/hr	Pantry	Percentage of grid falls outside of unit.	2.4	uR/hr	Kitchen			uR/hr			No	40% accessible
H4	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed washer / dryer
H5	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible due to installed 2nd unmovable refrigerator
H6	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed stove
H7	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	moved stove for survey
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, 4" static survey inside installed cabinets

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1147 Ozbourn Court Unit D

Unit Summary :


Completion Date: 7/22/2014 11:19 AM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 3
Background Reading: 2.8 uR/hr
Dimensions (m): D 7.4 W 7.5
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 98
Average: 2.66 uR/hr
Standard Deviation: 0.32 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.4	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible
A2	2.4	uR/hr	Pantry			uR/hr				uR/hr			No	
A3	2.4	uR/hr	Pantry		2.4	uR/hr	Kitchen	Washing machine within grid.		uR/hr			No	70% accessible
A4	2.4	uR/hr	Kitchen	Washing machine within grid.		uR/hr				uR/hr			No	70% accessible
A5	2.4	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	40% accessible, refrigerator moved for survey
A6	2.4	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible, installed stove
A7	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible, surveyed inside base cabinets
A8	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, surveyed inside base cabinets
B1	2.4	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	40% accessible, installed utility access wall
B2	2.4	uR/hr	Pantry	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible
B3	2.4	uR/hr	Pantry	Grid partially contained within wall construction.	2.4	uR/hr	Kitchen			uR/hr			No	70% accessible



**Summary Report
1147 Ozbourn Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B4	2.4	uR/hr	Kitchen	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible
B5	2.8	uR/hr	Kitchen	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible
B6	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
B7	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	surveyed inside installed cabinets
B8	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, surveyed inside installed cabinets
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		2.4	uR/hr	Closet			uR/hr			No	
C5	2.8	uR/hr	Dining Room		2.4	uR/hr	Closet			uR/hr			No	
C6	2.8	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible
C7	2.4	uR/hr	Dining Room	Installed base cabinets.		uR/hr				uR/hr			No	70% accessible
C8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.4	uR/hr	Living Room		2.8	uR/hr	Hallway		2.4	uR/hr	Closet		No	
D5	2.4	uR/hr	Dining Room		2.4	uR/hr	Closet			uR/hr			No	
D6	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1147 Ozbourn Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		2.4	uR/hr	Stairs		No	Stair Static taken at 0.3 meters above floor
E5	2.4	uR/hr	Dining Room		2.4	uR/hr	Stairs			uR/hr			No	Stair Static taken at 0.3 meters above floor
E6	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.4	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair Static taken at 0.9 meters above floor
F5	2.4	uR/hr	Stairs		2.4	uR/hr	Dining Room		2.4	uR/hr	Storage		No	Stair Static taken at 0.9 meters above floor
F6	2.8	uR/hr	Dining Room		2.4	uR/hr	Storage			uR/hr			No	
F7	2.8	uR/hr	Dining Room		2.8	uR/hr	Closet		2.8	uR/hr	Bathroom		No	
F8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Bathroom			uR/hr			No	40% accessible



**Summary Report
1147 Ozborn Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F11	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	2.4	uR/hr	Living Room		2.4	uR/hr	Storage			uR/hr			No	
G5	2.8	uR/hr	Storage		2.4	uR/hr	Stairs			uR/hr			No	Stair Static taken at 0.9 meters above floor
G6	2.8	uR/hr	Storage		2.8	uR/hr	Closet		3.6	uR/hr	Bathroom		No	static by toilet
G7	3.2	uR/hr	Bathroom		2.8	uR/hr	Closet			uR/hr			No	
G8	2.8	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G11	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G12	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.2	uR/hr	Trash			uR/hr			No	40% accessible
H1	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H2	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H3	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible



Summary Report
1147 Ozbourn Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Storage			uR/hr			No	50% accessible
H5	2.4	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.	3.6	uR/hr	Bathroom			uR/hr			No	50% accessible, static by toilet
H7	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H11	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H13	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1147 Ozbourn Court Unit E

Unit Summary :

Completion Date: 7/24/2014 4:23 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 3B
Background Reading: 3.2 uR/hr
Dimensions (m): D 7.5 W 7.4
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 96
Average: 3.23 uR/hr
Standard Deviation: 0.31 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.40 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
A5	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
A6	4.4	uR/hr	Bathroom		3.2	uR/hr	Storage			uR/hr			No	
A7	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
A8	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
A11	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A12	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken 44" above floor
B5	3.2	uR/hr	Storage	Grid partially contained within wall construction.	2.8	uR/hr	Stairs		3.2	uR/hr	Dining Room		No	60% accessible. stairs static taken 44" above floor
B6	3.2	uR/hr	Closet		3.2	uR/hr	Storage		3.2	uR/hr	Dining Room		No	
B7	3.6	uR/hr	Bathroom		3.6	uR/hr	Dining Room		3.2	uR/hr	Closet		No	
B8	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.	3.6	uR/hr	Dining Room			uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B12	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	stairs static taken 12" above floor
C5	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		3.2	uR/hr	Dining Room		No	stairs static taken 12" above floor
C6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C11	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1147 Ozborn Court Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
E1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		2.8	uR/hr	Closet			uR/hr			No	
E5	2.8	uR/hr	Closet		3.2	uR/hr	Dining Room			uR/hr			No	
E6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F1	3.2	uR/hr	Living Room	Installed furnace.		uR/hr				uR/hr			No	80% accessible
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	scan inside cabinet 6 1/2" above floor (wood 1 1/2" thick)
F4	2.8	uR/hr	Living Room		2.8	uR/hr	Closet		3.2	uR/hr	Kitchen		No	
F5	2.8	uR/hr	Closet	Grid partially contained within wall construction.	3.2	uR/hr	Dining Room			uR/hr			No	90% accessible
F6	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
F7	3.2	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.8	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	partial grid remainder is outside of unit 50% accessible
G1	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible installed furnace
G2	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
G3	2.8	uR/hr	Pantry		3.2	uR/hr	Kitchen			uR/hr			No	
G4	3.2	uR/hr	Kitchen	Washing machine within grid.		uR/hr				uR/hr			No	60% accessible installed clothes dryer
G5	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	60% accessible
G6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	installed refrigerator 70% accessible
G7	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	70% accessible
G8	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible . Survey performed within accessible base cabinet.
H1	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible installed hot water heater
H2	3.2	uR/hr	Pantry	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H3	3.2	uR/hr	Pantry	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen	Clothes dryer within grid.		uR/hr			No	20% accessible



Summary Report
1147 Ozbourn Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed clothes dryer & washing machine 10% accessible
H5	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed refrigerator 10% accessible
H6	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed base cabinet & refrigerator 10% accessible
H7	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible (installed stove) Survey performed within accessible base cabinet.
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible . Survey performed within accessible base cabinet.

CBI Supervisor : John Massey


Signature :



Signoff Notes:

Senior Technician : Daphne Degering

Signature :





Summary Report
1147 Ozbourn Court Unit F

Unit Summary :

Completion Date: 7/24/2014 12:55 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 3
Background Reading: 3.2 uR/hr
Dimensions (m): D 7.4 W 7.4
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

F13, G13, H13 were less than 6" and were scanned with adjacent grids.

Summary Statistics :

Total # of Readings: 95
Average: 2.91 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.4	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	30% accessible
A2	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Pantry		2.8	uR/hr	Kitchen			uR/hr			No	
A4	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
A5	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	moved installed refrigerator
A6	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A8	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
B1	2.8	uR/hr	Mech Room	Installed furnace.	2.8	uR/hr	Living Room			uR/hr			No	40% accessible
B2	2.8	uR/hr	Pantry		2.8	uR/hr	Living Room			uR/hr			No	
B3	2.8	uR/hr	Pantry		2.8	uR/hr	Living Room			uR/hr			No	
B4	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
B5	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
B7	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Closet		2.8	uR/hr	Living Room			uR/hr			No	
C5	2.8	uR/hr	Dining Room		2.8	uR/hr	Closet			uR/hr			No	
C6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1147 Ozbourn Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	40% accessible
D1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Hallway		2.8	uR/hr	Closet		2.8	uR/hr	Living Room		No	
D5	2.8	uR/hr	Dining Room		2.8	uR/hr	Closet			uR/hr			No	
D6	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr	Hallway		No	static taken on stairs 8" from floor surface
E5	2.8	uR/hr	Dining Room		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 8" from floor surface
E6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 32" from floor surface



**Summary Report
1147 Ozborn Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F5	2.4	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	static taken on stairs 32" from floor surface
F6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Bathroom		2.8	uR/hr	Closet		3.2	uR/hr	Dining Room		No	
F8	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	40% accessible
F11	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
F12	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	2.4	uR/hr	Living Room		2.4	uR/hr	Storage			uR/hr			No	
G5	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Closet		2.8	uR/hr	Storage		3.6	uR/hr	Bathroom		No	
G7	3.6	uR/hr	Bathroom		3.2	uR/hr	Closet			uR/hr			No	
G8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Bathroom			uR/hr			No	40% accessible
G11	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G12	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H1	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H2	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H3	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible



Summary Report
1147 Ozbourn Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Storage			uR/hr			No	40% accessible
H5	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.	2.8	uR/hr	Storage			uR/hr			No	40% accessible
H7	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H8	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H11	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible


CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Summary Report
1147 Ozbourn Court Unit G

Unit Summary :

Completion Date: 7/24/2014 12:23 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 2
Background Reading: 3.2 uR/hr
Dimensions (m): D 9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
A10-G10 grids are outside unit interior boundary.
Living room was divided by cardboard wall
(computer room/living room).

Summary Statistics :

Total # of Readings: 89
Average: 3.20 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	moved refrigerator to survey grid
A5	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	moved refrigerator to survey grid
A6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	75% accessible
A8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	2nd refrigerator was moved to survey grid.
A9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
B6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
B7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen		3.2	uR/hr	Storage		No	
C5	3.2	uR/hr	Kitchen	Installed Stove.	3.2	uR/hr	Storage			uR/hr			No	75% accessible
C6	3.2	uR/hr	Storage			uR/hr				uR/hr			No	40% accessible. Kitchen partial grid is inaccessible due to installed cabinet drawers
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
D1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		3.2	uR/hr	Hallway		No	
D5	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D6	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1147 Ozbourn Court Unit G**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
E12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E13	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible
F5	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	moved dryer to survey grid
F7	2.8	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	reading 1.8 meters from floor for stairs



Summary Report
1147 Ozbourn Court Unit G

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading .6 meters from floor for stairs
F9	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	50% accessible
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
F12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.6	uR/hr	Trash			uR/hr			No	70% accessible
F13	3.6	uR/hr	Storage Shed		3.6	uR/hr	Trash			uR/hr			No	
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible-contained within wall construction.
G5	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. moved washer to survey grid
G7	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. reading 1.8 meters from floor for stairs



Summary Report
1147 Ozbourn Court Unit G

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. reading 1.3 meters from floor for stairs
G9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible- installed water heater.
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
G12	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G13	3.6	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature appears to read "Carlos Bernal" in a cursive script.

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is stylized and appears to read "Antonio Neotti" in a cursive script.

Signoff Notes:



Summary Report
1147 Ozbourn Court Unit H

Unit Summary :

Completion Date: 7/24/2014 1:02 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 2B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 6.3
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Row A10 to G10 grids are outside of floor plan.
Grids A14 to C14 and C12 and C13 are outside floor plan.

Summary Statistics :

Total # of Readings: 94
Average: 3.00 uR/hr
Standard Deviation: 0.27 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	Installed electric fireplace and glass cabinet, surveyed inside at 2" from floor with Model 19 SN 267078. General background is 5 uR/hr at standard location. Scan result 5 uR/hr.
A5	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
A6	2.4	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	10% accessible
A7	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1 m from ground level
A8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at .8 m from ground level
A9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, installed water heater
A10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
A12	2.8	uR/hr	Trash	Percentage of grid falls outside of unit.	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr			No	70% accessible



**Summary Report
1147 Ozborn Court Unit H**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13	3.2	uR/hr	Trash		3.2	uR/hr	Storage Shed			uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom		No	
B5	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
B6	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	30% accessible
B7	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
B8	2.8	uR/hr	Hallway		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .4 m from ground level
B9	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	40% accessible, installed furnace
B10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B13	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	



Summary Report
1147 Ozbourn Court Unit H

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C5	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C6	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
C7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
C10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
D5	2.8	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
D6	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible



Summary Report
1147 Ozborn Court Unit H

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	Installed glass cabinet/china hutch, surveyed underneath with Model 19 SN 267078. General background is 5 uR/hr at standard location. Scan result 5 uR/hr.
D8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	70% accessible
E5	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
E6	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible



Summary Report
1147 Ozbourn Court Unit H

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	Installed glass cabinet/china hutch, surveyed underneath with Model 19 SN 267078. General background is 5 uR/hr at standard location. Scan result 5 uR/hr.
E8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible
F5	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	80% accessible, survey performed in base cabinets
F6	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F7	3.6	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible.
F8	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1147 Ozbourn Court Unit H**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G1	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3	3.2	uR/hr	Living Room	Installed Stove.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid in kitchen inaccessible due to installed refrigerator
G5	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, survey performed in base cabinets
G6	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G7	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed dishwasher in grid
G8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G9	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible



Summary Report
1147 Ozbourn Court Unit H

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Summary Report
1149 Ozbourn Court Unit A

Unit Summary :

Completion Date: 6/19/2014 1:39 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 1
Background Reading: 2.8 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings: 73
Average: 2.92 uR/hr
Standard Deviation: 0.22 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2 LIVING	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6 BATH	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8 MECH ROOM	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	2.8	uR/hr	No		Living Room		uR/hr	
A2	2.8	uR/hr	No		Living Room		uR/hr	
A3	2.8	uR/hr	No		Living Room		uR/hr	
A4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Pantry
A5	3.2	uR/hr	No		Pantry		uR/hr	
A6	2.8	uR/hr	No	Fridge in 75% of grid 25% scan	Kitchen		uR/hr	
A7	2.8	uR/hr	No	Stove and cabinet in 75% of grid 25% scan	Kitchen		uR/hr	
A8	2.8	uR/hr	No		Kitchen		uR/hr	
B1	2.8	uR/hr	No		Living Room		uR/hr	
B2	3.2	uR/hr	No		Living Room		uR/hr	
B3	2.8	uR/hr	No		Living Room		uR/hr	
B4	2.8	uR/hr	No		Living Room	3.2	uR/hr	Pantry
B5	2.8	uR/hr	No		Pantry		uR/hr	
B6	2.8	uR/hr	No		Kitchen		uR/hr	
B7	2.8	uR/hr	No		Kitchen		uR/hr	
B8	2.8	uR/hr	No		Kitchen		uR/hr	
C1	2.8	uR/hr	No		Living Room		uR/hr	
C2	3.2	uR/hr	No		Living Room		uR/hr	
C3	3.2	uR/hr	No		Living Room		uR/hr	
C4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Storage
C5	2.8	uR/hr	No		Pantry	2.8	uR/hr	Storage
C6	2.8	uR/hr	No		Kitchen		uR/hr	
C7	2.8	uR/hr	No		Kitchen		uR/hr	
C8	2.8	uR/hr	No	25% of cell is outside of floor plan, scanned 75% of grid	Kitchen		uR/hr	
D1	2.8	uR/hr	No		Living Room		uR/hr	
D2	2.8	uR/hr	No		Living Room		uR/hr	
D3	3.2	uR/hr	No		Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Hallway
D5	2.8	uR/hr	No		Storage	2.8	uR/hr	Hallway
D6	2.8	uR/hr	No		Dining Room	2.8	uR/hr	Storage
D7	2.8	uR/hr	No		Dining Room		uR/hr	
D8	2.8	uR/hr	No	25% of cell is outside of floor plan, scanned 75% of grid	Dining Room		uR/hr	
E1	2.8	uR/hr	No		Living Room		uR/hr	
E2	2.8	uR/hr	No		Living Room		uR/hr	
E3	2.8	uR/hr	No		Living Room		uR/hr	
E4	2.8	uR/hr	No		Living Room	2.8	uR/hr	Stairs
E5	2.8	uR/hr	No		Hallway	2.8	uR/hr	Stairs
E6	3.2	uR/hr	No		Dining Room		uR/hr	
E7	3.2	uR/hr	No		Dining Room		uR/hr	
E8	2.8	uR/hr	No	25% of cell is outside of floor plan, scanned 75% of grid	Dining Room		uR/hr	
F1	2.8	uR/hr	No		Living Room		uR/hr	
F2	2.8	uR/hr	No		Living Room		uR/hr	
F3	2.8	uR/hr	No		Living Room		uR/hr	
F4	2.8	uR/hr	No		Living Room	2.4	uR/hr	Stairs
F5	2.8	uR/hr	No		Bathroom	2.4	uR/hr	Stairs
F6	2.4	uR/hr	No		Bathroom	2.4	uR/hr	Stairs
F7	3.2	uR/hr	No		Bathroom	3.2	uR/hr	Hallway
F8	3.2	uR/hr	No	50% of furnace within grid 50% scanned	Living Room	2.8	uR/hr	Mech Room
F10	3.2	uR/hr	No	75% of grid is outside of unit	Storage Shed		uR/hr	
F11	3.2	uR/hr	No		Storage Shed	3.2	uR/hr	Storage Shed
F12	3.6	uR/hr	No		Storage Shed	3.2	uR/hr	Storage Shed
G1	2.8	uR/hr	No		Living Room		uR/hr	
G2	3.2	uR/hr	No		Living Room		uR/hr	
G3	2.8	uR/hr	No		Living Room		uR/hr	
G4	2.8	uR/hr	No		Living Room	2.4	uR/hr	Stairs



Summary Report
1149 Ozbourn Court Unit A

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
G5	2.8	uR/hr	No		Bathroom	2.8	uR/hr	Stairs
G6	2.8	uR/hr	No		Bathroom		uR/hr	
G7	3.6	uR/hr	No		Bathroom		uR/hr	Mech Room
G8	2.8	uR/hr	No	50% of water heater within grid 50% scanned	Mech Room		uR/hr	
G10	3.2	uR/hr	No	75% of grid is outside of unit	Storage Shed	3.2	uR/hr	Trash
G11	3.2	uR/hr	No	Trash bin	Trash	3.2	uR/hr	Storage Shed
G12	3.2	uR/hr	No	Trash bin	Trash	3.2	uR/hr	Storage Shed
H1	2.8	uR/hr	No	10% of cell within grid 90% outside floor plan	Living Room		uR/hr	
H2	2.8	uR/hr	No	10% of cell within grid 90% outside floor plan	Living Room		uR/hr	
H3	2.8	uR/hr	No	10% of cell within grid 90% outside floor plan	Living Room	2.4	uR/hr	Stairs
H4	2.8	uR/hr	No	10% of cell within grid 90% outside floor plan	Living Room	2.8	uR/hr	Stairs
H5	2.8	uR/hr	No	10% of cell within grid 90% outside floor plan	Bathroom		uR/hr	
H6	2.8	uR/hr	No	10% of cell within grid 90% outside floor plan	Bathroom	2.8	uR/hr	Stairs
H7	3.2	uR/hr	No	10% of cell within grid 90% outside floor plan	Bathroom		uR/hr	
H8	2.8	uR/hr	No	10% of cell within grid 90% outside floor plan	Mech Room		uR/hr	
H10	3.2	uR/hr	No	80% of grid is outside of unit	Trash		uR/hr	
H11	3.2	uR/hr	No		Trash	3.2	uR/hr	Trash
H12	3.2	uR/hr	No	Trash bin	Trash		uR/hr	

CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Luguna

Signature :



Signature :



Signoff Notes:



Summary Report
1149 Ozborn Court Unit B

Unit Summary :

Completion Date: 7/24/2014 12:37 PM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 1B
Background Reading: 3.6 uR/hr
Dimensions (m): D 7.7 W 7.1
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
H1-H8, C11-12 grids are less than 6 inch wide and were surveyed along with adjacent grids. A9-H9 and A13-C13 grids are outside of floor plan.

Summary Statistics :

Total # of Readings: 88
Average: 3.28 uR/hr
Standard Deviation: 0.23 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 60" from floor.
A5	2.4	uR/hr	Stairs		3.2	uR/hr	Bathroom	Washing machine within grid.		uR/hr			No	60% accessible. Stairs reading taken 60" from floor.
A6	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
A7	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Partial grid due to installed water heater.
A9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
A11	3.6	uR/hr	Trash			uR/hr				uR/hr			No	
A12	4.0	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
B1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 28" from floor.



**Summary Report
1149 Ozbourn Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B5	3.2	uR/hr	Stairs		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom	Clothes dryer within grid.	No	60% accessible. Stairs reading taken 28" from floor.
B6	3.6	uR/hr	Bathroom		3.2	uR/hr	Dining Room			uR/hr			No	
B7	3.6	uR/hr	Bathroom		3.6	uR/hr	Dining Room			uR/hr			No	
B8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Dining Room			uR/hr			No	40% accessible. Partial grid due to installed furnace.
B9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
B11	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
C1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		3.2	uR/hr	Hallway		No	Stairs reading taken 12" from floor.
C5	3.2	uR/hr	Stairs		3.2	uR/hr	Hallway			uR/hr			No	Stairs reading taken 12" from floor.
C6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D5	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
D9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Pantry		3.2	uR/hr	Storage		No	
E5	3.2	uR/hr	Storage		3.6	uR/hr	Pantry			uR/hr			No	
E6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
E9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.



**Summary Report
1149 Ozbourn Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room		3.2	uR/hr	Pantry			uR/hr			No	
F5	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	60% accessible. Partial grid due to installed dishwasher.
F8	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. Reading taken 12" from floor inside base cabinet.
F9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
G1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Living Room		3.2	uR/hr	Pantry			uR/hr			No	
G5	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible.
G8	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. Reading taken 12" from floor inside base cabinet.



Summary Report
1149 Ozbourn Court Unit B


Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
H9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.




CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/24/2014 2:19 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 1
Background Reading: 2.8 uR/hr
Dimensions (m): D 7.8 W 7.1
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
Living room used as bedroom, bed in grids A2-A4 and B2-B4, moved for survey. H1-H8, H11, H12 less than .6" wide, surveyed with adjacent G column grids. Grids F10-H10 are outside of floor plan.

Summary Statistics :

Total # of Readings: 77
Average: 2.56 uR/hr
Standard Deviation: 0.30 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2 LIVING	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5 PANTRY	C5	D5 STORAGE	E5	F5 STAIRS	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6 BATH	H6	I6	J6	K6
A7	B7 KITCHEN	C7	D7 DINING	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8 MECH ROOM	H8	I8	J8	K8
A9	B9	C9	D9	E9 ENTRY	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11 STORAGE	G11 SHED	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12 TRASH	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
A3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
A4	2.4	uR/hr	Living Room		2.4	uR/hr	Pantry			uR/hr			No	Bed in grid moved for survey
A5	2.4	uR/hr	Pantry			uR/hr				uR/hr			No	
A6	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	Installed refrigerator moved for survey.
A7	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible
A8	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, survey inside base cabinets
B1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
B3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
B4	2.4	uR/hr	Living Room		2.4	uR/hr	Pantry			uR/hr			No	Bed in grid moved for survey
B5	2.8	uR/hr	Pantry			uR/hr				uR/hr			No	
B6	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible, surveyed inside base cabinets.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, survey inside base cabinets
C1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
C3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
C4	2.4	uR/hr	Living Room		2.8	uR/hr	Closet		2.4	uR/hr	Pantry		No	Bed in grid moved for survey
C5	2.4	uR/hr	Pantry		2.4	uR/hr	Storage			uR/hr			No	
C6	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C7	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, survey inside base cabinets
D1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway			uR/hr			No	
D5	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	100% of grid in hallway
D6	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
E1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		2.4	uR/hr	Stairs		No	Stair static taken at 0.5 meters above ground floor.
E5	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
E6	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F1	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F3	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	2.4	uR/hr	Living Room		2.0	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground floor. Living room static taken at 4" above floor over 1" particle board of non-movable shelf.
F5	2.8	uR/hr	Bathroom		2.0	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground floor. Installed dryer moved for survey.
F6	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	Installed dryer moved for survey.
F7	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed furnace.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F11	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F12	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G1	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	2.4	uR/hr	Living Room		2.0	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.5 meters above ground floor.
G5	2.8	uR/hr	Bathroom		2.0	uR/hr	Stairs			uR/hr			No	Installed washer moved for survey, Stair static taken at 1.5 meters above ground floor.
G6	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	Installed washer moved for survey.
G7	3.6	uR/hr	Bathroom	Grid partially obstructed by installed.		uR/hr				uR/hr			No	90% accessible toilet in grid. Static by toilet.
G8	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, installed water heater
G10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G11	3.2	uR/hr	Trash		2.8	uR/hr	Storage Shed			uR/hr			No	



Summary Report
1149 Ozbourn Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G12	3.2	uR/hr	Trash	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage Shed			uR/hr			No	75% accessible
H10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Summary Report
1149 Ozborn Court Unit D

Unit Summary :

Completion Date: 7/24/2014 3:08 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 1B
Background Reading: 3.2 uR/hr
Dimensions (m): D 7.8 W 7.1
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
H1-H8, C11-C12 partial grids (less than 6") were surveyed with G1-G8, B11-B12. There was no washer or dryer in the unit. Rows 9 and 13 are outside of floor plan.

Summary Statistics :

Total # of Readings: 84
Average: 3.34 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.8 meters from floor for stairs.
A5	2.8	uR/hr	Stairs		3.2	uR/hr	Bathroom			uR/hr			No	reading 1.8 meters from floor for stairs.
A6	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
A7	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible-installed water heater
A9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
A11	4.0	uR/hr	Trash			uR/hr				uR/hr			No	
A12	4.0	uR/hr	Trash	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs.
B5	2.8	uR/hr	Stairs		3.2	uR/hr	Bathroom			uR/hr			No	reading 1.3 meters from floor for stairs.



**Summary Report
1149 Ozbourn Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B6	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible-installed furnace
B9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B11	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B12	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C2	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		3.2	uR/hr	Hallway		No	reading .6 meters from floor for stairs.
C5	3.2	uR/hr	Stairs		3.2	uR/hr	Hallway			uR/hr			No	reading .6 meters from floor for stairs.
C6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
C9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



Summary Report
1149 Ozbourn Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D5	3.2	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
D6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
E5	3.2	uR/hr	Storage		3.2	uR/hr	Pantry			uR/hr			No	
E6	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
E9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F1	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1149 Ozbourn Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F3	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F4	3.6	uR/hr	Living Room		3.2	uR/hr	Pantry			uR/hr			No	
F5	3.6	uR/hr	Pantry			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
F8	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G1	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G2	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G3	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Living Room		3.6	uR/hr	Pantry			uR/hr			No	
G5	3.2	uR/hr	Pantry			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	20% accessible
G7	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
G8	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Unit Summary :


Completion Date: 6/24/2014 3:09 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 5
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.53 W 6.77
Unit Furnished: No
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 69
Average: 2.77 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.20 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, remainder is exterior
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr			No	50% accessible. Kitchen reading is linoleum, Dining room is carpeted
A9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	60% accessible
A10	2.8	uR/hr	Kitchen	Grid partially obstructed by installed.	2.4	uR/hr	Kitchen	Survey performed on non-movable item.		uR/hr			No	base cabinets and part of stove in grid
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	33% accessible, remainder is exterior
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, remainder is exterior
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	Installed base cabinets, 100% survey.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	33% accessible, remainder is exterior
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, remainder is exterior
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bathroom			uR/hr			No	
C10	2.8	uR/hr	Kitchen		3.2	uR/hr	Bathroom			uR/hr			No	
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	33% accessible, remainder is exterior
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, remainder is exterior
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1201 Bayside Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	living room and hall carpeted, bath linoleum
D9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Bathroom		2.4	uR/hr	Hallway			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, remainder is in wall
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, remainder is exterior
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	95% accessible, remainder is in wall
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, remainder is exterior
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.0	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	



**Summary Report
1201 Bayside Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	at 34" above ground floor
F10	2.4	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage Shed			uR/hr			No	20% accessible, remainder is exterior
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible, remainder is exterior
G9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	at 42" above ground floor
G10	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	at 70" above ground floor
G11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, remainder is exterior
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, remainder is exterior



CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :

A handwritten signature in black ink on a light blue background. The signature consists of a large, stylized 'A' followed by a series of loops and a long horizontal stroke.

Signature :

A handwritten signature in black ink on a light blue background. The signature is stylized, starting with a large 'P' and ending with a large 'Z'.

Signoff Notes:



Unit Summary :

Completion Date: 8/1/2014 3:15 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 5B
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


A3, A4, B3, B4 storage shed belong to 1201 E.
A4-H4 are less than 6" & surveyed with adjacent
grids. A13-D13 and E14-H14 falls outside unit.

Summary Statistics :

Total # of Readings: 108
Average: 3.27 uR/hr
Standard Deviation: 0.29 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belong to 1201 E
A5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	20% accessible, stair static taken at 44" above floor
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, stair static taken at 44" above floor
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible stair static taken at 68" above floor
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belong to 1201 E
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stair static taken at 44" above floor
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	stair static taken at 44" above floor 70% accessible
B10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	stair static taken at 68" above floor
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed clothes dryer 40% accessible
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		No	stair static taken at 12" above floor



**Summary Report
1201 Bayside Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.2	uR/hr	Hallway	Grid partially contained within wall construction.	3.2	uR/hr	Stairs			uR/hr			No	60% accessible, stair static taken at 12" above floor
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	50% accessible installed washing machine
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		3.6	uR/hr	Living Room		No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	



**Summary Report
1201 Bayside Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	95% accessible
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1201 Bayside Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accessible
G9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	90% accessible
G10	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible installed refrigerator
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed refrigerator 30% accessible
H10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed stove partial grid remainder of grid falls outside 30% accessible



Summary Report
1201 Bayside Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible refrigerator moved for survey
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible refrigerator moved for survey
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	80% accessible
J6	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	installed furnace 50% accessible
J7	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible
J8	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	80% accessible
K6	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	75% accessible installed furnace
K7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	75% accessible
K8	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible



CBI Supervisor : Joyce McGee

Senior Technician : Daphne Degering

Signature :

A handwritten signature in black ink on a light blue background. The signature is written in a cursive style, with the first letters of the first and last names being capitalized and prominent. The signature reads "J McGee".

Signature :

A handwritten signature in black ink on a light blue background. The signature is written in a cursive style, with the first letters of the first and last names being capitalized and prominent. The signature reads "D Degering".

Signoff Notes:



Summary Report
1201 Bayside Drive Unit C

Unit Summary :

Completion Date: 7/25/2014 10:32 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 6
Background Reading: 3.6 uR/hr
Dimensions (m): D 9.3 W 7.1
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Grids H5-H13, A14-D14 are less than 6", surveyed with adjacent grids. Storage shed (G1, G2, H1, H2) belongs to neighboring unit (1201D)

Summary Statistics :

Total # of Readings: 92
Average: 3.24 uR/hr
Standard Deviation: 0.18 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Living Room			uR/hr			No	60% accessible
A9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible, installed refrigerator.
A10	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible, installed stove
A11	3.2	uR/hr	Dining Room	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen	Installed base cabinets.	3.2	uR/hr	Living Room			uR/hr			No	90% accessible
B9	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1201 Bayside Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen	Installed base cabinets.	3.2	uR/hr	Storage		3.2	uR/hr	Living Room		No	80% accessible
C9	3.2	uR/hr	Storage		3.6	uR/hr	Bathroom	Installed base cabinets.		uR/hr			No	70% accessible
C10	3.2	uR/hr	Bathroom	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible
C11	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D9	3.2	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Static taken on stairs at 12" above ground.
F9	3.2	uR/hr	Stairs			uR/hr				uR/hr			No	Static taken on stairs at 12" above ground.
F10	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility		3.2	uR/hr	Storage			uR/hr			No	
F12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	80% accessible
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed washer, 10% accessible
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1201D
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1201D



**Summary Report
1201 Bayside Drive Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	40% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Static taken on stairs at 44" above ground.
G9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Static taken on stairs at 44" above ground.
G10	2.4	uR/hr	Stairs		3.2	uR/hr	Storage			uR/hr			No	Static taken on stairs at 58" above ground.
G11	3.2	uR/hr	Utility		3.2	uR/hr	Storage			uR/hr			No	
G12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	80% accessible
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed clothes dryer, 10% accessible
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1201D
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1201D
H3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible



CBI Supervisor : Tina Piquet

Senior Technician : Robert Minard

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/24/2014 3:46 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 6B
Background Reading: 3.2 uR/hr
Dimensions (m): D 9.2 W 7.1
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


A4 to A13 and B4 to H4 and E14 to H14 were less than 6" and were scanned with adjacent grids. A3, B3, A4 and B4 belong to adjacent unit 1201C. Grids I4 to I14, A14 to D14 are outside of floor plan.

Summary Statistics :

Total # of Readings: 95
Average: 2.88 uR/hr
Standard Deviation: 0.27 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A2	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1201C
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1201C
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.0	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 40" from floor surface
B9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
B10	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible



**Summary Report
1201 Bayside Drive Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 16" from floor surface
C9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 16" from floor surface
C10	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
C11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible



**Summary Report
1201 Bayside Drive Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Storage		2.8	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen		2.8	uR/hr	Storage		No	
F9	2.8	uR/hr	Kitchen		2.8	uR/hr	Storage			uR/hr			No	
F10	2.8	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	
F11	2.8	uR/hr	Kitchen		2.8	uR/hr	Closet			uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
H5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	moved refrigerator for survey
H9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
H10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
H11	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
H12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



Summary Report
1201 Bayside Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I12		uR/hr	Outside			uR/hr				uR/hr			No	outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/24/2014 4:09 PM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-F4 grids are less than 6 inch wide and were surveyed along with adjacent grids. G1-G2, H1-H2 belong to adjacent unit, 1201-F. H5-H12, D13-H13 grids are outside of floor plan.

Summary Statistics :

Total # of Readings: 81

Average: 3.36 uR/hr

Standard Deviation: 0.25 uR/hr

Minimum: 2.40 uR/hr

Maximum: 4.00 uR/hr

Median: 2.80 uR/hr

Anomalies: 0

Grid Legend:

 No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible. Survey performed within accessible base cabinet.
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible.
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom		No	Kitchen reading taken 12" from floor inside base cabinet.
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	Kitchen reading taken 12" from floor inside base cabinet.
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	50% accessible. Kitchen reading taken 12" from floor inside base cabinet.
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.6	uR/hr	Living Room		3.2	uR/hr	Hallway		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1201 Bayside Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs			uR/hr			No	Stairs reading taken 12" from floor.
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Stairs reading taken 20" from floor.
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible. Stairs reading taken 20" from floor.
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Partial grid due to installed washer
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1201-F.
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1201-F.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 68" from floor.
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Partial grid due to installed dryer.
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1201-F.



Summary Report
1201 Bayside Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1201-F.
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :

Signature :

Signoff Notes:



Unit Summary :

Completion Date: 8/1/2014 3:15 PM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 5B

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A3, A4, B3, B4 storage shed belong to 1201 E.
A4-H4 are less than 6" & surveyed with adjacent
grids. A13-D13 and E14-H14 falls outside unit.

Summary Statistics :

Total # of Readings: 108

Average: 3.27 uR/hr

Standard Deviation: 0.29 uR/hr

Minimum: 2.40 uR/hr

Maximum: 4.00 uR/hr

Median: 2.80 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belong to 1201 E
A5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	20% accessible, stair static taken at 44" above floor
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, stair static taken at 44" above floor
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible stair static taken at 68" above floor
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



**Summary Report
1201 Bayside Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belong to 1201 E
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stair static taken at 44" above floor
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	stair static taken at 44" above floor 70% accessible
B10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	stair static taken at 68" above floor
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed clothes dryer 40% accessible
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		No	stair static taken at 12" above floor



**Summary Report
1201 Bayside Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.2	uR/hr	Hallway	Grid partially contained within wall construction.	3.2	uR/hr	Stairs			uR/hr			No	60% accessible, stair static taken at 12" above floor
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	50% accessible installed washing machine
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		3.6	uR/hr	Living Room		No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	



Summary Report 1201 Bayside Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	95% accessible
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1201 Bayside Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accessible
G9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	90% accessible
G10	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible installed refrigerator
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed refrigerator 30% accessible
H10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed stove partial grid remainder of grid falls outside 30% accessible



Summary Report
1201 Bayside Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible refrigerator moved for survey
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible refrigerator moved for survey
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	80% accessible
J6	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	installed furnace 50% accessible
J7	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible
J8	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	80% accessible
K6	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	75% accessible installed furnace
K7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	75% accessible
K8	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

CBI Supervisor : Joyce McGee

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Completion Date: 7/31/2014 10:31 AM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 5

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.7 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-F4 partial grids (less than 6") were surveyed with A5-F5. G1, H1, G2, H2 grids belong to 1202 B storage shed. Grid D13 is outside of floor plan.

Summary Statistics :

Total # of Readings: 86

Average: 3.20 uR/hr

Standard Deviation: 0.23 uR/hr

Minimum:	2.40	uR/hr
----------	------	-------

Maximum: 3.60 uR/hr

Median: 2.80 uR/hr

Anomalies: 0

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom		No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	75% accessible
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr			No	reading .6 meters from floor for stairs. static reading taken at 4" due to unstable non-movable bookshelf.
F9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	50% accessible. reading .6 meters from floor for stairs
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved washer to survey grid
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1202 B storage shed.
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1202 B storage shed.
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.8 meters from floor for stairs
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. moved dryer to survey
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1202 B storage shed.
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1202 B storage shed.
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
J5	3.6	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	75% accessible
J6	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	55% accessible



Summary Report
1202 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	65% accessible
J8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	35% accessible
K6	3.6	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	20% accessible
K7	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	55% accessible
K8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/31/2014 10:46 AM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 5B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Grids A4-H4 less than 6" wide, surveyed with adjacent grids. Bed in living room moved for survey. A3-B3 storage shed belongs to adjacent unit 1202A. A13-D13 and E14-H14 outside of floor plan.

Summary Statistics :

Total # of Readings: 98
Average: 3.05 uR/hr
Standard Deviation: 0.36 uR/hr
Minimum: 2.40 uR/hr
Maximum: 5.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent 1202 unit A.
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, bed in grid moved for survey
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Bed in grid moved for survey
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	30% accessible, stair static taken at 1.0 meters above ground floor
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, stair static taken at 1.0 meters above ground floor
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, stair static taken at 1.6 meters above ground floor
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1202 Mariner Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent 1202 unit A.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.0 meters above ground floor
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 0.4 meters above ground floor
B10	2.4	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	Stair static taken at 1.6 meters above ground floor
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed dryer moved for survey
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
C8	3.2	uR/hr	Living Room		2.4	uR/hr	Stairs		2.8	uR/hr	Hallway		No	Stair static taken at 0.4 meters above ground floor
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	80% accessible, Stair static taken at 0.4 meters above ground floor
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	40% accessible, installed washer moved for survey
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	model 19 #26078 used for survey under non-movable, unstable furniture 5.0 uR/hr measurement, 5.0 uR/hr background at entry 1 meter

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	5.0	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible, model 19 #26078 used for static under non-movable, unstable furniture measurement 5.0 uR/hr (shown in the 2nd column) , 5.0 uR/hr background at entry 1 meter
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	80% accessible
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room	Installed refrigerator.		uR/hr				uR/hr			No	90% accessible
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	20% accessible, installed refrigerator
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed refrigerator



Summary Report
1202 Mariner Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed stove
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/31/2014 12:00 PM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 6
Background Reading: 3.2 uR/hr
Dimensions (m): D 9.2 W 7.1
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


G3-G4, A4-F4, H5-H13, A14-D14 grids are less than 6 inch wide and were surveyed along with adjacent grids. G1-G2, H1-H2 grids belong to 1202D unit.

Summary Statistics :

Total # of Readings: 92
Average: 3.27 uR/hr
Standard Deviation: 0.20 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible.
A11	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		No	Kitchen reading 12" from floor inside base cabinet.
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		3.6	uR/hr	Storage		No	Kitchen reading 12" from floor inside base cabinet.
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	40% accessible. Kitchen reading 12" from floor inside base cabinet.
C11	3.2	uR/hr	Kitchen	Installed base cabinets.	3.2	uR/hr	Closet			uR/hr			No	75% accessible.
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Storage		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet		3.2	uR/hr	Kitchen		3.2	uR/hr	Closet		No	
D12	3.2	uR/hr	Hallway		3.2	uR/hr	Kitchen			uR/hr			No	
D13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.6	uR/hr	Dining Room			uR/hr			No	90% accessible.
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	



**Summary Report
1202 Mariner Drive Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		No	Stairs reading taken 12" from floor.
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Living Room			uR/hr			No	40% accessible. Stairs reading taken 12" from floor.
F10	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
F11	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
F12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	40% accessible. Partial grid due to installed washer.
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1202D.
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1202D.
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Stairs reading taken 44" from floor.
G9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 68" from floor.
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible. Partial grid due to installed dryer.
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1202D.
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1202D.
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
H4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/31/2014 12:38 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 6B
Background Reading: 2.8 uR/hr
Dimensions (m): D 9.3 W 7.1
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Grids E14-H14 are less than 6" wide and surveyed with adjacent grids. Storage unit (Grids A3 and B3) belong to adjacent unit 1202-C. Bed in living room (Grids A5-C5 and A6-C6) moved for survey.

Summary Statistics :

Total # of Readings: 133
Average: 2.51 uR/hr
Standard Deviation: 0.29 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage unit belongs to adjacent unit 1242-C
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
A5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs			uR/hr			No	30%, accessible, Stair static taken at 1.1 meters above ground floor
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Stair static taken at 1.1 meters above ground floor
A10	2.0	uR/hr	Storage	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs			uR/hr			No	30% accessible, Stair static taken at 1.7 meters above ground floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	2.4	uR/hr	Storage	Percentage of grid falls outside of unit.	2.4	uR/hr	Utility			uR/hr			No	30% accessible
A12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A13	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage unit belongs to adjacent unit 1242-C
B4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Living Room		2.0	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground floor
B9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 0.5 meters above ground floor
B10	2.8	uR/hr	Storage		2.0	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.7 meters above ground floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	2.4	uR/hr	Storage		2.4	uR/hr	Utility			uR/hr			No	
B12	2.4	uR/hr	Utility			uR/hr				uR/hr			No	
B13	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, installed dryer moved for survey
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		2.0	uR/hr	Stairs		No	Stair static taken at 0.5 meters above ground floor
C9	2.0	uR/hr	Stairs	Grid partially contained within wall construction.	2.4	uR/hr	Hallway			uR/hr			No	50% accessible, Stair static taken at 0.5 meters above ground floor
C10	2.4	uR/hr	Storage		2.4	uR/hr	Hallway			uR/hr			No	
C11	2.4	uR/hr	Storage		2.4	uR/hr	Hallway		2.4	uR/hr	Utility		No	
C12	2.8	uR/hr	Utility		2.4	uR/hr	Hallway			uR/hr			No	
C13	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.	2.4	uR/hr	Hallway			uR/hr			No	70% accessible, installed washer moved for survey
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		2.4	uR/hr	Storage		No	
D9	2.4	uR/hr	Hallway		2.4	uR/hr	Storage			uR/hr			No	
D10	2.4	uR/hr	Hallway		2.4	uR/hr	Bathroom			uR/hr			No	
D11	2.8	uR/hr	Hallway		2.4	uR/hr	Closet			uR/hr			No	
D12	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Living Room		2.4	uR/hr	Storage			uR/hr			No	
E9	2.4	uR/hr	Storage		2.8	uR/hr	Bathroom			uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.4	uR/hr	Closet		2.4	uR/hr	Kitchen			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.4	uR/hr	Dining Room			uR/hr			No	
E13	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.4	uR/hr	Dining Room			uR/hr			No	90% accessible



Summary Report
1202 Mariner Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.4	uR/hr	Storage		No	
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bathroom		2.8	uR/hr	Storage		No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	50% accessible
F11	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.4	uR/hr	Closet			uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	
G9	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Kitchen			uR/hr			No	80% accessible
H9	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, surveyed inside installed cabinets and moved refrigerator for survey
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed stove and surveyed inside installed cabinets
H11	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, installed refrigerator moved for survey
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, installed refrigerator moved for survey

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



Summary Report
1202 Mariner Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Unit Summary :


Completion Date: 6/23/2014 3:21 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 5
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.04 W 6.8
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 73
Average: 3.21 uR/hr
Standard Deviation: 0.22 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A4	3.2	uR/hr	No	10% accessible	Living Room		uR/hr	
A5	3.2	uR/hr	No		Living Room		uR/hr	
A6	3.2	uR/hr	No		Living Room		uR/hr	
A7	3.2	uR/hr	No		Living Room		uR/hr	
A8	2.8	uR/hr	No		Kitchen	3.2	uR/hr	Living Room
A9	3.2	uR/hr	No		Kitchen		uR/hr	
A10	3.2	uR/hr	No		Kitchen		uR/hr	
A11	3.2	uR/hr	No		Dining Room		uR/hr	
A12	3.2	uR/hr	No		Dining Room		uR/hr	
A13	3.2	uR/hr	No	80% accessible	Dining Room		uR/hr	
B4	3.2	uR/hr	No	10% accessible	Living Room		uR/hr	
B5	3.2	uR/hr	No		Living Room		uR/hr	
B6	3.2	uR/hr	No		Living Room		uR/hr	
B7	3.2	uR/hr	No		Living Room		uR/hr	
B8	3.2	uR/hr	No		Kitchen		uR/hr	
B9	3.2	uR/hr	No		Kitchen		uR/hr	
B10	3.2	uR/hr	No		Kitchen		uR/hr	
B11	3.2	uR/hr	No		Dining Room		uR/hr	
B12	3.2	uR/hr	No		Dining Room		uR/hr	
B13	2.8	uR/hr	No	80% accessible	Dining Room		uR/hr	
C4	3.2	uR/hr	No	10% accessible	Living Room		uR/hr	
C5	3.2	uR/hr	No		Living Room		uR/hr	
C6	3.2	uR/hr	No		Living Room		uR/hr	
C7	3.2	uR/hr	No		Living Room		uR/hr	
C8	3.2	uR/hr	No		Living Room	3.2	uR/hr	Kitchen
C9	3.6	uR/hr	No	Installed stove	Bathroom	3.6	uR/hr	Kitchen
C10	3.2	uR/hr	No		Bathroom	3.2	uR/hr	Kitchen



Summary Report
1202 Mariner Drive Unit E

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C11	3.2	uR/hr	No		Dining Room		uR/hr	
C12	3.2	uR/hr	No		Dining Room		uR/hr	
C13	3.2	uR/hr	No	80% accessible	Dining Room		uR/hr	
D4	3.6	uR/hr	No	10% accessible	Living Room		uR/hr	
D5	3.2	uR/hr	No		Living Room		uR/hr	
D6	3.2	uR/hr	No		Living Room		uR/hr	
D7	3.6	uR/hr	No		Living Room		uR/hr	
D8	3.2	uR/hr	No		Bathroom	3.2	uR/hr	Living Room
D9	3.2	uR/hr	No		Hallway	3.6	uR/hr	Bathroom
D10	3.6	uR/hr	No		Bathroom	3.6	uR/hr	Hallway
D11	3.2	uR/hr	No		Hallway		uR/hr	
D12	3.2	uR/hr	No		Hallway		uR/hr	
E4	3.2	uR/hr	No	10% accessible	Living Room		uR/hr	
E5	3.2	uR/hr	No		Living Room		uR/hr	
E6	3.2	uR/hr	No		Living Room		uR/hr	
E7	3.6	uR/hr	No		Living Room		uR/hr	
E8	3.2	uR/hr	No		Hallway		uR/hr	
E9	3.2	uR/hr	No		Hallway		uR/hr	
E10	3.2	uR/hr	No		Hallway		uR/hr	
E11	3.2	uR/hr	No		Hallway		uR/hr	
E12	3.2	uR/hr	No		Hallway		uR/hr	
F4	3.2	uR/hr	No	10% accessible	Living Room		uR/hr	
F5	3.2	uR/hr	No		Living Room		uR/hr	
F6	3.2	uR/hr	No		Living Room		uR/hr	
F7	3.2	uR/hr	No		Living Room		uR/hr	
F8	2.8	uR/hr	No	Optional taken on 3rd riser	Living Room	2.8	uR/hr	Stairs
F9	2.8	uR/hr	No		Stairs		uR/hr	
F10	3.2	uR/hr	No		Closet		uR/hr	



Summary Report
1202 Mariner Drive Unit E

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F11	3.2	uR/hr	No		Utility		uR/hr	
F12	3.6	uR/hr	No		Utility		uR/hr	
G1		uR/hr	No	assigned to 1202 F	Storage Shed		uR/hr	
G2		uR/hr	No	assigned to 1202 F	Storage Shed		uR/hr	
G3	3.6	uR/hr	No	55% accessible	Storage Shed		uR/hr	
G4	3.2	uR/hr	No	55% accessible	Living Room	3.6	uR/hr	Storage Shed
G5	3.2	uR/hr	No	80% accessible	Living Room		uR/hr	
G6	3.2	uR/hr	No	80% accessible	Living Room		uR/hr	
G7	3.2	uR/hr	No	80% accessible	Living Room		uR/hr	
G8	3.2	uR/hr	No	80% accessible	Living Room	2.8	uR/hr	Stairs
G9	2.4	uR/hr	No	Static taken on landing. 80% accessible	Stairs		uR/hr	
G10	2.4	uR/hr	No	Static taken on 2nd riser after landing. 80% accessible	Stairs		uR/hr	
G11	3.2	uR/hr	No	80% accessible	Utility		uR/hr	
G12	3.2	uR/hr	No	80% accessible	Utility		uR/hr	
H1		uR/hr	No	assigned to 1202 F	Storage Shed		uR/hr	
H2		uR/hr	No	assigned to 1202 F	Storage Shed		uR/hr	
H3	3.6	uR/hr	No	35% accessible	Storage Shed		uR/hr	
H4	3.6	uR/hr	No	35% accessible	Storage Shed		uR/hr	

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/31/2014 3:45 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 5B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Model 19 (267078) bkgd: 5µR/hr. A4-H4, A5-A12 are less than 6" and were scanned with adjacent grids. A3 and B3 are outside floor plan and belong to 1202E. A13-D13, E14-H14 are outside floor plan.

Summary Statistics :

Total # of Readings: 91
Average: 2.88 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.00 uR/hr
Maximum: 4.00 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible. Model 19 (serial: 267078) additional reading: 5 μ R/hr under installed toolbox.
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan. Belongs to unit 1202E
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan.
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan. Belongs to unit 1202E
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static on stairs taken at 40", non-movable bookshelf, scanned inside, additional read with Model 19 (267078): 5 μ R/hr.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	2.8	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	static on stairs taken at 40"
B10	2.0	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	static on stairs taken at 56"
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	70% accessible
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan.
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		No	static on stairs taken at 16", non-movable bookshelf, scanned inside, Model 19 (serial: 267078) additional read: 5 µR/hr
C9	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		2.8	uR/hr	Closet		No	static on stairs taken at 16"
C10	3.2	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Hallway		2.8	uR/hr	Utility			uR/hr			No	
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan.
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	



**Summary Report
1202 Mariner Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan.
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	installed base cabinets
F9	2.8	uR/hr	Kitchen	Grid partially obstructed by installed.		uR/hr				uR/hr			No	80% accessible. Water filter installed under sink
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	70% accessible



Summary Report
1202 Mariner Drive Unit F


Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, installed base cabinets
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed stove and base cabinets
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/25/2014 11:05 AM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 4
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.4 W 6.5
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A4-F4 partial grids (less than 6") were surveyed with A5-F5.

Summary Statistics :

Total # of Readings: 89
Average: 3.25 uR/hr
Standard Deviation: 0.23 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	80% accessible. Partial grid in kitchen inaccessible due to refrigerator.
A9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	60% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1203 Bayside Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room			uR/hr			No	
C9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C10	3.6	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	75% accessible
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	



**Summary Report
1203 Bayside Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading .6 meters from floor for stairs
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. reading .6 meters from floor for stairs
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved dryer to survey grid
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. moved dryer to survey grid
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1203 B storage unit
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1203 B storage unit
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	50% accessible. reading 1.3 meters from floor for stairs
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. reading 1.3 meters from floor for stairs
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. reading 1.8 meters from floor for stairs
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. moved washer to survey grid
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible. moved washer to survey grid
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1203 B storage unit
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1203 B storage unit
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible



Summary Report
1203 Bayside Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
J5	3.6	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	80% accessible
J6	3.6	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	60% accessible
J7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	80% accessible
J8	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	3.6	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	60% accessible
K6	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	50% accessible
K7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	60% accessible
K8	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	25% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

A handwritten signature of Carlos Bernal in black ink, written on a light blue rectangular background. The signature is cursive and clearly legible.

Signature :

A handwritten signature of Antonio Neotti in black ink, written on a light blue rectangular background. The signature is cursive and stylized.

Signoff Notes:



Unit Summary :


Completion Date: 6/24/2014 3:50 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 4B
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.4 W 6.5
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 83
Average: 3.36 uR/hr
Standard Deviation: 0.27 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
A3	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A4	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	15% accessible-living room
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. stairs-reading 1.3 meters above apartment first floor
A10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. stairs-reading 1.8 meters above apartment first floor
A11	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	2% accessible
B3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B4	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible-living room
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	
B9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	stairs-reading 1.3 meters above apartment first floor
B10	3.6	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	stairs-reading 1.8 meters above apartment first floor
B11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	2.8	uR/hr	Stairs		3.2	uR/hr	Hallway			uR/hr			No	
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.6	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.6	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom	Survey performed within accessible base cabinet.	No	
D9	3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Hallway		4.0	uR/hr	Bathroom			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen		3.2	uR/hr	Bathroom	Survey performed within accessible base cabinet.	No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	



Summary Report
1203 Bayside Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E11	3.2	uR/hr	Dining Room		3.6	uR/hr	Hallway			uR/hr			No	
E12	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	20% accessible-installed dishwasher
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	90% accessible



**Summary Report
1203 Bayside Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	90% accessible-installed stove
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible-surveyed within accessible base cabinets
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible-partial grid installed stove
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/25/2014 10:30 AM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 5
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
Grids A4 to F4 are less than 6", surveyed and included in adjacent row. Grids G1, G2, H1, H2 are outside floor plan and belong to unit 1203D

Summary Statistics :

Total # of Readings: 74
Average: 2.94 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	60% accessible
A9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	20% accessible, installed refrigerator in grid
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	90% accessible
B9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
B10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen		3.2	uR/hr	Bathroom			uR/hr			No	
C9	2.8	uR/hr	Bathroom	Grid partially obstructed by installed.		uR/hr				uR/hr			No	40% accessible, installed base cabinets in kitchen portion of grid (inaccessible).
C10	2.8	uR/hr	Bathroom	Grid partially obstructed by installed.		uR/hr				uR/hr			No	50% accessible, installed dishwasher in kitchen portion of grid (inaccessible).
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, part of grid contained in wall construction
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
D9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .4 m from ground level
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible, reading on stairs taken at .6 m from ground level
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed washer in grid
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1203D
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1203D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	80% accessible, reading on stairs taken at .8 m from ground level
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, reading on stairs taken at 1 m from ground level
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, reading on stairs taken at 1.6 m from ground level
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed dryer
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1203D



Summary Report
1203 Bayside Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes	
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1203D	
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible	
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible	



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/25/2014 11:01 AM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 5B
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Grids A4-H4 less than 6" wide, surveyed with adjacent grids. Grids A13-D13, E14-H14 are outside of floor plan. Grids A3 and B3 belong to 1203C.

Summary Statistics :

Total # of Readings: 98
Average: 3.32 uR/hr
Standard Deviation: 0.33 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.80 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage unit for 1203 unit C
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	20% accessible. Stair static taken at 1.1 meters above ground floor.
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stair static taken at 1.1 meters above ground floor
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, Stair static taken at 1.5 meters above ground floor
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Installed dryer moved for survey.
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage unit for 1203 unit C
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground floor
B9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.1 meters above ground floor
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	Stair static taken at 1.1 meters above ground floor
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	80% accessible. moved washer for survey

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		3.2	uR/hr	Hallway		No	Stair static taken at 0.5 meters above ground floor
C9	3.2	uR/hr	Stairs		3.2	uR/hr	Hallway			uR/hr			No	Stair static taken at 0.5 meters above ground floor.
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility	Washing machine within grid.	3.2	uR/hr	Hallway			uR/hr			No	30% accessible. Installed washer moved for survey.
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.8	uR/hr	Bathroom			uR/hr				uR/hr			No	Static by toilet
E11	3.6	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1203 Bayside Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	Installed refrigerator moved for survey.
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	60% accessible. Installed refrigerator moved for survey. living portion of grid 4" static inside non-movable shelf with 1" particle board base.
H9	3.2	uR/hr	Kitchen	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible. Survey inside installed base cabinets. Installed refrigerator moved for survey.
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed stove, survey performed inside base cabinets
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan




CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/31/2014 12:20 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 5
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


G1, H1, G2, and H2 are outside floor plan and belong to unit 1204B. A4 to F4 are less than 6" and were surveyed with adjacent grids. Bed in livingroom moved for survey. D13 is outside of floor plan

Summary Statistics :

Total # of Readings: 81
Average: 3.00 uR/hr
Standard Deviation: 0.27 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	moved refrigerator
A9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible, installed base cabinets and stove
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1204 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Kitchen		3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		No	installed base cabinets
C9	3.2	uR/hr	Kitchen		3.2	uR/hr	Bathroom			uR/hr			No	
C10	3.2	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	50% accessible
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	static reading on stairs taken at 16"
F9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static reading on stairs taken at 16"
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	80% accessible
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan. Belongs to unit 1204B
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan. Belongs to unit 1204B
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	80% accessible, static reading on stairs taken at 40"

Summary Report
1204 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	80% accessible, static reading on stairs taken at 40"
G10	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	80% accessible, static reading on stairs taken at 56"
G11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	60% accessible
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan. Belongs to unit 1204B
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside floor plan. Belongs to unit 1204B
H3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible



CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/31/2014 12:34 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 5B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.7 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


A4-H4 partial grids (less than 6") were surveyed with A5-H5. A13-D13 and E14-H14 grids are outside unit interior boundary. A3, B3, A4, B4 belong to 1204 A storage unit.

Summary Statistics :

Total # of Readings: 99
Average: 3.20 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1204 A storage shed
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible. reading 1.3 meters from floor for stairs
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. reading 1.3 meters from floor for stairs
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. reading 1.8 meters from floor for stairs
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



**Summary Report
1204 Mariner Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1204 A storage shed
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs
B9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	reading 1.8 meters from floor for stairs
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved dryer to survey grid.
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs		3.2	uR/hr	Hallway		No	reading .6 meters from floor for stairs

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	75% accessible. reading .6 meters from floor for stairs
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	moved washer to survey grid.
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	



**Summary Report
1204 Mariner Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	4.0	uR/hr	Living Room			uR/hr			No	15% surveyed non-movable entertainment system with model 19 s/n 267078, background 4uR/hr (shown in 2nd reading column), reading result 4uR/hr. 45% surveyed with 193-6 at 4".
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr			No	60% accessible. moved refrigerator to survey grid
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible-installed stove
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible-installed stove



Summary Report
1204 Mariner Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Unit Summary :

Completion Date: 7/31/2014 3:36 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 6
Background Reading: 3.2 uR/hr
Dimensions (m): D 9.3 W 7.1
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A4-F4, H5-H13 partial grids (less than 6") were surveyed with adjacent grids A5-F5 and G5-G13. G1, H1, G2, and H2 grids belong to 1204 D storage shed.

Summary Statistics :

Total # of Readings: 94
Average: 3.26 uR/hr
Standard Deviation: 0.19 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.60 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	moved refrigerator to survey grid.
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		No	
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage			uR/hr			No	
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	60% accessible
C11	3.2	uR/hr	Dining Room		3.6	uR/hr	Closet			uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Storage		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet		3.6	uR/hr	Closet			uR/hr			No	2nd reading is kitchen closet
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		No	reading .6 meters from floor for stairs
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	70% accessible. reading .6 meters from floor for stairs
F10	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
F11	3.6	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
F12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
F13	3.2	uR/hr	Utility	Washing machine within grid.	3.2	uR/hr	Hallway			uR/hr			No	70% accessible
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1204 D storage shed
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1204 D storage shed
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	reading 1.3 meters from floor for stairs
G9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs
G10	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible
G11	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	30% accessible
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1204 D storage shed
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1204 D storage shed
H3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Unit Summary :


Completion Date: 6/23/2014 3:50 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 6B
Background Reading: 3.2 uR/hr
Dimensions (m): D 9.22 W 7.06
Unit Furnished: No
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 81
Average: 3.04 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.6	uR/hr	No		Storage Shed		uR/hr	
A2	3.6	uR/hr	No		Storage Shed		uR/hr	
A3		uR/hr	No	shed belongs to unit 1204 C	Storage Shed		uR/hr	
A4		uR/hr	No	shed belongs to unit 1204 C	Storage Shed		uR/hr	
B1	3.6	uR/hr	No	10% accessible	Storage Shed		uR/hr	
B2	3.2	uR/hr	No	10% accessible	Storage Shed		uR/hr	
B3		uR/hr	No	shed belongs to unit 1204 C	Storage Shed		uR/hr	
B4	2.8	uR/hr	No	20% accessible (wall heater)	Living Room		uR/hr	
B5	2.8	uR/hr	No		Living Room		uR/hr	
B6	3.2	uR/hr	No		Living Room		uR/hr	
B7	2.8	uR/hr	No		Living Room		uR/hr	
B8	2.8	uR/hr	No	stair static reading 1 meter above floor	Living Room	2.4	uR/hr	Stairs
B9	2.4	uR/hr	No	static 1 meter above floor (90% accessible)	Stairs		uR/hr	
B10		uR/hr	No	N/A wall completely covers grid	Storage		uR/hr	
B11	2.8	uR/hr	No		Storage		uR/hr	
B12	2.8	uR/hr	No		Utility		uR/hr	
B13	3.2	uR/hr	No		Utility		uR/hr	
C4	2.8	uR/hr	No	20% accessible (wall heater)	Living Room		uR/hr	
C5	2.8	uR/hr	No		Living Room		uR/hr	
C6	3.2	uR/hr	No		Living Room		uR/hr	
C7	2.8	uR/hr	No		Living Room		uR/hr	
C8	2.8	uR/hr	No	stair static reading 12" above floor	Living Room	2.8	uR/hr	Stairs
C9	2.8	uR/hr	No	stair static reading 12" above floor (70% accessible)	Stairs		uR/hr	
C10	3.2	uR/hr	No		Storage		uR/hr	
C11	3.2	uR/hr	No		Storage		uR/hr	
C12	3.2	uR/hr	No		Utility		uR/hr	
C13	3.2	uR/hr	No		Utility		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
D4	3.2	uR/hr	No	20% accessible (wall heater)	Living Room		uR/hr	
D5	3.2	uR/hr	No		Living Room		uR/hr	
D6	3.2	uR/hr	No		Living Room		uR/hr	
D7	3.2	uR/hr	No		Living Room		uR/hr	
D8	2.8	uR/hr	No		Living Room	2.8	uR/hr	Hallway
D9	3.2	uR/hr	No		Hallway		uR/hr	
D10	3.2	uR/hr	No		Hallway		uR/hr	
D11	3.2	uR/hr	No		Hallway		uR/hr	
D12	3.2	uR/hr	No		Hallway		uR/hr	
D13	2.8	uR/hr	No		Hallway		uR/hr	
E4	3.2	uR/hr	No	20% accessible	Living Room		uR/hr	
E5	2.8	uR/hr	No		Living Room		uR/hr	
E6	3.2	uR/hr	No		Living Room		uR/hr	
E7	3.2	uR/hr	No		Living Room		uR/hr	
E8	2.8	uR/hr	No		Living Room	2.8	uR/hr	Storage
E9	3.2	uR/hr	No		Storage	3.2	uR/hr	Bathroom
E10	3.2	uR/hr	No		Bathroom		uR/hr	
E11	2.8	uR/hr	No		Closet		uR/hr	
E12	3.2	uR/hr	No		Hallway		uR/hr	
E13	2.8	uR/hr	No		Hallway		uR/hr	
E14		uR/hr	No	less than 6" surveyed as part of E13	Dining Room		uR/hr	
F4	3.2	uR/hr	No	20% accessible	Living Room		uR/hr	
F5	2.8	uR/hr	No		Living Room		uR/hr	
F6	3.2	uR/hr	No		Living Room		uR/hr	
F7	2.8	uR/hr	No		Living Room		uR/hr	
F8	2.8	uR/hr	No		Living Room	2.8	uR/hr	Storage
F9	3.2	uR/hr	No		Storage	3.6	uR/hr	Bathroom
F10	4.0	uR/hr	No		Bathroom		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F11	3.2	uR/hr	No	90% accessible	Kitchen	2.8	uR/hr	Closet
F12	3.2	uR/hr	No		Dining Room		uR/hr	
F13	2.8	uR/hr	No		Dining Room		uR/hr	
F14		uR/hr	No	less than 6" surveyed as part of F13	Dining Room		uR/hr	
G4	2.8	uR/hr	No	20% accessible	Living Room		uR/hr	
G5	3.2	uR/hr	No		Living Room		uR/hr	
G6	2.8	uR/hr	No		Living Room		uR/hr	
G7	2.8	uR/hr	No		Living Room		uR/hr	
G8	2.8	uR/hr	No		Living Room	2.8	uR/hr	Kitchen
G9	3.2	uR/hr	No		Kitchen		uR/hr	
G10	3.2	uR/hr	No	90% accessible	Kitchen		uR/hr	
G11	3.2	uR/hr	No	90% accessible	Kitchen		uR/hr	
G12	3.2	uR/hr	No		Dining Room		uR/hr	
G13	3.2	uR/hr	No		Dining Room		uR/hr	
G14		uR/hr	No	less than 6" surveyed as part of G13	Dining Room		uR/hr	
H4	3.2	uR/hr	No	20% accessible	Living Room		uR/hr	
H5	2.8	uR/hr	No		Living Room		uR/hr	
H6	2.8	uR/hr	No		Living Room		uR/hr	
H7	2.8	uR/hr	No		Living Room		uR/hr	
H8	2.8	uR/hr	No	60% accessible	Living Room	2.8	uR/hr	Kitchen
H9	2.8	uR/hr	No	80% accessible	Kitchen		uR/hr	
H10	2.8	uR/hr	No	(stove) 40% accessible	Kitchen		uR/hr	
H11	3.2	uR/hr	No		Kitchen		uR/hr	
H12	2.8	uR/hr	No		Dining Room		uR/hr	
H13	3.2	uR/hr	No		Dining Room		uR/hr	
H14		uR/hr	No	less than 6" surveyed as part of H13	Dining Room		uR/hr	

Secondary Readings : B10

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Secondary Type	Notes					



WIN_20140623_134943.JPG



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :

Signature :

Signoff Notes:



Unit Summary :

Completion Date: 7/31/2014 3:31 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 5
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Two beds located in living room moved for survey (Grids G4-G8 and F4-F8), Grid D13 is outside of survey unit. Grids G1 and H1 belong to adjacent unit 1204F.

Summary Statistics :

Total # of Readings: 91
Average: 2.69 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	moved refrigerator for survey
A9	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible, survey inside installed cabinets
A10	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible, surveyed inside installed cabinets
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1204 Mariner Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Kitchen		2.4	uR/hr	Living Room		2.8	uR/hr	Bathroom		No	
C9	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.4	uR/hr	Bathroom			uR/hr			No	
C10	2.8	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	20% accessible
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
D9	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		2.4	uR/hr	Hallway			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Hallway		2.4	uR/hr	Living Room		2.4	uR/hr	Stairs		No	Stair static taken at 0.3 meters above ground floor
E9	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	Stair static taken at 0.5 meters above ground floor
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Stairs		2.4	uR/hr	Living Room			uR/hr			No	Stair static taken at 0.7 meters above ground floor
F9	2.8	uR/hr	Closet	Grid partially contained within wall construction.	2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 0.7 meters above ground floor, 50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed washer moved for survey
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1204-F
G2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
G3	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Storage Shed			uR/hr			No	25% accessible
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room			uR/hr			No	80% accessible, Stair static taken at 1.1 meters above ground floor
G9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 1.5 meters above ground floor



Summary Report
1204 Mariner Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 1.7 meters above ground floor
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed dryer moved for survey
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1204-F
H2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible



CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :

A handwritten signature in black ink on a light blue background. The signature consists of a large, stylized 'A' followed by a vertical line and a horizontal stroke, resembling 'AH'.

Signature :

A handwritten signature in black ink on a light blue background. The signature consists of the letters 'P' and 'P' followed by a stylized 'E', resembling 'PP'.

Signoff Notes:



Unit Summary :

Completion Date: 8/6/2014 12:28 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 5B
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A13-D13 and E14-H14 fall outside unit. A3 and B3 storage shed belong to unit 1204 E.

Summary Statistics :

Total # of Readings: 115
Average: 3.33 uR/hr
Standard Deviation: 0.33 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.40 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.4	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1204 E
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	30% accessible. Stair static taken at 44" above floor
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible stair static taken 44" above floor
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible stair static taken 68" above floor
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1204 E
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stair static taken 44" above floor
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible stair static taken 44" above floor
B10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	stair static taken 68" above floor
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible installed clothes dryer
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		2.8	uR/hr	Stairs		No	stair static taken 20" above floor
C9	3.2	uR/hr	Hallway		2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	stair static taken 20" above floor 60% accessible
C10	3.6	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
C11	3.6	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility	Clothes dryer within grid.	3.6	uR/hr	Hallway			uR/hr			No	70% accessible
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Dining Room		3.6	uR/hr	Hallway			uR/hr			No	
E12	3.2	uR/hr	Dining Room		3.6	uR/hr	Hallway			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room			uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible



Summary Report
1204 Mariner Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Living Room			uR/hr			No	80% accessible
G9	3.6	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	90% accessible
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	partial grid installed refrigerator 50% accessible remainder of grid falls outside
H10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	partial grid installed stove, 50% accessible remainder of grid falls outside
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J5	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	15% accessible
J6	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	50% accessible
J7	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	60% accessible
J8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	3.6	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	75% accessible
K6	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	55% accessible, installed hot water heater



Summary Report
1204 Mariner Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
K7	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	65% accessible
K8	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/8/2014 3:48 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 4
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.3 W 6.5
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A4-F4 are less than 6" wide and surveyed with adjacent grids. G1, G2, H1 and H2 storage shed belong to 1205 B.

Summary Statistics :

Total # of Readings: 88
Average: 3.04 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	
A9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed refrigerator moved for survey
A10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed stove 60% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	



**Summary Report
1205 Bayside Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom		No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	
C10	3.6	uR/hr	Bathroom	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway		No	
D9	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible



Summary Report
1205 Bayside Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		No	stair static taken 20" above floor
E9	3.2	uR/hr	Hallway		2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	90% accessible, stair static taken 20" above floor
E10	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Utility			uR/hr			No	90% accessible
E13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stair static taken 20" above floor
F9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible stair static taken 36" above floor
F10	2.8	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	stair static taken 68" above floor
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1205 B
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1205 B
G3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	80% accessible
G4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	80% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	50% accessible , stair static taken 44" above floor
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible stair static taken 44" above floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible stair static taken 68" above floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible



Summary Report
1205 Bayside Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1205 B
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1205 B
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	20% accessible



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is written in a cursive style and appears to read "S Phelps".

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is written in a cursive style and appears to be a stylized "ER" followed by a circular flourish.

Signoff Notes:



Unit Summary :

Completion Date: 6/27/2014 4:07 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 4B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.2 W 6.4
Unit Furnished: No
Tenant Present: No


Unit Notes:
Second day background reading 3.2, standard location with Touvania as Jr. Rad Tech

Summary Statistics :

Total # of Readings: 85
Average: 3.02 uR/hr
Standard Deviation: 0.30 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.40 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1205-A
A4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible from living room, remainder of grid is not in survey unit.
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	25% accessible, optional contact reading on wooden stairs at .40 m above floor
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, contact reading on wooden stairs at .98 m above floor
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, contact reading on wooden stairs at 1.6 m above floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1205-A
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible in living room, remainder of grid is not this survey unit.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	optional contact reading on wooden stairs at .40 m above floor
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	contact reading on wooden stairs at .98 m above floor
B10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	contact reading on wooden stairs at 1.6 m above floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	optional contact reading on wooden stairs at .40 m above floor
C9	2.8	uR/hr	Stairs		3.2	uR/hr	Hallway			uR/hr			No	contact reading on wooden stairs at .40 m above floor
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
D9	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Hallway		3.6	uR/hr	Bedroom			uR/hr			No	



**Summary Report
1205 Bayside Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.4	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	static reading near toilet
E11	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E12	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
F9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	part of survey from installed base cabinets at 6" from floor
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	refrigerator not installed
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	20% accessible



Summary Report
1205 Bayside Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, survey performed within installed base cabinet
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	25% accessible, 1st reading behind stove, second reading taken from 4" within installed base cabinets
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :

Signature :

Signoff Notes:



Unit Summary :


Completion Date: 6/26/2014 2:47 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 6
Background Reading: 2.8 uR/hr
Dimensions (m): D 9.3 W 7.07
Unit Furnished: No
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 85
Average: 2.70 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.20 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	Refrigerator moved for survey.
A9	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	40% accessible
A10	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	35% accessible
A11	2.8	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 9.3m deep.
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	2.8	uR/hr	Dining Room	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 9.3m deep.
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.4	uR/hr	Storage		No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Closet		2.8	uR/hr	Bathroom		No	
C10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C11	2.8	uR/hr	Dining Room		2.8	uR/hr	Closet			uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 9.3m deep.
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.4	uR/hr	Storage			uR/hr			No	
D9	2.8	uR/hr	Storage		2.8	uR/hr	Bathroom			uR/hr			No	
D10	2.8	uR/hr	Bathroom		3.6	uR/hr	Bathroom			uR/hr			No	Elevated measurements due to NORM in tiles
D11	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 9.3m deep.
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1205 Bayside Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Reading taken at 68cm from ground level.
F10	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
F11	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Utility			uR/hr				uR/hr			No	No washer or dryer in unit.
G4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Reading taken at 1.1m from ground level.
G10	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Reading taken at 1.70m from ground level.
G11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	No washer or dryer in unit.
G13	2.8	uR/hr	Utility			uR/hr				uR/hr			No	No washer or dryer in unit.
H3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	2.8	uR/hr	Living Room		3.2	uR/hr	Mech Room			uR/hr			No	
H5		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
H6		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
H7		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
H8		uR/hr	Stairs	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
H9		uR/hr	Stairs	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
H10		uR/hr	Storage	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
H11		uR/hr	Storage	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
H12		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
H13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.



CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :

A handwritten signature of Adam Hickok in black ink, written on a light blue rectangular background. The signature is cursive and clearly legible.

Signature :

A handwritten signature of Phillip Perez in black ink, written on a light blue rectangular background. The signature is cursive and stylized.

Signoff Notes:



Unit Summary :


Completion Date: 6/26/2014 3:45 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 6B
Background Reading: 2.8 uR/hr
Dimensions (m): D 9.3 W 7.07
Unit Furnished: No
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 89
Average: 2.70 uR/hr
Standard Deviation: 0.27 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage assigned to 1205C
A4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage assigned to 1205C
A5		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
A6		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
A7		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
A8		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
A9		uR/hr	Stairs	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
A10		uR/hr	Storage	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
A11		uR/hr	Storage	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
A13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 7.07m wide.
B1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage assigned to 1205C
B4	2.4	uR/hr	Storage Shed		3.2	uR/hr	Living Room			uR/hr			No	30% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Reading taken 1.02m above ground level.
B9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Reading taken 1.02m above ground level.
B10	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Reading taken 1.7m above ground level.
B11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Utility			uR/hr				uR/hr			No	No washer or dryer.
C4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stairs reading taken .68m above ground level.
C9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken .68m above ground level.
C10	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
C11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C13	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	No washer or dryer.
D4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway			uR/hr			No	
D9	2.4	uR/hr	Hallway		2.4	uR/hr	Living Room			uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Living Room		2.4	uR/hr	Storage		3.6	uR/hr	Bathroom		No	Elevated measurements due to NORM in tiles
E9	2.4	uR/hr	Storage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.4	uR/hr	Closet			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway		2.4	uR/hr	Kitchen			uR/hr			No	
E13	2.8	uR/hr	Hallway		2.4	uR/hr	Kitchen			uR/hr			No	
E14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 9.3m deep.
F4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen		2.4	uR/hr	Storage		No	
F9	2.4	uR/hr	Kitchen		2.4	uR/hr	Storage		3.6	uR/hr	Bathroom		No	Elevated measurements due to NORM in tiles
F10	3.6	uR/hr	Bathroom		2.8	uR/hr	Kitchen			uR/hr			No	Elevated measurements due to NORM in tiles
F11	2.4	uR/hr	Kitchen		2.8	uR/hr	Closet			uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 9.3m deep.
G4	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 9.3m deep.
H4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
H5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	No refrigerator to be moved for surveyed.
H9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
H10	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
H11	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	75% accessible
H12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
H14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 9.3m deep.



CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :

A handwritten signature in black ink on a light blue background. The signature consists of the letters "AH" in a stylized, cursive font.

Signature :

A handwritten signature in black ink on a light blue background. The signature consists of the letters "PB" in a stylized, cursive font.

Signoff Notes:



Unit Summary :

Completion Date: 6/27/2014 3:08 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 4
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.3 W 6.5
Unit Furnished: No
Tenant Present: No


Unit Notes:
unit under construction, back sliding door and window broken

Summary Statistics :

Total # of Readings: 77
Average: 2.96 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	30% accessible
A9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
A10	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	80% accessible
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan



**Summary Report
1205 Bayside Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room	Installed base cabinets.	2.8	uR/hr	Kitchen		3.2	uR/hr	Bathroom		No	80% accessible
C9	3.2	uR/hr	Kitchen		3.2	uR/hr	Bathroom			uR/hr			No	
C10	2.8	uR/hr	Kitchen		3.2	uR/hr	Bathroom			uR/hr			No	
C11	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
C13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



**Summary Report
1205 Bayside Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		No	static taken on stairs 20 inches from floor surface
E9	3.2	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	static taken 20 inches on stairs from floor surface
E10	2.8	uR/hr	Hallway		3.2	uR/hr	Closet		2.8	uR/hr	Stairs		No	static taken on stairs 20 inches from floor surface
E11	3.2	uR/hr	Hallway		2.8	uR/hr	Utility			uR/hr			No	
E12	2.8	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
E13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 20 inches from floor surface
F9	2.8	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 36 inches from floor surface

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	2.8	uR/hr	Utility		2.0	uR/hr	Stairs			uR/hr			No	static taken on stairs 76 inches from floor surface, 20% accessible
F11	3.2	uR/hr	Utility		2.8	uR/hr	Closet			uR/hr			No	
F12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
G2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage			uR/hr			No	
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 20 inches from floor surface, 20% accessible
G9	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 52 inches from floor surface



Summary Report
1205 Bayside Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 72 inches from floor surface, 20% accessible
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
H2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible