CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Luguna

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/1/2014 3:30 PM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 4B

Background Reading: 3.2 uR/hr

Dimensions (m): D 7.9 W 6.5

Unit Furnished: No

Tenant Present: No

Unit Notes:

Grids I4 thru I8 and J4 thru J8 is the building mech room, does not show on template. Dimensions are 1.8 meters by 4.2 meters.

Summary Statistics :


Total # of Readings:	88	
Average:	3.28	uR/hr
Standard Deviation:	0.30	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.40	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed			uR/hr				uR/hr			No	belongs to unit 1205 E
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	20% accessible
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B3		uR/hr	Storage Shed			uR/hr				uR/hr			No	belongs to unit 1205 E

Summary Report
1205 Bayside Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	
B9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	
B11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	10% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	
C9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	
C10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Utility	Washing machine within grid.	3.2	uR/hr	Hallway			uR/hr			No	10% accessible
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	4.0	uR/hr	Hallway		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurements due to NORM in toilet bowl and tile materials
E11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	20% accessible
F10	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	10% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	10% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
H9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
H10	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
I4	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	70% accessible
I5	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	70% accessible
I6	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	70% accessible
I8	3.2	uR/hr	Mech Room			uR/hr				uR/hr			No	
J4	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	80% accessible
J5	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	80% accessible
J6	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	80% accessible
J7	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	80% accessible
J8	3.2	uR/hr	Mech Room			uR/hr				uR/hr			No	

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1206 Mariner Drive Unit A

Unit Summary :

Completion Date: 7/7/2014 9:57 AM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 4

Background Reading: 3.6 uR/hr

Dimensions (m): D 7.8 W 6.5

Unit Furnished: No

Tenant Present: No

Unit Notes:

Grids H5 thru H8 and I5 thru I8 are mechanical room; dimensions are 2.0 meters wide and 3.8 m long.

Summary Statistics :


Total # of Readings:	94	
Average:	3.48	uR/hr
Standard Deviation:	0.47	uR/hr
Minimum:	2.40	uR/hr
Maximum:	6.00	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
A9	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	10% accessible
A10	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	10% accessible
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of interior boundary.
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B9	4.0	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
B10	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of interior boundary.

Summary Report
1206 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	
C9	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
C10	6.0	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurements due to NORM in toilet bowl and tile materials
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of interior boundary.
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
D9	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	5.2	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	Elevated measurements due to NORM in toilet bowl and tile materials
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Summary Report
1206 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of interior boundary.
E4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
E13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of interior boundary.
F4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	static reading taken on stairs at 36 inches from floor
F9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static reading taken on stairs at 36 inches from floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	static reading taken on stairs at 36 inches from floor
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible
F13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of interior boundary.
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1206 B.
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1206 B.
G3	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G8	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	static reading taken on stairs at 44 inches from floor 50% accessible
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static reading taken on stairs at 52 inches from floor 50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static reading taken on stairs at 68 inches from floor 50% accessible
G11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible
G13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of interior boundary.
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1206 B.
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1206 B.
H3	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H5	3.6	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	20% accessible
H6	3.2	uR/hr	Mech Room			uR/hr				uR/hr			No	
H7	3.6	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	20% accessible
H8	3.6	uR/hr	Mech Room		3.6	uR/hr	Mech Room			uR/hr			No	2nd reading was taken from a small portion of separated area inside the mechanical room.
I5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	20% accessible
I6	3.2	uR/hr	Mech Room			uR/hr				uR/hr			No	
I7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I8	3.2	uR/hr	Mech Room		3.6	uR/hr	Mech Room			uR/hr			No	2nd reading was taken from a small portion of separated area inside the mechanical room.

Secondary Readings : C10

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Inspector 1000 Spectrum	Inspector 1000 Spectrum	13000529				Radium

Secondary Type	Notes
Inspector 1000 Spectrum	20140707090411. K-40 NORM


CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1206 Mariner Drive Unit B

Unit Summary :

Completion Date:	7/7/2014 3:49 PM			
Instrument:	193-6			
Serial #:	309099			
Layout:	Floor Plan 4B			
Background Reading:	3.2	uR/hr		
Dimensions (m):	D 8.4	W 6.5		
Unit Furnished:	Yes			
Tenant Present:	Yes			
Unit Notes:				

Summary Statistics :


Total # of Readings:	108	
Average:	3.00	uR/hr
Standard Deviation:	0.35	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.80	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to adjacent unit, 1206A
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40 inches from floor surface, 10% accessible
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 40 inches from floor surface, 10% accessible
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 64 inches from floor surface, 10% accessible
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to adjacent unit 1206A
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 40 inches from floor surface
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40 inches from floor surface
B9	2.8	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	static taken on stairs 40 inches from floor surface
B10	2.8	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 64 inches from floor surface
B11	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	10% accessible
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		No	static taken on stairs 16 inches from floor surface
C9	2.8	uR/hr	Stairs		3.2	uR/hr	Hallway			uR/hr			No	static taken on stairs 16 inches from floor surface
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Utility	Washing machine within grid.	2.8	uR/hr	Hallway			uR/hr			No	30% accessible
C13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
D9	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D10	4.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom		No	
E9	2.8	uR/hr	Kitchen		3.2	uR/hr	Bathroom			uR/hr			No	
E10	3.2	uR/hr	Kitchen		4.8	uR/hr	Bathroom		2.8	uR/hr	Hallway		No	
E11	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E12	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
F9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	20% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
G9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	20% accessible
G10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible


CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Unit Summary :


Completion Date:	7/7/2014 12:28 PM		
Instrument:	193-6		
Serial #:	309119		
Layout:	Floor Plan 6		
Background Reading:	3.2	uR/hr	
Dimensions (m):	D 9.2	W 7.1	
Unit Furnished:	No		
Tenant Present:	No		
Unit Notes:			

Summary Statistics :

Total # of Readings:	110	
Average:	3.08	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.40	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	moved refrigerator for survey, 100% accessible
A9	3.2	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	moved refrigerator for survey, 95% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				cpm			No	30% accessible
A11	3.2	uR/hr	Dining Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen	Installed base cabinets.	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		No	95% accessible
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		3.2	uR/hr	Closet		No	90% accessible
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	4.4	uR/hr	Bathroom		No	bathroom reading taken near toilet, 80% accessible
C11	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet		3.2	uR/hr	Kitchen	Installed base cabinets.	No	90% accessible
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	3.2	uR/hr	Storage		2.8	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	reading on stairs taken at .6 m from ground level
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	reading on stairs taken at .6 m from ground level
F10	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, washer moved
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to adjacent unit 1206D
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	gird belongs to adjacent unit 1206D
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	10% accessible from living room, 20% accessible in shed
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	reading on stairs taken at 1 m from ground level

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	reading on stairs taken at 1 m from ground level
G10	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, dryer moved
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to adjacent unit 1206D
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to adjacent unit 1206D
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	5% accessible from living room, 20% from shed
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	reading on stairs taken at 1 m from ground level, 10% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H10	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H11	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

CBI Supervisor : Steve Phelps

Signature :



Signoff Notes:

Senior Technician : Efraim Ramirez

Signature :



Summary Report
1206 Mariner Drive Unit D

Unit Summary :

Completion Date: 7/7/2014 10:01 AM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 6B

Background Reading: 3.6 uR/hr

Dimensions (m): D 9 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids B1-B4, A5-A14, C4-H4, I4-I14 are outside of floor plan

Summary Statistics :


Total # of Readings:	87	
Average:	3.28	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1206C
A4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1206C
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stairs reading taken 44" from floor
B9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 44" from floor
B10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 60" from floor
B11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	30% accessible
B14		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	Stairs reading taken 12" from floor

Summary Report
1206 Mariner Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 12" from floor
C10	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	30% accessible
C14		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D14		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
E9	3.6	uR/hr	Bathroom		3.2	uR/hr	Storage			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E14		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	Kitchen reading taken 12" from floor
F9	3.6	uR/hr	Bathroom		3.2	uR/hr	Storage		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	Kitchen reading taken 12" from floor
F10	4.0	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr			No	60% accessible. Survey performed within accessible base cabinets
F11	3.2	uR/hr	Closet		3.2	uR/hr	Dining Room			uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan
H5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	3.2	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
H9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
H10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible. Survey performed within accessible base cabinets
H11	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
H12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1206 Mariner Drive Unit E

Unit Summary :


Completion Date:	7/7/2014 11:17 AM				
Instrument:	193-6				
Serial #:	309110				
Layout:	Floor Plan 4				
Background Reading:	3.6	uR/hr			
Dimensions (m):	D	8.6	W	6.5	
Unit Furnished:	Yes				
Tenant Present:	Yes				
Unit Notes:					

Summary Statistics :

Total # of Readings:	94	
Average:	3.36	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.40	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	moved refrigerator to survey grid
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	moved refrigerator to survey grid
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Kitchen		3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	
C9	3.6	uR/hr	Bathroom		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
C10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	50% accessible due to installed dishwasher on kitchen portion of grid cell
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	4.4	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs			uR/hr			No	reading at .3 meters from floor
E10	3.2	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
E11	3.6	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
E13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	reading taken at .6 meters from floor.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible. reading taken at .6 meters from floor.
F10	3.2	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	reading taken at 1.8 meters from floor for stairs.
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	moved washer to survey grid
F13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. moved washer to survey grid
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to adjacent unit 1206F
G2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	95% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	90% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	50% accessible. reading taken at 1.3 meters from floor.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. reading taken at 1.3 meters from floor.
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. reading taken at 1.8 meters from floor.
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. moved dryer to survey grid
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. moved dryer to survey grid
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to adjacent unit 1206F
H2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1206 Mariner Drive Unit F

Unit Summary :

Completion Date: 7/7/2014 10:01 AM

Instrument: 193-6

Serial #: 309136

Layout: Floor Plan 4B

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.4 W 6.5

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Living room doubles as a bedroom with a full sized mattress.

Summary Statistics :


Total # of Readings:	103	
Average:	2.77	uR/hr
Standard Deviation:	0.34	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.40	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed			uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1206 E.
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible. Storage shed assigned to adjacent unit: 1206 E.
A5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible. Stairs static taken 1.1 meters above ground level.
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs static taken 1.1 meters above ground level.
A10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs static taken 1.7 meters above ground level.
A11	2.4	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible due to grid falling outside of unit footprint.
A13	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	Stairs static taken 1.1 meters above ground level.
B9	2.0	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible. Stairs static taken 1.1 meters above ground level.
B10	2.8	uR/hr	Closet		2.0	uR/hr	Stairs			uR/hr			No	Stairs static taken 1.7 meters above ground level.
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.4	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	60% accessible.
B13	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Hallway		2.8	uR/hr	Living Room		2.4	uR/hr	Stairs		No	Stairs static taken 0.5 meters above ground level.
C9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.	2.8	uR/hr	Hallway			uR/hr			No	75% accessible. Stairs static taken 0.5 meters above ground level.
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.4	uR/hr	Utility	Washing machine within grid.	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr			No	80% accessible.
C13	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
D9	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D10	4.4	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	Elevated measurements due to NORM in toilet bowl and tile materials
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.4	uR/hr	Bathroom		2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room		No	Elevated measurements due to NORM in toilet bowl and tile materials
E11	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	80% accessible
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Living Room			uR/hr			No	
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
G10	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible. Pulled out refrigerator to survey.
H9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	20% accessible due to grid falling outside of unit footprint.
H10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	20% accessible due to grid falling outside of unit footprint.
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H12	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/31/2014 12:29 PM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

D13 falls outside unit. G3, H3, H4 belong to 1208 -B storage shed.

Summary Statistics :


Total # of Readings:	85	
Average:	3.35	uR/hr
Standard Deviation:	0.32	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	40% accessible
A9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible, installed stove and refrigerator.
A10	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible, installed stove.
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	80% accessible
B9	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
B10	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible, installed dishwasher.
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Summary Report
1208 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
C9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
C10	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway		3.2	uR/hr	Living Room		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Stairs static taken at 36" above floor
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible Stairs static taken at 36" above floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	

Summary Report
1208 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible installed washing machine
G1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1208 B
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	80% accessible Stairs static taken at 44" above floor
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible Stairs static taken at 44" above floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.6	uR/hr	Closet			uR/hr			No	80% accessible Stairs static taken at 68" above floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible installed clothes dryer
H1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1208 B
H4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1208 B

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/31/2014 2:29 PM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

C4-H4 less than 6" wide, surveyed with adjacent grids. A1-A2 and B1-B2 storage sheds for adjacent 1208 unit A. Grids A13-D13 and E14-H14 are outside unit floor plan.

Summary Statistics :


Total # of Readings:	100	
Average:	2.96	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1208 unit A
A2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1208 unit A
A3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	30% accessible, Stair static taken at 1.1 meters above ground floor
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Stair static taken at 1.4 meters above ground floor
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Stair static taken at 1.6 meters above ground floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, installed dryer moved for survey
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1208 unit A
B2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1208 unit A
B3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.0 meters above ground floor
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, Stair static taken at 0.4 meters above ground floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	2.4	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	Stair static taken at 1.4 meters above ground floor
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed dryer moved for survey
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		No	Stair static taken at 0.4 meters above ground floor
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	60% accessible, stair static taken at 0.4 meters above ground floor
C10	2.8	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	40% accessible, installed washer
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1208 Mariner Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room	Installed refrigerator.	2.8	uR/hr	Kitchen			uR/hr			No	90% accessible, Installed refrigerator moved for survey
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	50% accessible, installed refrigerator moved for survey
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed stove, surveyed inside base cabinets
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/31/2014 4:32 PM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 6

Background Reading: 3.6 uR/hr

Dimensions (m): D 9.3 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

G3, H3, H4 grids belong to unit 1208 D. Grids H5 -H13, and A14-D14 are less than 6" and surveyed with adjacent grids. Model 19 #267078 background 5 µR/hr at standard location.

Summary Statistics :


Total # of Readings:	102	
Average:	3.42	uR/hr
Standard Deviation:	0.34	uR/hr
Minimum:	2.80	uR/hr
Maximum:	5.00	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Surveyed on bottom non-movable shelf.
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	50% accessible, Surveyed on bottom non-movable shelf.
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed refrigerator 60% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	3.2	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room	Survey performed on non-movable item.	5.0	uR/hr	Dining Room	Survey performed on non-movable item.		uR/hr			No	Model 19 #267078 used for scan & optional static under non-movable shelf.
A13	3.2	uR/hr	Dining Room	Survey performed on non-movable item.	5.0	uR/hr	Dining Room	Survey performed on non-movable item.		uR/hr			No	Model 19 #267078 used for scan & optional static under non-movable shelf.
B4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.2	uR/hr	Dining Room	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
C9	3.6	uR/hr	Bathroom		3.2	uR/hr	Storage			uR/hr			No	
C10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Dining Room	Installed base cabinets.	3.6	uR/hr	Closet			uR/hr			No	70% accessible
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Summary Report
1208 Mariner Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Storage			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet		3.6	uR/hr	Closet			uR/hr			No	
D12	3.6	uR/hr	Dining Room		3.6	uR/hr	Hallway			uR/hr			No	
D13	3.6	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E10	3.6	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
E12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		3.2	uR/hr	Hallway		2.8	uR/hr	Stairs		No	Stairs static taken at 12" above floor

Summary Report
1208 Mariner Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.2	uR/hr	Hallway	Grid partially contained within wall construction.	3.2	uR/hr	Stairs			uR/hr			No	70% accessible Stairs static taken at 12" above floor
F10	3.2	uR/hr	Storage	Survey performed on non-movable item.	3.2	uR/hr	Hallway			uR/hr			No	fish tank in hallway surveyed on bottom shelf
F11	3.2	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
F12	3.2	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
F13	3.2	uR/hr	Utility	Clothes dryer within grid.	3.6	uR/hr	Hallway			uR/hr			No	50% accessible
G1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1208 D
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room	Survey performed on non-movable item.	4.0	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr			No	Model 19 #267078 used for scan & optional static under non-movable shelf.
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs static taken at 44" above floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible Stairs static taken at 44" above floor
G10	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.6	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	40% accessible
H1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1208 D
H4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1208 D

CBI Supervisor : John Massey

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1208 Mariner Drive Unit D

Unit Summary :

Completion Date:	6/23/2014 3:41 PM
Instrument:	193-6
Serial #:	309127
Layout:	Floor Plan 6B
Background Reading:	3.6 uR/hr
Dimensions (m):	D 9.23 W 7.05
Unit Furnished:	No
Tenant Present:	No
Unit Notes:	

Summary Statistics :


Total # of Readings:	90	
Average:	3.44	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1		uR/hr	No	storage shed for 1208C	Storage Shed		uR/hr	
A2		uR/hr	No	storage shed for 1208C	Storage Shed		uR/hr	
A3	3.6	uR/hr	No	scan taken 9" from floor	Storage Shed		uR/hr	
A4	3.2	uR/hr	No	10% accessible. storage shed scan taken 9" from floor	Storage Shed	3.6	uR/hr	Living Room
A5	3.2	uR/hr	No	3% accessible	Living Room		uR/hr	
A6	3.2	uR/hr	No	3% accessible	Living Room		uR/hr	
A7	3.6	uR/hr	No	3% accessible	Living Room		uR/hr	
A8	3.2	uR/hr	No	3% accessible. stairs static taken 39" from floor	Living Room	3.2	uR/hr	Stairs
A9	3.2	uR/hr	No	3% accessible. stairs static taken 39" from floor	Stairs		uR/hr	
A10	2.4	uR/hr	No	3% accessible. scan taken 67" from floor	Stairs		uR/hr	
A11	3.2	uR/hr	No	3% accessible	Utility	3.2	uR/hr	Storage
A12	3.6	uR/hr	No	3% accessible	Utility		uR/hr	
A13	3.6	uR/hr	No	3% accessible	Utility		uR/hr	
B1		uR/hr	No	storage shed for 1208C	Storage Shed		uR/hr	
B2		uR/hr	No	storage shed for 1208C	Storage Shed		uR/hr	
B3	3.6	uR/hr	No	20% accessible. scan taken 9" from floor	Storage Shed		uR/hr	
B4	3.6	uR/hr	No	10% accessible. storage shed scan taken 9" from floor	Storage Shed	3.2	uR/hr	Living Room
B5	3.2	uR/hr	No		Living Room		uR/hr	
B6	3.6	uR/hr	No		Living Room		uR/hr	
B7	3.6	uR/hr	No		Living Room		uR/hr	
B8	3.2	uR/hr	No	stairs static taken 39" from floor	Living Room	3.2	uR/hr	Stairs
B9	3.2	uR/hr	No	static taken 39" from floor	Stairs		uR/hr	
B10	2.4	uR/hr	No	scan taken 67" from floor	Stairs		uR/hr	
B11	3.2	uR/hr	No		Utility	3.2	uR/hr	Storage
B12	3.6	uR/hr	No		Utility		uR/hr	
B13	3.6	uR/hr	No		Utility		uR/hr	
C4	3.6	uR/hr	No	5% accessible	Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C5	3.6	uR/hr	No		Living Room		uR/hr	
C6	3.6	uR/hr	No		Living Room		uR/hr	
C7	3.6	uR/hr	No		Living Room		uR/hr	
C8	3.2	uR/hr	No	stairs static taken 18" from floor. No partial in hallway.	Living Room	3.2	uR/hr	Stairs
C9	3.2	uR/hr	No	static taken 18" from floor. No partial in hallway	Stairs		uR/hr	
C10	3.6	uR/hr	No	No partial in hallway	Storage		uR/hr	
C11	3.6	uR/hr	No	No partial in hallway	Utility	3.6	uR/hr	Storage
C12	3.6	uR/hr	No	No partial in hallway	Utility		uR/hr	
C13	3.6	uR/hr	No	No partial in hallway	Utility		uR/hr	
D4	3.6	uR/hr	No	5% accessible	Living Room		uR/hr	
D5	3.6	uR/hr	No		Living Room		uR/hr	
D6	3.6	uR/hr	No		Living Room		uR/hr	
D7	3.6	uR/hr	No		Living Room		uR/hr	
D8	3.6	uR/hr	No		Living Room	3.6	uR/hr	Hallway
D9	3.6	uR/hr	No	No partial in storage and bathroom.	Hallway		uR/hr	
D10	3.6	uR/hr	No	No partial in bathroom.	Hallway		uR/hr	
D11	3.6	uR/hr	No	No partial in the closet.	Hallway		uR/hr	
D12	3.6	uR/hr	No	No partial in the closet.	Hallway		uR/hr	
D13	3.2	uR/hr	No		Hallway		uR/hr	
E4	3.6	uR/hr	No	5% accessible	Living Room		uR/hr	
E5	3.6	uR/hr	No		Living Room		uR/hr	
E6	3.6	uR/hr	No		Living Room		uR/hr	
E7	3.6	uR/hr	No		Living Room		uR/hr	
E8	3.2	uR/hr	No		Living Room	3.6	uR/hr	Storage
E9	3.6	uR/hr	No		Storage	3.6	uR/hr	Bathroom
E10	3.6	uR/hr	No		Bathroom		uR/hr	
E11	3.2	uR/hr	No		Dining Room	3.2	uR/hr	Closet
E12	3.6	uR/hr	No	No partial in the closet.	Dining Room	3.6	uR/hr	Hallway

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E13	3.2	uR/hr	No		Dining Room	3.2	uR/hr	Hallway
E14	3.2	uR/hr	No	1% accessible. No partial in hallway.	Dining Room		uR/hr	
F4	3.6	uR/hr	No	5% accessible	Living Room		uR/hr	
F5	3.6	uR/hr	No		Living Room		uR/hr	
F6	3.6	uR/hr	No		Living Room		uR/hr	
F7	3.6	uR/hr	No		Living Room		uR/hr	
F8	3.2	uR/hr	No	kitchen scan 9.5" from floor inside base cabinets	Kitchen	3.2	uR/hr	Living Room
F9	3.2	uR/hr	No	kitchen scan 9.5" from floor inside base cabinets	Kitchen	3.6	uR/hr	Storage
F10	3.2	uR/hr	No	kitchen scan 9.5" from floor inside base cabinets	Kitchen	4.0	uR/hr	Bathroom
F11	3.2	uR/hr	No	85% accessible	Dining Room	3.2	uR/hr	Closet
F12	3.6	uR/hr	No		Dining Room		uR/hr	
F13	3.2	uR/hr	No		Dining Room		uR/hr	
F14	3.2	uR/hr	No	5% accessible	Dining Room		uR/hr	
G4	3.6	uR/hr	No	5% accessible	Living Room		uR/hr	
G5	3.6	uR/hr	No		Living Room		uR/hr	
G6	3.6	uR/hr	No		Living Room		uR/hr	
G7	3.6	uR/hr	No		Living Room		uR/hr	
G8	3.2	uR/hr	No		Kitchen	3.6	uR/hr	Living Room
G9	3.6	uR/hr	No		Kitchen		uR/hr	
G10	3.6	uR/hr	No	85% accessible. partial grid- partial grid due to installed dish washer	Kitchen		uR/hr	
G11	3.6	uR/hr	No	95% accessible	Kitchen		uR/hr	
G12	3.6	uR/hr	No		Dining Room		uR/hr	
G13	3.2	uR/hr	No		Dining Room		uR/hr	
G14	3.2	uR/hr	No	5% accessible	Dining Room		uR/hr	
H4	3.6	uR/hr	No	5% accessible	Living Room		uR/hr	
H5	3.6	uR/hr	No		Living Room		uR/hr	
H6	3.6	uR/hr	No		Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
H7	3.6	uR/hr	No		Living Room		uR/hr	
H8	3.2	uR/hr	No	75% accessible	Kitchen	3.2	uR/hr	Living Room
H9	3.2	uR/hr	No	75% accessible	Kitchen		uR/hr	
H10	3.6	uR/hr	No	30% accessible. partial grid- partial grid due to installed stove	Kitchen		uR/hr	
H11	3.2	uR/hr	No		Kitchen		uR/hr	
H12	3.6	uR/hr	No		Dining Room		uR/hr	
H13	3.6	uR/hr	No		Dining Room		uR/hr	
H14	3.6	uR/hr	No	5% accessible	Dining Room		uR/hr	

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1208 Mariner Drive Unit E

Unit Summary :

Completion Date: 8/1/2014 9:39 AM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-G4 (living room portion), are less than 6" & are surveyed with adjacent grids. G3, G4, H3, H4 Storage shed belongs to unit 1208 F. D13 is outside of floor plan.

Summary Statistics :


Total # of Readings:	76	
Average:	3.34	uR/hr
Standard Deviation:	0.30	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	70% accessible
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed refrigerator 50% accessible
A10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed stove 60% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Summary Report
1208 Mariner Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room	Installed base cabinets.		uR/hr			No	80% accessible
C9	3.6	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
C10	4.0	uR/hr	Bathroom	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway		3.6	uR/hr	Living Room		No	
D9	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1208 Mariner Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	stairs static taken at 12" above floor
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible stairs static taken at 12" above floor
F10	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed washing machine 80% accessible
G1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to unit 1208 F
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	80% accessible stairs static taken at 44" above floor
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible stairs static taken at 44" above floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible stairs static taken at 68" above floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed clothes dryer 60% accessible
H1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to unit 1208 F
H4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to unit 1208 F

CBI Supervisor : Joyce McGee

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1208 Mariner Drive Unit F

Unit Summary :

Completion Date: 8/1/2014 10:49 AM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Model19 (sn: 267078) bkg at standard location: 5µR/hr. Grids C4-H4 & A5-A12 less than 6", surveyed with adjacent grids. A13-D13 & E14-H14 are outside of floor plan. A1, B1, A2, B2 belong to 1208E.

Summary Statistics :


Total # of Readings:	101	
Average:	2.99	uR/hr
Standard Deviation:	0.26	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.00	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to 1208E
A2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to 1208E
A3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1		uR/hr	Storage Shed			uR/hr				uR/hr			No	outside floor plan, belongs to 1208E
B2		uR/hr	Storage Shed			uR/hr				uR/hr			No	outside floor plan, belongs to 1208E
B3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	scan partially inside immovable, unstable desk
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static on stairs taken 40" from floor surface

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	2.8	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	static on stairs taken 40" from floor surface
B10	2.8	uR/hr	Closet		2.0	uR/hr	Stairs			uR/hr			No	static on stairs taken 56" from floor surface
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	70% accessible
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		No	static on stairs taken 16" from floor surface
C9	2.8	uR/hr	Closet		2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		No	static on stairs taken 16" from floor surface
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Hallway		2.8	uR/hr	Utility	Washing machine within grid.		uR/hr			No	30% accessible, unstable washing machine falling off base.
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E12	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, scanned inside unstable cabinet
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	installed base cabinets
F9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Summary Report
1208 Mariner Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. Scan inside immovable, unstable entertainment center.
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. Scan inside immovable, unstable entertainment center.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, additional scan with Model 19 (serial: 267078) Scan inside immovable, unstable entertainment center, 5uR/hr.
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	70% accessible, moved refrigerator
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, installed base cabinets and moved refrigerator
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed stove and base cabinets
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
J5	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible
J6	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	50% accessible, installed water heater

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J7	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	80% accessible
J8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible, installed furnace
K6	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, installed water heater and furnace
K7	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible, installed water heater
K8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible


CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/7/2014 10:21 AM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 6

Background Reading: 3.6 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

H5-H13, are less than 6" wide and surveyed with adjacent grids. G1-2, H1-2 storage shed belong to unit 1210 B, A14-D14 fall outside unit

Summary Statistics :


Total # of Readings:	111	
Average:	3.42	uR/hr
Standard Deviation:	0.26	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% Accessible
A9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed stove 50% Accessible
A10	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% Accessible
A11	3.6	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	second installed refrigerator moved for survey
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1210 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage	Installed base cabinets.		uR/hr			No	90% Accessible
C9	4.0	uR/hr	Bathroom		3.6	uR/hr	Storage		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	
C10	4.0	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	installed dishwasher 50% accessible
C11	3.6	uR/hr	Dining Room	Installed Dishwasher.	3.2	uR/hr	Closet			uR/hr			No	90% accessible
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Summary Report
1210 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D9	3.6	uR/hr	Bathroom		3.2	uR/hr	Storage			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Closet		3.2	uR/hr	Closet			uR/hr			No	
D12	3.2	uR/hr	Dining Room		3.6	uR/hr	Hallway			uR/hr			No	
D13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	75% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% Accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	stair static taken 20" above floor
F9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	stair static taken 20" above floor 70% accessible
F10	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
F11	3.6	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
F12	3.6	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	50% accessible installed clothes dryer
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1210 B
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1210 B
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage			uR/hr			No	40% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.6	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	scan 4" off floor on 3/4" thick wood shelf attached to wall
G7	3.2	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	scan 4" off floor on 3/4" thick wood shelf attached to wall
G8	3.2	uR/hr	Living Room	Survey performed on non-movable item.	2.8	uR/hr	Stairs			uR/hr			No	stair static taken 44" above floor, scan 4" off floor on 3/4" thick wood, shelf attached to wall
G9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	stair static taken 44" above floor, 90% accessible
G10	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% Accessible
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible installed washing machine
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1210 B
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1210 B
H3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
J5	4.0	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	90% accessible
J6	4.0	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	75% accessible installed furnace
J7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	90% accessible
J8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	4.0	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible
K6	3.6	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	60% accessible installed furnace
K7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	60% accessible
K8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible


CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Unit Summary :

Completion Date:	8/1/2014 10:05 AM			
Instrument:	193-6			
Serial #:	309110			
Layout:	Floor Plan 6B			
Background Reading:	3.2	uR/hr		
Dimensions (m):	D	9.3	W	7.1
Unit Furnished:	Yes			
Tenant Present:	Yes			

Unit Notes:


A4-H4, A5-A13 partial grids (less than 6") were surveyed with B5-H5, B5-B13. A3, B3, A4, B4 grids belong to 1210 A storage shed. Grids in column I and A14-D14 are outside of floor plan.

Summary Statistics :

Total # of Readings:	108	
Average:	3.28	uR/hr
Standard Deviation:	0.21	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1210 A storage shed
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1210 A storage shed
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs
B9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs
B10	3.6	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible
B11	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible

Summary Report
1210 Mariner Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved dryer to survey grid
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		3.2	uR/hr	Hallway		No	reading .6 meters from floor for stairs
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	75% accessible. reading .6 meters from floor for stairs
C10	3.6	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C13	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	moved washer to survey grid.
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Storage			uR/hr			No	
E9	3.6	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Closet		3.2	uR/hr	Dining Room			uR/hr			No	2nd optional reading is kitchen closet.
E12	3.6	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage			uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	60% accessible
F11	3.2	uR/hr	Kitchen		3.2	uR/hr	Closet			uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	moved refrigerator to survey grid.
H9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
H11	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/1/2014 10:14 AM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 6

Background Reading: 3.2 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids G1, G2, H1 and H2 belong to Unit 1210D. Grids A4 to F4, H5 to H13, and A14 to D14 are under 6" and included in survey with adjacent rows/columns.

Summary Statistics :


Total # of Readings:	86	
Average:	3.01	uR/hr
Standard Deviation:	0.26	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible
A9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	80% accessible, survey performed in base cabinet
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	45% accessible
A11	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Dining Room			uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	90% accessible
B9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.2	uR/hr	Dining Room	Installed base cabinets.		uR/hr				uR/hr			No	95% accessible
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		3.6	uR/hr	Bathroom		No	
C10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C11	3.2	uR/hr	Dining Room	Grid partially contained within wall construction.	2.8	uR/hr	Closet	Grid partially contained within wall construction.		uR/hr			No	90% accessible
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
D9	2.8	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	

Summary Report
1210 Mariner Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .8 m from ground level
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	2.8	uR/hr	Hallway			uR/hr			No	60% accessible, reading on stairs taken at .8 m from ground level
F10	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible, dryer moved for survey
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1210D
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1210D
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 1 m from ground level
G9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, reading on stairs taken at 1 m from ground level
G10	2.4	uR/hr	Stairs		2.8	uR/hr	Storage			uR/hr			No	reading on stairs taken at 1.6 m from ground level
G11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	30% accessible
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1210D
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1210D
H3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1210 Mariner Drive Unit D

Unit Summary :

Completion Date: 8/1/2014 10:01 AM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 6B

Background Reading: 3.6 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A3-B3 grids belong to 1210C. B1-B2, A4-H4, and E14-H14 grids are less than 6 inches wide and were surveyed along with adjacent grids. Grids in column I and A14-D14 are outside of floor plan.

Summary Statistics :


Total # of Readings:	116	
Average:	3.38	uR/hr
Standard Deviation:	0.33	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.40	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1210C.
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 68" from floor.
A11	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid due to installed dryer.
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1210C.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 44" from floor.
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
B10	2.4	uR/hr	Stairs		3.6	uR/hr	Storage			uR/hr			No	Stairs reading taken 68" from floor.
B11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Partial grid due to installed dryer.
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1210 Mariner Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		3.2	uR/hr	Hallway		No	Stairs reading taken 12" from floor.
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	60% accessible. Stairs reading taken 12" from floor.
C10	3.6	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	50% accessible. Partial grid due to installed washer.
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Storage			uR/hr			No	
E9	3.6	uR/hr	Storage		4.0	uR/hr	Bathroom			uR/hr			No	
E10	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Closet		3.2	uR/hr	Closet		3.6	uR/hr	Dining Room		No	
E12	3.6	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Dining Room			uR/hr			No	95% accessible.
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		No	Kitchen reading taken 12" from floor.
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	4.0	uR/hr	Bathroom		3.6	uR/hr	Storage		No	Kitchen reading taken 12" from floor.
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.	4.4	uR/hr	Bathroom			uR/hr			No	50% accessible.
F11	3.2	uR/hr	Kitchen	Installed base cabinets.	3.2	uR/hr	Closet			uR/hr			No	60% accessible.
F12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H6	4.0	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H8	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	90% accessible.
H9	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible. Surveyed performed within accessible base cabinet.
H10	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid due to installed stove.
H11	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible. Surveyed performed within accessible base cabinet.
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1212 Mariner Drive Unit A

Unit Summary :

Completion Date: 8/1/2014 12:59 PM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids A4 to F4 are less than 6" and were surveyed with adjacent grids. G1, H1, G2, and H2 are outside floor plan, belongs to 1212B. Grid D13 is outside of floor plan.

Summary Statistics :


Total # of Readings:	81	
Average:	3.01	uR/hr
Standard Deviation:	0.31	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.00	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	scanned bottom of built in bookshelf for portion of grid cell
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	scanned bottom of built in bookshelf for portion of grid cell
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	scanned bottom of built in bookshelf for portion of grid cell
A8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
A9	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible. Installed base cabinets
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible, installed base cabinets
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Summary Report
1212 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen		No	installed base cabinets
C9	3.2	uR/hr	Bathroom		2.8	uR/hr	Kitchen			uR/hr			No	
C10	4.0	uR/hr	Bathroom		2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr			No	70% accessible.
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	4.0	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1212 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	2.8	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	static on stairs taken at 16" from floor surface
F9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static on stairs taken at 16" from floor surface
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	80% accessible, installed washer moved
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to 1212B
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to 1212B
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	80% accessible. Static on stairs taken at 40" from floor surface
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Static on stairs taken at 40" from floor surface
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Static on stairs taken at 40" from floor surface
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, installed dryer moved
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to 1212B
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to 1212B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible


CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/1/2014 12:08 PM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 5B

Background Reading: 3.6 uR/hr

Dimensions (m): D 9 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-H4, A5-A12 partial grids (less than 6") were surveyed with B5-H5, B5-B12. A13-D13 and E14-H14 grids are outside unit interior boundary. A3, B3, A4, and B4 grids belong to 1212 A storage unit.

Summary Statistics :


Total # of Readings:	82	
Average:	3.37	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1212 A storage unit
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1212 A storage unit
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	reading 1.8 meters from floor for stairs
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved dryer to survey grid

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	reading .6 meters from floor for stairs
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	75% accessible. reading .6 meters from floor for stairs
C10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved washer to survey grid.
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.2	uR/hr	Bathroom	Survey performed within accessible base cabinet.		uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
F9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	70% accessible. moved refrigerator to survey grid.
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible-installed stove
H11	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/1/2014 1:05 PM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 6

Background Reading: 3.2 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Bed in living room moved for survey. Grids A4 to F4, H5 to H13 and A14 to D14 are less than 6" and included in survey for adjacent row/column. Grids G1, G2, H1, and H2 belong to unit 1212D.

Summary Statistics :


Total # of Readings:	86	
Average:	3.01	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	80% accessible, survey performed in base cabinets
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	2.8	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Storage		3.2	uR/hr	Bathroom		No	
C10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C11	2.8	uR/hr	Closet		3.2	uR/hr	Dining Room			uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
D9	2.8	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		2.4	uR/hr	Stairs		No	survey on stairs performed at .4 m from ground level
F9	2.4	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	survey on stairs performed at .4 m from ground level
F10	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
F13	3.2	uR/hr	Utility	Washing machine within grid.	2.8	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr			No	40% accessible, washer moved for survey
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1212D
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1212D
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	survey on stairs performed at 1 m from ground level
G9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible, survey on stairs performed at 1 m from ground level
G10	2.8	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	20% accessible
G11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	30% accessible, dryer moved for survey
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1212D
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1212D
H3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1212 Mariner Drive Unit D

Unit Summary :

Completion Date:	8/1/2014 12:02 PM			
Instrument:	193-6			
Serial #:	309127			
Layout:	Floor Plan 6B			
Background Reading:	3.6	uR/hr		
Dimensions (m):	D	9.3	W	7.1
Unit Furnished:	Yes			
Tenant Present:	Yes			

Unit Notes:

B1, B2, A4-H4 grids are less than 6 inch wide and were surveyed along with adjacent grids. Grids in column I and A14-D14 are outside of floor plan. A3 and B3 belong to unit 1212C.

Summary Statistics :


Total # of Readings:	118	
Average:	3.25	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.40	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1212C.
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 68" from floor.
A11	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to unit 1212C.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 44" from floor.
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
B10	3.2	uR/hr	Storage		2.4	uR/hr	Stairs			uR/hr			No	Stairs reading taken 68" from floor.
B11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible.
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		3.2	uR/hr	Hallway		No	Stairs reading taken 12" from floor.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	60% accessible. Stairs reading taken 12" from floor.
C10	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C13	3.2	uR/hr	Utility	Washing machine within grid.	3.2	uR/hr	Hallway			uR/hr			No	50% accessible.
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
E9	3.6	uR/hr	Storage		4.0	uR/hr	Bathroom			uR/hr			No	

Summary Report
1212 Mariner Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Closet		3.2	uR/hr	Dining Room		3.2	uR/hr	Closet		No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	
E14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr	Kitchen		No	
F9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	4.0	uR/hr	Bathroom		3.2	uR/hr	Storage		No	Kitchen reading taken 12" from floor inside base cabinet.
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.	4.4	uR/hr	Bathroom			uR/hr			No	40% accessible. Kitchen reading taken 12" from floor inside base cabinet.
F11	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	90% accessible.
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible. Survey performed within accessible.
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid due to installed stove.
H11	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible. Survey performed within accessible.
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan


CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1212 Mariner Drive Unit E

Unit Summary :

Completion Date:	7/17/2014 3:50 PM
Instrument:	193-6
Serial #:	293633
Layout:	Floor Plan 5
Background Reading:	3.6 uR/hr
Dimensions (m):	D 8.7 W 6.8
Unit Furnished:	Yes
Tenant Present:	Yes
Unit Notes:	

H5-H13, D13, E13, F13, G13 falls outside of unit

Summary Statistics :


Total # of Readings:	87	
Average:	3.24	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	60% accessible
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	(40% accessible) partial grid install refrigerator & stove
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	(60% accessible)
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	(90% accessible)
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
C9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
C10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		No	
D9	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken 20" above floor
F9	3.2	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken 20" above floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible installed washing machine

Summary Report
1212 Mariner Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1212 F
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1212 F
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	60% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	(80% accessible) stairs static taken 44" above floor
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Closet			uR/hr			No	(80% accessible) stairs static taken 44" above floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Closet			uR/hr			No	(80% accessible) stairs static taken 68" above floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible (unstable non-movable shelve surveyed)

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1212 F
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1212 F
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible


CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1212 Mariner Drive Unit F

Unit Summary :

Completion Date:	8/1/2014 1:35 PM			
Instrument:	193-6			
Serial #:	309136			
Layout:	Floor Plan 5B			
Background Reading:	3.2	uR/hr		
Dimensions (m):	D 8.6	W 6.8		
Unit Furnished:	Yes			
Tenant Present:	Yes			

Unit Notes:


Grids A3 and B3 belong to adjacent unit 1212-E.
Grids A13-D13 and E14-H14 are outside of floor plan.

Summary Statistics :

Total # of Readings:	123	
Average:	2.83	uR/hr
Standard Deviation:	0.30	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.40	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1212-E
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	30% accessible, Stair static taken at 1.1 meters above ground level
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Stair static taken at 1.1 meters above ground level
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Utility			uR/hr			No	30% accessible, Stair static taken at 1.7 meters above ground level

Summary Report
1212 Mariner Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1212-E
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground level
B9	2.0	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	Stair static taken at 1.7 meters above ground level
B10	2.0	uR/hr	Stairs		2.8	uR/hr	Closet		2.8	uR/hr	Utility		No	Stair static taken at 1.7 meters above ground level
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, dryer moved for survey
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		No	Stair static taken at 0.5 meters above ground level
C9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.	2.8	uR/hr	Hallway		2.8	uR/hr	Closet		No	50% accessible, Stair static taken at 0.5 meters above ground level
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway		2.8	uR/hr	Utility		No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	40% accessible, washing machine moved for survey
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom		No	
D9	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
D10	2.8	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.4	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
E11	2.8	uR/hr	Hallway		2.8	uR/hr	Kitchen			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	80% accessible
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	50% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	50% accessible, refrigerator moved for survey
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed stove, surveyed inside installed cabinets
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J5	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible, installed furnace
J6	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed heater water
J7	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, installed water heater
J8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
K6	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
K7	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
K8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1420 Gateview Court (previously 1214) Unit A

Unit Summary :


Completion Date:	6/17/2014 11:06 AM	
Instrument:	193-6	
Serial #:	293633	
Layout:	Floor Plan 5	
Background Reading:	3.6	uR/hr
Dimensions (m):	D	W
Unit Furnished:		
Tenant Present:		
Unit Notes:		

Summary Statistics :

Total # of Readings:	89	
Average:	3.48	uR/hr
Standard Deviation:	0.19	uR/hr
Minimum:	3.20	uR/hr
Maximum:	3.60	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 80% remaining grid is outside of floor plan
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- Installed refrigerator
A9	3.6	uR/hr	Kitchen		3.2	uR/hr	Kitchen			uR/hr			No	Partial grid- Installed base cabinets and stove. Accessible area of base cabinets is 5 1/2 inches above the floor.The 2nd optional reading is 12 inches off the floor
A10	3.2	uR/hr	Kitchen		3.2	uR/hr	Kitchen			uR/hr			No	Partial grid- Installed base cabinets and stove. Accessible area of base cabinets is 5 1/2 inches above the floor.The 2nd optional reading is 12 inches off the floor
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	Partial grid- 20% remaining grid is outside of floor plan
B4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 80% remaining grid is outside of floor plan
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	Partial grid- Installed dishwasher
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	Partial grid- 20% remaining grid is outside of floor plan
C4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 80% remaining grid is outside of floor plan
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Kitchen		3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen		No	Partial grid- Installed base cabinets, accessible area of base cabinets is 5 1/2 inches above the floor.The 3rd optional reading is 12 inches off the floor inside the base cabinets
C9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	Partial grid- Remaining grid is outside of floor plan
C10	3.2	uR/hr	Kitchen		4.0	uR/hr	Bathroom			uR/hr			No	Partial grid- Installed base cabinets
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	Partial grid- 20% remaining grid is outside of floor plan
D4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 80% remaining grid is outside of floor plan
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr				uR/hr				uR/hr			No	N/A - Grids are outside unit interior boundary. Unit is 8 meters deep and 6.8 meters wide.
E4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 80% remaining grid is outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E13		uR/hr				uR/hr				uR/hr			No	N/A - Grids are outside unit interior boundary. Unit is 8 meters deep and 6.8 meters wide.
F4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 80% remaining grid is outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.2	uR/hr	Closet			uR/hr				uR/hr			No	Partial grid- Remaining grid is outside of floor plan
F10	3.2	uR/hr	Closet		3.2	uR/hr	Utility			uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	Partial grid- Remaining grid is outside of floor plan
F13		uR/hr				uR/hr				uR/hr			No	N/A - Grids are outside unit interior boundary. Unit is 8 meters deep and 6.8 meters wide.
G1		uR/hr	Storage Shed			uR/hr				uR/hr			No	N/A - Grids are outside unit interior boundary. This shed belongs to 1420, unit B.
G2		uR/hr	Storage Shed			uR/hr				uR/hr			No	N/A - Grids are outside unit interior boundary. This shed belongs to 1420, unit B.
G3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G4	3.6	uR/hr	Living Room		3.6	uR/hr	Storage Shed			uR/hr			No	Partial grid- 80% remaining grid is part of storage shed
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 20% remaining grid is outside of floor plan. Actual width 6.8 meters.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 20% remaining grid is outside of floor plan. Actual width 6.8 meters.
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 20% remaining grid is outside of floor plan. Actual width 6.8 meters.
G8	3.6	uR/hr	Stairs			uR/hr				uR/hr			No	Partial grid- 20% remaining grid is outside of floor plan. Actual width 6.8 meters. Stairway above floor >36".
G9		uR/hr	Stairs			uR/hr				uR/hr			No	N/A- Stairway above floor >36"
G10	3.6	uR/hr	Stairs			uR/hr				uR/hr			No	Partial grid- Remaining grid is outside of floor plan
G11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	Partial grid- 20% remaining grid is outside of floor plan. Actual width 6.8 meters.
G12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	Partial grid- 20% remaining grid is outside of floor plan. Actual width 6.8 meters.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G13		uR/hr				uR/hr				uR/hr			No	N/A - Grids are outside unit interior boundary. Unit is 8 meters deep and 6.8 meters wide.
H1		uR/hr	Storage Shed			uR/hr				uR/hr			No	N/A - Grids are outside unit interior boundary. This shed belongs to 1420, unit B.
H2		uR/hr	Storage Shed			uR/hr				uR/hr			No	N/A - Grids are outside unit interior boundary. This shed belongs to 1420, unit B.
H3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	Partial grid- Remaining grid is outside of floor plan
H4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	Partial grid- Remaining grid is outside of floor plan
H5	3.2	uR/hr				uR/hr				uR/hr			No	Mechanical room. Partial grid - installed furnace and piping.
H6	3.2	uR/hr				uR/hr				uR/hr			No	Mechanical room. Partial grid - installed furnace and piping.
H7	3.2	uR/hr				uR/hr				uR/hr			No	Mechanical room. Partial grid - installed water heater.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H8		uR/hr				uR/hr				uR/hr			No	N/A - Grids are outside unit interior boundary. Unit is 8 meters deep and 6.8 meters wide.
H9		uR/hr				uR/hr				uR/hr			No	N/A - Grids are outside unit interior boundary. Unit is 8 meters deep and 6.8 meters wide.
H10		uR/hr				uR/hr				uR/hr			No	N/A - Grids are outside unit interior boundary. Unit is 8 meters deep and 6.8 meters wide.
H11		uR/hr				uR/hr				uR/hr			No	N/A - Grids are outside unit interior boundary. Unit is 8 meters deep and 6.8 meters wide.
H12		uR/hr				uR/hr				uR/hr			No	N/A - Grids are outside unit interior boundary. Unit is 8 meters deep and 6.8 meters wide.
H13		uR/hr				uR/hr				uR/hr			No	N/A - Grids are outside unit interior boundary. Unit is 8 meters deep and 6.8 meters wide.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I5	3.2	uR/hr				uR/hr				uR/hr			No	Mechanical room. Partial grid - installed furnace and piping.
I6	3.2	uR/hr				uR/hr				uR/hr			No	Mechanical room. Partial grid - installed furnace and piping.
I7	3.2	uR/hr				uR/hr				uR/hr			No	Mechanical room. Partial grid - installed water heater.


CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :




Signoff Notes:

Summary Report
1420 Gateview Court (previously 1214) Unit B

Unit Summary :

Completion Date:	6/17/2014 2:47 PM	
Instrument:	193-6	
Serial #:	293633	
Layout:	Floor Plan 5B	
Background Reading:	3.2	uR/hr
Dimensions (m):	D	W
Unit Furnished:		
Tenant Present:		
Unit Notes:		



Summary Statistics :

Total # of Readings:	86	
Average:	3.47	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	3.20	uR/hr
Maximum:	4.00	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed			uR/hr				uR/hr			No	n/a- Shed assigned to 1420 unit A.
A4		uR/hr	Storage Shed			uR/hr				uR/hr			No	n/a- Shed assigned to 1420 unit A.
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 60% Remaining grid outside of floor plan
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 60% Remaining grid outside of floor plan
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 60% Remaining grid outside of floor plan
A8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 60% Remaining grid outside of floor plan, stairway above floor > 36"
A9		uR/hr	Stairs			uR/hr				uR/hr			No	n/a- grids are outside unit interior boundary, stairway above floor > 36"
A10	3.2	uR/hr	Utility			uR/hr				uR/hr			No	Partial grid- 60% Remaining grid outside of floor plan
A11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	Partial grid- 60% Remaining grid outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	Partial grid- 60% Remaining grid outside of floor plan
A13		uR/hr	Utility			uR/hr				uR/hr			No	n/a- grids are outside unit interior boundary
B1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	Partial grid- 80% Remaining grid outside of floor plan
B2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	Partial grid- 80% Remaining grid outside of floor plan
B3		uR/hr	Storage Shed			uR/hr				uR/hr			No	n/a- Shed assigned to 1420 unit A.
B4	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	Partial grid- 80% Remaining grid outside of floor plan
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- Remaining grid stairway above floor > 36".
B9		uR/hr	Stairs			uR/hr				uR/hr			No	n/a- Stairway above floor > 36".
B10	3.2	uR/hr	Utility			uR/hr				uR/hr			No	Partial grid- , stairway above floor > 36"
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	

Summary Report
1420 Gateview Court (previously 1214) Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Utility			uR/hr				uR/hr			No	n/a- grids are outside unit interior boundary
C4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 80% Remaining grid outside of floor plan
C5	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Stairs		3.2	uR/hr	Hallway			uR/hr			No	
C9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	Partial grid- Remaining grid outside of floor plan
C10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	Partial grid- Remaining grid outside of floor plan
C13		uR/hr	Utility			uR/hr				uR/hr			No	n/a- grids are outside unit interior boundary
D4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 80% Remaining grid outside of floor plan
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Hallway			uR/hr				uR/hr			No	n/a- grids are outside unit interior boundary
E4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 80% Remaining grid outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	Partial grid- Remaining grid outside of floor plan
E13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	Partial grid- 70% Remaining grid outside of floor plan
F4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 80% Remaining grid outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	Partial grid- Installed base cabinets. surveyed on contact with cabinet, cabinet 5" off floor. Optional taken inside cabinet 12" off floor.
F9	3.2	uR/hr	Kitchen		3.2	uR/hr	Kitchen			uR/hr			No	Partial grid- Installed base cabinets. surveyed on contact with cabinet, cabinet 5" off floor. Optional taken inside cabinet 12" off floor.
F10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	Partial grid- Installed dishwasher
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	Partial grid- 20% Remaining grid outside of floor plan
G4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 80% Remaining grid outside of floor plan
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	Partial grid- 20% Remaining grid outside of floor plan
H4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 90% Remaining grid outside of floor plan
H5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 20% Remaining grid outside of floor plan
H6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 20% Remaining grid outside of floor plan
H7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Partial grid- 20% Remaining grid outside of floor plan
H8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Kitchen refrigerator not installed. Partial grid- 20% Remaining grid outside of floor plan
H9	3.2	uR/hr	Kitchen		3.2	uR/hr	Kitchen			uR/hr			No	Kitchen stove not installed. Partial grid- 20% grid outside of floor plan. Installed base cabinets surveyed on contact with cabinet, cabinet 5" off floor. Optional taken inside cabinet at 12".

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	Partial grid- 20% Remaining grid outside of floor plan
H11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	Partial grid- 20% Remaining grid outside of floor plan
H12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	Partial grid- Remaining grid outside of floor plan
H13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	Partial grid- 40% Remaining grid outside of floor plan

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1214 (1420) Gateview Court Unit C

Unit Summary :

Completion Date: 8/5/2014 10:25 AM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 6

Background Reading: 3.2 uR/hr

Dimensions (m): D 9.3 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-F4, H5-H13 partial grids (less than 6") were surveyed with A5-F5, G5-G13. G1, H1, G2, H2 grids belong to unit 1214D.

Summary Statistics :


Total # of Readings:	94	
Average:	3.31	uR/hr
Standard Deviation:	0.23	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	moved refrigerator to survey grid.
A9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Kitchen		3.2	uR/hr	Storage		3.2	uR/hr	Living Room		No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.2	uR/hr	Kitchen		3.6	uR/hr	Storage			uR/hr			No	
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	60% accessible
C11	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Storage		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.6	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet		3.2	uR/hr	Closet			uR/hr			No	2nd optional reading is kitchen closet
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway		3.6	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Summary Report
1214 (1420) Gateview Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Living Room		3.6	uR/hr	Hallway		No	reading .6 meters from floor for stairs
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	75% accessible. reading .6 meters from floor for stairs
F10	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
F11	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
F12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
F13	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	moved washer to survey grid.
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1214 D storage shed
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1214 D storage shed
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	reading 1.3 meters from floor for stairs

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs
G10	2.4	uR/hr	Storage			uR/hr				uR/hr			No	reading taken at 1.8 meters on stairs due to storage wall construction.
G11	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved dryer to survey grid.
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1214 D storage shed
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1214 D storage shed
H3	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1214 (1420) Gateview Court Unit D

Unit Summary :

Completion Date: 8/5/2014 10:43 AM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 6B

Background Reading: 3.2 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids A4-H4, A5-A13 and E14-H14 are under 6", surveyed with adjacent grids. Grids A3 and B3 belong to 1214C. Grids in column I and A14-D14 are outside of floor plan.

Summary Statistics :


Total # of Readings:	104	
Average:	3.07	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1214 C
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1214 C
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 1 m from ground level
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, reading on stairs taken at 1 m from ground level
B10	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1.6 m from ground level

Summary Report
1214 (1420) Gateview Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, washer moved for survey
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		No	reading on stairs taken at .4 m from ground level
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr			No	80% accessible, reading on stairs taken at .4 m from ground level
C10	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr			No	70% accessible, washer moved for survey
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
E9	3.6	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Closet		2.8	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr			No	90% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.2	uR/hr	Storage		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom	Grid partially contained within wall construction.		uR/hr			No	70% accessible, survey performed in base cabinets
F11	3.2	uR/hr	Kitchen	Installed Dishwasher.	2.8	uR/hr	Closet			uR/hr			No	70% accessible
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible

Summary Report
1214 (1420) Gateview Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	70% accessible, survey performed in base cabinets
H10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
H11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	box freezer moved for survey
H12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	mini refrigerator and box freezer moved for survey
H13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.

CBI Supervisor : Steve Phelps

Signature :



Signoff Notes:

Senior Technician : Efraim Ramirez

Signature :



Summary Report
1214 (1420) Gateview Court Unit E

Unit Summary :

Completion Date: 8/5/2014 9:30 AM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:


A4-F4 grids are less than 6" wide and were surveyed along with adjacent grids. G1-G2 and H1-H2 grids belong to 1214F. Grid D13 is outside of floor plan.

Summary Statistics :

Total # of Readings:	83	
Average:	3.45	uR/hr
Standard Deviation:	0.26	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible.
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.6	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1214 (1420) Gateview Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom		No	Kitchen reading taken 12" from floor inside base cabinet.
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	Kitchen reading taken 12" from floor inside base cabinet.
C10	3.6	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	40% accessible. Kitchen reading taken 12" from floor inside base cabinet.
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.6	uR/hr	Living Room		3.2	uR/hr	Hallway		No	
D9	3.2	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.6	uR/hr	Hallway		3.6	uR/hr	Living Room		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs			uR/hr			No	Stairs reading taken 12" from floor.
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Stairs reading taken 36" from floor.
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible. Stairs reading taken 36" from floor.
F10	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	40% accessible.
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to unit 1214F.
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to unit 1214F.
G3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 68" from floor.
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Partial grid due to installed dryer.
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to unit 1214F.
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to unit 1214F.
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1214 (1420) Gateview Court Unit F

Unit Summary :

Completion Date: 8/5/2014 10:08 AM

Instrument: 193-6

Serial #: 309136

Layout: Floor Plan 5B

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids A3 and B3 belong to the adjacent unit, 1214E. Grids A13-D13 and E14-H14 are outside of survey unit.

Summary Statistics :


Total # of Readings:	106	
Average:	2.82	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed (Grids A3,B3) belong to adjacent unit 1214E
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	30% accessible, Stair static taken at 1.1 meters above ground level
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Stair static taken at 1.3 meters above ground level
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Stair static taken at 1.7 meters above ground level
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Summary Report
1214 (1420) Gateview Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grids A3 and B3 belong to adjacent unit 1214E
B4	2.4	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground level
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.3 meters above ground level
B10	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.7 meters above ground level
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed dryer moved for survey

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		No	Stair static taken at 0.5 meters above ground level
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	2.8	uR/hr	Closet		2.8	uR/hr	Hallway		No	Stair static taken at 0.5 meters above ground level, 50% accessible
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Dining Room			uR/hr			No	
C12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	50% accessible, installed washer, moved for survey
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	

Summary Report
1214 (1420) Gateview Court Unit F


Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway		2.8	uR/hr	Kitchen			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	40% accessible
E13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	50% accessible, refrigerator moved for survey
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, surveyed inside base cabinets with stove
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, surveyed inside base cabinets
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1215 Bayside Drive Unit A

Unit Summary :

Completion Date: 7/2/2014 3:47 PM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.7 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Apartment used as sub-station for housing security patrol.

Summary Statistics :


Total # of Readings:	102	
Average:	2.86	uR/hr
Standard Deviation:	0.22	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	30% accessible
A9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Summary Report
1215 Bayside Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed base cabinets.	2.8	uR/hr	Bathroom		No	30% accesible
C9	2.8	uR/hr	Bathroom		2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	
C10	3.2	uR/hr	Bathroom		2.8	uR/hr	Kitchen			uR/hr			No	
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1215 Bayside Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
E9	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 20 inches from floor surface
F9	2.8	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	static taken on stairs 20 inches from floor surface
F10	2.0	uR/hr	Stairs	Grid partially contained within wall construction.	2.8	uR/hr	Closet			uR/hr			No	static taken on stair 72 inches from floor surface, 80% accessible
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

Summary Report
1215 Bayside Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
G2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	30% accessible
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 36 inches from floor surface, 80% accessible
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Closet			uR/hr			No	static taken on stairs 68 inches from floor surface, 80% accessible
G10	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 76 inches from floor surface, 80% accessible
G11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
H2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
J4	2.4	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	25% accessible
J5	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	60% accessible
J6	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	60% accessible
J7	2.8	uR/hr	Mech Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	electric panel installed 60% accessible
K4	2.4	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	25% accessible
K5	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	60% accessible
K6	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	60% accessible
K7	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	electric panel installed 60% accessible

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/25/2014 10:55 AM

Instrument: 193-6

Serial #: 309136

Layout: Floor Plan 5B

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.1 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Bed in living room (Grids B6-8 and C6-8), moved for survey. Grids A13-D13 and E14-H14 are outside of unit floor plan. Grids A3 and B3 belong to adjacent unit 1215A

Summary Statistics :


Total # of Readings:	110	
Average:	2.59	uR/hr
Standard Deviation:	0.29	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	100% accessible
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1215A
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
A5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground floor 30% accessible
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Stair static taken at 1.5 meters above ground floor, 30% accessible
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Stair static taken at 1.5 meters above ground floor 30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1215A
B4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground floor
B9	2.0	uR/hr	Stairs		2.0	uR/hr	Closet			uR/hr			No	Stair static taken at 1.1 meters above ground floor
B10	2.0	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	
B11	2.4	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	90% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Living Room		2.4	uR/hr	Stairs		2.4	uR/hr	Hallway		No	Stair static taken at 0.5 meters above ground floor
C9	2.4	uR/hr	Stairs		2.4	uR/hr	Hallway			uR/hr			No	Stair static taken at 0.5 meters above ground floor
C10	2.4	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.4	uR/hr	Utility		2.4	uR/hr	Hallway			uR/hr			No	
C12	2.4	uR/hr	Utility	Washing machine within grid.	2.4	uR/hr	Hallway			uR/hr			No	90% accessible
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom		No	
D9	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
D10	2.8	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D11	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
E9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	Static by toilet
E11	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.4	uR/hr	Dining Room			uR/hr			No	60% accessible
E13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	
G9	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	50% accessible
H6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	50% accessible
H7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	50% accessible
H8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	50% accessible
H9	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed stove
H10	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible, survey inside installed cabinets
H11	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :




Signoff Notes:

Summary Report
1215 Bayside Drive Unit C

Unit Summary :

Completion Date:	6/25/2014 1:14 PM
Instrument:	193-6
Serial #:	309119
Layout:	Floor Plan 6
Background Reading:	3.2 uR/hr
Dimensions (m):	D 9.26 W 7.07
Unit Furnished:	No
Tenant Present:	No
Unit Notes:	



Summary Statistics :

Total # of Readings:	88	
Average:	2.97	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	70% accessible
A9	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	surveyed performed within accessible base cabinet (60% accessible grid
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen	Installed base cabinets.	2.8	uR/hr	Storage			uR/hr			No	50% accessible
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Storage		3.2	uR/hr	Bathroom		No	
C10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	4.0	uR/hr	Bathroom			uR/hr			No	2nd reading is near toilet, linoleum flooring
C11	2.8	uR/hr	Dining Room	Installed base cabinets.	2.8	uR/hr	Closet			uR/hr			No	60% accessible
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	3.2	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	near toilet, linoleum flooring
D11	3.2	uR/hr	Closet		2.8	uR/hr	Dining Room			uR/hr			No	
D12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	dining room is 3.12 x 2.66 m
D13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	dining room is 3.12 x 2.66 m
D14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	living room is carpeted
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	contact reading taken 0.40 m above ground floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	contact static reading taken 0.40 m above ground floor
F10	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	entire grid is in hallway as entry hallway is 1.83 m wide
F13	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	entire grid in hallway
G2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, remainder is exterior
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, remainder is exterior
G4	3.2	uR/hr	Storage Shed		2.8	uR/hr	Living Room			uR/hr			No	10% accessible in living room
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr			No	contact static reading taken 1 m above ground floor
G9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	contact static reading taken 1 m above ground floor
G10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	contact static reading taken 1.6 m above ground floor
G11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	utility room only is 1.86 x 1.96 m
G13	3.2	uR/hr	Utility			uR/hr				uR/hr			No	utility room only is 1.86 x 1.96 m
H2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, remainder is exterior
H3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	60% accessible, remainder is exterior
H4	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	40% accessible
H5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	living room is 7.07 m long
H6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	living room is 7.07 m long
H7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	living room is 7.07 m long
H8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	living room is 7.07 m long
H9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is outside
H10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	
H12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	
H13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Unit Summary :

Completion Date:	7/25/2014 10:32 AM			
Instrument:	193-6			
Serial #:	309099			
Layout:	Floor Plan 6B			
Background Reading:	2.8	uR/hr		
Dimensions (m):	D	9.2	W	7.1
Unit Furnished:	Yes			
Tenant Present:	Yes			

Unit Notes:


A4 to A13, and B4 to H4 were less than 6" and were scanned with adjacent grids. A3 and B3 outside floor plan belong to 1215 unit C. Grids in row 14 and column I are outside of floor plan.

Summary Statistics :

Total # of Readings:	106	
Average:	2.93	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.40	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1215C
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1215C
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 40" from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
B10	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Utility		2.8	uR/hr	Storage			uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	

Summary Report
1215 Bayside Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible installed washer moved for survey
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 16" from floor surface
C9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 16" from floor surface
C10	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
C11	2.8	uR/hr	Storage		2.8	uR/hr	Utility			uR/hr			No	
C12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible installed dryer moved for survey
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Storage		2.8	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Bathroom		2.8	uR/hr	Storage			uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Closet		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Dining Room			uR/hr			No	90% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Storage		2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room		No	
F9	2.8	uR/hr	Storage		2.8	uR/hr	Kitchen		3.2	uR/hr	Bathroom		No	
F10	4.4	uR/hr	Bathroom		3.2	uR/hr	Kitchen			uR/hr			No	static taken by toilet
F11	2.8	uR/hr	Closet		3.2	uR/hr	Kitchen			uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	2.8	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	immovable bookcase scanned 3" from floor surface on particle board
H6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	moved installed refrigerator, immovable bookcase scanned 3" from floor surface on particle board, in living room.
H9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
H11	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
H12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Daniel Fielding

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1215 Bayside Drive Unit E

Unit Summary :

Completion Date: 7/25/2014 1:05 PM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.6 W 6.7

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Bed installed in living room within grids E5, E6, F5, and F6; moved for survey. A4 to F4 were less than 6" and were scanned with adjacent grids. G1, G2 and H1, H2 belong to unit 1215-F

Summary Statistics :


Total # of Readings:	84	
Average:	2.87	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	moved installed refrigerator
A9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom		No	immovable vanity in bathroom, scanned 6" from floor surface
C9	2.8	uR/hr	Kitchen		2.8	uR/hr	Bathroom			uR/hr			No	
C10	2.8	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	60% accessible
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway		No	immovable vanity in bathroom, scanned 6" from floor surface
D9	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
D10	2.8	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		No	static taken on stairs 8" from floor surface
E9	3.2	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 8" from floor surface

Summary Report
1215 Bayside Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 24" from floor surface
F9	2.8	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 24" from floor surface
F10	2.8	uR/hr	Closet		2.0	uR/hr	Stairs			uR/hr			No	static taken on stairs 64" from floor surface
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	Installed washer moved for survey
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1215F
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1215F
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

Summary Report
1215 Bayside Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	70% accessible, static taken on stairs 40" from floor surface
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 40" from floor surface, 70% accessible
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 64" from floor surface, 70% accessible
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible installed dryer moved for survey
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1215F
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1215F
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible


CBI Supervisor : Daniel Fielding

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1215 Bayside Drive Unit F

Unit Summary :

Completion Date: 7/16/2014 2:53 PM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 5B

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-H4 grids less than 6" and surveyed with adjacent grids. A13-D13 and F14-H14 are outside floor plan.

Summary Statistics :


Total # of Readings:	97	
Average:	3.39	uR/hr
Standard Deviation:	0.36	uR/hr
Minimum:	2.40	uR/hr
Maximum:	5.20	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1215E.
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 68" from floor.
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.

Summary Report
1215 Bayside Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1215E.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 44" from floor.
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible. Stairs reading taken 44" from floor.
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	Stairs reading taken 68" from floor.
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible.
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1215 Bayside Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.6	uR/hr	Hallway			uR/hr			No	30% accessible. Stairs reading taken 12" from floor.
C10	3.6	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility	Clothes dryer within grid.	3.6	uR/hr	Hallway			uR/hr			No	50% accessible.
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	5.2	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurements due to NORM in toilet bowl materials.
E11	3.6	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	Reading taken 12" from floor inside base cabinet.
F9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	Reading taken 12" from floor inside base cabinet.
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	20% accessible. Reading taken 12" from floor inside base cabinet.
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	60% accessible.
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. Reading taken 12" from floor inside base cabinet.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Reading taken 12" from floor inside base cabinet. Partial grid- partial grid due to installed stove.
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1216 (1430) Gateview Court Unit A

Unit Summary :

Completion Date:	7/14/2014 12:38 PM
Instrument:	193-6
Serial #:	309127
Layout:	Floor Plan 4
Background Reading:	3.6 uR/hr
Dimensions (m):	D 8.3 W 6.5
Unit Furnished:	Yes
Tenant Present:	Yes
Unit Notes:	

Bed found in living room (mattress directly on floor). A4-G4 grids are less than 6 inch wide and were surveyed along with adjacent grids.

Summary Statistics :


Total # of Readings:	89	
Average:	3.37	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.6	uR/hr	Living Room			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible.
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.6	uR/hr	Living Room			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1216 (1430) Gateview Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room		No	Kitchen reading taken 12" from floor inside base cabinet.
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	Kitchen reading taken 12" from floor inside base cabinet.
C10	3.6	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	30% accessible. Kitchen reading taken 12" from floor inside base cabinet.
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.6	uR/hr	Living Room		3.6	uR/hr	Hallway		No	
D9	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	Bed found in living room.
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Bed found in living room.
E8	3.2	uR/hr	Stairs		3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		No	Stairs reading taken 12" from floor.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E9	3.2	uR/hr	Hallway	Grid partially contained within wall construction.	3.2	uR/hr	Stairs			uR/hr			No	70% accessible. Stairs reading taken 12" from floor.
E10	3.6	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
E13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Bed found in living room.
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Bed found in living room.
F8	2.8	uR/hr	Stairs		3.6	uR/hr	Living Room			uR/hr			No	Stairs reading taken 28" from floor.
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	40% accessible. Stairs reading taken 28" from floor.
F10	3.2	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 68" from floor.
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible.
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1430B.

Summary Report
1216 (1430) Gateview Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1430B.
G3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
G5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	50% accessible. Stairs reading taken 44" from floor.
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Stairs reading taken 44" from floor.
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Stairs reading taken 68" from floor.
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Partial grid-partial grid due to installed dryer.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1430B.
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1430B.
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1216 (1430) Gateview Court Unit B

Unit Summary :

Completion Date: 7/14/2014 1:32 PM

Instrument: 193-6

Serial #: 309136

Layout: Floor Plan 4B

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.4 W 6.5

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids B1 and B2 less than 6" wide, grids surveyed with adjacent A column grids

Summary Statistics :


Total # of Readings:	99	
Average:	2.63	uR/hr
Standard Deviation:	0.37	uR/hr
Minimum:	2.00	uR/hr
Maximum:	5.00	uR/hr
Median:	2.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed grids belong to 1216 unit A
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, storage shed grids belong to 1216 unit A
A5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, static reading at 4" above ground level inside unmovable furniture
A8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs			uR/hr			No	30% accessible, stairs surveyed 1.1 meters above ground level
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, stairs surveyed 1.1 meters above ground level

Summary Report
1216 (1430) Gateview Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, stairs surveyed 1.5 meters above ground level
A11	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed dryer
B1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed grids belong to 1216 unit A
B4	2.4	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Living Room		2.0	uR/hr	Stairs			uR/hr			No	stairs surveyed 1.1 meters above ground level
B9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	stairs surveyed 1.1 meters above ground level

Summary Report
1216 (1430) Gateview Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	2.4	uR/hr	Closet			uR/hr				uR/hr			No	
B11	2.4	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B13	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed dryer
C4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	stairs surveyed .5 meters above ground level
C9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	stairs surveyed .5 meters above ground level
C10	2.4	uR/hr	Closet			uR/hr				uR/hr			No	
C11	2.4	uR/hr	Utility			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C13	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible, installed washer
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		2.8	uR/hr	Bathroom		No	
D9	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	

Summary Report
1216 (1430) Gateview Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10	2.8	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	Survey by toilet
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D13		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
E9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	Survey by toilet
E11	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E12	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Hallway			uR/hr			No	90% accessible
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible
F11	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
G10	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	5.0	uR/hr	Living Room			uR/hr				uR/hr			No	10% accessible. No survey with 193-6 due to unmovable furniture. Model 19 #267078 used for reading. Background 5 uR/hr at standard location.
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, static reading at 4" above ground level due to unmovable object
H6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Kitchen			uR/hr			No	20% accessible
H9	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed stove, survey within installed base cabinet
H10	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed stove, survey within installed base cabinet
H11	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H12	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

Secondary Readings : H4

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC

Secondary Type	Notes



WIN_20140714_112105.JPG

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1216 (1430) Gateview Court Unit C

Unit Summary :

Completion Date: 7/15/2014 10:00 AM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

H5-H13, D13, E13 F13, G13 falls outside unit

Summary Statistics :

Total # of Readings:	87	
Average:	3.32	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Living Room			uR/hr			No	40% accessible
A9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	installed stove & refrigerator covers part of grid (40% accessible)
A10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	partial grid 70% accessible (installed stove)
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		No	
C9	3.2	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
C10	4.0	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr			No	70% accessible
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1216 (1430) Gateview Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.6	uR/hr	Hallway		3.2	uR/hr	Living Room		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	static taken 24" above the floor
F9	2.8	uR/hr	Closet	Grid partially contained within wall construction.		uR/hr				uR/hr			No	static taken 24" above the floor (60% accessible)

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible (installed washing machine)
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1430 D
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1430 D
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	60% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	(80% accessible) static taken 40" above the floor
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible static taken 56" above the floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken 64" above the floor (80% accessible)

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible (installed clothes dryer)
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1430 D
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1430 D
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible


CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1216 (1430) Gateview Court Unit D

Unit Summary :

Completion Date: 7/15/2014 10:02 AM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5B

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A3, B3, A4, B4 belongs to unit 1216 C storage shed. A13 to D13 outside of floor plan. Grids A4 to H4 and A5 to A12 are less than 6" wide and were scanned with adjacent grids

Summary Statistics :


Total # of Readings:	89	
Average:	2.91	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to unit 1216C
A13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to unit 1216C
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 40" from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
B10	2.4	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	static taken on stairs 64" from floor surface
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	80% accessible

Summary Report
1216 (1430) Gateview Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	static taken on stairs 16" from floor surface
C9	2.8	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	static taken on stairs 16" from floor surface
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Washing machine within grid.	3.2	uR/hr	Hallway			uR/hr			No	80% accessible
C13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom		No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1216 (1430) Gateview Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen	Installed base cabinets.	2.8	uR/hr	Living Room			uR/hr			No	70% accessible
F9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	70% accessible
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	50% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	50% accessible
H9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
H10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan


CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1216 (1430) Gateview Court Unit E

Unit Summary :

Completion Date: 7/15/2014 10:50 AM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 4

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.3 W 6.4

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-F4 partial grids (less than 6") surveyed adjacent to grids.

Summary Statistics :


Total # of Readings:	84	
Average:	3.30	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	moved refrigerator to survey grid
A9	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible. moved refrigerator to survey grid
A10	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1216 (1430) Gateview Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom		3.6	uR/hr	Kitchen		No	
C9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	50% accessible from bathroom, kitchen half of grid installed dishwasher.
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom	Survey performed within accessible base cabinet.	No	
D9	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	

Summary Report
1216 (1430) Gateview Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	static reading .6 meters from floor for stairs
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. static reading .6 meters from floor for stairs
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved clothes dryer to survey grid
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. moved clothes dryer to survey grid
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1216 F (1430) storage shed
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1216 F (1430) storage shed
G3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	40% accessible. static reading 1.3 meters from floor for stairs
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. static reading 1.3 meters from floor for stairs
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. static reading 1.8 meters from floor for stairs
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. moved clothes washer to survey grid
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible. moved clothes washer to survey grid
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1216 F (1430) storage shed

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1216 F (1430) storage shed
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Fire suppression tank in shed, 8 microR/hr contact. Tank removed prior to survey
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1216 (1430) Gateview Court Unit F

Unit Summary :

Completion Date: 7/15/2014 10:20 AM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 4B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.3 W 6.5

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Row A4 through H4 less than 6" wide, surveyed and included in adjacent row, depth from entry to back of unit is 7.9 m

Summary Statistics :

Total # of Readings:	97	
Average:	2.97	uR/hr
Standard Deviation:	0.30	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.00	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to unit 1430E
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	25% accessible, reading on stairs taken at 1.1 m from ground level
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, reading on stairs taken at 1.1 m from ground level
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, reading on stairs taken at 1.6 m from ground level
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

Summary Report
1216 (1430) Gateview Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to unit 1430E
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .8 m from ground level
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible, reading on stairs taken at 1 m from ground level
B10	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1.6 m from ground level
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	70% accessible
B13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	2.8	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr			No	70% accessible, reading on stairs taken at .4 m from ground level
C10	3.2	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Washing machine within grid.	2.8	uR/hr	Hallway			uR/hr			No	80% accessible
C13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom		No	
D9	3.2	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E9	3.2	uR/hr	Bathroom		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
E10	3.2	uR/hr	Bathroom	Grid partially contained within wall construction.	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr			No	80% accessible
E11	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	90% accessible
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	80% accessible
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible
G9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	80% accessible, refrigerator moved for survey
G10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	25% accessible, refrigerator moved for survey
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, refrigerator moved for survey, installed base cabinets

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed stove, survey performed in installed base cabinet
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1216 (1430) Gateview Court Unit G

Unit Summary :

Completion Date:	7/15/2014 10:48 AM
Instrument:	193-6
Serial #:	309127
Layout:	Floor Plan 5
Background Reading:	3.6 uR/hr
Dimensions (m):	D 8.6 W 6.8
Unit Furnished:	Yes
Tenant Present:	Yes

Unit Notes:


A4-G4 grids are less than 6 inch wide and were surveyed along with adjacent grids. D13-H13, H5 -H12 grids are outside of floor plan.

Summary Statistics :

Total # of Readings:	85	
Average:	3.39	uR/hr
Standard Deviation:	0.38	uR/hr
Minimum:	2.40	uR/hr
Maximum:	5.60	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.6	uR/hr	Living Room			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible.
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Kitchen		3.6	uR/hr	Living Room			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom		No	Handicap shower instead of bathroom used as storage. Kitchen reading taken 12" from floor inside base cabinet.
C9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	Handicap shower instead of bathroom used as storage.
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.2	uR/hr	Bathroom			uR/hr			No	50% accessible. Handicap shower instead of bathroom used as storage.
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room		3.6	uR/hr	Hallway		No	Handicap shower instead of bathroom used as storage.
D9	3.2	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	Handicap shower instead of bathroom used as storage.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	Handicap shower instead of bathroom used as storage.
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	90% accessible. Stairs reading taken 12" from floor.
E10	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		3.6	uR/hr	Living Room			uR/hr			No	Stairs reading taken 20" from floor.
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible. Stairs reading taken 20" from floor.
F10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	Stairs reading taken 68" from floor.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F11	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	Handicap bathroom instead of utility room.
F12	3.6	uR/hr	Bathroom	Washing machine within grid.		uR/hr				uR/hr			No	80% accessible. Handicap bathroom instead of utility room.
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1430H.
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1430H.
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
G5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 68" from floor.
G11	5.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Handicap bathroom instead of utility room. Elevated measurements due to NORM in toilet bowl materials.
G12	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Handicap bathroom instead of utility room.
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1430H.
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1430H.
H3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1216 (1430) Gateview Court Unit H

Unit Summary :

Completion Date: 7/15/2014 11:10 AM

Instrument: 193-6

Serial #: 309136

Layout: Floor Plan 5B

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids B1 and B2 less than 6" surveyed with adjacent A column grids.

Summary Statistics :


Total # of Readings:	107	
Average:	2.71	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A2	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to 1216 unit G
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs			uR/hr			No	30% accessible, stair static survey at 1.1 meters above ground floor
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, static survey at 1.1 meters above ground floor
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, stair static survey at 1.5 meters above ground floor
A11	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, survey by toilet

Summary Report
1216 (1430) Gateview Court Unit H

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A13		uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	partial grid outside of floor plan
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to 1216 unit G
B4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	stair static survey at 1.1 meters above ground floor
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	
B10	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	stair static survey at 1.5 meters above ground floor
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
B13		uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	partial grid outside of floor plan
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	stair static survey at 0.5 meters above ground floor
C9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	stair static survey at 0.5 meters above ground floor
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.4	uR/hr	Hallway			uR/hr			No	
C12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. installed stackable washer/dryer
C13		uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	partial grid outside of floor plan
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.4	uR/hr	Bathroom			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D13		uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	partial grid outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Bathroom		2.4	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Bathroom	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible
E11	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	90% accessible
E13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.4	uR/hr	Living Room			uR/hr			No	
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
G10	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room			uR/hr			No	50% accessible
H9	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	50% accessible. Static taken at 4" from ground level
H10	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, static taken at 4" from ground level, installed stove
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
J5	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, installed hot water heater
J6	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed hot water heater
J7	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible, installed hot water heater

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J8	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible, installed hot water heater
K5	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible, installed hot water heater
K6	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, installed hot water heater
K7	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, installed hot water heater
K8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed hot water heater

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1217 Mariner Drive Unit A

Unit Summary :


Completion Date:	6/25/2014 12:51 PM			
Instrument:	193-6			
Serial #:	309136			
Layout:	Floor Plan 5			
Background Reading:	2.8	uR/hr		
Dimensions (m):	D 8.02	W	6.77	
Unit Furnished:	No			
Tenant Present:	No			
Unit Notes:				

Summary Statistics :

Total # of Readings:	69	
Average:	2.76	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.4	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	35% accessible
A9	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bathroom			uR/hr			No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bathroom			uR/hr			No	
C10	2.8	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom	Elevated measurements due to NORM in toilet bowl m		uR/hr			No	60% accessible in kitchen
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Bathroom	Elevated measurements due to NORM in toilet bowl m		uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading is 35" above ground level
F9	2.4	uR/hr	Closet			uR/hr				uR/hr			No	reading is 35" above ground level
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	No washer or dryer installed.
F12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage Shed			uR/hr			No	30% accessible
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
G8	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	reading taken at 42" above floor; 75% accessible
G9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	reading is 68" above ground level; 75% accessible
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	reading is 68" above ground level; 75% accessible
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	No washer or dryer installed; 75% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1217 Mariner Drive Unit B

Unit Summary :

Completion Date: 8/1/2014 2:51 PM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.7 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-H4, A5-A12 partial grids (less than 6") were surveyed with B5-H5, B5-B12. A13-D13 and E14-H14 grids are outside unit interior boundary. A3, B3, A4, and B4 grids belong to 1217 A storage shed.

Summary Statistics :


Total # of Readings:	89	
Average:	3.26	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1217 A storage shed
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1217 A storage shed
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs.
B9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs.
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	reading 1.8 meters from floor for stairs.
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved dryer to survey grid

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs		3.2	uR/hr	Hallway		No	reading .6 meters from floor for stairs.
C9	2.8	uR/hr	Stairs		3.2	uR/hr	Hallway			uR/hr			No	75% accessible. reading .6 meters from floor for stairs.
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.6	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	moved washer to survey grid.
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom	Survey performed within accessible base cabinet.		uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	30% accessible
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible-installed stove
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Carlos Bernal

Signature :



Signoff Notes:

Senior Technician : Antonio Neotti

Signature :



Unit Summary :

Completion Date: 8/1/2014 3:16 PM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 6

Background Reading: 3.2 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

G3, A4-G4, H5-H13, A14-D14 grids are less than 6" and surveyed along with adjacent grids. G1-G2, H1-H2 grids belong to 1217D. Bed in living room (mattress on floor), moved for survey.

Summary Statistics :


Total # of Readings:	82	
Average:	3.31	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible.
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible.
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		No	Kitchen reading taken 12" from floor.

Summary Report
1217 Mariner Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.6	uR/hr	Kitchen		3.2	uR/hr	Storage		3.6	uR/hr	Bathroom		No	Kitchen reading taken 12" from floor.
C10	3.2	uR/hr	Kitchen	Installed Stove.	4.0	uR/hr	Bathroom			uR/hr			No	40% accessible. Kitchen reading taken 12" from floor.
C11	3.2	uR/hr	Dining Room	Installed base cabinets.	3.2	uR/hr	Closet			uR/hr			No	80% accessible.
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Storage		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in living room (mattress on floor), moved for survey
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in living room (mattress on floor), moved for survey
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Stairs reading taken 12" from floor. Bed in living room (mattress on floor), moved for survey
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible. Stairs reading taken 12" from floor.
F10	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Partial grid due to installed washer.
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1217D.
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1217D.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in living room (mattress on floor), moved for survey
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in living room (mattress on floor), moved for survey
G8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Stairs reading taken 44" from floor. Bed in living room (mattress on floor), moved for survey
G9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 44" from floor.
G10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 68" from floor.
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Partial grid due to installed dryer.
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1217D.
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1217D.
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1217 Mariner Drive Unit D

Unit Summary :

Completion Date: 8/4/2014 10:34 AM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 6B

Background Reading: 3.2 uR/hr

Dimensions (m): D 9.3 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A3, B3, A4 and B4 belong to 1217 C. A4-A13 and B4-H4 were less than 6" and were scanned with adjacent grids. Grids in column I and A14 to D14 are outside of floor plan.

Summary Statistics :


Total # of Readings:	111	
Average:	2.99	uR/hr
Standard Deviation:	0.29	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, grid belongs to unit 1217 C
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, grid belongs to unit 1217 C
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 40" from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
B10	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 56" from floor surface
B11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, moved installed dryer to scan grid
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	static taken on stairs 16" from floor surface
C9	2.8	uR/hr	Hallway		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
C10	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	80% accessible, moved installed washer to scan grid
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	