



Summary Report
1217 Mariner Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Storage		2.8	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Kitchen		2.8	uR/hr	Bathroom		2.8	uR/hr	Storage		No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Closet		3.2	uR/hr	Closet		2.8	uR/hr	Kitchen		No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr			No	80% accessible
E14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen		3.2	uR/hr	Living Room		2.8	uR/hr	Storage		No	
F9	3.2	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	
F10	3.2	uR/hr	Kitchen		3.2	uR/hr	Bathroom			uR/hr			No	
F11	3.2	uR/hr	Kitchen	Installed Dishwasher.	2.8	uR/hr	Closet			uR/hr			No	40% accessible
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	moved installed refrigerator
H9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
H10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
H11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
H12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
H14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan




Summary Report
1217 Mariner Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Natalie Rothell

Senior Technician : Raymond Schul

Signature :



Signature :



Signoff Notes:



Unit Summary :


Completion Date: 6/25/2014 11:29 AM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 5
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.66 W 6.76
Unit Furnished: No
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 67
Average: 3.41 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.60 uR/hr
Median: 3.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	50% accessible
A9	3.6	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	50% accessible. installed base cabinets
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible. installed base cabinets
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom		No	
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	15% accessible. installed base cabinets
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom		No	
D9	3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Hallway		4.0	uR/hr	Bathroom			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	stairs reading taken at 20" from floor
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	stairs reading taken at 20" from floor. 50% accessible
F10	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	no washer or dryer in utility room
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1217F
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1217F
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible



Summary Report
1217 Mariner Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Stairs			uR/hr			No	75% accessible. stairs reading taken at 44" from floor
G9	3.2	uR/hr	Stairs			uR/hr				uR/hr			No	75% accessible. stairs reading taken at 44" from floor
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible. stairs reading taken at 68" from floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible. No washer or dryer in utility room.
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1217F
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1217F
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :

Signature :

Signoff Notes:



Unit Summary :


Completion Date: 6/25/2014 2:41 PM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 5B
Background Reading: 3.6 uR/hr
Dimensions (m): D 6.78 W 8.63
Unit Furnished: No
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 71
Average: 3.39 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to 1217E
A4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to 1217E
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 44" from floor
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	Reading taken 44" from floor. 80% accessible
B10	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Reading taken 68" from floor
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	No washer or dryer in utility room
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.6	uR/hr	Stairs		No	
C9	3.2	uR/hr	Hallway			uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	50% accessible



Summary Report
1217 Mariner Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10	3.2	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
C11	3.6	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.6	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	No washer or dryer in utility room
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom		No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	10% accessible. Installed base cabinets
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr			No	75% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible. Installed base cabinets
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible. Installed stove. Installed base cabinets
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
I5	3.6	uR/hr	Mech Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	30% accessible. Partial grid-partial grid due to installed hot water boiler
I6	3.6	uR/hr	Mech Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	90% accessible. partial grid-partial grid due to installed piping
I7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	35% accessible
I8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
J5	3.6	uR/hr	Mech Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	60% accessible. partial grid-partial grid due to installed hot water boiler



Summary Report
1217 Mariner Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J6	3.6	uR/hr	Mech Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	80% accessible. partial grid-partial grid due to installed piping
J7	3.6	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	75% accessible
J8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Summary Report
1218 (1440) Gateview Court Unit A

Unit Summary :

Completion Date: 8/5/2014 11:55 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 5
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


A4-F4 are less than 6" wide and surveyed with adjacent grids. G1, G2, H1, H2 storage shed belongs to unit 1218 (1440) B. D13 falls outside unit.

Summary Statistics :

Total # of Readings: 79
Average: 3.39 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed refrigerator and stove 60% accessible
A10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed stove 60% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1218 (1440) Gateview Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Bathroom		3.6	uR/hr	Living Room	Installed base cabinets.		uR/hr			No	80% accessible
C9	3.6	uR/hr	Bathroom		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
C10	4.0	uR/hr	Bathroom	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway		3.6	uR/hr	Living Room		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1218 (1440) Gateview Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	stairs static taken at 12" above the floor
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	stairs static taken at 12" above the floor 60% accessible
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed clothes dryer 70% accessible
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1218 (1440) B
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1218 (1440) B
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible



**Summary Report
1218 (1440) Gateview Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	80% accessible stairs static taken at 44" above the floor
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible stairs static taken at 44" above the floor
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, stairs static taken at 68" above the floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed washing machine 60% accessible
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1218 (1440) B
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1218 (1440) B



Summary Report
1218 (1440) Gateview Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes	
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible	
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible	

CBI Supervisor : Joyce McGee

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :


Completion Date: 6/18/2014 3:48 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 5B
Background Reading: 3.2 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings: 84
Average: 3.41 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.40 uR/hr
Median: 3.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Utility			uR/hr			No	20% accessible
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A12	2.8	uR/hr	Utility	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible
A13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	n/a - outside unit interior boundary
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Summary Report
1440 Gateview Court (previously 1218) Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on the 5th stair/landing at 12 inches
B10	2.8	uR/hr	Stairs		3.2	uR/hr	Utility			uR/hr			No	static taken reading on the 8th step at 12 inches
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible
B13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	n/a - outside unit interior boundary
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	
C9	3.2	uR/hr	Stairs			uR/hr				uR/hr			No	
C10	3.2	uR/hr	Closet		3.2	uR/hr	Utility			uR/hr			No	
C11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	n/a - outside unit interior boundary
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	n/a - outside unit interior boundary
E4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		4.0	uR/hr	Bathroom			uR/hr			No	Static taken in bathroom underneath the sink
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.4	uR/hr	Bathroom	Grid partially obstructed by installed.		uR/hr				uR/hr			No	10% inaccessible due to toilet bowl
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	



Summary Report
1440 Gateview Court (previously 1218) Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	base cabinet accessible; scan performed at 4" from base
F10	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	

Summary Report
1440 Gateview Court (previously 1218) Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible due to partial grid outside of unit and installed refrigerator
H9	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible due to partial grid outside unit and installed cabinet/stove
H10	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible due to partial grid outside unit and installed oven/cabinet
H11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible


CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/5/2014 12:25 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 6
Background Reading: 3.2 uR/hr
Dimensions (m): D 9.3 W 7.1
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A4 to F4, and H5 to H13 were less than 6" and were scanned with adjacent grids. G1, G2, H1 and H2 were outside floor plan and belong to unit 1218 D.

Summary Statistics :

Total # of Readings: 98
Average: 3.06 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	moved installed refrigerator to scan grid
A9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room		3.2	uR/hr	Storage		No	



**Summary Report
1218 (1440) Gateview Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	2.8	uR/hr	Kitchen		3.2	uR/hr	Storage		3.2	uR/hr	Bathroom		No	
C10	2.8	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	static taken by toilet, 60% accessible
C11	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Storage		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet		3.2	uR/hr	Closet			uR/hr			No	
D12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
D13	2.8	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
D14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	



**Summary Report
1218 (1440) Gateview Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		No	static taken on stairs 16" from floor surface
F9	3.2	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
F10	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
F11	3.2	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
F12	2.8	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
F13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Utility			uR/hr			No	moved installed washer to scan grid, 80% accessible
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1218 D
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1218 D
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1218 (1440) Gateview Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	3.2	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40" from floor surface
G9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
G10	3.2	uR/hr	Storage		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 56" from floor surface
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Utility			uR/hr				uR/hr			No	moved installed dryer to scan grid, 80% accessible
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1218 D
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1218 D
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible




CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



	No anomalous measurements
	Inaccessible (no measurement collected)
	Anomaly (elevated measurement)

SHED A1 STORAGE	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1218C storage shed
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1218C storage shed
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs
B10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading taken at 1.8 meters from floor for stairs due to wall construction.
B11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved dryer to survey grid.
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs		3.2	uR/hr	Hallway		No	reading .6 meters from floor for stairs
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	75% accessible. reading .6 meters from floor for stairs
C10	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.6	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
C13	3.2	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	moved washer to survey grid.
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	



**Summary Report
1218 (1440) Gateview Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
E9	3.6	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Closet		3.6	uR/hr	Closet			uR/hr			No	2nd optional reading is kitchen closet
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Storage		No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Storage			uR/hr			No	
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	40% accessible
F11	3.2	uR/hr	Dining Room		3.6	uR/hr	Closet			uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1218 (1440) Gateview Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	moved refrigerator to survey grid.
H9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
H11	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



Summary Report
1218 (1440) Gateview Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Summary Report
1218 (1440) Gateview Court Unit E

Unit Summary :

Completion Date: 8/5/2014 1:08 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 5
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
Grids A4-F4 are less than 6", surveyed with adjacent grids. Grids G1, G2, H1 and H2 belong to unit 1218F. Grid D13 is outside of floor plan.

Summary Statistics :

Total # of Readings: 79
Average: 3.05 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr			No	60% accessible
A9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible, installed base cabinets
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1218 (1440) Gateview Court Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	
C10	2.8	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom	Grid partially contained within wall construction.		uR/hr			No	80% accessible
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	



**Summary Report
1218 (1440) Gateview Court Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	reading on stairs taken at .6 m from ground level
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible, reading on stairs taken at .4 m from ground level
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, washer moved for survey
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1218 (1440) F
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1218 (1440) F
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	80% accessible, reading on stairs taken at 1.1 m from ground level
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, reading on stairs taken at 1.1 m from ground level, grid in wall construction
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, reading on stairs taken at 1.6 m from ground level
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, second refrigerator moved for survey
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, dryer moved for survey
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1218 (1440) F
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1218 (1440) F



Summary Report
1218 (1440) Gateview Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, survey performed in installed base cabinets




CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/5/2014 12:12 PM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 5B
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
B1-B2, A4-H4 grids are less than 6" wide and were surveyed along with adjacent grids. A3-B3 grids belong to 1218E. Grids A13-D13 and E14-H14 are outside of floor plan.

Summary Statistics :

Total # of Readings: 106
Average: 3.38 uR/hr
Standard Deviation: 0.30 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to unit 1218E
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 68" from floor.
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid due to installed dryer.



**Summary Report
1218 (1440) Gateview Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to unit 1218E
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 44" from floor.
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible. Stairs reading taken 44" from floor.
B10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 68" from floor.
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	30% accessible.
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		3.6	uR/hr	Hallway		No	Stairs reading taken 12" from floor.



**Summary Report
1218 (1440) Gateview Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.6	uR/hr	Hallway			uR/hr			No	40% accessible. Stairs reading taken 12" from floor.
C10	3.6	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility	Washing machine within grid.	3.2	uR/hr	Hallway			uR/hr			No	30% accessible.
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom		No	
D9	3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	



**Summary Report
1218 (1440) Gateview Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E12	3.6	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible.
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1218 (1440) Gateview Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	60% accessible.
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Kitchen reading taken 12" from floor inside base cabinet. Partial grid due to installed stove.
H10	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Kitchen reading taken 12" from floor inside base cabinet. Partial grid due to installed stove.
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H12	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.



Summary Report
1218 (1440) Gateview Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J6	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	80% accessible.
J7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	10% accessible.
J8	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	65% accessible.
J9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible.
K6	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. Partial grid due to installed furnace.
K7	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. Partial grid due to installed water heater.
K8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. Partial grid due to installed water heater.
K9	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.




CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/4/2014 10:44 AM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 5
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.7 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:

A4-F4 partial grids (<6") surveyed with A5-F5 grids. D13 is outside unit interior boundary. G1, H1, G2, H2 belong to 1219 B storage shed. 2 beds in living room were moved to perform survey.

Summary Statistics :

Total # of Readings: 86
Average: 3.20 uR/hr
Standard Deviation: 0.20 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
A9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		No	
C9	3.2	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	40% accessible



**Summary Report
1219 Mariner Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid



Summary Report
1219 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	reading .6 meters from floor for stairs. moved bed to survey grid
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible. reading .6 meters from floor for stairs
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved washer to survey grid.
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1219 B storage shed
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1219 B storage shed
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. moved bed to survey grid

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs. moved bed to survey grid
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.8 meters from floor for stairs
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. moved dryer to survey grid.
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1219 B storage shed
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1219 B storage shed
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
J5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible
J6	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	95% accessible



Summary Report
1219 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	90% accessible
J8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible
K6	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	70% accessible
K7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible
K8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/4/2014 10:18 AM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids A4 to H4 are less than 6" and were surveyed with adjacent row. Grids A3, A4, B3, B4 are shed belonging to Unit 1219A. Grids A13-D13 and E14-H14 are outside of floor plan.

Summary Statistics :

Total # of Readings: 98

Average: 2.91 uR/hr

Standard Deviation: 0.26 uR/hr

Minimum: 2.00 uR/hr


Maximum: 3.60 uR/hr

Median: 2.40 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1219A.
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	30% accessible, survey on stairs performed at 1.1 m from ground level
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, survey on stairs performed at 1.1 m from ground level
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, survey on stairs performed at 1.6 m from ground level
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, dryer moved for survey
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1219A.
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	survey on stairs performed at .8 m from ground level
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, survey on stairs performed at 1 m from ground level
B10	3.2	uR/hr	Closet		2.0	uR/hr	Stairs			uR/hr			No	survey on stairs performed at 1.6 m from ground level
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed washer and dryer
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		No	survey on stairs performed at .4 m from ground level
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	2.8	uR/hr	Hallway			uR/hr			No	60% accessible, survey on stairs performed at .4 m from ground level
C10	3.2	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr			No	50% accessible, installed washer
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	



**Summary Report
1219 Mariner Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr			No	95% accessible
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	



**Summary Report
1219 Mariner Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accessible, refrigerator moved for survey
G9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
G10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



Summary Report
1219 Mariner Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr			No	50% accessible, installed refrigerator moved for survey
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed refrigerator moved for survey, survey performed in base cabinets
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed stove, survey performed in base cabinets
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/4/2014 10:17 AM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 6
Background Reading: 3.6 uR/hr
Dimensions (m): D 9.1 W 7
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


G3, A4-G4 grids are less than 6" wide and were surveyed with adjacent grids. A14-D14, H5-H13 grids are outside of floor plan. G1-G2, H1-H2 grids belong to 1219D.

Summary Statistics :

Total # of Readings: 107
Average: 3.37 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible.
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1219 Mariner Drive Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.6	uR/hr	Storage		No	Kitchen reading taken 12" from floor inside base cabinet.
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		3.6	uR/hr	Storage		No	Kitchen reading taken 12" from floor inside base cabinet.
C10	4.0	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	40% accessible. Kitchen reading taken 12" from floor inside base cabinet.
C11	3.6	uR/hr	Dining Room		3.6	uR/hr	Closet			uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Storage		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.6	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet		3.6	uR/hr	Closet		3.2	uR/hr	Dining Room		No	
D12	3.2	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	
D13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	95% accessible.



**Summary Report
1219 Mariner Drive Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		No	Stairs reading taken 12" from floor.
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	40% accessible. Stairs reading taken 12" from floor.
F10	3.2	uR/hr	Storage		3.6	uR/hr	Hallway			uR/hr			No	
F11	3.2	uR/hr	Storage		3.2	uR/hr	Hallway		3.2	uR/hr	Utility		No	
F12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	60% accessible. Partial grid due to installed washer.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1219D.
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1219D.
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Stairs reading taken 44" from floor.
G9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G10	2.4	uR/hr	Storage			uR/hr				uR/hr			No	Stairs reading taken 68" from floor.
G11	3.6	uR/hr	Storage		3.2	uR/hr	Utility			uR/hr			No	
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Partial grid due to installed dryer.
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1219D.
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1219D.
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.



Summary Report
1219 Mariner Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
H6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
H7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
H8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
H9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
H10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
H11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
H12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
H13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :

Signature :

Signoff Notes:



Unit Summary :


Completion Date: 6/19/2014 4:29 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 6B
Background Reading: 3.2 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings: 103
Average: 3.37 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A2	4.0	uR/hr	No		Storage Shed		uR/hr	
A3	4.0	uR/hr	No		Storage Shed		uR/hr	
A4	3.6	uR/hr	No		Storage Shed	3.2	uR/hr	Living Room
A5	3.2	uR/hr	No	partial grid 40% accessible- partially contained within wall construction.	Living Room		uR/hr	
A6	3.2	uR/hr	No	partial grid 40% accessible- partially contained within wall construction.	Living Room		uR/hr	
A7	3.2	uR/hr	No	partial grid 40% accessible- partially contained within wall construction.	Living Room		uR/hr	
A8	3.2	uR/hr	No	partial grid 20% accessible contained within wall construction	Living Room	2.8	uR/hr	Stairs
A9	2.8	uR/hr	No	20% surveyed	Stairs		uR/hr	
A10	2.4	uR/hr	No	reading 1.3 meters above apartment first floor	Stairs		uR/hr	
A11	3.2	uR/hr	No	10% accessible	Storage		uR/hr	
A12	3.2	uR/hr	No	20% accessible	Utility		uR/hr	
A13	3.2	uR/hr	No	20% accessible	Utility		uR/hr	
A14		uR/hr	No	9.2 meters L x 7.3 meters W			uR/hr	
B2	4.0	uR/hr	No		Storage Shed		uR/hr	
B3	4.0	uR/hr	No	20% accessible	Storage Shed		uR/hr	
B4	3.2	uR/hr	No	partial grid 25% accessible- partially contained within wall construction.	Living Room	3.6	uR/hr	Storage Shed
B5	3.6	uR/hr	No		Living Room		uR/hr	
B6	3.2	uR/hr	No		Living Room		uR/hr	
B7	3.6	uR/hr	No		Living Room		uR/hr	
B8	3.2	uR/hr	No		Living Room	2.8	uR/hr	Stairs
B9	2.8	uR/hr	No		Stairs		uR/hr	
B10	3.2	uR/hr	No	15% accessible	Storage		uR/hr	
B11	3.2	uR/hr	No	70% accessible	Storage		uR/hr	
B12	3.2	uR/hr	No		Utility		uR/hr	
B13	3.2	uR/hr	No		Utility		uR/hr	



**Summary Report
1219 Mariner Drive Unit D**

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
B14		uR/hr	No	9.2 meters L x 7.3 meters W			uR/hr	
C4	3.2	uR/hr	No	partial grid 25% accessible- partially contained within wall construction.	Living Room		uR/hr	
C5	3.6	uR/hr	No		Living Room		uR/hr	
C6	3.6	uR/hr	No		Living Room		uR/hr	
C7	3.6	uR/hr	No		Living Room		uR/hr	
C8	3.6	uR/hr	No		Living Room	2.8	uR/hr	Stairs
C9	2.8	uR/hr	No		Stairs		uR/hr	
C10	3.2	uR/hr	No		Storage	3.2	uR/hr	Hallway
C11	3.2	uR/hr	No	s	Storage	3.2	uR/hr	Hallway
C12	3.2	uR/hr	No		Utility	3.6	uR/hr	Hallway
C13	3.6	uR/hr	No		Utility	3.6	uR/hr	Hallway
C14		uR/hr	No	9.2 meters L x 7.3 meters W			uR/hr	
D4	3.2	uR/hr	No	partial grid 25% accessible- partially contained within wall construction.	Living Room		uR/hr	
D5	3.6	uR/hr	No		Living Room		uR/hr	
D6	3.6	uR/hr	No		Living Room		uR/hr	
D7	3.6	uR/hr	No		Living Room		uR/hr	
D8	3.6	uR/hr	No		Living Room	3.2	uR/hr	Storage
D9	3.6	uR/hr	No		Hallway	3.2	uR/hr	Storage
D10	3.2	uR/hr	No		Hallway	3.2	uR/hr	Bathroom
D11	3.6	uR/hr	No		Hallway	3.2	uR/hr	Closet
D12	3.6	uR/hr	No		Hallway		uR/hr	
D13	3.6	uR/hr	No		Hallway		uR/hr	
D14		uR/hr	No	9.2 meters L x 7.3 meters W			uR/hr	
E4	3.2	uR/hr	No	partial grid 25% accessible- partially contained within wall construction.	Living Room		uR/hr	
E5	3.6	uR/hr	No		Living Room		uR/hr	
E6	3.6	uR/hr	No		Living Room		uR/hr	
E7	3.6	uR/hr	No		Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E8	3.6	uR/hr	No		Living Room	3.2	uR/hr	Storage
E9	3.2	uR/hr	No		Storage	3.6	uR/hr	Bathroom
E10	3.6	uR/hr	No		Bathroom		uR/hr	
E11	3.2	uR/hr	No	hallway and dining room closets share a wall	Closet	3.2	uR/hr	Closet
E12	3.2	uR/hr	No		Hallway	3.2	uR/hr	Dining Room
E13	3.2	uR/hr	No		Kitchen	3.2	uR/hr	Hallway
E14	3.2	uR/hr	No	partial grid 10% accessible- partially contained within wall construction.	Dining Room		uR/hr	
F4	3.2	uR/hr	No	partial grid 25% accessible- partially contained within wall construction.	Living Room		uR/hr	
F5	3.6	uR/hr	No		Living Room		uR/hr	
F6	3.6	uR/hr	No		Living Room		uR/hr	
F7	3.6	uR/hr	No		Living Room		uR/hr	
F8	3.6	uR/hr	No		Living Room	3.2	uR/hr	Storage
F9	3.2	uR/hr	No		Kitchen	3.6	uR/hr	Bathroom
F10	3.2	uR/hr	No		Kitchen	3.6	uR/hr	Bathroom
F11	3.2	uR/hr	No		Kitchen	3.2	uR/hr	Closet
F12	3.2	uR/hr	No		Dining Room		uR/hr	
F13	3.2	uR/hr	No		Dining Room		uR/hr	
F14	3.2	uR/hr	No	partial grid 40% accessible- partially contained within wall construction.	Dining Room		uR/hr	
G4	3.6	uR/hr	No	partial grid 25% accessible- partially contained within wall construction.	Living Room		uR/hr	
G5	3.6	uR/hr	No		Living Room		uR/hr	
G6	3.6	uR/hr	No		Living Room		uR/hr	
G7	3.6	uR/hr	No		Living Room		uR/hr	
G8	3.2	uR/hr	No	survey performed within accessible base cabinet	Living Room		uR/hr	
G9	3.2	uR/hr	No	survey performed within accessible base cabinet	Kitchen		uR/hr	
G10	3.6	uR/hr	No	survey performed within accessible base cabinet. partial grid 10% non-accessible -installed dishwasher	Kitchen		uR/hr	
G11	3.6	uR/hr	No		Kitchen		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
G12	3.2	uR/hr	No		Dining Room		uR/hr	
G13	3.2	uR/hr	No		Dining Room		uR/hr	
G14	3.2	uR/hr	No	partial grid 40% accessible- partially contained within wall construction.	Dining Room		uR/hr	
H4	3.6	uR/hr	No	partial grid 25% accessible- partially contained within wall construction.	Living Room		uR/hr	
H5	3.6	uR/hr	No		Living Room		uR/hr	
H6	3.2	uR/hr	No		Living Room		uR/hr	
H7	3.2	uR/hr	No		Living Room		uR/hr	
H8	3.2	uR/hr	No	partial grid 20% accessible in kitchen -installed refrigerator	Living Room	3.2	uR/hr	Kitchen
H9	3.2	uR/hr	No	partial grid 80% accessible- installed refrigerator. survey performed within accessible base cabinet	Kitchen		uR/hr	
H10	3.2	uR/hr	No	partial grid 40% accessible- installed stove	Kitchen		uR/hr	
H11	3.2	uR/hr	No	survey performed within accessible base cabinet	Kitchen		uR/hr	
H12	3.6	uR/hr	No		Dining Room		uR/hr	
H13	3.2	uR/hr	No		Dining Room		uR/hr	
H14	3.2	uR/hr	No	partial grid 40% accessible- partially contained within wall construction.	Dining Room		uR/hr	
I4		uR/hr	No	9.2 meters L x 7.3 meters W			uR/hr	
I5		uR/hr	No	9.2 meters L x 7.3 meters W			uR/hr	
I6		uR/hr	No	9.2 meters L x 7.3 meters W			uR/hr	
I7		uR/hr	No	9.2 meters L x 7.3 meters W			uR/hr	
I8		uR/hr	No	9.2 meters L x 7.3 meters W			uR/hr	
I9		uR/hr	No	9.2 meters L x 7.3 meters W			uR/hr	
I10		uR/hr	No	9.2 meters L x 7.3 meters W			uR/hr	
I11		uR/hr	No	9.2 meters L x 7.3 meters W			uR/hr	
I12		uR/hr	No	9.2 meters L x 7.3 meters W			uR/hr	
I13		uR/hr	No	9.2 meters L x 7.3 meters W			uR/hr	
I14		uR/hr	No	9.2 meters L x 7.3 meters W			uR/hr	



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Unit Summary :

Completion Date: 8/4/2014 10:56 AM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 5
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
Grids G1, G2 H1 and H2 belong to adjacent unit 1219-F, D13 is outside of survey unit.

Summary Statistics :

Total # of Readings: 95
Average: 2.60 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.4	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	refrigerator moved for survey
A9	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible, survey inside installed cabinets
A10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1219 Mariner Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.4	uR/hr	Living Room		2.4	uR/hr	Bathroom		No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bathroom			uR/hr			No	
C10	2.8	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom		2.8	uR/hr	Dining Room		No	50% accessible
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Bathroom		2.4	uR/hr	Hallway		2.4	uR/hr	Living Room		No	
D9	2.4	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		2.4	uR/hr	Hallway			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1219 Mariner Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Hallway		2.4	uR/hr	Living Room		2.4	uR/hr	Stairs		No	Stair static taken at 0.3 meters above floor level
E9	2.8	uR/hr	Hallway		2.4	uR/hr	Stairs		2.8	uR/hr	Closet		No	Stair static taken at 0.3 meters above floor level
E10	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
F4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Stairs		2.4	uR/hr	Living Room			uR/hr			No	Stair static taken at 0.7 meters above floor level



**Summary Report
1219 Mariner Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.8	uR/hr	Closet	Grid partially contained within wall construction.	2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 0.7 meters above floor level, 40% accessible
F10	2.8	uR/hr	Closet		2.4	uR/hr	Utility			uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1219-F
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1219-F
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Storage Shed			uR/hr			No	50% accessible
G5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, survey scan over 1" thick particle wood TV stand (non-movable)
G7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room			uR/hr			No	80% accessible, Stair static taken at 1.1 meters above floor level



Summary Report
1219 Mariner Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 1.5 meters above floor level
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.4	uR/hr	Utility			uR/hr			No	80% accessible, Stair static taken at 1.7 meters above floor level
G11	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1219-F
H2		uR/hr				uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1219-F
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/4/2014 10:15 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 5B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


A3, A4, B3, B4 storage shed belongs to unit 1219E, A4-H4 are less than 6" and are surveyed with adjacent grid. A13-D13 and E14-H14 fall outside unit

Summary Statistics :

Total # of Readings: 99
Average: 3.36 uR/hr
Standard Deviation: 0.32 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1219E
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	20% accessible, static taken at 44" above floor
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, static taken at 44" above floor
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, static taken at 68" above floor
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



**Summary Report
1219 Mariner Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Storage Shed			uR/hr				uR/hr			No	storage shed belongs to unit 1219E
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken 44" above floor
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible, static taken at 44" above floor
B10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	stairs static taken 68" above floor
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, installed stackable washer & dryer moved for survey
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	stairs static taken 12" above floor



**Summary Report
1219 Mariner Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	stairs static taken 12" above floor
C10	3.2	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	90% accessible
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.6	uR/hr	Living Room		3.2	uR/hr	Hallway		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Bathroom		3.6	uR/hr	Living Room			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	



Summary Report
1219 Mariner Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	95% accessible
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room			uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Living Room			uR/hr			No	90% accessible



Summary Report
1219 Mariner Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	4.0	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible installed refrigerator
H9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	30% accessible installed refrigerator, installed stove, remainder of grid falls outside
H10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed stove 30% accessible, remainder of grid falls outside unit
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible



Summary Report
1219 Mariner Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H12	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Joyce McGee

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/3/2014 10:27 AM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 5
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.3 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


A4 thru F4 grids are outside of floor plan

Summary Statistics :

Total # of Readings: 88
Average: 3.26 uR/hr
Standard Deviation: 0.23 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Mech Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	20% accessible. Partial grid-partial grid due to installed furnace
A2	3.2	uR/hr	Mech Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	10% accessible. Partial grid-partial grid due to installed water heater and piping
A3	3.2	uR/hr	Mech Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	80% accessible. Partial grid-partial grid due to installed water heater
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B1	3.2	uR/hr	Mech Room	Grids are outside unit interior boundary.		uR/hr	Bathroom			uR/hr			No	60% accessible. Partial grid-partial grid due to installed furnace
B2	3.6	uR/hr	Mech Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	60% accessible. Partial grid-partial grid due to installed water heater
B3	3.6	uR/hr	Mech Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	60% accessible. Partial grid-partial grid due to installed water heater and piping
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom		No	Kitchen reading taken 9" from floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	Kitchen reading taken 9" from floor
C10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	Kitchen reading taken 9" from floor. 80% accessible. Partial grid-partial grid due to installed dishwasher
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		No	
D9	3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs			uR/hr			No	Stairs reading taken 12" from floor
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 28" from floor
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible. Stairs reading taken 28" from floor
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1220B
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1220B
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	80% accessible. Stairs reading taken 44" from floor
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Reading taken 44" from floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Reading taken 68" from floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	60% accessible
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1220B
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1220B
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Unit Summary :


Completion Date: 7/3/2014 10:02 AM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 5B
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: No
Unit Notes:

Summary Statistics :

Total # of Readings: 98
Average: 2.64 uR/hr
Standard Deviation: 0.27 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Storage Shed		2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	60% accessible. Shed dimension: 1.7m x 1.2m.
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A8	2.0	uR/hr	Stairs		2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible. Stairs static taken at 1.1 meters from ground level.
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs static taken at 1.1 meters from ground level.
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs static taken at 1.5 meters from ground level.
A11	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Moved clothing dryer to survey.



**Summary Report
1220 Bayside Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible. Shed dimension: 1.7m x 1.2m.
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Stairs		2.4	uR/hr	Living Room			uR/hr			No	Stairs static taken at 1.1 meters from ground level.
B9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken at 1.1 meters from ground level.
B10	2.0	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	Stairs static taken at 1.5 meters from ground level.
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.4	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	50% accessible
C4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room		2.4	uR/hr	Stairs		No	Stairs static taken at 0.5 meters from ground level.
C9	2.8	uR/hr	Hallway		2.4	uR/hr	Stairs			uR/hr			No	Stairs static taken at 0.5 meters from ground level.
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Washing machine within grid.	2.4	uR/hr	Hallway			uR/hr			No	60% accessible
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.4	uR/hr	Hallway		No	
D9	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
D10	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Bathroom		2.4	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E12	2.4	uR/hr	Dining Room		2.4	uR/hr	Hallway			uR/hr			No	
E13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.4	uR/hr	Living Room			uR/hr			No	
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	35% accessible.
F11	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.



Summary Report
1220 Bayside Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H8	2.4	uR/hr	Kitchen		2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	Pulled out refrigerator to survey. 50% accessible.
H9	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	30% accessible due to grid falling outside of unit footprint.
H10	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	15% accessible
H11	2.4	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	50% accessible due to grid falling outside of unit footprint.
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.




CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/3/2014 1:00 PM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 4

Background Reading: 3.2 uR/hr

Dimensions (m): D 7.9 W 6.5

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

there was a bed in the living room , A13 through G13 are outside apartment footprint, top shed belongs to unit 1220D

Summary Statistics :

Total # of Readings: 75

Average: 3.18 uR/hr

Standard Deviation: 0.30 uR/hr

Minimum: 2.40 uR/hr


Maximum: 4.00 uR/hr

Median: 2.80 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	scanned on shelf of unstable/nonmovable bookshelf. Wooden shelf is 3 inches high took static reading 12 inches above floor. 30% accessible.
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
A9	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible
A10	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	20% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
C9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
C10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Dining Room	Installed base cabinets.		uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Hallway		4.0	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	static reading taken on stairs at 12 inches above floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	static reading taken on stairs at 12 inches above floor
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	static reading taken on stairs at 28 inches above floor
F9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static reading taken on stairs at 28 inches above floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible
G3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	30% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible



Summary Report
1220 Bayside Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	static reading taken on stairs at 40 inches above floor 30% accessible and 20% accessible in the living room
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static reading taken on stairs at 40 inches above floor 50% accessible
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static reading taken on stairs at 64 inches above floor 50% accessible
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible
H3	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :


Completion Date: 7/3/2014 1:22 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 4B
Background Reading: 2.8 uR/hr
Dimensions (m): D 9.4 W 6.5
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 108
Average: 2.87 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.00 uR/hr
Maximum: 4.00 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1220 C.
A4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	static taken on stair 40 inches from floor surface, 10% accessible
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stair 40 inches from floor surface, 10% accessible
A10	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	static taken on stair 64 inches from floor surface, 10% accessible
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible



Summary Report
1220 Bayside Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1220 C.
B4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stair 40 inches from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stair 40 inches from floor surface
B10	2.8	uR/hr	Closet		2.0	uR/hr	Stairs			uR/hr			No	static taken on stair 64 inches from floor surface
B11	2.8	uR/hr	Closet		2.8	uR/hr	Utility			uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stair 24 inches from floor surface
C9	2.4	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	static taken on stair 24 inches from floor surface
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Closet		2.8	uR/hr	Hallway		No	
C12	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
D9	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of interior boundary.
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	2.8	uR/hr	Kitchen		3.2	uR/hr	Bathroom			uR/hr			No	
E10	2.8	uR/hr	Kitchen		4.0	uR/hr	Bathroom			uR/hr			No	
E11	2.8	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E12	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
F9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
F10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	30% accessible
G10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible



CBI Supervisor : Daniel Fielding

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/3/2014 12:21 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 5
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.8 W 6.8
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Actual dimensions 6.8 meters by 8.8 meters, no partial grids as shown.

Summary Statistics :

Total # of Readings: 81
Average: 3.28 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	60% accessible
A9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible-installed refrigerator
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen		3.2	uR/hr	Bathroom		No	
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	
C10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	50% accessible from bathroom, kitchen half of grid cell installed dishwasher
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1220 Bayside Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom	Survey performed within accessible base cabinet.		uR/hr			No	
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	30% accessible
G2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	60% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	80% accessible. stairs reading taken 1.3 meters from apartment first floor
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, reading 1.3 meters from apartment first floor
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.8 meters from apartment first floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible



Summary Report
1220 Bayside Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. moved clothes dryer to survey grid
H2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Unit Summary :

Completion Date: 7/10/2014 11:34 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 5B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.7 W 6.7
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


scan of the shed exterior was between 3.6 µR/hr & 4.4 µR/hr.

Summary Statistics :

Total # of Readings: 98
Average: 3.23 uR/hr
Standard Deviation: 0.37 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.80 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1220-E
A2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1220-E
A3	3.6	uR/hr	Storage Shed	Survey performed on non-movable item.		uR/hr				uR/hr			No	Drums in shed. 20% accessible
A4	3.6	uR/hr	Storage Shed		3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	5% accessible (living room). scrap metal in shed. 20% accessible
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	static reading taken on stairs at 44 inches from floor. 30% accessible
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static reading taken on stairs at 52 inches from floor. 30% accessible
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static reading taken on stairs at 64 inches from floor. 30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Installed clothes dryer.
A13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is outside of floor plan
B1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1220-E
B2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1220-E
B3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Drums in shed. 10% accessible
B4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	20% accessible (living room). 10% accessible (storage. shed)
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static reading taken on stairs at 44 inches from floor
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static reading taken on stairs at 52 inches from floor



**Summary Report
1220 Bayside Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	static reading taken on stairs at 64 inches from floor
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Installed clothes dryer.
B13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is outside of floor plan
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static reading taken on stairs at 28 inches from floor
C9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static reading taken on stairs at 28 inches from floor
C10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	80% accessible. Installed washing machine grid.
C13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is outside of floor plan



**Summary Report
1220 Bayside Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway		4.8	uR/hr	Bathroom			uR/hr			No	elevated measurements for optional static due to NORM in toilet bowl material
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is outside of floor plan
E4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.4	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	elevated measurements due to NORM in toilet bowl material
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	



**Summary Report
1220 Bayside Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Dining Room			uR/hr			No	90% accessible
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible static taken on cabinet 3 inches from floor
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
F9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	80% accessible
G8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible static reading taken on shelf 3 inches from floor
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible static reading taken on shelf 3 inches from floor
H7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	20% accessible static reading taken on shelf 3 inches from floor
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible due to unmovable object ,cabinet.
H9	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible. installed base cabinets and refrigerator
H10	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible also installed stove
H11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	40% accessible



Summary Report
1220 Bayside Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static reading taken on shelf 3 inches from floor. 30% accessible



CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/3/2014 12:27 PM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 4
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.4 W 6.5
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A-F4, A-C13 grids are outside floor plan

Summary Statistics :

Total # of Readings: 85
Average: 3.20 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom		No	Kitchen reading taken 9" from floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	Kitchen reading taken 9" from floor
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.2	uR/hr	Dining Room		4	uR/hr	Bathroom		No	50% accessible
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
D9	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Hallway		4.0	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor
E9	3.6	uR/hr	Hallway		3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	50% accessible. Stairs reading taken 12" from floor
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	



Summary Report
1220 Bayside Drive Unit G

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Utility			uR/hr			No	80% accessible
E13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 28" from floor
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible. Stairs reading taken 28" from floor
F10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	Stairs reading taken 68" from floor
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1220H
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1220H
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G8	3.2	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Stairs reading taken 44" from floor
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Stairs reading taken 44" from floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Stairs reading taken 68" from floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1220H
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1220H



Summary Report
1220 Bayside Drive Unit G

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :

A handwritten signature in black ink on a light blue background. The signature is written in a cursive style and appears to read "Garrick Anderson".

Signature :

A handwritten signature in black ink on a light blue background. The signature is written in a cursive style and appears to read "Patricia Lozano".

Signoff Notes:



Unit Summary :


Completion Date: 7/3/2014 12:33 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 4B
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.1 W 6.5
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 103
Average: 2.68 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Shed dimensions: 1.7m x 1.1m (D x W).
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Shed dimensions: 1.7m x 1.1m (D x W).
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1220 G.
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
A5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible. Stairs static taken 1.1 meters above ground level.
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs static taken 1.1 meters above ground level.
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs static taken 1.5 meters above ground level.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
A13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit depth is 8.1 meters.
B1		uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	A narrow area (less than 6" wide) is absorbed into grid A1. Performed scan survey only.
B2		uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	A narrow area (less than 6" wide) is absorbed into grid A2. Performed scan survey only.
B3		uR/hr	Storage Shed			uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1220 G.
B4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Stairs		2.4	uR/hr	Living Room			uR/hr			No	Stairs static taken 1.1 meters above ground level.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken 1.1 meters above ground level.
B10	2.0	uR/hr	Stairs		2.4	uR/hr	Closet			uR/hr			No	Stairs static taken 1.5 meters above ground level.
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.4	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible.
B13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit depth is 8.1 meters.
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Hallway		2.4	uR/hr	Living Room		2.4	uR/hr	Stairs		No	Stairs static taken 0.5 meters above ground level.
C9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken 0.5 meters above ground level.
C10	2.8	uR/hr	Hallway		2.4	uR/hr	Closet			uR/hr			No	
C11	2.4	uR/hr	Hallway		2.4	uR/hr	Utility			uR/hr			No	
C12	2.4	uR/hr	Utility	Washing machine within grid.	2.4	uR/hr	Hallway			uR/hr			No	40% accessible.
C13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit depth is 8.1 meters.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
D9	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr	Bathroom			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom	Elevated measurements due to NORM in toilet bowl m	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway		No	
E11	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Hallway			uR/hr			No	90% accessible.
E13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit depth is 8.1 meters.
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible.
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit depth is 8.1 meters.
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible.
G11	2.8	uR/hr	Dining Room	Installed Stove.		uR/hr				uR/hr			No	60% accessible.
G12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit depth is 8.1 meters.
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Kitchen			uR/hr			No	20% accessible due to grid falling outside of unit footprint. Pulled out refrigerator and surveyed.
H9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	20% accessible due to grid falling outside of unit footprint. Pulled out refrigerator and surveyed.
H10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	20% accessible due to grid falling outside of building footprint.
H11	2.8	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	20% accessible due to grid falling outside of building footprint.



Summary Report
1220 Bayside Drive Unit H

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
H13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit depth is 8.1 meters.



CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/4/2014 12:25 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 5
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
A4 to F4 are less than 6" and were scanned with adjacent grids. G1, G2 and H1 and H2 belong to unit 1221 B. D13 is outside of floor plan.

Summary Statistics :

Total # of Readings: 82
Average: 3.04 uR/hr
Standard Deviation: 0.33 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	moved installed refrigerator to scan grid
A9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room		2.0	uR/hr	Hallway		No	
C9	3.2	uR/hr	Kitchen		3.2	uR/hr	Bathroom			uR/hr			No	



Summary Report
1221 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10	3.2	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1221 Mariner Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
F9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 16" from floor surface
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved installed washer to scan grid
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to unit 1221 B, outside floor plan
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to unit 1221 B, outside floor plan
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 40" from floor surface, 80% accessible



Summary Report
1221 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 40" from floor surface, 80% accessible
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 56" from floor surface, 80% accessible
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	moved installed dryer to scan grid, 80% accessible
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to unit 1221 B, outside floor plan
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to unit 1221 B, outside floor plan
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/4/2014 1:00 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 5B
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.7 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


A4-H4, A5-A12 partial grids (less than 6") were surveyed with B5-H5, B5-B12. A13-D13 and E14-H14 grids are outside unit interior boundary. A3, B3, A4, B4 grids belong to 1221 A storage shed.

Summary Statistics :

Total # of Readings: 89
Average: 3.41 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1221 A storage shed
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1221 A storage shed
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs
B10	2.4	uR/hr	Stairs		3.6	uR/hr	Closet			uR/hr			No	reading 1.8 meters from floor for stairs
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	moved dryer to survey grid



**Summary Report
1221 Mariner Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	reading .6 meters from floor for stairs
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.6	uR/hr	Hallway			uR/hr			No	75% accessible. reading .6 meters from floor for stairs
C10	3.6	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
C12	3.6	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	moved washer to survey grid
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1221 Mariner Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	70% accessible. moved refrigerator to survey grid.
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible-installed stove
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible-installed stove



Summary Report
1221 Mariner Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/4/2014 1:02 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 6
Background Reading: 3.2 uR/hr
Dimensions (m): D 9.2 W 7.1
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Grids A4-F4, H5-H13, and A14-D14 are under 6" and included in survey for adjacent row/column.
Grids G1, G2, H1, and H2 are shed belonging to 1221D.

Summary Statistics :

Total # of Readings: 92
Average: 3.02 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible
A9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible, installed refrigerator, survey performed in base cabinets
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	3.2	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		3.6	uR/hr	Bathroom		No	
C10	2.8	uR/hr	Kitchen		3.2	uR/hr	Bathroom			uR/hr			No	
C11	2.8	uR/hr	Dining Room		2.8	uR/hr	Closet			uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
D9	3.2	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Closet		2.8	uR/hr	Closet			uR/hr			No	Readings taken in two different closets
D12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
D13	2.8	uR/hr	Dining Room	Grid partially contained within wall construction.	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr			No	85% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		No	reading on stairs taken at .4 m from ground level
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	90% accessible, reading on stairs taken at .4 m from ground level
F10	3.2	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
F11	3.2	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
F12	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr			No	40% accessible, washer moved for survey
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1221D
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1221D
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 1 m from ground level
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible, reading on stairs taken at 1 m from ground level
G10	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, dryer moved for survey
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1221D
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1221D
H3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :

A handwritten signature in black ink on a light blue background. The signature is written in a cursive style and appears to read "S Phelps".

Signature :

A handwritten signature in black ink on a light blue background. The signature is written in a cursive style and appears to read "E Ramirez".

Signoff Notes:



Unit Summary :

Completion Date: 8/4/2014 12:57 PM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 6B
Background Reading: 3.6 uR/hr
Dimensions (m): D 9.3 W 7.1
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


B1-B2, A4-H4 are less than 6" surveyed with adjacent grids. A3-B3 belong to 1221C. Grids in column I and A14-D14 are outside of floor plan. Grids in column I and A14-D14 are outside of floor plan.

Summary Statistics :

Total # of Readings: 122
Average: 3.32 uR/hr
Standard Deviation: 0.27 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1221C.
A5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 68" from floor.
A11	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.	2.8	uR/hr	Utility			uR/hr			No	20% accessible.
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.



**Summary Report
1221 Mariner Drive Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid due to installed dryer.
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1221C.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 44" from floor.
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
B10	3.2	uR/hr	Storage		2.4	uR/hr	Stairs			uR/hr			No	Stairs reading taken 68" from floor.
B11	3.2	uR/hr	Storage		3.2	uR/hr	Utility			uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	50% accessible.
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	40% accessible. Stairs reading taken 12" from floor.
C10	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
C13	3.6	uR/hr	Utility	Washing machine within grid.	3.2	uR/hr	Hallway			uR/hr			No	50% accessible.
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	



**Summary Report
1221 Mariner Drive Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E9	3.2	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Closet		3.6	uR/hr	Closet		3.6	uR/hr	Kitchen		No	
E12	3.6	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E14	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		3.2	uR/hr	Storage		No	Kitchen reading taken 12" from floor inside base cabinet.
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	70% accessible. Kitchen reading taken 12" from floor inside base cabinet.
F11	3.6	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Closet			uR/hr			No	80% accessible.
F12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1221 Mariner Drive Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	90% accessible.
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H10	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid due to installed stove.
H11	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H12	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.



Summary Report
1221 Mariner Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



Summary Report
1221 Mariner Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Page 1 of 7

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.4	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	refrigerator moved for survey
A9	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	70% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible



Summary Report
1221 Mariner Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.4	uR/hr	Living Room		2.8	uR/hr	Bathroom		No	
C9	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.4	uR/hr	Bathroom			uR/hr			No	
C10	2.4	uR/hr	Kitchen	Installed Dishwasher.	3.2	uR/hr	Bathroom			uR/hr			No	30% accessible
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.4	uR/hr	Hallway		No	
D9	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D10	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Hallway		2.4	uR/hr	Living Room		2.4	uR/hr	Stairs		No	Stair static taken at 0.3 meters above floor level
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.4	uR/hr	Hallway		2.4	uR/hr	Utility			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Stairs		2.4	uR/hr	Living Room			uR/hr			No	Stair static taken at 0.7 meters above floor level
F9	2.4	uR/hr	Closet	Grid partially contained within wall construction.	2.4	uR/hr	Stairs		2.8	uR/hr	Hallway		No	Stair static taken at 0.7 meters above floor level, 40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	2.4	uR/hr	Closet		2.0	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.7 meters above floor level
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible, washing machine moved for survey
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1221-F
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1221-F
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	40% accessible
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room			uR/hr			No	80% accessible, Stair static taken at 1.1 meters above floor level

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 1.5 meters above floor level
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 1.7 meters above floor level
G11	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, dryer moved for survey
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1221-F
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1221-F
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/4/2014 3:14 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 5B
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Grids A4-A12 and B4-H4 are less than 6", scanned with adjacent grids. A3 and B3 belong to unit 1221 E. Grids A13-D13 and E14-H14 are outside of survey unit.

Summary Statistics :

Total # of Readings: 99
Average: 2.93 uR/hr
Standard Deviation: 0.27 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to 1221 E
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to 1221 E
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40" from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
B10	2.8	uR/hr	Closet		2.0	uR/hr	Stairs			uR/hr			No	static taken on stairs 56" from floor surface
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved installed washer to scan grid

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs		2.8	uR/hr	Hallway		No	static taken on stairs 16" from floor surface
C9	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
C10	2.8	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Hallway		2.8	uR/hr	Utility			uR/hr			No	moved installed dryer to scan grid
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1221 Mariner Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom		No	
F9	2.8	uR/hr	Kitchen		3.2	uR/hr	Bathroom			uR/hr			No	
F10	2.8	uR/hr	Kitchen		3.2	uR/hr	Bathroom			uR/hr			No	
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	moved installed refrigerator, 70% accessible
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed stove
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, moved installed refrigerator to scan grid
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible



Summary Report
1221 Mariner Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J5	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	60% accessible
J6	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	60% accessible
J7	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	80% accessible
J8	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	35% accessible
K5	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	70% accessible
K6	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	70% accessible
K7	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible
K8	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	25% accessible

CBI Supervisor : Natalie Rothell

Senior Technician : Robert Minard

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/7/2014 11:47 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 5
Background Reading: 3.6 uR/hr
Dimensions (m): D 8 W 6.9
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
Grids H5-H8 and I5-I8 are mechanical room;
dimensions are 2.0 meter wide and 3.8 meter long

Summary Statistics :

Total # of Readings: 87
Average: 3.38 uR/hr
Standard Deviation: 0.32 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.40 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room	Installed refrigerator.	3.6	uR/hr	Kitchen			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	
B10	4.0	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



**Summary Report
1223 Mariner Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	
C9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
C10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		4.0	uR/hr	Bathroom			uR/hr			No	
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	static reading taken on stairs at 36 inches from floor
F9	2.8	uR/hr	Closet			uR/hr				uR/hr			No	static reading taken on stairs at 36 inches from floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan
G3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	20% accessible



**Summary Report
1223 Mariner Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	static reading taken on stairs at 44 inches from floor 50% accessible
G9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static reading taken on stairs at 52 inches from floor 50% accessible
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static reading taken on stairs at 68 inches from floor 50% accessible
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G12	3.6	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan
H3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H5	3.6	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	20% accessible



Summary Report
1223 Mariner Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H6	3.6	uR/hr				uR/hr				uR/hr			No	
H7	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	20% accessible
H8	3.2	uR/hr	Mech Room			uR/hr				uR/hr			No	
I5	4.0	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	20% accessible
I6	3.6	uR/hr				uR/hr				uR/hr			No	
I7	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	20% accessible
I8	3.2	uR/hr	Mech Room			uR/hr				uR/hr			No	

CBI Supervisor : Tina Piquet


Signature :



Signoff Notes:

Senior Technician : Daphne Degering

Signature :





Unit Summary :


Completion Date: 7/7/2014 3:46 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 5B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.7 W 6.8
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 108
Average: 3.07 uR/hr
Standard Deviation: 0.30 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to adjacent unit 1223A
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40 inches from floor surface, 10% accessible
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 64 inches from floor surface, 10% accessible
A10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 64 inches from floor surface, 10% accessible
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible



Summary Report
1223 Mariner Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to adjacent unit 1223B
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 24 inches from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 24 inches from floor surface
B10	2.4	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	static taken on stairs 64 inches from floor surface
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	10% accessible



Summary Report
1223 Mariner Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		3.2	uR/hr	Stairs		2.8	uR/hr	Hallway		No	static taken on stairs 8 inches from floor surface
C9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		3.2	uR/hr	Closet		No	static taken on stairs 8 inches from floor surface
C10	2.8	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Hallway		3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr			No	10% accessible
C13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway		No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10	4.0	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	Elevated measurements due to NORM in toilet bowl and tile materials
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	outside floor plan
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
E10	4.0	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	Elevated measurements due to NORM in toilet bowl and tile materials
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	



**Summary Report
1223 Mariner Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.	3.2	uR/hr	Hallway			uR/hr			No	
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	20% accessible
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	10% accessible
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible



Summary Report
1223 Mariner Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible. installed stove as well
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible




CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/7/2014 3:32 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 6
Background Reading: 3.6 uR/hr
Dimensions (m): D 9.2 W 7
Unit Furnished: No
Tenant Present: No

Unit Notes:


Grids H5 thru H13 are outside of floor plan

Summary Statistics :

Total # of Readings: 104
Average: 3.35 uR/hr
Standard Deviation: 0.28 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.40 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
A9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	moved refrigerator to survey grid
A10	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible
A11	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	



Summary Report
1223 Mariner Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	95% accessible-installed dishwasher
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	4.0	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.6	uR/hr	Storage		No	
C9	4.0	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Storage		4	uR/hr	Bathroom		No	



Summary Report
1223 Mariner Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	50% accessible from bathroom, kitchen half grid cell installed dishwasher Elevated measurements due to NORM in toilet bowl and tile materials
C11	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D9	3.6	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet		3.6	uR/hr	Closet			uR/hr			No	2nd reading is from kitchen closet
D12	3.6	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
D13	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
D14	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	5% accessible
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
E10	3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading at .6 meters from floor
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	75% accessible. reading at .6 meters from floor
F10	3.2	uR/hr	Hallway		3.6	uR/hr	Storage			uR/hr			No	
F11	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
F12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
F13	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	moved clothes washer to survey grid
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to Unit 1223D
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to Unit 1223D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage Shed			uR/hr			No	20% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading at 1.3 meters from floor
G9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. reading at 1.3 meters from floor
G10	3.6	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible
G11	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved clothes dryer to survey grid
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to Unit 1223D
H2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible. storage shed belongs to unit 1223D
H3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	



Summary Report
1223 Mariner Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/7/2014 12:26 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 6B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.9 W 7.1
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Grids A14 - E14 and I4 - I14 are outside of floor plan

Summary Statistics :

Total # of Readings: 99
Average: 3.05 uR/hr
Standard Deviation: 0.32 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.40 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is in 1223C
A4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is in 1223C
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	10% accessible, reading on stairs taken at 1 m from ground level
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	reading on stairs taken at 1 m from ground level, 10% accessible
A10	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	10% accessible, reading on stairs taken at 1 m from ground level
A11	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is in 1223C
B4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is in 1223C
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 1 m from ground level
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	reading on stairs taken at 1 m from ground level, 90% accessible
B10	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length is 8.9 m
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .6 m from ground level
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	reading on stairs taken at .6 m from ground level, 90% accessible
C10	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
C11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	70% accessible
D4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length is 8.9 m
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1223 Mariner Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
E4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length is 8.9 m
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E9	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Closet	Grid partially contained within wall construction.	3.2	uR/hr	Closet			uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length is 8.9 m
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage			uR/hr			No	



**Summary Report
1223 Mariner Drive Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	4.4	uR/hr	Bathroom			uR/hr			No	Elevated measurement is near toilet
F11	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.2	uR/hr	Closet			uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length is 8.9 m
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length is 8.9 m
H5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1223 Mariner Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H8	3.2	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
H9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	40% accessible
H10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
H11	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
H12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	3.2	uR/hr	Dining Room	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
H14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed base cabinets



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :

Signature :

Signoff Notes:



Unit Summary :

Completion Date: 7/7/2014 11:51 AM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 5
Background Reading: 4.0 uR/hr
Dimensions (m): D 8.4 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
Grids A4 thru F4 are outside of floor plan

Summary Statistics :

Total # of Readings: 80
Average: 3.56 uR/hr
Standard Deviation: 0.32 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.40 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
A9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
B9	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	4.0	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	4.0	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1223 Mariner Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Living Room		4.0	uR/hr	Bathroom		4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	Kitchen reading taken 12" from floor
C9	3.6	uR/hr	Bathroom		4.0	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	Kitchen reading taken 12" from floor
C10	4.4	uR/hr	Bathroom		4.0	uR/hr	Kitchen	Installed Dishwasher.		uR/hr			No	20% accessible. Survey performed within accessible base cabinet at 12" from floor
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D5	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom		No	
D9	3.6	uR/hr	Hallway		4.0	uR/hr	Bathroom			uR/hr			No	
D10	4.4	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1223 Mariner Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	Stairs reading taken 12" from floor
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible. Stairs reading taken 12" from floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1223F
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1223F
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	80% accessible. Stairs reading taken 44" from floor
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 68" from floor
G11	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Partial grid-partial grid due to installed dryer
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1223F
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1223F
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/7/2014 11:44 AM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 5B
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Grids B1 thru B3, A13 thru D13 are outside of floor plan

Summary Statistics :

Total # of Readings: 98
Average: 2.84 uR/hr
Standard Deviation: 0.29 uR/hr
Minimum: 2.00 uR/hr
Maximum: 4.00 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage unit assigned to adjacent unit: 1223 E.
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible. Storage unit assigned to adjacent unit: 1223 E.
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible. Stairs static taken at 1.1 meters above ground level.
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs static taken at 1.1 meters above ground level.
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs static taken at 0.5 meters above ground level.



Summary Report
1223 Mariner Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	15% accessible due to grid falling outside of unit footprint.
B4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Stairs		2.4	uR/hr	Living Room			uR/hr			No	Stairs static taken at 1.1 meters above ground level.
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken at 1.1 meters above ground level.
B10	2.0	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	Stairs static taken at 1.7 meters above ground level.
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible due to grid falling outside of unit footprint.
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	Stairs static taken at 0.5 meters above ground level.
C9	2.4	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	Stairs static taken at 0.5 meters above ground level.
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Washing machine within grid.	2.8	uR/hr	Hallway			uR/hr			No	50% accessible due to grid falling outside of unit footprint.
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway		2.8	uR/hr	Living Room		No	
D9	2.8	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D10	2.8	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	



**Summary Report
1223 Mariner Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurements due to NORM in toilet bowl and tile materials
E11	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	80% accessible.
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible.
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G5	2.8	uR/hr	Living Room			uR/hr		Installed base cabinets.		uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1223 Mariner Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	90% accessible.
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible.
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	50% accessible. Refrigerator pulled out and surveyed.
H9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	50% accessible due to grid falling outside of unit footprint.
H10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	50% accessible due to grid falling outside of unit footprint.
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.



Summary Report
1223 Mariner Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes	
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.	
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.	




CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/25/2014 1:09 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 5
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.7 W 6.7
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
A4-F4 partial grids (less than 6") were surveyed with A5-F5 grids. Grids G1, G2, H1 and H2 belong to adjacent unit, 1224B.

Summary Statistics :

Total # of Readings: 77
Average: 3.42 uR/hr
Standard Deviation: 0.27 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	moved refrigerator to survey grid
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	moved refrigerator to survey grid
A10	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1224 Bayside Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		No	
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.2	uR/hr	Bathroom			uR/hr			No	60% accessible
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	



**Summary Report
1224 Bayside Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed mattresses to survey grid
F8	3.6	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading .6 meters from floor for stairs. moved bed mattresses to survey grid
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible. reading .6 meters from floor for stairs
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved washer to survey grid
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1224 B storage unit
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1224 B storage unit
G3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible



Summary Report
1224 Bayside Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. moved bed mattresses to survey grid
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	70% accessible. reading 1.3 meters from floor for stairs. moved bed mattresses to survey grid.
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. reading 1.3 meters from floor for stairs
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. reading 1.8 meters from floor for stairs
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. moved dryer to survey grid
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1224 B storage unit
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1224 B storage unit
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/25/2014 12:57 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 5B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Row grids A4 through H4 are less than 6" and surveyed with adjacent row. Grids A3 and B3 belong to adjacent unit, 1224A. Grids A13-D13, E14- H14 are outside of floor plan.

Summary Statistics :

Total # of Readings: 95
Average: 2.92 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible, reading on stairs taken at 1.1 m from ground level
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, reading on stairs taken at 1.1 m from ground level
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, reading on stairs taken at 1.6 m from ground level
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



Summary Report
1224 Bayside Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible, installed dryer in grid, moved for survey
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .8 m from ground level
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, reading on stairs taken at 1 m from ground level
B10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed dryer in grid

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	60% accessible, reading on stairs taken at .4 m from ground level
C10	2.8	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Washing machine within grid.	2.8	uR/hr	Hallway			uR/hr			No	30% accessible
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible



**Summary Report
1224 Bayside Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	50% accessible
F9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	20% accessible
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	20% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible



Summary Report
1224 Bayside Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accessible
G9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	90% accessible
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Installed refrigerator



Summary Report
1224 Bayside Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, survey performed in installed base cabinets
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible installed stove survey performed in base cabinet
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :

A handwritten signature in black ink on a light blue background. The signature is written in a cursive style and appears to read "S Phelps".

Signature :

A handwritten signature in black ink on a light blue background. The signature is written in a cursive style and appears to read "E Ramirez".

Signoff Notes:



Unit Summary :

Completion Date: 7/25/2014 3:07 PM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 6
Background Reading: 3.2 uR/hr
Dimensions (m): D 9.2 W 7.1
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Grids A4-G4, A14-D14, H5-H13, G3-G4 less than 6" wide surveyed with adjacent grids. Portion of living area used as bedroom, bed in grid A6-C6 & A7-C7 moved for survey.

Summary Statistics :

Total # of Readings: 89
Average: 3.19 uR/hr
Standard Deviation: 0.23 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	Installed refrigerator moved for survey.
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	Installed refrigerator moved for survey.
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	3.2	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in grid moved for survey
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	4.0	uR/hr	Bathroom			uR/hr			No	70% accessible, static by toilet, installed dishwasher
C11	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	4" static reading on non-movable particle board TV stand.
D5	3.6	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	4" static reading on non-movable dresser/TV stand with 2" wooden base
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	



Summary Report
1224 Bayside Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	3.2	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet		3.2	uR/hr	Dining Room			uR/hr			No	
D12	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
D13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Dining Room			uR/hr			No	90% accessible.
E5	3.6	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	4" static reading on non-movable dresser/TV stand with 2" wooden base
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room		3.2	uR/hr	Hallway		No	Stair static taken at 0.5 meters above ground level
F9	2.8	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	Stair static taken at 0.5 meters above ground level
F10	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	



Summary Report
1224 Bayside Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F11	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
F12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	70% accessible, Installed washer moved for survey.
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	Stair static taken at 1.1 meters above ground level
G9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.1 meters above ground level
G10	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.5 meters above ground level
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, Installed dryer moved for survey.



Summary Report
1224 Bayside Drive Unit C


Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1224 unit D
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1224 unit D
H3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/25/2014 2:06 PM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 6B
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.9 W 7.1
Unit Furnished: Yes
Tenant Present: No


Unit Notes:
Grids A3 and B3 belong to adjacent unit, 1224C.
Row 14 and column I are outside of floor plan.

Summary Statistics :

Total # of Readings: 130
Average: 2.66 uR/hr
Standard Deviation: 0.30 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1224C.
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs			uR/hr			No	20% accessible, Stair static taken at 1.1 meters above ground level
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stair static taken at 1.3 meters above ground level
A10	2.4	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, stair static taken at 1.5 meters above floor level

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	2.4	uR/hr	Storage	Percentage of grid falls outside of unit.	2.4	uR/hr	Utility			uR/hr			No	30% accessible
A12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A13	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1224C.
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Living Room		2.0	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground level
B9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.3 meters above ground level
B10	2.8	uR/hr	Storage		2.0	uR/hr	Stairs			uR/hr			No	stair static taken at 1.5 meters above floor level

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	2.4	uR/hr	Storage		2.4	uR/hr	Utility			uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, installed dryer moved for survey
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		2.4	uR/hr	Stairs		No	Stair static taken at 0.5 meters above ground level
C9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 0.5 meters above ground level
C10	2.4	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Storage		2.8	uR/hr	Hallway		2.4	uR/hr	Utility		No	
C12	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C13	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.	2.4	uR/hr	Hallway			uR/hr			No	70% accessible, installed washing machine moved for survey
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.4	uR/hr	Hallway			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
E9	2.8	uR/hr	Storage		2.8	uR/hr	Bathroom			uR/hr			No	Static by toilet
E10	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.4	uR/hr	Closet			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway		2.4	uR/hr	Kitchen			uR/hr			No	
E13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.4	uR/hr	Kitchen			uR/hr			No	80% accessible



Summary Report
1224 Bayside Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		No	
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		2.8	uR/hr	Storage		No	Static by toilet
F10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	Static by toilet
F11	2.8	uR/hr	Kitchen		2.4	uR/hr	Closet			uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.8	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	80% accessible, refrigerator moved for survey
H9	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, refrigerator moved for survey
H10	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
H11	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H12	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, refrigerator moved for survey
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



Summary Report
1224 Bayside Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :

A handwritten signature in black ink on a light blue background. The signature consists of the letters "AH" in a stylized, cursive-like font. The "A" is formed by a vertical line on the left, a horizontal line across the middle, and a diagonal line on the right. The "H" is formed by a vertical line on the left, a horizontal line across the middle, and a vertical line on the right.

Signature :

A handwritten signature in black ink on a light blue background. The signature consists of the letters "FP" in a stylized, cursive-like font. The "F" is formed by a vertical line on the left, a horizontal line across the middle, and a diagonal line on the right. The "P" is formed by a vertical line on the left, a horizontal line across the middle, and a large, rounded loop on the right.

Signoff Notes:



Unit Summary :

Completion Date: 7/25/2014 12:53 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 5
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
storage shed G1, G2, H1 and H2 belongs to neighboring unit (1224F)

Summary Statistics :

Total # of Readings: 86
Average: 3.34 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	4.0	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Living Room			uR/hr			No	60% accessible
A9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen	Installed base cabinets.	3.2	uR/hr	Living Room			uR/hr			No	90% accessible
B9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible



**Summary Report
1224 Bayside Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom	Installed base cabinets.		uR/hr			No	80% accessible
C9	3.6	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
C10	3.6	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	80% accessible
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1224 Bayside Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	static taken on stairs at 28" above ground
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible, static taken on stairs at 28" above ground
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to 1224F
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to 1224F
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



**Summary Report
1224 Bayside Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	60% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	80% accessible, static taken on stairs at 44" above ground
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, static taken on stairs at 44" above ground
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Closet			uR/hr			No	80% accessible, static taken on stairs at 76" above ground
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.6	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to 1224F
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to 1224F
H3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	



Summary Report
1224 Bayside Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes	
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible	


CBI Supervisor : Tina Piquet

Senior Technician : Robert Minard

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/25/2014 4:27 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 5B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.7 W 6.8
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Grids A3 and B3 belong to adjacent unit 1224E.
Grids A13-D13, E14-H14 are outside of floor plan.

Summary Statistics :

Total # of Readings: 117
Average: 3.27 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1224E
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Remainder of grid belongs to adjacent unit, 1224E
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible, reading on stairs taken at .9 m from ground level
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, reading on stairs taken at 1 m from ground level
A10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, reading on stairs taken at 1 m from ground level

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1224E
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible reminder of grid belongs to adjacent unit 1224E
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .8 m from ground level
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Closet			uR/hr			No	80% accessible, reading on stairs taken at 1 m from ground level

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	3.2	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	Static reading taken on stairs at 1 meter from ground
B11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, washer and dryer moved for survey
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		2.8	uR/hr	Stairs		No	reading on stairs taken at .4 m from ground level
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Closet	Grid partially contained within wall construction.	3.2	uR/hr	Hallway	Grid partially contained within wall construction.	No	80% accessible, reading on stairs taken at .8m from ground level
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	80% accessible
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



Summary Report
1224 Bayside Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom		3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway		No	
E11	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



**Summary Report
1224 Bayside Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.2	uR/hr	Dining Room			uR/hr			No	50% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room	Grid partially contained within wall construction.	3.6	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible
G9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible, installed stove, refrigerator and base cabinets in grid
G10	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	95% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed refrigerator in kitchen portion of grid
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. refrigerator in grid. survey performed in base cabinets
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed stove, survey performed in base cabinets
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible



Summary Report
1224 Bayside Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J5	3.6	uR/hr	Mech Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	85% accessible, installed furnace
J6	3.2	uR/hr	Mech Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	30% accessible, installed furnace and water heater
J7	3.2	uR/hr	Mech Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	70% accessible, installed water heater
J8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	3.6	uR/hr	Mech Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	70% accessible, installed furnace
K6	3.2	uR/hr	Mech Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	60% accessible, installed furnace and water heater
K7	3.2	uR/hr	Mech Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	70% accessible, installed water heater
K8	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

CBI Supervisor : Tina Piquet

Senior Technician : Robert Minard

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 6/12/2014 2:16 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 5
Background Reading: 3.2 uR/hr

Summary Statistics :

Total # of Readings: 86
Average: 3.34 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13

Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A4	3.2	uR/hr	No	partial grid excluding exterior area	Living Room		uR/hr	
A5	3.2	uR/hr	No		Living Room		uR/hr	
A6	3.2	uR/hr	No		Living Room		uR/hr	
A7	3.2	uR/hr	No		Living Room		uR/hr	
A8	3.2	uR/hr	No	partial grid not surveyed due to refrigerator	Kitchen	3.2	uR/hr	Living Room
A9	3.2	uR/hr	No	partial grid not surveyed due to stove and refrigerator	Kitchen		uR/hr	
A10	3.2	uR/hr	No	partial grid not surveyed due to stove and cabinet containing food and cleaning items	Kitchen		uR/hr	
A11	3.2	uR/hr	No		Dining Room		uR/hr	
A12	3.2	uR/hr	No		Dining Room		uR/hr	
A13	3.2	uR/hr	No	partial grid excluding exterior area	Dining Room		uR/hr	
B4	3.2	uR/hr	No	partial grid excluding exterior area	Living Room		uR/hr	
B5	3.2	uR/hr	No		Living Room		uR/hr	
B6	3.2	uR/hr	No		Living Room		uR/hr	
B7	3.6	uR/hr	No		Living Room		uR/hr	
B8	3.2	uR/hr	No		Kitchen	3.2	uR/hr	Living Room
B9	3.2	uR/hr	No	partial grid due to cabinet	Kitchen		uR/hr	
B10	3.2	uR/hr	No	partial grid due to dishwasher	Kitchen		uR/hr	
B11	3.2	uR/hr	No		Dining Room		uR/hr	
B12	3.2	uR/hr	No		Dining Room		uR/hr	
B13	3.2	uR/hr	No	partial grid excluding exterior area	Dining Room		uR/hr	
C4	3.6	uR/hr	No	partial grid excluding exterior area	Living Room		uR/hr	
C5	3.6	uR/hr	No		Living Room		uR/hr	
C6	3.2	uR/hr	No		Living Room		uR/hr	
C7	3.2	uR/hr	No		Living Room		uR/hr	
C8	3.2	uR/hr	No	partial grid not surveyed due to kitchen cabinet containing cleaning items and food	Living Room		uR/hr	



**Summary Report
1225 Northpoint Drive Unit A**

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C9	4.0	uR/hr	No	partial grid not surveyed due to kitchen cabinet containing household cleaning items	Kitchen		uR/hr	
C10	4.0	uR/hr	No	split grid(bathroom/kitchen) kitchen side non surveyed due to cabinet containing cleaning household items/food	Bathroom		uR/hr	
C11	3.2	uR/hr	No		Dining Room		uR/hr	
C12	3.2	uR/hr	No		Dining Room		uR/hr	
C13	3.2	uR/hr	No	partial grid excluding exterior area	Dining Room		uR/hr	
D4	3.2	uR/hr	No	partial grid excluding exterior area	Living Room		uR/hr	
D5	3.6	uR/hr	No		Living Room		uR/hr	
D6	3.2	uR/hr	No		Living Room		uR/hr	
D7	3.2	uR/hr	No		Living Room		uR/hr	
D8	3.6	uR/hr	No		Living Room		uR/hr	Bathroom
D9	3.6	uR/hr	No		Bathroom		uR/hr	
D10	3.6	uR/hr	No		Bathroom		uR/hr	
D11	3.2	uR/hr	No		Hallway		uR/hr	
D12	3.6	uR/hr	No		Hallway		uR/hr	
D13		uR/hr	No	grid outside range			uR/hr	
E4	3.2	uR/hr	No	partial grid excluding exterior area	Living Room		uR/hr	
E5	3.2	uR/hr	No		Living Room		uR/hr	
E6	3.6	uR/hr	No		Living Room		uR/hr	
E7	3.2	uR/hr	No		Living Room		uR/hr	
E8	3.2	uR/hr	No		Hallway		uR/hr	
E9	3.2	uR/hr	No		Hallway		uR/hr	
E10	3.6	uR/hr	No		Hallway		uR/hr	
E11	3.2	uR/hr	No		Hallway		uR/hr	
E12	3.6	uR/hr	No		Hallway		uR/hr	
E13		uR/hr	No	grid outside range			uR/hr	
F4	3.2	uR/hr	No	partial grid excluding exterior area	Living Room		uR/hr	
F5	3.6	uR/hr	No		Living Room		uR/hr	



Summary Report
1225 Northpoint Drive Unit A

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F6	3.2	uR/hr	No		Living Room		uR/hr	
F7	3.2	uR/hr	No		Living Room		uR/hr	
F8	3.2	uR/hr	No		Living Room	2.8	uR/hr	Stairs
F9	2.8	uR/hr	No		Stairs		uR/hr	
F10	3.2	uR/hr	No		Closet		uR/hr	
F11	3.2	uR/hr	No		Utility		uR/hr	
F12	3.2	uR/hr	No	partial due to dryer	Utility		uR/hr	
F13		uR/hr	No	grid outside range			uR/hr	
G1	4.0	uR/hr	No	partial grid excluding exterior area	Storage Shed		uR/hr	
G2	3.6	uR/hr	No	partial grid excluding exterior area	Storage Shed		uR/hr	
G3	3.6	uR/hr	No	partial grid excluding exterior area	Storage Shed		uR/hr	
G4	3.2	uR/hr	No		Living Room	3.6	uR/hr	Storage Shed
G5	3.2	uR/hr	No		Living Room		uR/hr	
G6	3.2	uR/hr	No		Living Room		uR/hr	
G7	3.2	uR/hr	No		Living Room		uR/hr	
G8	3.2	uR/hr	No	partial grid due to stairs	Living Room		uR/hr	
G9		uR/hr	No	non accessible due to stairs	Stairs		uR/hr	
G10		uR/hr	No	non accessible due to the stairs	Stairs		uR/hr	
G11	3.2	uR/hr	No		Utility		uR/hr	
G12	3.2	uR/hr	No	partial due to washer	Utility		uR/hr	
G13		uR/hr	No	grid outside range			uR/hr	
H1	4.0	uR/hr	No	partial grid excluding exterior area	Storage Shed		uR/hr	
H2	3.6	uR/hr	No	partial grid excluding exterior area	Storage Shed		uR/hr	
H3	3.6	uR/hr	No	partial grid excluding exterior area	Storage Shed		uR/hr	
H4	3.6	uR/hr	No	partial grid excluding exterior area	Storage Shed		uR/hr	
H5		uR/hr	No	grid outside range			uR/hr	
H6		uR/hr	No	grid outside range			uR/hr	
H7		uR/hr	No	grid outside range			uR/hr	



Summary Report
1225 Northpoint Drive Unit A

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
H8		uR/hr	No	grid outside range			uR/hr	
H9		uR/hr	No	grid outside range			uR/hr	
H10		uR/hr	No	grid outside range			uR/hr	
H11		uR/hr	No	grid outside range			uR/hr	
H12		uR/hr	No	grid outside range			uR/hr	
H13		uR/hr	No	grid outside range			uR/hr	

CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :



Unit Summary :

Completion Date:

6/12/2014 4:20 PM

Instrument:

193-6

Serial #:

309128

Layout:

Floor Plan 5B

Background Reading:

3.2 uR/hr

Summary Statistics :

Total # of Readings:

86

Average:

3.22 uR/hr

Standard Deviation:

0.17 uR/hr

Minimum:

2.80 uR/hr

Maximum:

4.00 uR/hr

Median:


3.20 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.6	uR/hr	No		Storage Shed		uR/hr	
A2	3.6	uR/hr	No		Storage Shed		uR/hr	
A3		uR/hr	No	N/A storage shed assigned to 1225 A; door not in proper location	Storage Shed		uR/hr	
A4	3.6	uR/hr	No		Living Room		uR/hr	Storage Shed
A5	3.2	uR/hr	No		Living Room		uR/hr	
A6	3.2	uR/hr	No		Living Room		uR/hr	
A7	3.2	uR/hr	No		Living Room		uR/hr	
A8	2.8	uR/hr	No		Living Room		uR/hr	
A9		uR/hr	No	N/A: cell located beneath stairway	Stairs		uR/hr	
A10		uR/hr	No	N/A: located beneath stairway to second floor	Stairs		uR/hr	
A11	2.8	uR/hr	No		Utility		uR/hr	
A12	3.2	uR/hr	No		Utility		uR/hr	
A13		uR/hr	No	N/A outside	Utility		uR/hr	
B1	3.6	uR/hr	No		Storage Shed		uR/hr	
B2	3.6	uR/hr	No		Storage Shed		uR/hr	
B3		uR/hr	No	N/A storage shed assigned to 1225 A; door not in proper location	Storage Shed		uR/hr	
B4	3.2	uR/hr	No	12" static offset from center due to fixed cooling unit obstruction 4" from ground level. able to perform 4" rapid scan under cooling unit.	Living Room		uR/hr	
B5	3.2	uR/hr	No		Living Room		uR/hr	
B6	3.2	uR/hr	No		Living Room		uR/hr	
B7	3.2	uR/hr	No		Living Room		uR/hr	
B8	3.2	uR/hr	No		Living Room		uR/hr	
B9		uR/hr	No	N/A: cell located beneath stairway	Stairs		uR/hr	
B10	3.2	uR/hr	No		Closet	3.2	uR/hr	Utility
B11	3.2	uR/hr	No		Utility		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
B12	3.2	uR/hr	No	partial cell due to dryer obstruction. reading still made and recorded.	Utility		uR/hr	
B13		uR/hr	No	N/A outside	Utility		uR/hr	
C4	3.2	uR/hr	No		Living Room		uR/hr	
C5	3.2	uR/hr	No		Living Room		uR/hr	
C6	3.2	uR/hr	No		Living Room		uR/hr	
C7	3.2	uR/hr	No		Living Room		uR/hr	
C8	3.2	uR/hr	No		Living Room	3.2	uR/hr	Stairs
C9	3.2	uR/hr	No		Stairs	3.2	uR/hr	Stairs
C10	3.2	uR/hr	No	3.2 utility partial	Hallway	3.2	uR/hr	Closet
C11	3.2	uR/hr	No		Utility	3.2	uR/hr	Hallway
C12	3.2	uR/hr	No	optional static reading taken 4" below C11 and 6" right of B12.	Hallway	3.2	uR/hr	Utility
C13		uR/hr	No	N/A outside	Utility		uR/hr	
D4	3.2	uR/hr	No		Living Room		uR/hr	
D5	3.2	uR/hr	No		Living Room		uR/hr	
D6	3.2	uR/hr	No		Living Room		uR/hr	
D7	3.2	uR/hr	No		Living Room		uR/hr	
D8	3.2	uR/hr	No	bathroom partial 3.2 microR	Living Room	3.2	uR/hr	Hallway
D9	3.2	uR/hr	No		Hallway	3.2	uR/hr	Bathroom
D10	3.2	uR/hr	No		Hallway	3.6	uR/hr	Bathroom
D11	3.2	uR/hr	No		Hallway		uR/hr	
D12	3.2	uR/hr	No		Hallway		uR/hr	
D13		uR/hr	No	N/A outside	Hallway		uR/hr	
E4	3.2	uR/hr	No		Living Room		uR/hr	
E5	3.2	uR/hr	No		Living Room		uR/hr	
E6	3.2	uR/hr	No		Living Room		uR/hr	
E7	3.2	uR/hr	No		Living Room		uR/hr	
E8	3.2	uR/hr	No		Living Room	3.2	uR/hr	Bathroom



Summary Report
1225 Northpoint Drive Unit B

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E9	3.2	uR/hr	No		Bathroom		uR/hr	
E10	4.0	uR/hr	No	12" static reading taken at maximum microR during 4" scan nearest porcelain toilet bowl.	Bathroom		uR/hr	
E11	3.2	uR/hr	No		Hallway	3.2	uR/hr	Dining Room
E12	3.2	uR/hr	No		Hallway	3.2	uR/hr	Dining Room
E13	2.8	uR/hr	No		Dining Room		uR/hr	
F4	3.2	uR/hr	No		Living Room		uR/hr	
F5	3.2	uR/hr	No		Living Room		uR/hr	
F6	3.2	uR/hr	No		Living Room		uR/hr	
F7	3.2	uR/hr	No		Living Room		uR/hr	
F8	2.8	uR/hr	No	optional 12" static taken ~ 24" to the right of grid center line; partial cell in bathroom absorbed by adjacent cell	Living Room	3.2	uR/hr	Kitchen
F9	3.2	uR/hr	No	12" static taken ~ 24" to the right of grid center line; partial cell in bathroom absorbed by adjacent cell	Kitchen		uR/hr	
F10	3.2	uR/hr	No	12" static taken ~ 24" to the right of grid center line; partial cell in bathroom absorbed by adjacent cell	Kitchen		uR/hr	
F11	3.2	uR/hr	No		Dining Room		uR/hr	
F12	3.2	uR/hr	No		Dining Room		uR/hr	
F13	3.2	uR/hr	No		Dining Room		uR/hr	
G4	3.2	uR/hr	No		Living Room		uR/hr	
G5	3.2	uR/hr	No		Living Room		uR/hr	
G6	3.2	uR/hr	No		Living Room		uR/hr	
G7	3.2	uR/hr	No		Living Room		uR/hr	
G8	3.2	uR/hr	No		Living Room	3.2	uR/hr	Kitchen
G9	3.2	uR/hr	No		Kitchen		uR/hr	
G10	3.2	uR/hr	No		Kitchen		uR/hr	
G11	3.2	uR/hr	No		Dining Room		uR/hr	
G12	3.2	uR/hr	No		Dining Room		uR/hr	
G13	3.6	uR/hr	No		Dining Room		uR/hr	
H4	3.2	uR/hr	No		Living Room		uR/hr	



Summary Report
1225 Northpoint Drive Unit B

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
H5	3.2	uR/hr	No		Living Room		uR/hr	
H6	3.2	uR/hr	No		Living Room		uR/hr	
H7	3.2	uR/hr	No		Living Room		uR/hr	
H8	3.2	uR/hr	No	12" static taken ~ 24" to the right of grid center line due to refrigerator obstruction	Living Room		uR/hr	
H9	3.2	uR/hr	No	12" static taken ~ 24" to the right of grid center line due to base cabinet and refrigerator obstruction	Kitchen		uR/hr	
H10	3.2	uR/hr	No	12" static taken ~ 24" to the right of grid center line due to base cabinet and stove obstruction	Kitchen		uR/hr	
H11	3.2	uR/hr	No		Dining Room		uR/hr	
H12	3.2	uR/hr	No		Dining Room		uR/hr	
H13	3.2	uR/hr	No		Dining Room		uR/hr	

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :

Signature :



Unit Summary :

Completion Date:

6/12/2014 4:52 PM

Instrument:

193-6

Serial #:

309127

Layout:

Floor Plan 6

Background Reading:

3.2 uR/hr

Summary Statistics :

Total # of Readings:

85

Average:

3.23 uR/hr

Standard Deviation:

0.14 uR/hr

Minimum:

2.80 uR/hr

Maximum:

3.60 uR/hr

Median:


3.20 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A4	3.2	uR/hr	No	partial of grid inaccessible due to patio sliding door	Living Room		uR/hr	
A5	3.2	uR/hr	No		Living Room		uR/hr	
A6	3.2	uR/hr	No		Living Room		uR/hr	
A7	3.2	uR/hr	No		Living Room		uR/hr	
A8	2.8	uR/hr	No	reading in front of fridge is 3.2 map is off from actual kitchen demation	Kitchen		uR/hr	
A9	3.2	uR/hr	No	partial inaccessible due to fridge	Kitchen		uR/hr	
A10	3.2	uR/hr	No	reading in front of stove... partial inaccessible due to stove	Kitchen		uR/hr	
A11	3.2	uR/hr	No		Dining Room		uR/hr	
A12	3.2	uR/hr	No		Dining Room		uR/hr	
A13	3.2	uR/hr	No		Dining Room		uR/hr	
A14	3.2	uR/hr	No	only able to survey dining room portion of grid, remainder is outside building	Dining Room		uR/hr	
B4	3.2	uR/hr	No	partial of grid inaccessible due to patio sliding door	Living Room		uR/hr	
B5	3.6	uR/hr	No		Living Room		uR/hr	
B6	3.2	uR/hr	No		Living Room		uR/hr	
B7	3.6	uR/hr	No		Living Room		uR/hr	
B8	3.2	uR/hr	No		Kitchen	2.8	uR/hr	Kitchen
B9	3.2	uR/hr	No		Kitchen		uR/hr	
B10	3.2	uR/hr	No		Kitchen		uR/hr	
B11	3.2	uR/hr	No		Dining Room		uR/hr	
B12	3.6	uR/hr	No		Dining Room		uR/hr	
B13	3.2	uR/hr	No		Dining Room		uR/hr	
B14	3.2	uR/hr	No	only able to survey dining room portion of grid, remainder is outside building	Dining Room		uR/hr	
C4	3.2	uR/hr	No	partial of grid inaccessible due to patio sliding door	Living Room		uR/hr	
C5	3.2	uR/hr	No		Living Room		uR/hr	
C6	3.2	uR/hr	No		Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C7	3.2	uR/hr	No		Living Room		uR/hr	
C8	3.2	uR/hr	No	kitchen partial inaccessible due to cabinet	Kitchen	3.2	uR/hr	Storage
C9	3.2	uR/hr	No	partial inaccessible due to sink	Kitchen	3.6	uR/hr	Bathroom
C10	3.2	uR/hr	No	partial inaccessible due to dishwasher	Kitchen	3.6	uR/hr	Bathroom
C11	3.2	uR/hr	No	partial of grid inaccessible due to wall	Dining Room	3.2	uR/hr	Closet
C12	3.6	uR/hr	No		Dining Room		uR/hr	
C13	3.2	uR/hr	No		Dining Room		uR/hr	
C14	3.2	uR/hr	No	only able to survey dining room portion of grid, remainder outside building	Dining Room		uR/hr	
D4	3.2	uR/hr	No	partial of grid inaccessible due to wall	Living Room		uR/hr	
D5	3.6	uR/hr	No		Living Room		uR/hr	
D6	3.2	uR/hr	No		Living Room		uR/hr	
D7	3.2	uR/hr	No		Living Room		uR/hr	
D8	3.2	uR/hr	No	partial of grid inaccessible due to wall	Storage	3.2	uR/hr	Storage
D9	3.2	uR/hr	No		Storage	3.6	uR/hr	Bathroom
D10	3.6	uR/hr	No		Bathroom		uR/hr	
D11	3.2	uR/hr	No		Closet		uR/hr	
D12	3.2	uR/hr	No		Hallway	3.2	uR/hr	Hallway
D13	3.2	uR/hr	No		Hallway	3.2	uR/hr	Kitchen
E4	3.2	uR/hr	No	partial of grid inaccessible due to wall	Living Room		uR/hr	
E5	3.2	uR/hr	No		Living Room		uR/hr	
E6	3.2	uR/hr	No		Living Room		uR/hr	
E7	3.2	uR/hr	No		Living Room		uR/hr	
E8	3.2	uR/hr	No		Hallway	3.2	uR/hr	Hallway
E9	3.2	uR/hr	No		Hallway	3.6	uR/hr	Bathroom
E10	3.2	uR/hr	No		Hallway	3.6	uR/hr	Bathroom
E11	3.2	uR/hr	No		Hallway		uR/hr	
E12	3.2	uR/hr	No		Hallway		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E13	3.2	uR/hr	No		Hallway		uR/hr	
F4	3.2	uR/hr	No	partial of grid inaccessible due to wall	Living Room		uR/hr	
F5	3.2	uR/hr	No		Living Room		uR/hr	
F6	3.2	uR/hr	No		Living Room		uR/hr	
F7	3.2	uR/hr	No		Living Room		uR/hr	
F8	3.2	uR/hr	No		Stairs		uR/hr	
F9	3.2	uR/hr	No		Stairs		uR/hr	
F10	3.2	uR/hr	No	first static reading-living room portion	Storage	3.2	uR/hr	Storage
F11	2.8	uR/hr	No	first static- living room portion	Storage	3.2	uR/hr	Utility
F12	3.2	uR/hr	No	first static-living room portion	Utility		uR/hr	
F13	3.2	uR/hr	No	optional static inaccessible due to washer	Utility		uR/hr	
G3	3.6	uR/hr	No	reading on storage shed portion	Storage Shed		uR/hr	
G4	3.2	uR/hr	No	partial of grid inaccessible due to main structure wall	Storage Shed		uR/hr	
G5	3.2	uR/hr	No		Living Room		uR/hr	
G6	3.2	uR/hr	No		Living Room		uR/hr	
G7	3.2	uR/hr	No		Living Room		uR/hr	
G8	3.2	uR/hr	No	partial of grid under the stairs	Stairs		uR/hr	
G9		uR/hr	No	inaccessible due to grid being under stairs	Stairs		uR/hr	
G10	3.2	uR/hr	No		Storage		uR/hr	
G11	3.2	uR/hr	No		Storage		uR/hr	
G12	3.2	uR/hr	No		Utility		uR/hr	
G13	3.2	uR/hr	No		Utility		uR/hr	
H3	3.6	uR/hr	No		Storage Shed		uR/hr	
H4	3.6	uR/hr	No		Storage Shed	3.2	uR/hr	Living Room
H5	3.2	uR/hr	No	partial inaccessible due to main structure wall	Living Room		uR/hr	
H6	3.2	uR/hr	No	partial inaccessible due to main structure wall	Living Room		uR/hr	
H7	3.2	uR/hr	No	partial inaccessible due to main structure wall	Living Room		uR/hr	
H8	3.2	uR/hr	No	partial inaccessible due to main structure wall	Stairs		uR/hr	



Summary Report
1225 Northpoint Drive Unit C


Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
H9		uR/hr	No	inaccessible due to grid being under stairs	Stairs		uR/hr	
H10		uR/hr	No	inaccessible due to wall blocking the grid	Storage		uR/hr	
H11	3.2	uR/hr	No	only able to get reading on storage portion	Storage		uR/hr	
H12	3.2	uR/hr	No	only able to read utility room portion	Utility		uR/hr	
H13		uR/hr	No	inaccessible due to dryer being placed on grid in utility room portion	Utility		uR/hr	

CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :

Signature :



SURVEYOR NOT AVAILABLE
TO SIGN.
J. May FOR P. LOZANO

Unit Summary :

Completion Date: 6/12/2014 3:49 PM
 Instrument: 193-6
 Serial #: 309099
 Layout: Floor Plan 6B
 Background Reading: 2.8 uR/hr

Summary Statistics :


Total # of Readings: 90
 Average: 2.84 uR/hr
 Standard Deviation: 0.16 uR/hr
 Minimum: 2.40 uR/hr
 Maximum: 3.60 uR/hr
 Median: 2.80 uR/hr
 # Anomalies: 0

Grid Legend:

- No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.6	uR/hr	No		Storage Shed		uR/hr	
A2	3.2	uR/hr	No		Storage Shed		uR/hr	
A3	3.2	uR/hr	No		Storage Shed		uR/hr	
A4	2.8	uR/hr	No		Living Room		uR/hr	Outside
A5	2.8	uR/hr	No		Living Room		uR/hr	
A6	2.8	uR/hr	No		Living Room		uR/hr	
A7	2.8	uR/hr	No		Living Room		uR/hr	
A8	2.8	uR/hr	No		Living Room		uR/hr	
A9		uR/hr	No	non accessible upper stairs	Stairs		uR/hr	
A10		uR/hr	No	non accessible access	Storage		uR/hr	
A11	2.8	uR/hr	No		Storage		uR/hr	
A12	2.8	uR/hr	No		Utility		uR/hr	
A13	2.8	uR/hr	No		Utility		uR/hr	
B1		uR/hr	No	exterior	Storage Shed		uR/hr	
B2		uR/hr	No	exterior	Storage Shed		uR/hr	
B3		uR/hr	No	exterior	Storage Shed		uR/hr	
B4	2.8	uR/hr	No		Living Room		uR/hr	Outside
B5	2.8	uR/hr	No		Living Room		uR/hr	
B6	2.8	uR/hr	No		Living Room		uR/hr	
B7	2.8	uR/hr	No		Living Room		uR/hr	
B8	2.8	uR/hr	No		Living Room		uR/hr	
B9		uR/hr	No	non accessible upper stairs	Stairs		uR/hr	
B10	2.8	uR/hr	No		Storage		uR/hr	
B11	2.8	uR/hr	No		Storage		uR/hr	
B12	2.8	uR/hr	No		Utility		uR/hr	
B13	2.8	uR/hr	No		Utility		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C4	2.8	uR/hr	No		Living Room		uR/hr	Outside
C5	2.8	uR/hr	No		Living Room		uR/hr	
C6	2.8	uR/hr	No		Living Room		uR/hr	
C7	2.8	uR/hr	No		Living Room		uR/hr	
C8	2.8	uR/hr	No		Living Room	2.8	uR/hr	Stairs
C9	2.8	uR/hr	No		Stairs	2.8	uR/hr	Hallway
C10	2.8	uR/hr	No		Storage	2.8	uR/hr	Hallway
C11	2.8	uR/hr	No		Storage	2.8	uR/hr	Hallway
C12	2.8	uR/hr	No		Utility		uR/hr	
C13	2.8	uR/hr	No		Utility		uR/hr	
D4	2.8	uR/hr	No		Living Room		uR/hr	Outside
D5	2.8	uR/hr	No		Living Room		uR/hr	
D6	2.8	uR/hr	No		Living Room		uR/hr	
D7	2.8	uR/hr	No		Living Room		uR/hr	
D8	2.8	uR/hr	No	Hallway 2.8 part of grid D8	Living Room	2.8	uR/hr	Storage
D9	2.8	uR/hr	No	3.2 part of grid D9	Hallway	2.8	uR/hr	Storage
D10	2.8	uR/hr	No		Hallway	2.8	uR/hr	Bathroom
D11	2.8	uR/hr	No		Hallway		uR/hr	
D12	2.8	uR/hr	No		Hallway		uR/hr	
D13	2.8	uR/hr	No		Hallway		uR/hr	
E4	2.8	uR/hr	No		Living Room		uR/hr	Outside
E5	2.8	uR/hr	No		Living Room		uR/hr	
E6	2.8	uR/hr	No		Living Room		uR/hr	
E7	2.8	uR/hr	No		Living Room		uR/hr	
E8	2.8	uR/hr	No		Living Room	2.8	uR/hr	Storage
E9	2.8	uR/hr	No		Storage	3.2	uR/hr	Bathroom
E10	3.2	uR/hr	No		Bathroom	2.8	uR/hr	Closet
E11	2.8	uR/hr	No		Closet		uR/hr	



Summary Report
1225 Northpoint Drive Unit D

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E12	2.8	uR/hr	No		Hallway		uR/hr	
E13	2.8	uR/hr	No		Hallway	2.8	uR/hr	Dining Room
E14		uR/hr	No	exterior	Dining Room		uR/hr	
F4	2.8	uR/hr	No		Living Room		uR/hr	Outside
F5	2.8	uR/hr	No		Living Room		uR/hr	
F6	2.8	uR/hr	No		Living Room		uR/hr	
F7	2.8	uR/hr	No		Living Room		uR/hr	
F8	2.8	uR/hr	No	2.8 part of grid F8 under cabinet	Living Room	2.8	uR/hr	Storage
F9	2.8	uR/hr	No		Storage	3.2	uR/hr	Bathroom
F10	3.6	uR/hr	No		Bathroom		uR/hr	
F11	2.8	uR/hr	No		Kitchen	2.8	uR/hr	Closet
F12	2.8	uR/hr	No		Dining Room		uR/hr	
F13	2.8	uR/hr	No		Dining Room		uR/hr	
F14		uR/hr	No	exterior	Dining Room		uR/hr	
G4	2.8	uR/hr	No		Living Room		uR/hr	Outside
G5	2.8	uR/hr	No		Living Room		uR/hr	
G6	2.8	uR/hr	No		Living Room		uR/hr	
G7	2.8	uR/hr	No		Living Room		uR/hr	
G8	2.8	uR/hr	No		Living Room	2.8	uR/hr	Kitchen
G9	2.8	uR/hr	No		Kitchen		uR/hr	
G10	2.8	uR/hr	No		Kitchen		uR/hr	
G11	2.8	uR/hr	No		Kitchen		uR/hr	
G12	2.8	uR/hr	No		Dining Room		uR/hr	
G13	2.8	uR/hr	No		Dining Room		uR/hr	
G14		uR/hr	No	exxterior	Dining Room		uR/hr	
H4	2.8	uR/hr	No		Living Room		uR/hr	Outside
H5	3.2	uR/hr	No		Living Room		uR/hr	
H6	2.8	uR/hr	No		Living Room		uR/hr	




Summary Report
1225 Northpoint Drive Unit D

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
H7	2.8	uR/hr	No		Living Room		uR/hr	
H8	2.4	uR/hr	No	fridge	Living Room		uR/hr	Kitchen
H9	2.8	uR/hr	No		Kitchen		uR/hr	
H10	2.8	uR/hr	No		Kitchen		uR/hr	
H11	2.8	uR/hr	No		Kitchen		uR/hr	
H12	2.8	uR/hr	No		Dining Room		uR/hr	
H13	2.8	uR/hr	No		Dining Room		uR/hr	
H14		uR/hr	No	exterior	Dining Room		uR/hr	


CBI Supervisor : Natalie Rothell

Senior Technician : Mark Cafouras

Signature :



Signature :



Unit Summary :

Completion Date:

6/12/2014 4:59 PM

Instrument:

193-6

Serial #:

309119

Layout:

Floor Plan 5

Background Reading:

2.8 uR/hr

Summary Statistics :

Total # of Readings:

86

Average:

2.97 uR/hr

Standard Deviation:

0.24 uR/hr

Minimum:

2.40 uR/hr

Maximum:

3.60 uR/hr

Median:

2.80 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13

Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A4	2.8	uR/hr	No	survey collected in living room, remainder of grid outside unit	Living Room		uR/hr	
A5	2.8	uR/hr	No		Living Room		uR/hr	
A6	3.2	uR/hr	No		Living Room		uR/hr	
A7	2.8	uR/hr	No		Living Room		uR/hr	
A8	2.8	uR/hr	No	refrigerator located in this grid	Kitchen		uR/hr	
A9	2.8	uR/hr	No	base cabinets cover a portion of grid	Kitchen		uR/hr	
A10	2.8	uR/hr	No	stove in this grid	Kitchen		uR/hr	
A11	3.2	uR/hr	No		Dining Room		uR/hr	
A12	2.8	uR/hr	No		Dining Room		uR/hr	
A13	2.8	uR/hr	No		Dining Room		uR/hr	
B4	2.8	uR/hr	No	survey of living room, remainder of grid not in unit	Living Room		uR/hr	
B5	3.2	uR/hr	No		Living Room		uR/hr	
B6	3.2	uR/hr	No		Living Room		uR/hr	
B7	3.2	uR/hr	No		Living Room		uR/hr	
B8	2.8	uR/hr	No		Kitchen		uR/hr	
B9	2.8	uR/hr	No	sink partially in this grid	Kitchen		uR/hr	
B10	2.8	uR/hr	No	dishwasher in this grid	Kitchen		uR/hr	
B11	2.8	uR/hr	No		Dining Room		uR/hr	
B12	2.8	uR/hr	No		Dining Room		uR/hr	
B13	2.8	uR/hr	No		Dining Room		uR/hr	
C4	3.2	uR/hr	No	survey of living room, remainder of grid not in unit	Living Room		uR/hr	
C5	3.2	uR/hr	No		Living Room		uR/hr	
C6	3.2	uR/hr	No		Living Room		uR/hr	
C7	3.2	uR/hr	No		Living Room		uR/hr	
C8	3.2	uR/hr	No	base cabinets cover kitchen portion of grid	Bathroom	3.2	uR/hr	Living Room
C9	3.2	uR/hr	No	interior wall/sink covers kitchen grid area	Bathroom		uR/hr	



Summary Report
1225 Northpoint Drive Unit E

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C10	2.8	uR/hr	No	dishwasher covers kitchen portion of grid	Dining Room	3.6	uR/hr	Bathroom
C11	2.8	uR/hr	No		Dining Room		uR/hr	
C12	2.8	uR/hr	No		Dining Room		uR/hr	
C13	2.8	uR/hr	No		Dining Room		uR/hr	
D4	2.8	uR/hr	No	survey of living room, remainder of grid not in unit	Living Room		uR/hr	
D5	3.2	uR/hr	No		Living Room		uR/hr	
D6	3.2	uR/hr	No		Living Room		uR/hr	
D7	3.2	uR/hr	No		Living Room		uR/hr	
D8	2.8	uR/hr	No		Bathroom	2.8	uR/hr	Hallway
D9	3.2	uR/hr	No		Bathroom	3.2	uR/hr	Hallway
D10	3.6	uR/hr	No		Bathroom	3.2	uR/hr	Hallway
D11	2.8	uR/hr	No		Hallway		uR/hr	
D12	2.8	uR/hr	No		Hallway		uR/hr	
D13		uR/hr	No	N/A exterior			uR/hr	
E4	2.8	uR/hr	No	survey of living room, remainder of grid not in unit	Living Room		uR/hr	
E5	3.2	uR/hr	No		Living Room		uR/hr	
E6	3.2	uR/hr	No		Living Room		uR/hr	
E7	3.2	uR/hr	No		Living Room		uR/hr	
E8	2.8	uR/hr	No		Hallway		uR/hr	
E9	3.2	uR/hr	No		Hallway		uR/hr	
E10	2.8	uR/hr	No		Hallway		uR/hr	Closet
E11	2.8	uR/hr	No		Hallway		uR/hr	
E12	2.8	uR/hr	No		Hallway		uR/hr	
E13		uR/hr	No	N/A exterior			uR/hr	
F4	2.8	uR/hr	No	survey of living room, remainder of grid not in unit	Living Room		uR/hr	
F5	2.8	uR/hr	No		Living Room		uR/hr	
F6	3.2	uR/hr	No		Living Room		uR/hr	
F7	2.8	uR/hr	No		Living Room		uR/hr	



Summary Report
1225 Northpoint Drive Unit E

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F8	2.8	uR/hr	No		Stairs	2.8	uR/hr	Living Room
F9	2.8	uR/hr	No	stair rail/wall covers portion of this grid	Stairs		uR/hr	
F10	2.8	uR/hr	No		Closet	2.8	uR/hr	Utility
F11	2.8	uR/hr	No		Utility		uR/hr	
F12		uR/hr	No	inaccessible /washer covers grid	Utility		uR/hr	
F13		uR/hr	No	N/A exterior			uR/hr	
G1		uR/hr	No	inaccessible/ unit F storage shed	Storage Shed		uR/hr	
G2		uR/hr	No	inaccessible/ unit F storage shed	Storage Shed		uR/hr	
G3	3.2	uR/hr	No		Storage Shed		uR/hr	
G4	3.2	uR/hr	No		Storage Shed	2.8	uR/hr	Living Room
G5	2.8	uR/hr	No		Living Room		uR/hr	
G6	3.2	uR/hr	No		Living Room		uR/hr	
G7	2.8	uR/hr	No		Living Room		uR/hr	
G8	2.4	uR/hr	No	not accessible/ stairs	Living Room		uR/hr	
G9		uR/hr	No	stairs	Stairs		uR/hr	
G10	2.8	uR/hr	No		Utility		uR/hr	
G11	2.8	uR/hr	No		Utility		uR/hr	
G12		uR/hr	No	inaccessible /dryer covers grid	Utility		uR/hr	
G13		uR/hr	No	N/A exterior			uR/hr	
H1		uR/hr	No	inaccessible/ unit F storage shed	Storage Shed		uR/hr	
H2		uR/hr	No	inaccessible/ unit F storage shed	Storage Shed		uR/hr	
H3	3.6	uR/hr	No		Storage Shed		uR/hr	
H4	3.6	uR/hr	No		Storage Shed		uR/hr	
H5		uR/hr	No	N/A exterior			uR/hr	
H6		uR/hr	No	N/A exterior			uR/hr	
H7		uR/hr	No	N/A exterior			uR/hr	
H8		uR/hr	No	N/A exterior			uR/hr	
H9		uR/hr	No	N/A exterior			uR/hr	



Summary Report
1225 Northpoint Drive Unit E


Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
H10		uR/hr	No	N/A exterior			uR/hr	
H11		uR/hr	No	N/A exterior			uR/hr	
H12		uR/hr	No	N/A exterior			uR/hr	
H13		uR/hr	No	N/A exterior			uR/hr	

CBI Supervisor : Joyce McGee

Senior Technician : Efraim Ramirez

Signature :

Signature :



Unit Summary :


Completion Date: 6/12/2014 3:59 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 5B
Background Reading: 3.2 uR/hr

Summary Statistics :

Total # of Readings: 98
Average: 3.19 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	4.0	uR/hr	No	static reading taken in the upper left corner of grid	Storage Shed		uR/hr	
A2	4.0	uR/hr	No	partial grid	Storage Shed		uR/hr	
A3		uR/hr	No	n/a 1225 E neighbors shed	Storage Shed		uR/hr	
A4		uR/hr	No	n/a 1225 E neighbors shed	Storage Shed	3.2	uR/hr	Living Room
A5	3.2	uR/hr	No	partial grid	Living Room		uR/hr	
A6	3.2	uR/hr	No	partial grid	Living Room		uR/hr	
A7	3.2	uR/hr	No	partial grid	Living Room		uR/hr	
A8	3.2	uR/hr	No	partial grid	Living Room		uR/hr	
A9		uR/hr	No	survey not performed because of stairs	Stairs		uR/hr	
A10		uR/hr	No	survey not performed because of stairs	Stairs		uR/hr	
A11	2.8	uR/hr	No		Utility		uR/hr	
A12	3.2	uR/hr	No	partial grid	Utility		uR/hr	
A13	3.2	uR/hr	No		Utility		uR/hr	
B1	3.2	uR/hr	No		Storage Shed		uR/hr	
B2	3.2	uR/hr	No		Storage Shed		uR/hr	
B3		uR/hr	No	n/a 1225 E neighbors shed	Storage Shed		uR/hr	
B4	3.2	uR/hr	No	partial grid	Living Room		uR/hr	
B5	3.2	uR/hr	No		Living Room		uR/hr	
B6	3.2	uR/hr	No		Living Room		uR/hr	
B7	3.2	uR/hr	No		Living Room		uR/hr	
B8	3.2	uR/hr	No	partial grid	Living Room		uR/hr	
B9		uR/hr	No	survey not performed because of stairs	Stairs		uR/hr	
B10	3.2	uR/hr	No		Stairs		uR/hr	
B11	3.2	uR/hr	No		Utility		uR/hr	
B12	3.2	uR/hr	No	partial grid washer &. dryer	Utility		uR/hr	
B13		uR/hr	No	unable to scan due to washer	Utility		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C4	3.2	uR/hr	No	partial grids	Living Room		uR/hr	
C5	3.2	uR/hr	No		Living Room		uR/hr	
C6	3.6	uR/hr	No		Living Room		uR/hr	
C7	3.2	uR/hr	No		Living Room		uR/hr	
C8	3.2	uR/hr	No		Living Room	3.2	uR/hr	Hallway
C9	3.2	uR/hr	No	static reading on stairs was at 12 inches	Stairs	2.8	uR/hr	Stairs
C10	3.2	uR/hr	No		Closet		uR/hr	
C11	3.2	uR/hr	No		Utility		uR/hr	
C12	3.2	uR/hr	No	partial grid washer &. dryer	Utility	3.2	uR/hr	Hallway
C13		uR/hr	No	unable to scan due to dryer. no partial grid in entry	Utility		uR/hr	
D4	3.2	uR/hr	No	partial grids	Living Room		uR/hr	
D5	3.2	uR/hr	No		Living Room		uR/hr	
D6	3.2	uR/hr	No		Living Room		uR/hr	
D7	3.2	uR/hr	No		Living Room		uR/hr	
D8	3.2	uR/hr	No		Living Room		uR/hr	
D9	3.2	uR/hr	No		Hallway		uR/hr	
D10	3.2	uR/hr	No		Hallway		uR/hr	
D11	3.2	uR/hr	No		Hallway		uR/hr	
D12	3.2	uR/hr	No		Hallway		uR/hr	
D13		uR/hr	No	no partial grid due to actual length of unit is 8 meters (shorter than drawing)	Hallway		uR/hr	
E4	3.2	uR/hr	No	partial grids	Living Room		uR/hr	
E5	3.2	uR/hr	No		Living Room		uR/hr	
E6	3.2	uR/hr	No		Living Room		uR/hr	
E7	3.2	uR/hr	No		Living Room		uR/hr	
E8	3.2	uR/hr	No		Living Room	3.2	uR/hr	Bathroom
E9	3.2	uR/hr	No		Bathroom		uR/hr	



Summary Report
1225 Northpoint Drive Unit F

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E10	4.0	uR/hr	No	static reading taken next to the toilet. bottom left of grid elevated activity due to natural radioactive material in toilet composition adjacent d10, d11, e11	Bathroom		uR/hr	
E11	3.2	uR/hr	No		Hallway		uR/hr	
E12	3.2	uR/hr	No		Hallway	3.2	uR/hr	Hallway
E13	2.8	uR/hr	No	partial grid	Dining Room		uR/hr	
F4	3.2	uR/hr	No	partial grids	Living Room		uR/hr	
F5	3.2	uR/hr	No		Living Room		uR/hr	
F6	3.2	uR/hr	No		Living Room		uR/hr	
F7	3.2	uR/hr	No		Living Room		uR/hr	
F8	3.2	uR/hr	No	unable to get kitchen partial grid due to cabinets	Living Room		uR/hr	
F9	3.2	uR/hr	No	partial grid; static taken in cabinet. cabinets are 5 inches off the ground. cabinets composed of half inch wood	Kitchen		uR/hr	
F10	3.2	uR/hr	No	partial grid due to cabinets	Kitchen		uR/hr	
F11	3.2	uR/hr	No		Dining Room		uR/hr	
F12	3.2	uR/hr	No		Dining Room		uR/hr	
F13	3.2	uR/hr	No	partial grid	Dining Room		uR/hr	
G4	3.2	uR/hr	No	partial grids	Living Room		uR/hr	
G5	3.2	uR/hr	No		Living Room		uR/hr	
G6	3.2	uR/hr	No		Living Room		uR/hr	
G7	3.2	uR/hr	No		Living Room		uR/hr	
G8	2.8	uR/hr	No		Living Room		uR/hr	
G9	3.2	uR/hr	No		Kitchen		uR/hr	
G10	3.2	uR/hr	No		Kitchen		uR/hr	
G11	3.2	uR/hr	No		Dining Room		uR/hr	
G12	3.2	uR/hr	No		Dining Room		uR/hr	
G13	3.2	uR/hr	No	partial grid	Dining Room		uR/hr	
H4	3.2	uR/hr	No	partial grids	Living Room		uR/hr	
H5	3.2	uR/hr	No	partial grid	Living Room		uR/hr	



**Summary Report
1225 Northpoint Drive Unit F**


Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
H6	2.8	uR/hr	No	partial grid	Living Room		uR/hr	
H7	3.2	uR/hr	No	partial grid	Living Room		uR/hr	
H8	2.8	uR/hr	No	partial grid due to cabinets & fridge	Living Room		uR/hr	
H9	3.2	uR/hr	No	partial grid due to oven	Kitchen		uR/hr	
H10	3.2	uR/hr	No	partial grid; static taken in cabinet. cabinets are 5 inches off the ground. cabinets composed of half inch wood	Kitchen		uR/hr	
H11	2.8	uR/hr	No	partial grid	Dining Room		uR/hr	
H12	3.2	uR/hr	No	partial grid	Dining Room		uR/hr	
H13	3.2	uR/hr	No	partial grid	Dining Room		uR/hr	
I5	2.8	uR/hr	No	partial grid for mechanical room due to pipes and equipment. grids not shown on original template			uR/hr	
I6	2.8	uR/hr	No	partial grid for mechanical room due to pipes and equipment. grids not shown on original template			uR/hr	
I7	3.2	uR/hr	No	partial grid for mechanical room due to pipes and equipment. grids not shown on original template			uR/hr	
I8	3.2	uR/hr	No	partial grid; approx. 50 percent of grid in electrical room utility shed is 2 1/4 meters by 3 1/3 meters			uR/hr	
J5	2.8	uR/hr	No	partial grid for mechanical room due to pipes and equipment. grids not shown on original template			uR/hr	
J6		uR/hr	No	unable to scan grid because of water heater			uR/hr	
J7	3.2	uR/hr	No	partial grid for mechanical room due to pipes and equipment. grids not shown on original template			uR/hr	
J8	3.2	uR/hr	No	partial grid; approx 50 percent of grid in electrical. room			uR/hr	
K5	3.2	uR/hr	No	partial grid for mechanical room due to pipes and equipment. grids not shown on original template			uR/hr	
K6	2.8	uR/hr	No	partial grid for mechanical room due to pipes and equipment. grids not shown on original template			uR/hr	
K7	3.2	uR/hr	No	partial grid for mechanical room due to pipes and equipment. grids not shown on original template			uR/hr	
K8	3.2	uR/hr	No	partial grid; approx 50 percent grid in electrical room			uR/hr	

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :

Signature :





Unit Summary :

Completion Date: 7/8/2014 9:40 AM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 4
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.4 W 6.5
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Elevated measurements due to NORM in toilet bowl. A13 through G13 are outside floorplan.

Summary Statistics :

Total # of Readings: 82
Average: 3.35 uR/hr
Standard Deviation: 0.43 uR/hr
Minimum: 2.40 uR/hr
Maximum: 5.20 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	10% accessible
A9	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	20% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1226 Bayside Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
C9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
C10	3.6	uR/hr	Kitchen	Installed base cabinets.	5.2	uR/hr	Bathroom			uR/hr			No	
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Hallway		5.2	uR/hr	Bathroom			uR/hr			No	elevated measurements due to NORM in toilet bowl and tile materials
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Utility			uR/hr			No	60% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	static reading taken on stairs at 12 inches from floor
F9	3.2	uR/hr	Stairs			uR/hr				uR/hr			No	static reading taken on stairs at 12 inches from floor
F10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	static reading taken on stairs at 64 inches from floor
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1226-B
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1226-B
G3	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	30% accessible
G5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible



Summary Report
1226 Bayside Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	static reading taken on stairs at 44 inches from floor 50% accessible
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static reading taken on stairs at 44 inches from floor 50% accessible
G10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static reading taken on stairs at 64 inches from floor 50% accessible
G11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	50% accessible
G12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1226-B
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1226-B
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible




CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :


Completion Date: 7/8/2014 10:32 AM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 4B
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.3 W 6.5
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 106
Average: 2.88 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to unit 1226-A.
A4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40 inches from floor surface, 10% accessible
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 40 inches from floor surface, 10 % accessible
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Static taken on stairs 64 inches from floor surface. 10% accessible
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible



**Summary Report
1226 Bayside Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to unit 1226-A.
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40 inches from floor surface
B9	2.8	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40 inches from floor surface
B10	2.8	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 64 inches from floor surface
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	10% accessible
B13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		No	static taken on stairs 16 inches from floor surface
C9	2.8	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16 inches from floor surface
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Washing machine within grid.	2.8	uR/hr	Hallway			uR/hr			No	20% accessible
C13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway		No	
D9	3.6	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D10	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom		2.8	uR/hr	Dining Room			uR/hr			No	
E11	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E12	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
F9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	10% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible



Summary Report
1226 Bayside Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	10% accessible
G10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	10% accessible
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible



Summary Report
1226 Bayside Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/8/2014 9:58 AM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 5
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.7 W 6.8
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
Actual dimensions are 6.8 meters by 8.7 meters, no partials as shown.

Summary Statistics :

Total # of Readings: 86
Average: 3.33 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.00 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room	Installed refrigerator.	3.2	uR/hr	Kitchen			uR/hr			No	moved refrigerator to survey grid
A9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B9	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1226 Bayside Drive Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		No	
C9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	50% accessible from bathroom, kitchen half of grid cell installed dishwasher
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading taken at .6 meters from floor for stairs
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible. reading taken at .6 meters from floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved clothes washer to survey grid
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to Unit 1226-D storage shed
G2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible. Rest of grid belongs to Unit 1226-D
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	70% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	80% accessible. reading taken at 1.3 meters from floor for stairs
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading taken at 1.3 meters from floor
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading taken at 1.8 meters from floor