Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. moved clothes dryer to survey grid
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to Unit 1226-D storage shed
H2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible. Rest of grid belongs to Unit 1226-D storage shed
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1226 Bayside Drive Unit D

Unit Summary :

Completion Date: 7/8/2014 10:10 AM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

2 dogs in yard. Unit is shorter length at entry.

Summary Statistics :


Total # of Readings:	90	
Average:	2.95	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1226C
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	living room grid is 10% accessible, remainder of grid is outside or belongs to shed for unit 1226C
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, reading taken at 1 m from ground level
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, reading on stairs taken at 1 m from ground level
A10	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible after moving dryer
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit is 8 m at this point
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to unit 1226C
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1 m from ground level
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1 m from ground level
B10	2.8	uR/hr	Utility		2.8	uR/hr	Closet			uR/hr			No	
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	dryer moved, 50% accessible

Summary Report
1226 Bayside Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit is 8 m at this point
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at .6 m from ground level
C9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1 m from ground level
C10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	40% accessible, remainder of grid is outside of unit
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit is 8 m at this point
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	3.2	uR/hr	Hallway		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .6 m from ground level
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	70% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit is 8 m at this point
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	near toilet
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	70% accessible
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	50% accessible
G9	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	75% accessible, survey performed within installed base cabinets
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	75% accessible, survey performed within installed base cabinets
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, survey performed within installed base cabinets
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, survey performed within installed base cabinets
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1226 Bayside Drive Unit E

Unit Summary :

Completion Date: 7/8/2014 9:55 AM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 4

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.3 W 6.5

Unit Furnished: Yes

Tenant Present: No

Unit Notes:


Grids A4-F4 are outside of floor plan

Summary Statistics :

Total # of Readings:	87	
Average:	3.21	uR/hr
Standard Deviation:	0.29	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	Grid is 30% accessible.
A11	2.8	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 35% accessible.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	Grid is 80% accessible.
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 35% accessible.
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	
C9	3.6	uR/hr	Bedroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
C10	3.6	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	Base cabinets in kitchen. Grid is 50% accessible.
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 25% accessible.
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway		3.2	uR/hr	Bathroom		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	3.2	uR/hr	Hallway		4.0	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 90% accessible.
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	


Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	
E9	3.2	uR/hr	Hallway	Grid partially contained within wall construction.	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	reading taken at 12 inches from floor on stairs. Grid is 75% accessible.
E10	3.2	uR/hr	Hallway		3.6	uR/hr	Closet			uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Utility			uR/hr			No	Grid is 90% accessible.
E13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 25% accessible.
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading taken at 28 inches from floor on stairs.
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	reading taken at 28 inches from floor on stairs. Grid is 80% accessible.
F10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	reading taken at 68 inches from floor on stairs.
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 35% accessible.
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	belong's to unit 1226 F
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	belong's to unit 1226 F
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 60% accessible.
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 60% accessible.
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 40% accessible.
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 40% accessible.
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 40% accessible.
G8	3.2	uR/hr	Living Room		2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	reading taken at 44 inches from floor on stairs. Grid is 40% accessible.
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	reading taken at 44 inches from floor on stairs. Grid is 40% accessible.
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	reading taken at 68 inches from floor on stairs. Grid is 40%accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 40% accessible.
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 40% accessible.
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 25% accessible.
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	belong's to unit 1226 F
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	belong's to unit 1226 F
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 40% accessible.
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 40% accessible.


CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1226 Bayside Drive Unit F

Unit Summary :

Completion Date:	7/8/2014 9:42 AM			
Instrument:	193-6			
Serial #:	309136			
Layout:	Floor Plan 4B			
Background Reading:	2.8	uR/hr		
Dimensions (m):	D	8.2	W	6.5
Unit Furnished:	Yes			
Tenant Present:	Yes			
Unit Notes:				


Grids B1 - B3 are outside of floor plan

Summary Statistics :

Total # of Readings:	102	
Average:	2.68	uR/hr
Standard Deviation:	0.40	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.80	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Storage shed dimensions: 1.7m X 1.1m. 70% accessible.
A2	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	Storage shed dimensions: 1.7m X 1.1m.
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1226 E.
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
A5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A8	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible. Stairs static taken at 0.5 meters above ground level.
A9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	30% accessible. Stairs static taken at 1.1 meters above ground level.
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs static taken at 1.7 meters above ground level.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible.
A13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 8.2 meters deep.
B4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.0	uR/hr	Stairs		2.4	uR/hr	Living Room			uR/hr			No	Stairs static taken 1.1 meters above ground level.
B9	2.0	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	Stairs static taken at 1.1 meters above ground level.
B10	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken at 1.7 meters above ground level.
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	30% accessible.
B13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 8.2 meters deep.
C4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1226 Bayside Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Stairs		2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		No	Stairs static taken at 0.5 meters above ground level.
C9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken at 0.5 meters above ground level.
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Utility			uR/hr			No	
C12	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 8.2 meters deep.
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Bathroom		2.4	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
D9	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D10	2.8	uR/hr	Hallway		4.4	uR/hr	Bathroom			uR/hr			No	Elevated measurements due to NORM in toilet bowl material.
D11	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Bathroom		2.4	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.8	uR/hr	Bathroom		2.8	uR/hr	Dining Room			uR/hr			No	Elevated measurements due to NORM in toilet bowl material.
E11	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E12	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 8.2 meters deep.
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.4	uR/hr	Living Room			uR/hr			No	
F9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible.
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 8.2 meters deep.
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible.
G11	2.8	uR/hr	Dining Room	Installed Stove.		uR/hr				uR/hr			No	60% accessible.
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 8.2 meters deep.
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
H5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H8	2.8	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	20% accessible. Pulled out refrigerator and surveyed.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	20% accessible.
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Scan performed in base cabinets.
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Scan performed in base cabinets.
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit is 8.2 meters deep.

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1226 Bayside Drive Unit G

Unit Summary :

Completion Date: 7/8/2014 11:32 AM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.7 W 6.9

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Elevated measurements due to NORM in toilet bowl. H5 through H13 and D13 through G13 are outside unit footprint. There was a bed in the living room.

Summary Statistics :

Total # of Readings:	76	
Average:	3.26	uR/hr
Standard Deviation:	0.31	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A5	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	20% accessible
A9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible
A10	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	20% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
B9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
B10	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
C9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
C10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
E4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static reading taken on stairs at 28 inches. from floor
F9	2.8	uR/hr	Closet			uR/hr				uR/hr			No	static reading taken on stairs at 28 inches. from floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible
G1		uR/hr	Storage Shed			uR/hr				uR/hr			No	storage shed belongs to unit 1226 H
G2		uR/hr	Storage Shed			uR/hr				uR/hr			No	storage shed belongs to unit 1226 H
G3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Living Room		3.6	uR/hr	Storage Shed			uR/hr			No	60% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static reading taken on stairs at 44 inches. from floor
G9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static reading taken on stairs at 60 inches. from floor
G10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static reading taken on stairs at 68 inches. from floor
G11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible
H1		uR/hr	Storage Shed			uR/hr				uR/hr			No	storage shed belongs to unit 1226 H
H2		uR/hr	Storage Shed			uR/hr				uR/hr			No	storage shed belongs to unit 1226 H
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1226 Bayside Drive Unit H

Unit Summary :

Completion Date:	7/8/2014 1:58 PM			
Instrument:	193-6			
Serial #:	309127			
Layout:	Floor Plan 4B			
Background Reading:	4.0	uR/hr		
Dimensions (m):	D 8.6	W 6.8		
Unit Furnished:	Yes			
Tenant Present:	Yes			
Unit Notes:				

Floor plan is 1226 H 5B. Mechanical room dimension 1.8 X 3.8 (m)

Summary Statistics :


Total # of Readings:	119	
Average:	3.31	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed			uR/hr				uR/hr			No	Storage belong's to 1226 G.
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	grid is 5% accessible. Storage belong's to 1226 G.
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 40% accessible.
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 40% accessible.
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	Reading taken at 44 inches from floor on stairs. Grid is 40% accessible.
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Reading taken at 44 inches from floor on stairs. Grid is 40% accessible.
A10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Reading taken at 68 inches from floor on stairs. Grid is 40% accessible.
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 40% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	Grid is 40% accessible.
A13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	grid is 10% accessible.
B2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	grid is 10% accessible.
B3		uR/hr	Storage Shed			uR/hr				uR/hr			No	Storage belong's to 1226 G.
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 20% accessible. Storage belong's to 1226 G.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	Reading taken at 28 inches from floor on stairs.
B9	3.2	uR/hr	Stairs			uR/hr				uR/hr			No	Reading taken at 28 inches from floor on stairs.
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 10% accessible.
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	
C9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs			uR/hr			No	Reading taken at 12 inches from floor on stairs.
C10	3.2	uR/hr	Hallway			uR/hr	Closet			uR/hr			No	
C11	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
C12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	90% accessible
C13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 10% accessible.
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom		No	
D9	3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 10% accessible.
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Dining Room		3.6	uR/hr	Hallway			uR/hr			No	
E12	3.6	uR/hr	Dining Room		3.6	uR/hr	Hallway			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 25% accessible.
F4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 10% accessible.
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	Grid is 60% accessible. Installed dishwasher.
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 50% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 10% accessible.
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	Grid is 40% accessible due to the stove.
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 50% accessible.
H4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Mech Room			uR/hr			No	Grid is 10% accessible.
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Mech Room			uR/hr			No	grid is 50% accessible.
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 40% accessible.
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Mech Room			uR/hr			No	
H8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen		3.2	uR/hr	Mech Room		No	
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 40% accessible.
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 20% accessible due to Installed stove. Reading taken inside base cabinets.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 40% accessible.
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 40% accessible.
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid is 25% accessible.
I4	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	grid is 10% accessible.
I5	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	grid is 50% accessible due to installed hot water heater.
I6	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	grid is 20% accessible due to installed furnace..
I7	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	grid is 10% accessible due to furnace.
I8	3.2	uR/hr	Mech Room	Installed furnace.	3.2	uR/hr	Mech Room			uR/hr			No	grid is 60% accessible due to furnace
J4	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	grid is 5% accessible.
J5	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	grid is 20% accessible.
J6	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	grid is 20% accessible.
J7	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	grid is 20% accessible.
J8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Mech Room			uR/hr			No	grid is 20% accessible.

CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:

Summary Report
1227 Northpoint Drive Unit A

Unit Summary :

Completion Date: 6/25/2014 3:59 PM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: No

Tenant Present: No

Unit Notes:

Actual unit dimensions are 6.8 meters by 8.6 meters, no partial grids as shown.

Summary Statistics :


Total # of Readings:	79	
Average:	3.31	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	Moved refrigerator for survey.
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	50% accessible- installed stove
A10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	50% accessible- installed stove
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	

Summary Report
1227 Northpoint Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	95% accessible
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom		No	
C9	3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen			uR/hr			No	
C10	3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr			No	40% accessible
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		No	
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	Actual unit dimensions are 6.8 meters by 8.6 meters, no partial grids as shown.
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	Actual unit dimensions are 6.8 meters by 8.6 meters, no partial grids as shown.
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		3.6	uR/hr	Living Room			uR/hr			No	
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	Moved washer/dryer for survey. Actual unit dimensions are 6.8 meters by 8.6 meters, no partial grids as shown.
G2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G4	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr			No	70% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	80% accessible. reading 1.3 m above apartment first floor
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.3 m above apartment first floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.8 m above apartment first floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Moved washer/dryer for survey. Actual unit dimensions are 6.8 meters by 8.6 meters, no partial grids as shown.
H2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
J4	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
J5	3.2	uR/hr	Mech Room			uR/hr				uR/hr			No	
J6	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible
J7	3.2	uR/hr	Mech Room			uR/hr				uR/hr			No	
K4	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
K5	3.2	uR/hr	Mech Room			uR/hr				uR/hr			No	
K6	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
K7	3.2	uR/hr	Mech Room			uR/hr				uR/hr			No	

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1227 Northpoint Drive Unit B

Unit Summary :

Completion Date: 7/28/2014 10:37 AM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5B

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4 to A12, B4 to H4,were less than 6" and were scanned with adjacent grids. A3 and B3 belong to 1227 A. A13 to D13, E14 to H14 were outside floor plan.

Summary Statistics :


Total # of Readings:	89	
Average:	2.92	uR/hr
Standard Deviation:	0.26	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1227A
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1227B
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40" from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
B10	2.4	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	static taken on stairs 56" from floor surface
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		No	static taken on stairs 16" from floor surface
C9	3.2	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
C10	2.8	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Hallway		2.8	uR/hr	Utility			uR/hr			No	
C12	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	static taken by toilet
E11	2.8	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E12	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
F9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	immoveable bookcase attached to wall, scanned 4" from floor surface on 1" particle board, 70% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	immoveable bookcase, attached to wall, scanned 4" from floor surface on 1" particle board, 70% accessible. moved installed refrigerator
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed stove, 30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1227 Northpoint Drive Unit C

Unit Summary :

Completion Date:	6/19/2014 3:23 PM	
Instrument:	193-6	
Serial #:	309128	
Layout:	Floor Plan 6	
Background Reading:	3.6	uR/hr
Dimensions (m):	D	W
Unit Furnished:		
Tenant Present:		
Unit Notes:		

Summary Statistics :


Total # of Readings:	90	
Average:	3.29	uR/hr
Standard Deviation:	0.23	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.40	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A4	3.6	uR/hr	No		Living Room		uR/hr	
A5	3.6	uR/hr	No		Living Room		uR/hr	
A6	3.2	uR/hr	No		Living Room		uR/hr	
A7	3.2	uR/hr	No		Living Room		uR/hr	
A8	3.2	uR/hr	No		Living Room	3.2	uR/hr	Kitchen
A9	3.2	uR/hr	No		Kitchen		uR/hr	
A10	3.2	uR/hr	No		Kitchen		uR/hr	
A11	3.2	uR/hr	No		Dining Room		uR/hr	
A12	3.2	uR/hr	No		Dining Room		uR/hr	
A13	3.2	uR/hr	No		Dining Room		uR/hr	
A14		uR/hr	No	N/A- Grids are outside unit interior boundary.	Dining Room		uR/hr	
B4	3.2	uR/hr	No		Living Room		uR/hr	
B5	3.6	uR/hr	No		Living Room		uR/hr	
B6	3.2	uR/hr	No		Living Room		uR/hr	
B7	3.6	uR/hr	No		Living Room		uR/hr	
B8	3.2	uR/hr	No		Living Room	3.2	uR/hr	Kitchen
B9	3.2	uR/hr	No		Kitchen		uR/hr	
B10	3.2	uR/hr	No		Kitchen		uR/hr	
B11	3.2	uR/hr	No		Dining Room		uR/hr	
B12	3.2	uR/hr	No		Dining Room		uR/hr	
B13	3.2	uR/hr	No		Dining Room		uR/hr	
B14		uR/hr	No	N/A- Grids are outside unit interior boundary.	Dining Room		uR/hr	
C4	3.2	uR/hr	No		Living Room		uR/hr	
C5	3.6	uR/hr	No		Living Room		uR/hr	
C6	3.2	uR/hr	No		Living Room		uR/hr	
C7	3.2	uR/hr	No		Living Room		uR/hr	
C8	3.2	uR/hr	No	3.2 under kitchen cabinet	Living Room	3.2	uR/hr	Storage

Summary Report
1227 Northpoint Drive Unit C

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C9	3.6	uR/hr	No	3.2 under kitchen cabinet	Bathroom	3.2	uR/hr	Storage
C10	4.4	uR/hr	No	porcelain toilet: static taken at maximum nearest toilet bowl; kitchen static taken under kitchen cabinet	Bathroom	3.2	uR/hr	Kitchen
C11	3.2	uR/hr	No		Dining Room	3.2	uR/hr	Closet
C12	3.2	uR/hr	No		Dining Room		uR/hr	
C13	3.2	uR/hr	No		Dining Room		uR/hr	
C14		uR/hr	No	N/A- Grids are outside unit interior boundary.	Dining Room		uR/hr	
D4	3.6	uR/hr	No		Living Room		uR/hr	
D5	3.6	uR/hr	No		Living Room		uR/hr	
D6	3.2	uR/hr	No		Living Room		uR/hr	
D7	3.2	uR/hr	No		Living Room		uR/hr	
D8	3.2	uR/hr	No		Storage	3.2	uR/hr	Living Room
D9	3.6	uR/hr	No		Bathroom	3.2	uR/hr	Storage
D10	4.0	uR/hr	No	porcelain toilet; static taken at maximum nearest toilet bowl	Bathroom		uR/hr	
D11	3.2	uR/hr	No	3.2 in kitchen closet	Closet	3.2	uR/hr	Dining Room
D12	3.2	uR/hr	No		Hallway	3.2	uR/hr	Dining Room
D13	3.2	uR/hr	No		Dining Room	3.2	uR/hr	Hallway
D14		uR/hr	No	N/A- Grids are outside unit interior boundary.	Dining Room		uR/hr	
E4	3.2	uR/hr	No		Living Room		uR/hr	
E5	3.2	uR/hr	No		Living Room		uR/hr	
E6	3.2	uR/hr	No		Living Room		uR/hr	
E7	3.6	uR/hr	No		Living Room		uR/hr	
E8	3.2	uR/hr	No	3.2 in storage	Living Room	3.2	uR/hr	Hallway
E9	3.2	uR/hr	No	3.2 optional in bathroom	Hallway	3.2	uR/hr	Storage
E10	3.2	uR/hr	No		Hallway	3.2	uR/hr	Bathroom
E11	3.2	uR/hr	No		Hallway	3.2	uR/hr	Closet
E12	3.2	uR/hr	No		Hallway		uR/hr	
E13	3.2	uR/hr	No		Hallway		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F4	3.2	uR/hr	No		Living Room		uR/hr	
F5	3.2	uR/hr	No		Living Room		uR/hr	
F6	3.2	uR/hr	No		Living Room		uR/hr	
F7	3.2	uR/hr	No		Living Room		uR/hr	
F8	3.2	uR/hr	No		Living Room		uR/hr	
F9	3.2	uR/hr	No		Hallway		uR/hr	
F10	3.2	uR/hr	No		Hallway	3.2	uR/hr	Storage
F11	3.2	uR/hr	No		Hallway	3.2	uR/hr	Storage
F12	3.2	uR/hr	No		Hallway	3.2	uR/hr	Utility
F13	3.2	uR/hr	No		Hallway	3.2	uR/hr	Utility
G1		uR/hr	No	N/A- Portion of exterior shed assigned to unit 1227 D.	Storage Shed		uR/hr	
G2		uR/hr	No	N/A- Portion of exterior shed assigned to unit 1227 D.	Storage Shed		uR/hr	
G3	3.6	uR/hr	No		Storage Shed		uR/hr	
G4	3.2	uR/hr	No		Storage Shed		uR/hr	
G5	3.2	uR/hr	No		Living Room		uR/hr	
G6	3.2	uR/hr	No		Living Room		uR/hr	
G7	3.2	uR/hr	No		Living Room		uR/hr	
G8	2.8	uR/hr	No		Living Room		uR/hr	
G9		uR/hr	No	N/A- Stairway above floor scan area.	Stairs		uR/hr	
G10		uR/hr	No	obstructed by stairway	Storage		uR/hr	
G11	3.2	uR/hr	No		Utility	3.2	uR/hr	Storage
G12	3.2	uR/hr	No		Utility		uR/hr	
G13	3.2	uR/hr	No		Utility		uR/hr	
H1		uR/hr	No	N/A- Portion of exterior shed assigned to unit 1227 D.	Storage Shed		uR/hr	
H2	3.6	uR/hr	No		Storage Shed		uR/hr	
H3	3.6	uR/hr	No		Storage Shed		uR/hr	
H4	3.6	uR/hr	No		Storage Shed		uR/hr	
H5	3.2	uR/hr	No		Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
H6	3.2	uR/hr	No		Living Room		uR/hr	
H7	3.2	uR/hr	No		Living Room		uR/hr	
H8	2.8	uR/hr	No		Living Room		uR/hr	
H9		uR/hr	No	N/A- Stairway above floor scan area.	Stairs		uR/hr	
H10		uR/hr	No	N/A- Stairway above floor scan area.	Storage		uR/hr	
H11	3.2	uR/hr	No		Utility	2.8	uR/hr	Storage
H12	3.2	uR/hr	No		Utility		uR/hr	
H13	3.2	uR/hr	No		Utility		uR/hr	

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1227 Northpoint Drive Unit D

Unit Summary :

Completion Date: 7/28/2014 2:54 PM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 6B

Background Reading: 3.2 uR/hr

Dimensions (m): D 9.3 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Column I, A14 - D14 fall outside of footprint. A3 and B3 belong to unit 1227C.

Summary Statistics :


Total # of Readings:	128	
Average:	3.19	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to 1227 C
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	30% accessible. static taken on the stairs 44" from the floor
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Static taken on the stairs 52" from the floor. 30% accessible
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Static taken on the stairs 68" from the floor
A11	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Summary Report
1227 Northpoint Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to 1227 C
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on the stairs 28" from the floor
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	static taken on the stairs 44" from the floor. 80% accessible
B10	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		No	static taken on stairs is 12" from floor
C9	3.2	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs is 12" from floor
C10	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C13	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Storage		No	
D9	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		3.2	uR/hr	Storage		No	
D10	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
E9	3.2	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Closet		3.2	uR/hr	Closet			uR/hr			No	Optional static taken in kitchen closet
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
F9	4.0	uR/hr	Kitchen		3.2	uR/hr	Storage			uR/hr			No	
F10	3.6	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible
F11	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.2	uR/hr	Closet			uR/hr			No	80% accessible
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Partial grid in kitchen inaccessible due to installed refrigerator
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Installed refrigerator and cabinets. 20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Installed stove. 10% accessible
H11	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Installed base cabinets. 40% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : John Massey

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1227 Northpoint Drive Unit E

Unit Summary :

Completion Date:	7/3/2014 1:26 PM			
Instrument:	193-6			
Serial #:	309119			
Layout:	Floor Plan 5			
Background Reading:	2.8	uR/hr		
Dimensions (m):	D 8.6	W 6.8		
Unit Furnished:	No			
Tenant Present:	No			
Unit Notes:				

Summary Statistics :


Total # of Readings:	82	
Average:	2.96	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	frig moved for survey, 100% accessible
A9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	frig moved , 90% accessible
A10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	70% accessible, grid contains installed stove in 10% of grid
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Living Room			uR/hr			No	100% accessible
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom		No	
C9	2.8	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	near toilet
C10	2.8	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	near toilet in bathroom reading
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	near toilet
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr	Stairs		No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	stairs reading taken at .6 m from ground level
F9	3.2	uR/hr	Closet	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	3.2	uR/hr	Storage Shed		2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible in living room, 40% in shed
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	
G9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	stairs reading taken at 1 m from ground level
G10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	stairs reading taken at 1.6 m from ground level
G11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Mark Cafouras

Signature :



Signoff Notes:

Summary Report
1227 Northpoint Drive Unit F

Unit Summary :

Completion Date: 7/28/2014 10:31 AM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-H4 partial grids (less than 6") were surveyed with A5-H5. A13-D13 and E14-H14 grids are outside unit interior boundary.

Summary Statistics :


Total # of Readings:	97	
Average:	3.26	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1227 E storage shed.
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible. reading 1.3 meters from floor for stairs
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. reading 1.3 meters from floor for stairs
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. reading 1.8 meters from floor for stairs
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. moved dryer to survey grid
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1227 E storage shed.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	reading 1.8 meters from floor for stairs
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved washer and dryer to survey grid
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs		3.2	uR/hr	Hallway		No	reading .6 meters from floor for stairs

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	70% accessible. reading .6 meters from floor for stairs
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.6	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	moved washer to survey grid
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		3.6	uR/hr	Kitchen			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. moved refrigerator to survey grid.
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible- installed stove
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible- installed stove
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1228 (1390) Gateview Court Unit A

Unit Summary :

Completion Date: 8/4/2014 3:25 PM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.7 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-F4 grids are less than 6" wide and were surveyed along with adjacent grids. G1-G2, H1-H2 grids belong to 1228B. Grid D13 is outside of floor plan.

Summary Statistics :


Total # of Readings:	91	
Average:	3.39	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible.
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1228 (1390) Gateview Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room		No	Kitchen reading taken 12" from floor inside base cabinet.
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	Kitchen reading taken 12" from floor inside base cabinet.
C10	3.6	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	30% accessible. Kitchen reading taken 12" from floor inside base cabinet.
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway		3.6	uR/hr	Living Room		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		3.2	uR/hr	Living Room		No	Stairs reading taken 12" from floor.
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs			uR/hr			No	Stairs reading taken 12" from floor.
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Stairs reading taken 44" from floor.
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	40% accessible. Stairs reading taken 44" from floor.
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible.
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1228B.
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1228B.
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible.
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 68" from floor.
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Partial grid due to installed dryer
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1228B.
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1228B.
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
I6	3.6	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	80% accessible.
I7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	95% accessible.
I8	3.6	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible.
I9	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible.
J6	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Partial grid due to installed furnace.
J7	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. Partial grid due to installed water heater.
J8	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Partial grid due to installed water heater.
J9	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1228 (1390) Gateview Court Unit B

Unit Summary :

Completion Date: 8/4/2014 3:57 PM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids A4 to H4 are less than 6" and included in survey for adjacent row. Grids A3 to B4 are shed belonging to Unit 1228A. Grids A13-D13 and E14 -H14 are outside of floor plan.

Summary Statistics :


Total # of Readings:	98	
Average:	2.93	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1228A
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible, reading on stairs taken at 1.1 m from ground level
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, reading on stairs taken at 1.1 m from ground level
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, reading on stairs taken at 1.6 m from ground level
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Summary Report
1228 (1390) Gateview Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed dryer moved for survey
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1228A
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .8 m from ground level
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, reading on stairs taken at 1 m from ground level
B10	2.8	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 1.6 m from ground level
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr		Percentage of grid falls outside of unit.		uR/hr			No	50% accessible, installed dryer moved for survey

Summary Report
1228 (1390) Gateview Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		No	reading on stairs taken at .4 m from ground level
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	2.8	uR/hr	Hallway			uR/hr			No	70% accessible, reading on stairs taken at .4 m from ground level
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	40% accessible, installed dryer moved for survey
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E12	2.8	uR/hr	Dining Room	Grid partially contained within wall construction.	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr			No	95% accessible
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	90% accessible, installed base cabinets
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

Summary Report
1228 (1390) Gateview Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	60% accessible, refrigerator moved for survey
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, survey performed in base cabinets
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed stove, survey performed in base cabinets
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	2.8	uR/hr	Dining Room	Installed Stove.		uR/hr				uR/hr			No	50% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1228 (1390) Gateview Court Unit C

Unit Summary :

Completion Date:	8/4/2014 4:05 PM		
Instrument:	193-6		
Serial #:	309110		
Layout:	Floor Plan 6		
Background Reading:	3.6	uR/hr	
Dimensions (m):	D 9.4	W 7.1	
Unit Furnished:	Yes		
Tenant Present:	Yes		

Unit Notes:


H5-H13, A4-F4 partial grids (less than 6") were surveyed with G5-G13, A5-F5 grids. G1, H1, G2, H2 grids belong to 1228 D storage shed.

Summary Statistics :

Total # of Readings:	88	
Average:	3.26	uR/hr
Standard Deviation:	0.18	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	moved refrigerator to survey grid.
A9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		No	
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage			uR/hr			No	
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	40% accessible
C11	3.2	uR/hr	Dining Room		3.6	uR/hr	Closet			uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Storage		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet		3.6	uR/hr	Closet			uR/hr			No	2nd optional reading from kitchen closet
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1228 (1390) Gateview Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	
F9	3.2	uR/hr	Stairs			uR/hr				uR/hr			No	
F10	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved washer to survey grid
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grids belong to 1228 D storage shed
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grids belong to 1228 D storage shed
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	25% accessible
G11	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved dryer to survey grid
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grids belong to 1228 D storage shed
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grids belong to 1228 D storage shed
H3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1228 (1390) Gateview Court Unit D

Unit Summary :

Completion Date: 8/5/2014 10:12 AM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 6B

Background Reading: 3.2 uR/hr

Dimensions (m): D 9.3 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-A13, B4-H4 are less than 6" wide and surveyed with adjacent grids. A3, A4, B3, B4 storage shed belongs to unit 1228 (1390)C. Grids in column I and A14-D14 are outside of floor plan.

Summary Statistics :


Total # of Readings:	106	
Average:	3.20	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.40	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1228 (1390) C
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1228 (1390) C
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	stairs static taken at 44" above floor
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible stairs static taken at 44" above floor
B10	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	20% accessible
B11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed washing machine
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stair static taken at 28" above floor
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	stair static taken at 28" above floor, 80% accessible
C10	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	50% accessible, installed dryer
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
E9	3.6	uR/hr	Bathroom		3.2	uR/hr	Storage			uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Closet		3.2	uR/hr	Dining Room		3.2	uR/hr	Closet		No	
E12	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E13	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		No	
F9	3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		No	
F10	4.4	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F11	3.2	uR/hr	Dining Room	Installed Dishwasher.	3.2	uR/hr	Closet			uR/hr			No	60% accessible
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
G9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
G11	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed dishwasher 60% accessible
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H8	3.2	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible
H9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed refrigerator 80% accessible
H10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
H11	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
H12	3.2	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	second installed refrigerator 60% accessible
H13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Joyce McGee

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1228 (1390) Gateview Court Unit E

Unit Summary :

Completion Date: 8/5/2014 9:50 AM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4 to F4 were less than 6" and were scanned with adjacent grids. G1, G2, H1 and H2 outside floor plan and belong to unit 1228 F. Grid D13 is outside of floor plan.

Summary Statistics :


Total # of Readings:	82	
Average:	2.96	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	moved installed refrigerator to scan grid
A9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom		No	
C9	2.8	uR/hr	Kitchen		2.8	uR/hr	Bathroom			uR/hr			No	
C10	2.8	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	

Summary Report
1228 (1390) Gateview Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.2	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	moved installed washer to scan grid, 80% accessible
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1228 F
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1228 F
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 40" from floor surface, 80% accessible
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 40 " from floor surface, 80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 56" from floor surface, 80% accessible
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	no installed dryer, 80% accessible
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1228 F
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1228 F
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1228 (1390) Gateview Court Unit F

Unit Summary :

Completion Date:	6/26/2014 3:53 PM			
Instrument:	193-6			
Serial #:	309110			
Layout:	Floor Plan 5B			
Background Reading:	3.6	uR/hr		
Dimensions (m):	D 8.7	W 6.8		
Unit Furnished:	No			
Tenant Present:	No			
Unit Notes:				


Unit 1228F

Summary Statistics :

Total # of Readings:	82	
Average:	3.44	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed			uR/hr				uR/hr			No	belongs to 1390 E
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stairs reading 1.3 meters above apartment first floor
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	reading 1.3 meters above apartment first floor
A10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible- reading 1.8 meters above apartment first floor
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

Summary Report
1228 (1390) Gateview Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	belongs to 1390 E
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stairs reading 1.3 meters above apartment first floor
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible- reading 1.3 meters above apartment first floor
B10	2.8	uR/hr	Stairs		3.6	uR/hr	Closet			uR/hr			No	reading 1.8 meters above apartment first floor
B11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.6	uR/hr	Hallway			uR/hr			No	75% accessible
C10	3.6	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
C11	3.6	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
C12	3.6	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom	Survey performed within accessible base cabinet.		uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway		3.6	uR/hr	Kitchen			uR/hr			No	
E12	3.6	uR/hr	Hallway		3.2	uR/hr	Kitchen			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	10% accessible-installed dishwasher
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
G9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H8	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	40% accessible-moved refrigerator to survey grid
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible-moved refrigerator to survey grid
H10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	10% accessible-installed stove
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H12	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1230 (1394) Gateview Court Unit A

Unit Summary :

Completion Date:	7/8/2014 12:17 PM
Instrument:	193-6
Serial #:	309110
Layout:	Floor Plan 5
Background Reading:	3.6 uR/hr
Dimensions (m):	D 8.7 W 6.8
Unit Furnished:	Yes
Tenant Present:	Yes
Unit Notes:	

Summary Statistics :

Total # of Readings:	84	
Average:	3.33	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	moved refrigerator to survey grid
A9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible. moved refrigerator to survey grid
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom		No	
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C10	3.6	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	reading at .6 meters from floor for stairs
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible. reading at .6 meters from floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved washer to survey grid
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1394 B storage shed

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1394 B storage shed
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	70% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	80% accessible. reading at 1.3 meters from floor
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading at 1.3 meters from floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading at 1.8 meters from floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. moved dryer to survey grid

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1394 B storage shed
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1394 B storage shed
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1230 (1394) Gateview Court Unit B

Unit Summary :

Completion Date: 7/8/2014 1:01 PM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 9.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Summary Statistics :


Total # of Readings:	87	
Average:	2.89	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is shed for 1394A
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, remainder is shed for 1394A
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	reading on stairs taken at 1 m from ground level, 40% accessible
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	reading on stairs taken at 1.4 m from ground level, 30% accessible
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Summary Report
1230 (1394) Gateview Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit is 8 m at entry
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is shed for 1394A
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	reading on stairs taken at .6 m from ground level, 50% accessible
B10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	10% accessible
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit is 8 m at entry

Summary Report
1230 (1394) Gateview Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible
C10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
C11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	40% accessible
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit is 8 m at entry
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

Summary Report
1230 (1394) Gateview Court Unit B


Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	unit is 8 m at entry
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	near toilet
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible
F9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
F10	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	60% accessible
G9	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
G10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				cpm			No	70% accessible
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	10% accessible
H9	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed refrigerator, survey performed within installed base cabinets

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed base cabinets
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1230 (1394) Gateview Court Unit C

Unit Summary :

Completion Date: 7/8/2014 2:58 PM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 6

Background Reading: 2.8 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: No

Unit Notes:

A4, B4, C4, D4, E4, F4, A14, B14, C14, D14 and H5-H13 less than 6" of grid inside unit floor plan, area surveyed with adjacent grids.

Summary Statistics :


Total # of Readings:	89	
Average:	2.82	uR/hr
Standard Deviation:	0.16	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
A9	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	10% accessible
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	10% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen		2.8	uR/hr	Storage		No	
C9	2.8	uR/hr	Kitchen		2.8	uR/hr	Storage		3.2	uR/hr	Bathroom		No	
C10	2.8	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	
C11	2.8	uR/hr	Dining Room		2.8	uR/hr	Closet			uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Summary Report
1230 (1394) Gateview Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
D9	2.8	uR/hr	Storage		2.8	uR/hr	Bathroom			uR/hr			No	
D10	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
D13	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 16 inches from floor surface
F9	2.4	uR/hr	Stairs			uR/hr	Storage			uR/hr			No	static taken on stairs 16 inches from floor surface
F10	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	

Summary Report
1230 (1394) Gateview Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F11	2.8	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
F12	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
F13	2.8	uR/hr	Utility	Grid partially obstructed by installed.		uR/hr				uR/hr			No	75% accessible, nailed in place ice crest in hallway portion of grid
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed for Unit 1230D
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed for Unit 1230D
G3	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40 inches from floor surface
G9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40 inches from floor surface
G10	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed for Unit 1230D
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed for Unit 1230D
H3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible


CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1230 (1394) Gateview Court Unit D

Unit Summary :

Completion Date: 7/8/2014 12:29 PM

Instrument: 193-6

Serial #: 309136

Layout: Floor Plan 6B

Background Reading: 2.8 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids B1-B3, I4-I14, A14 through H14 are outside of unit

Summary Statistics :


Total # of Readings:	112	
Average:	2.58	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1394 C.
A4	2.4	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
A5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	Static taken at 1.1 meters above ground level. 30% accessible.
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Static taken at 1.1 meters above ground level. 30% accessible.
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Stairs static taken at 1.7 meters above ground level. 30% accessible.
A11	2.4	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13	2.4	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible.
B4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Stairs		2.4	uR/hr	Living Room			uR/hr			No	Stairs static taken at 1.1 meters above ground level.
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken at 1.1 meters above ground level.
B10	2.0	uR/hr	Stairs		2.4	uR/hr	Storage			uR/hr			No	Static taken at 1.7 meters above ground level.
B11	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
B12	2.4	uR/hr	Utility			uR/hr				uR/hr			No	
B13	2.4	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	50% accessible.
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Stairs		2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		No	Stairs static taken at 0.5 meters above ground level.
C9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken at 0.5 meters above ground level.

Summary Report
1230 (1394) Gateview Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10	2.4	uR/hr	Storage		2.4	uR/hr	Hallway			uR/hr			No	
C11	2.4	uR/hr	Storage		2.4	uR/hr	Hallway			uR/hr			No	
C12	2.4	uR/hr	Utility		2.4	uR/hr	Hallway			uR/hr			No	
C13	2.4	uR/hr	Utility	Washing machine within grid.	2.4	uR/hr	Hallway			uR/hr			No	40% accessible.
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Hallway		2.4	uR/hr	Living Room		2.4	uR/hr	Storage		No	
D9	2.4	uR/hr	Hallway		2.4	uR/hr	Storage			uR/hr			No	
D10	2.4	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
D11	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Storage		2.8	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.4	uR/hr	Closet		2.4	uR/hr	Bathroom			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.4	uR/hr	Dining Room			uR/hr			No	60% accessible.
E14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit depth is 9.2 meters.
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Kitchen		2.8	uR/hr	Living Room		2.8	uR/hr	Storage		No	
F9	2.4	uR/hr	Kitchen		2.4	uR/hr	Storage			uR/hr			No	
F10	3.6	uR/hr	Bathroom		2.4	uR/hr	Kitchen			uR/hr			No	
F11	2.4	uR/hr	Closet		2.4	uR/hr	Kitchen			uR/hr			No	
F12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit depth is 9.2 meters.
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Summary Report
1230 (1394) Gateview Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit depth is 9.2 meters.
H4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
H6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
H8	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	80% accessible. Pulled refrigerator out and surveyed.
H9	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Surveyed inside base cabinets.
H10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible.
H11	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Surveyed inside base cabinets.
H12	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit depth is 9.2 meters.

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/9/2014 1:04 PM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.7 W 6.9

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Elevated measurements due to NORM in toilet construction material. Grids H5 - H13 and D13 - G13 are outside unit floor plan.

Summary Statistics :


Total # of Readings:	84	
Average:	3.19	uR/hr
Standard Deviation:	0.31	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.40	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	50% accessible
A9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
B10	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Summary Report
1230 (1394) Gateview Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	60% accessible - portion of grid in kitchen inaccessible due to base cabinets
C9	3.2	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C10	4.0	uR/hr	Kitchen	Percentage of grid falls outside of unit.	3.6	uR/hr	Dining Room			uR/hr			No	60% accessible
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	4.4	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	static reading taken on stairs at 20 inches from floor
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	static reading taken on stairs at 20 inches from floor, 20% accessible
F10	3.2	uR/hr	Closet		3.2	uR/hr	Utility			uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1230(1394)F

Summary Report
1230 (1394) Gateview Court Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1230(1394)F
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr			No	40% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	static reading taken on stairs at 44 inches from floor, 90% accessible
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static reading taken on stairs at 60 inches from floor, 90% accessible
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Utility		3.2	uR/hr	Closet		No	static reading taken on stairs at 68 inches from floor, 90% accessible
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
G12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1230(1394)F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1230(1394)F
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible


CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1230 (1394) Gateview Court Unit F

Unit Summary :

Completion Date: 7/9/2014 11:19 AM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5B

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Bed in living room. Grids B4 through G4 less than 6". Grids surveyed with adjacent grids in Row 5.

Summary Statistics :


Total # of Readings:	106	
Average:	2.92	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 40 inches from floor surface, 20% accessible
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 48 inches from floor surface, 20% accessible
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 64 inches from floor surface, 20% accessible
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Summary Report
1230 (1394) Gateview Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 40 inches from floor surface
B9	2.8	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 48 inches from floor surface
B10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 64 inches from floor surface
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible. Able to move dryer to scan more floor surface.

Summary Report
1230 (1394) Gateview Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	static taken on stairs 16 inches from floor surface
C9	3.2	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16 inches from floor surface
C10	2.8	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Hallway		2.8	uR/hr	Utility	Washing machine within grid.		uR/hr			No	90% accessible. Able to move washer to scan more floor surface.
C13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
D9	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D10	2.8	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
E11	2.8	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
F9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	10% accessible
G11	2.8	uR/hr	Dining Room	Installed refrigerator.		uR/hr				uR/hr			No	20% accessible
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
J5	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	90% accessible
J6	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	20% accessible
J7	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
K5	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible, installed boiler
K6	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	65% accessible, installed boiler
K7	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible, installed boiler
K8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1232 Northpoint Drive Unit A

Unit Summary :

Completion Date: 6/26/2014 2:41 PM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 5

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.61 W 6.76

Unit Furnished: No

Tenant Present: No

Unit Notes:

Mechanical room adjacent to apartment added to survey.

Summary Statistics :


Total # of Readings:	81	
Average:	2.88	uR/hr
Standard Deviation:	0.22	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	refrigerator moved for complete survey scan of cell
A9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed stove, 70% accessible
A10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed stove, 70% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom		No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	
C10	2.8	uR/hr	Kitchen	Installed Dishwasher.	2.8	uR/hr	Bathroom			uR/hr			No	60% accessible
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway		2.8	uR/hr	Living Room		No	bathroom and hallway are linoleum, living room is carpeted
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	linoleum flooring throughout
D10	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	Elevated measurements due to NORM in tiles
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	Reading taken 16" above floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible. washer/dryer not installed
G1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G3		uR/hr	Storage Shed			uR/hr				uR/hr			No	storage shed belongs to 1232 unit B
G4	2.8	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	storage shed belongs to 1232 unit B
G5	2.8	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
G6	2.8	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
G8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	
G9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Reading taken 37" above floor
G10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Reading taken 60" above floor
G11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G12	2.8	uR/hr	Utility	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible, washer/dryer not installed
H1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H3		uR/hr	Storage Shed			uR/hr				uR/hr			No	storage shed belongs to 1232 unit B
H4		uR/hr	Storage Shed			uR/hr				uR/hr			No	storage shed belongs to 1232 unit B
J4	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
J5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	80% accessible, installed boiler
J6	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	90% accessible
J7	2.8	uR/hr	Mech Room		2.8	uR/hr	Mech Room			uR/hr			No	main reading in electrical panel room, optional reading from boiler room
K4	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
K5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	20% accessible, installed boiler
K6	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	30% accessible
K7	2.8	uR/hr	Mech Room		2.8	uR/hr	Mech Room			uR/hr			No	main reading taken in electrical panel room, optional reading taken in boiler room

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1232 Northpoint Drive Unit B

Unit Summary :

Completion Date: 7/28/2014 10:28 AM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids C4-H4 surveyed with adjacent row as less than 6". Bed in living room moved for survey. Grids A1, A2, B1, and B2 belong to shed for Unit 1232A. Grids A13-D13, E14-H14 are outside of floor plan

Summary Statistics :


Total # of Readings:	97	
Average:	2.88	uR/hr
Standard Deviation:	0.22	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.20	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1232A
A2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1232A
A3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Storage Shed	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible, survey on stairs taken at 1.1 m from ground level
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, survey on stairs taken at 1.1 m from ground level
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, survey on stairs taken at 1.6 m from ground level

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	2.8	uR/hr	Utility	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed dryer moved for survey
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1232A
B2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1232A
B3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	survey on stairs taken at .8 m from ground level
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible, survey on stairs taken at .8 m from ground level
B10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed washer and dryer
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
C9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.	2.8	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr			No	80% accessible, survey on stairs taken at .4 m from ground level
C10	2.8	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr			No	50% accessible, installed washer
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr			No	95% accessible
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	40% accessible
F9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accesssible
G9	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	90% accessible, installed base cabinets
G10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed refrigerator in kitchen grid
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, survey performed in base cabinets
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed stove, survey performed in base cabinet
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1232 Northpoint Drive Unit C

Unit Summary :

Completion Date: 7/28/2014 12:17 PM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 6

Background Reading: 3.6 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-H4, H5-H14, G1-G2, D14 grids are less than 6 inch wide and were surveyed along with adjacent grids. G3-H3 grids belong to 1232D.

Summary Statistics :


Total # of Readings:	82	
Average:	3.34	uR/hr
Standard Deviation:	0.29	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible.
A11	3.6	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	4.0	uR/hr	Storage	Survey performed on non-movable item.	4	uR/hr	Living Room	Survey performed on non-movable item.	No	Kitchen reading taken 12" from floor inside base cabinet. Storage and living room surveyed on contact with floor using Model 19 #267078 with background of 4 µR/hr at standard location.
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		4	uR/hr	Storage	Survey performed on non-movable item.	No	Kitchen reading taken 12" from floor inside base cabinet. Storage surveyed on contact with floor using Model 19 #267078 with background of 4 µR/hr at standard location.
C10	3.6	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	40% accessible. Kitchen reading taken 12" from floor inside base cabinet.
C11	3.2	uR/hr	Dining Room		3.6	uR/hr	Closet			uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Storage		3.2	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr			No	40% of the cell surveyed using Model 19 #267078 with background of 4 µR/hr at standard location. Model 19 survey result 4 µR/hr.
D9	3.2	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Stairs reading taken 12" from floor.
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible. Stairs reading taken 12" from floor.
F10	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	40% accessible.
G3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs 1232D.
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Stairs reading taken 44" from floor.
G9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 68" from floor.
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible.
H1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1232D

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1232 Northpoint Drive Unit D

Unit Summary :

Completion Date:	7/28/2014 10:53 AM		
Instrument:	193-6		
Serial #:	309136		
Layout:	Floor Plan 6B		
Background Reading:	2.8	uR/hr	
Dimensions (m):	D 9.3	W 7.1	
Unit Furnished:	Yes		
Tenant Present:	Yes		

Unit Notes:

Grids B3 and B4, C4-H4, A5-A13 are less than 6" wide and surveyed with adjacent grid. Bed in living room moved for survey. Grids in column I, A14-D14 are outside of floor plan.

Summary Statistics :


Total # of Readings:	112	
Average:	2.58	uR/hr
Standard Deviation:	0.30	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.40	uR/hr
Median:	2.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to unit 1232C
A2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to unit 1232C
A3	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to unit 1232C
B2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to unit 1232C
B5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Living Room		2.0	uR/hr	Stairs			uR/hr			No	stair static taken at 1.1 meters above floor level
B9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	stair static taken at 1.1 meters above floor level

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	2.4	uR/hr	Storage		2.0	uR/hr	Stairs			uR/hr			No	stair static taken at 1.7 meters above floor level
B11	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
B12	2.4	uR/hr	Utility			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, installed dryer moved for survey
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Living Room		2.0	uR/hr	Stairs		2.4	uR/hr	Hallway		No	stair static taken at 0.5 meters above floor level
C9	2.4	uR/hr	Stairs		2.4	uR/hr	Hallway			uR/hr			No	stair static taken at 0.5 meters above floor level
C10	2.4	uR/hr	Storage		2.4	uR/hr	Hallway			uR/hr			No	
C11	2.4	uR/hr	Storage		2.4	uR/hr	Hallway		2.4	uR/hr	Utility		No	
C12	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C13	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.	2.4	uR/hr	Hallway			uR/hr			No	90% accessible, installed washer moved for survey
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Living Room		2.8	uR/hr	Closet			uR/hr			No	
E9	2.4	uR/hr	Storage		2.8	uR/hr	Bathroom			uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	static by toilet
E11	2.4	uR/hr	Closet		2.8	uR/hr	Closet			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Utility			uR/hr			No	
E13	2.4	uR/hr	Hallway		2.4	uR/hr	Dining Room			uR/hr			No	80% accessible
E14	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Living Room		2.4	uR/hr	Closet			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Closet		2.8	uR/hr	Bathroom		No	static taken at 4" the floor
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.	4.4	uR/hr	Bathroom			uR/hr			No	static by toilet, 70% accessible
F11	2.4	uR/hr	Kitchen	Installed Stove.	2.4	uR/hr	Dining Room		2.8	uR/hr	Closet		No	90% accessible
F12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	2.4	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	70% accessible, survey inside installed cabinets
H10	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible
H11	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
H12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
H14	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Joyce McGee

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1232 Northpoint Drive Unit E

Unit Summary :

Completion Date: 7/28/2014 12:35 PM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4 to G4 were less than 6" and were scanned with adjacent grids G3, H3 and H4 belong to 1232 F.

Summary Statistics :


Total # of Readings:	79	
Average:	2.89	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.00	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	moved installed refrigerator
A9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom		No	
C9	2.8	uR/hr	Kitchen		2.8	uR/hr	Bathroom			uR/hr			No	


Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10	2.8	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	static taken by toilet, 60% accessible
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
D9	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 16" from floor surface
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	moved installed washer
G1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40" from floor surface, 80% accessible
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 40" from floor surface, 80% accessible
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 56" from floor surface, 80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, moved installed dryer
H1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan


CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1232 Northpoint Drive Unit F

Unit Summary :

Completion Date: 7/28/2014 12:36 PM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.7 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

C4-H4 partial grids (less than 6") were surveyed with C5-H5. A13-D13 and E14-H14 grids are outside unit interior boundary.

Summary Statistics :


Total # of Readings:	100	
Average:	3.25	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1232 E storage shed
A2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1232 E storage shed
A3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible. reading 1.3 meters from floor for stairs
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. reading 1.3 meters from floor for stairs
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. reading 1.8 meters from floor for stairs
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1232 E storage shed
B2		uR/hr	Outside	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Grid belongs to 1232 E storage shed
B3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	reading 1.8 meters from floor for stairs
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved dryer to survey grid
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs		3.2	uR/hr	Hallway		No	reading .6 meters from floor for stairs
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	75% accessible. reading .6 meters from floor for stairs
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.6	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	moved washer to survey grid
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom	Survey performed within accessible base cabinet.		uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr			No	60% accessible. moved refrigerator to survey grid
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible- installed stove

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible- installed stove
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1234 Northpoint Drive Unit A

Unit Summary :

Completion Date:	7/28/2014 1:04 PM		
Instrument:	193-6		
Serial #:	309119		
Layout:	Floor Plan 5		
Background Reading:	3.2	uR/hr	
Dimensions (m):	D 8.6	W 6.8	
Unit Furnished:	Yes		
Tenant Present:	Yes		

Unit Notes:


Grids A4 to G4 are under 6", surveyed with adjacent row. Shed in grids G3, G4, H3, and H4 belongs to Unit 1234B. Grid D13 is outside of floor plan.

Summary Statistics :

Total # of Readings:	85	
Average:	2.90	uR/hr
Standard Deviation:	0.23	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	50% accessible
A9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible, installed stove and refrigerator
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible, installed base cabinets
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen		3.2	uR/hr	Bathroom			uR/hr			No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bathroom			uR/hr			No	
C10	3.6	uR/hr	Bathroom	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible, installed dishwasher in kitchen portion of grid
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1234 Northpoint Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	2.8	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	reading on stairs taken at .4 m from ground level
F9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible, reading on stairs taken at .6 m from ground level
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed washer
G1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1234B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	80% accessible, reading on stairs taken at 1 m from ground level
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, reading on stairs taken at 1 m from ground level
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, reading on stairs taken at 1.6 m from ground level
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed dryer
H1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1234B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1234B
J5	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	70% accessible
J6	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible
J7	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible
J8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	70% accessible
K6	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	60% accessible
K7	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	60% accessible
K8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1234 Northpoint Drive Unit B

Unit Summary :

Completion Date: 7/28/2014 3:58 PM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 5B

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

B3, B4-H4 grids are less than 6 inch wide and were surveyed along with adjacent grids. A13-D13 and E14-H14 grids are outside of floor plan. A1-A2, B1-B2 grids belong to 1234A.

Summary Statistics :


Total # of Readings:	98	
Average:	3.20	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1234A.
A2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1234A.
A3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Installed immovable furniture. Survey performed on contact with floor using Model 19 #267078 with background of 4 µR/hr at standard location. Model 19 scan results 4 µR/hr.
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	20% accessible. Stairs reading taken 44" from floor.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 68" from floor.
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1234A.
B2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1234A.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 44" from floor.
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible. Stairs reading taken 44" from floor.
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	Stairs reading taken 68" from floor.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. Partial grid due to installed dryer.
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs		3.2	uR/hr	Hallway		No	Stairs reading taken 12" from floor.
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	40% accessible. Stairs reading taken 12" from floor.
C10	3.6	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.6	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	30% accessible. Partial grid due to installed washer.
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	


Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Dining Room			uR/hr			No	95% accessible.
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	20% accessible.
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	60% accessible.
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. Kitchen reading taken 12" from floor inside base cabinet.
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Kitchen reading taken 12" from floor inside base cabinet. Partial grid due to installed stove.
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H12	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1234 Northpoint Drive Unit C

Unit Summary :

Completion Date: 7/28/2014 4:42 PM

Instrument: 193-6

Serial #: 309136

Layout: Floor Plan 6

Background Reading: 2.8 uR/hr

Dimensions (m): D 9.3 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids A4-H4, H4-H13, and G1 and G2 are less than 6" wide and surveyed with adjacent row. D14 outside survey unit.

Summary Statistics :


Total # of Readings:	83	
Average:	2.56	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	
A9	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	2.4	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	
B9	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B11	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen		2.4	uR/hr	Storage		No	
C9	2.4	uR/hr	Kitchen		2.8	uR/hr	Storage		3.2	uR/hr	Bathroom		No	
C10	2.8	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	60% accessible, static by toilet
C11	2.4	uR/hr	Dining Room		2.8	uR/hr	Closet			uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	refrigerator moved for survey
C14	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Living Room		2.4	uR/hr	Storage			uR/hr			No	
D9	2.8	uR/hr	Storage		2.8	uR/hr	Bathroom			uR/hr			No	
D10	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	2.4	uR/hr	Closet			uR/hr				uR/hr			No	
D12	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 0.7 meters above ground level
F9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 0.7 meters above ground level
F10	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
F11	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
F12	2.4	uR/hr	Utility			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible, moved washer / dryer for survey
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Living Room		2.0	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground level
G9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.1 meters above ground level
G10	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.3 meters above ground level
G11	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
G12	2.4	uR/hr	Utility			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
H1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1234 Unit D

CBI Supervisor : Joyce McGee

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1234 Northpoint Drive Unit D

Unit Summary :

Completion Date:	7/28/2014 4:41 PM		
Instrument:	193-6		
Serial #:	309099		
Layout:	Floor Plan 6B		
Background Reading:	2.8	uR/hr	
Dimensions (m):	D 9.2	W 7	
Unit Furnished:	Yes		
Tenant Present:	Yes		

Unit Notes:

A2, B2, C4 to H4, A5 to A13, and E14 to H14 were less than 6" and were scanned with adjacent grids. A1, B1 belong to 1234 C. I4-I14 and A14-D14 are outside unit.

Summary Statistics :


Total # of Readings:	106	
Average:	2.86	uR/hr
Standard Deviation:	0.18	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to adjacent unit 1234C
A3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to adjacent unit 1234C
B3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40" from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
B10	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	Moved washing machine for survey

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	immovable bookcase scanned 3" from floor surface on particle board
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		No	static taken on stairs 16" from floor surface
C9	2.8	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	static taken on stairs 16" from floor surface
C10	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C13	2.8	uR/hr	Utility	Clothes dryer within grid.	2.8	uR/hr	Hallway			uR/hr			No	moved installed dryer, surveyed within grid
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Storage		2.8	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Closet		2.8	uR/hr	Closet			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room		2.8	uR/hr	Storage		No	
F9	2.8	uR/hr	Kitchen		2.8	uR/hr	Bathroom		2.8	uR/hr	Storage		No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	40% accessible
F11	2.8	uR/hr	Closet		3.2	uR/hr	Kitchen			uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	90% accessible, moved installed refrigerator
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed stove
H11	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan


CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1234 Northpoint Drive Unit E

Unit Summary :

Completion Date: 7/28/2014 1:31 PM

Instrument: 193-6

Serial #: 309136

Layout: Floor Plan 5

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.7 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids G3, H3 and H4 belong to adjacent unit 1234F. Grids A4-G4 are less than 6" and surveyed with adjacent row.

Summary Statistics :


Total # of Readings:	78	
Average:	2.66	uR/hr
Standard Deviation:	0.35	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.40	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.4	uR/hr	Kitchen	Installed refrigerator.	2.4	uR/hr	Living Room			uR/hr			No	Installed refrigerator moved for survey, 60% accessible
A9	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	Installed refrigerator moved for survey
A10	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	Installed stove, moved for survey 90% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	2.4	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom		No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.4	uR/hr	Bathroom			uR/hr			No	
C10	3.6	uR/hr	Bathroom	Installed Dishwasher.		uR/hr				uR/hr			No	static by toilet, 20% accessible
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
D5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Bathroom		2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		No	
D9	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D10	4.4	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	static by toilet
D11	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Hallway		2.4	uR/hr	Living Room			uR/hr			No	
E9	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Stairs		2.4	uR/hr	Living Room			uR/hr			No	Stair static taken at 0.7 meters above ground floor
F9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	Stair static taken at 0.7 meters above ground floor, 70% accessible
F10	2.4	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	60% accessible
G1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1234F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room			uR/hr			No	80% accessible, Stair static taken at 1.1 meters above ground floor
G9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 1.1 meters above ground floor
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 1.7 meters above ground floor
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, installed dryer moved for survey
H1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1234F
H4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1234F

CBI Supervisor : Joyce McGee

Signature :



Senior Technician : Phillip Perez

Signature :




Signoff Notes:

Summary Report
1234 Northpoint Drive Unit F

Unit Summary :

Completion Date:	6/25/2014 3:52 PM			
Instrument:	193-6			
Serial #:	293633			
Layout:	Floor Plan 5B			
Background Reading:	3.2	uR/hr		
Dimensions (m):	D	8	W	6.8
Unit Furnished:	No			
Tenant Present:	No			
Unit Notes:				



Summary Statistics :

Total # of Readings:	81	
Average:	3.22	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.40	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Storage Shed			uR/hr				uR/hr			No	shed belongs to 1234E
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	10% accessible above A3
A3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room		3.6	uR/hr	Storage Shed			uR/hr			No	60% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
A8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
A9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	30% accessible
A10	2.8	uR/hr	Utility			uR/hr				uR/hr			No	30% accessible
A11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	30% accessible
A12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	30% accessible
B1		uR/hr	Storage Shed			uR/hr				uR/hr			No	shed belongs to 1234E
B2		uR/hr	Storage Shed			uR/hr				uR/hr			No	shed belongs to 1234E
B4	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	30% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading taken on the landing
B9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading taken on the landing

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	3.2	uR/hr	Utility		3.2	uR/hr	Closet			uR/hr			No	
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	90% accessible
C4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading taken on the second riser
C9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading taken on the second riser
C10	3.2	uR/hr	Utility		3.2	uR/hr	Closet			uR/hr			No	
C11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	90% accessible
D4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	90% accessible
E4	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.4	uR/hr	Bathroom	Elevated measurements due to NORM in toilet bowl m		uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
F4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	20% accessible
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	20% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	30% accessible
H8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	kitchen measurement behind refrigerator
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Static taken 10" off bottom of cabinet. Installed stove and cabinets.
H10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible. Static taken 10" off bottom of cabinet.
H11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	30% accessible. Static taken 10" off bottom of cabinet

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1237 Northpoint Drive Unit A

Unit Summary :

Completion Date:	7/2/2014 2:10 PM			
Instrument:	193-6			
Serial #:	309136			
Layout:	Floor Plan 5			
Background Reading:	2.8	uR/hr		
Dimensions (m):	D 8.6	W 6.8		
Unit Furnished:	No			
Tenant Present:	No			
Unit Notes:				

Summary Statistics :


Total # of Readings:	82	
Average:	2.78	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	Pulled out refrigerator for survey.
A9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	95% accessible.
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom		2.8	uR/hr	Kitchen		No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bathroom			uR/hr			No	
C10	2.8	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	70% accessible.
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom		No	
D9	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom	Elevated measurements due to NORM in toilet bowl a	2.8	uR/hr	Hallway			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.0	uR/hr	Stairs			uR/hr			No	Static taken 0.9 meters above the ground.
F9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Static taken 0.9 meters above the ground.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	No washer or dryer in unit.
F12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. No washer or dryer in unit.
G3	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
G4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs			uR/hr			No	80% accessible; Static taken 1.1 meters from ground floor.
G9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible; Static taken 1.1 meters above the ground.
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible; Static taken 1.7 meters above the ground.
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible; No washer or dryer in unit.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. No washer or dryer in unit.
H3	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	2.8	uR/hr	Storage Shed			uR/hr				uR/hr			No	

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Mark Cafouras

Signature :



Signoff Notes:

Summary Report
1237 Northpoint Drive Unit B

Unit Summary :

Completion Date: 8/14/2014 3:03 PM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 5B

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: No

Tenant Present: No

Unit Notes:

A13-D13 and E14-H14 grids fall outside unit. A3-4, B3-4 storage shed belongs to 1237 A

Summary Statistics :


Total # of Readings:	108	
Average:	3.28	uR/hr
Standard Deviation:	0.26	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1237 A
A4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible, stair static taken at 44" above floor
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, stair static taken at 44" above floor
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, stair static taken at 68" above floor
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1237 A
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	stair static taken at 44" above floor
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. Stair static taken at 44" above floor.
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	stair static taken at 68" above floor
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, washing machine not installed
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Stairs		3.6	uR/hr	Hallway		3.2	uR/hr	Living Room		No	stair static taken at 12" above floor
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	60% accessible, stair static taken at 12" above floor
C10	3.6	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
C12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	80% accessible, clothes dryer not installed
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway		No	
D9	3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	85% accessible
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Living Room			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% Accessible
H7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	50% accessible
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	30% accessible, partial grid remainder fall outside. Installed stove
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan


CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering


Signature :



Signoff Notes:

Unit Summary :

Completion Date:	7/1/2014 3:28 PM
Instrument:	193-6
Serial #:	309119
Layout:	Floor Plan 6
Background Reading:	3.2 uR/hr
Dimensions (m):	D 9.3 W 7.1
Unit Furnished:	No
Tenant Present:	No
Unit Notes:	



Summary Statistics :

Total # of Readings:	86	
Average:	2.98	uR/hr
Standard Deviation:	0.22	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.20	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	Installed refrigerator, moved for survey.
A9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	Installed cabinets, survey performed at 13cm above ground floor
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	Installed cabinets, survey performed at 13cm above ground floor
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	Survey inside installed base cabinets.
C9	2.8	uR/hr	Kitchen		3.2	uR/hr	Storage		3.6	uR/hr	Bathroom		No	survey under base cabinet at 13cm above ground floor
C10	2.8	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	survey under base cabinet at 13cm above ground floor
C11	3.2	uR/hr	Dining Room		2.8	uR/hr	Closet			uR/hr			No	Installed dishwasher, 80% accessible
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Storage		2.8	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	near toilet

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D11	3.2	uR/hr	Closet		2.8	uR/hr	Dining Room			uR/hr			No	
D12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
D13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	80% accessible
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .6 m from ground level
F9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at .6 m from ground level
F10	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	60% accessible
G1		uR/hr	Storage Shed			uR/hr				uR/hr			No	grid outside unit floor plan, storage shed for 1237D
G2		uR/hr	Storage Shed			uR/hr				uR/hr			No	grid outside unit floor plan, storage shed for 1237D
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	30% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 1 m from ground level
G9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1m from ground level
G10	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H1		uR/hr	Storage Shed			uR/hr				uR/hr			No	grid outside unit floor plan, storage shed for 1237D
H2		uR/hr	Storage Shed			uR/hr				uR/hr			No	grid outside unit floor plan, storage shed for 1237D
H3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Storage Shed		2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	95% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	10% accessible, reading on stairs taken at 1 m from ground level
H9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Storage			uR/hr			No	10% accessible reading on stairs taken at 1m from ground level
H10	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	10% accessible, reading on stairs taken at 1.6m from ground level
H11	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1237 Northpoint Drive Unit D

Unit Summary :

Completion Date:	7/24/2014 3:59 PM			
Instrument:	193-6			
Serial #:	293633			
Layout:	Floor Plan 6B			
Background Reading:	3.6	uR/hr		
Dimensions (m):	D 9.3	W 7.1		
Unit Furnished:	No			
Tenant Present:	No			

Unit Notes:

Grids A5 - A13 and E14 - H14 are less than 6" and surveyed with adjacent rows. Vacant unit. washer & dryer are not installed in unit

Summary Statistics :


Total # of Readings:	120	
Average:	3.33	uR/hr
Standard Deviation:	0.23	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1237 C
A4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1237 C
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20%accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1237 C
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken 44" above floor
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible, stairs static taken 44" above floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	10% accessible
B11	3.2	uR/hr	Storage		3.2	uR/hr	Utility			uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	stairs static taken 12" above floor
C9	3.2	uR/hr	Hallway	Grid partially contained within wall construction.	3.6	uR/hr	Stairs			uR/hr			No	stairs static taken 44" above floor (90% accessible)
C10	3.2	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C11	3.2	uR/hr	Hallway		3.2	uR/hr	Storage		3.2	uR/hr	Utility		No	
C12	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
C13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Utility			uR/hr			No	70% accessible
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Storage		No	
D9	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
E9	3.6	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Closet		3.2	uR/hr	Dining Room		3.2	uR/hr	Closet		No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Dining Room			uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	
F9	3.2	uR/hr	Storage		3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	
F10	4.0	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F11	3.6	uR/hr	Dining Room	Installed Dishwasher.	3.2	uR/hr	Closet			uR/hr			No	80% accessible
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
G11	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	
H9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed refrigerator moved for survey
H10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
H11	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
H12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1237 Northpoint Drive Unit E

Unit Summary :


Completion Date:	6/30/2014 12:02 PM
Instrument:	193-6
Serial #:	309119
Layout:	Floor Plan 5
Background Reading:	3.2 uR/hr
Dimensions (m):	D 8.6 W 6.8
Unit Furnished:	No
Tenant Present:	No
Unit Notes:	

Summary Statistics :

Total # of Readings:	73	
Average:	3.03	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	refrigerator moved for survey
A9	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	70% accessible
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	70% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room		No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	70% accessible, bathroom reading near toilet
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway		3.2	uR/hr	Living Room		No	
D9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static on stairs taken at .6 m height above ground level
F9	2.8	uR/hr	Closet			uR/hr				uR/hr			No	static taken at .6 m height above ground level
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed for 1237F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed for 1237F
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	40% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static on stairs taken at 1 m height above ground level
G9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken at 1.6 m height above ground level
G10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken at 1.6 m height above ground level
G11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed for 1237F
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed for 1237F
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1237 Northpoint Drive Unit F

Unit Summary :


Completion Date:	6/30/2014 3:35 PM			
Instrument:	193-6			
Serial #:	309119			
Layout:	Floor Plan 5B			
Background Reading:	3.2	uR/hr		
Dimensions (m):	D	8.6	W	6.8
Unit Furnished:	No			
Tenant Present:	No			
Unit Notes:				

Summary Statistics :

Total # of Readings:	82	
Average:	3.03	uR/hr
Standard Deviation:	0.26	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1237E
A4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed for 1237E
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	30% accessible, static on stairs taken at 1 m above ground level
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, static on stairs taken at 1.4 m from ground level
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. static on stairs taken at 1.4 m from ground level
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1237E
B4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1237E
B5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	optional static on stairs taken at 1 m above ground level
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static on stairs taken at 1 m above ground level
B10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	optional static on stairs taken at .6 m above ground level
C9	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	static on stairs taken at .4 m from ground level
C10	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
C11	2.8	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
C12	2.8	uR/hr	Hallway		2.8	uR/hr	Utility			uR/hr			No	
D5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	near toilet
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	10% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
H9	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible, scan performed inside installed base cabinets
H10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible
H11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
I5	3.2	uR/hr	Mech Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	50% accessible, boiler installed
I6	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	60% accessible
I7	2.8	uR/hr	Mech Room	Installed water heater.	2.8	uR/hr	Mech Room			uR/hr			No	70% accessible, 2nd reading in electrical room
J5	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
J6	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
J7	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Mech Room			uR/hr			No	50% accessible, 2nd reading from electrical room

Secondary Readings : A4

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC

Secondary Type	Notes



WIN_20140630_130513.JPG

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1238 Northpoint Drive Unit A

Unit Summary :

Completion Date:	7/28/2014 3:32 PM		
Instrument:	193-6		
Serial #:	309110		
Layout:	Floor Plan 5		
Background Reading:	3.2	uR/hr	
Dimensions (m):	D 8.6	W 6.8	
Unit Furnished:	Yes		
Tenant Present:	Yes		

Unit Notes:

A4-F4 partial grids (less than 6") were surveyed with A5-F5. D13-G13 and H5-H12 grids are outside unit interior boundary. G1, G2 H1 and H2 belong to unit 1238B.

Summary Statistics :


Total # of Readings:	85	
Average:	3.35	uR/hr
Standard Deviation:	0.22	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.60	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	60% accessible
A9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	70% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	3.2	uR/hr	Dining Room	Installed refrigerator.		uR/hr				uR/hr			No	30% accessible- 2nd installed refrigerator
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1238 Northpoint Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		No	
C9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C10	3.6	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	40% accessible
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	reading .6 meters from floor for stairs
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible. reading .6 meters from floor for stairs
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	moved washer to survey grid.
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1238 B storage shed
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1238 B storage shed
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.8 meters from floor for stairs
G11	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. moved dryer to survey grid
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1238 B storage shed
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1238 B storage shed
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
J5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	85% accessible
J6	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible
J7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	90% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	3.6	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible
K6	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	40% accessible
K7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	60% accessible
K8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/28/2014 4:16 PM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids A4 through H4 are less than 6" and surveyed in adjacent row. Grids A13-D13, E14-H14 are outside floor plan. Grids A3, A4, B3, and B4 are shed belonging to Unit 1238A.

Summary Statistics :


Total # of Readings:	94	
Average:	3.01	uR/hr
Standard Deviation:	0.26	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1238A
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible, reading on stairs taken at 1.1 m from ground level
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, reading on stairs taken at 1.1 m from ground level
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, reading on stairs taken at 1.6 m from ground level
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1238A
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 1 m from ground level
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, reading on stairs taken at 1 m from ground level
B10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed dryer
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible, reading on stairs taken at .6 m from ground level
C10	2.8	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Kitchen			uR/hr			No	
C12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	70% accessible, installed washing machine
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr			No	95% accessible
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	60% accessible
F9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible
G9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	90% accessible, installed base cabinets
G10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed refrigerator in kitchen portion of grid
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, survey performed in base cabinets

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, survey performed in base cabinets
H11	3.2	uR/hr	Dining Room	Installed Stove.		uR/hr				uR/hr			No	50% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1238 Northpoint Drive Unit C

Unit Summary :

Completion Date: 7/29/2014 10:14 AM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 6

Background Reading: 3.6 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

H5-H13 less than 6" wide and were surveyed with adjacent grid cells. A14, B14, C14, D14 Falls outside unit

Summary Statistics :


Total # of Readings:	108	
Average:	3.18	uR/hr
Standard Deviation:	0.23	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	partial grid installed refrigerator 60% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	3.2	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	

Summary Report
1238 Northpoint Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		3.2	uR/hr	Storage		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	
C9	3.2	uR/hr	Bathroom		3.2	uR/hr	Storage		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	
C10	4.0	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
C11	3.2	uR/hr	Closet		3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr			No	70% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D9	3.2	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet		3.2	uR/hr	Closet			uR/hr			No	
D12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
D13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		2.8	uR/hr	Storage		3.2	uR/hr	Hallway		No	
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom		3.2	uR/hr	Storage		No	
E10	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		No	stairs static taken 24" above floor
F9	3.2	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken 24" above floor
F10	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
F11	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
F12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
F13	2.8	uR/hr	Utility	Washing machine within grid.	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr			No	40% accessible
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs 1238 D
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs 1238 D
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	30% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	stairs static taken 44" above floor
G9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	stairs static taken 60" above floor
G10	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible remainder of grid falls outside
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs 1238 D
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs 1238 D
H3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible


CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/29/2014 10:31 AM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 6B

Background Reading: 3.2 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4 to H4, A5 to A13, E14 to H14 were less than 6" and were scanned with adjacent grids. A3 and B3 belong to 1238 C. Grids in column I and A14-D14 are outside of floor plan.

Summary Statistics :


Total # of Readings:	106	
Average:	2.97	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1238C
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1238C
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40" from floor surface
B9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
B10	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, moved installed dryer to survey grid
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		No	static taken on stairs 16" from floor surface
C9	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
C10	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	80% accessible moved installed washer to survey grid
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
E9	3.2	uR/hr	Bathroom		2.8	uR/hr	Storage			uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Closet		3.2	uR/hr	Closet			uR/hr			No	
E12	3.2	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	80% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Closet		2.8	uR/hr	Kitchen		No	
F9	2.8	uR/hr	Kitchen		3.2	uR/hr	Storage		3.6	uR/hr	Bathroom		No	
F10	3.2	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	
F11	2.8	uR/hr	Kitchen	Installed Dishwasher.	2.8	uR/hr	Closet			uR/hr			No	40% accessible
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	


Summary Report
1238 Northpoint Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	moved installed refrigerator to survey grid
H9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
H10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
H11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
H12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/29/2014 10:16 AM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 5

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.8 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-F4 partial grids (less than 6") were surveyed with A5-F5. D13-G13 grids are outside unit interior boundary.

Summary Statistics :


Total # of Readings:	80	
Average:	3.28	uR/hr
Standard Deviation:	0.21	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	moved refrigerator to survey grid.
A9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1238 Northpoint Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	
C9	3.2	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	65% accessible
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	reading .6 meters from floor for stairs
F9	3.2	uR/hr	Closet			uR/hr				uR/hr			No	50% accessible. reading .6 meters from floor for stairs
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved washer to survey grid
F13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1238 F storage shed
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1238 F storage shed
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. moved dryer to survey grid
G13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1238 F storage shed
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1238 F storage shed
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1238 Northpoint Drive Unit F

Unit Summary :

Completion Date: 7/29/2014 10:18 AM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids A4-H4 less than 6" wide, grids surveyed with adjacent grids. Grids A13-D13 and E14-H14 are outside of floor plan

Summary Statistics :


Total # of Readings:	97	
Average:	2.97	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1238E
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	30% accessible, Stair static taken at 1.1 meters above ground floor
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Stair static taken at. 1.1 meters above ground floor
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Stair static taken at 1.6 meters above ground floor
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, installed dryer moved for survey
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1238E
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 0.8 meters above ground floor
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, Stair static taken at 0.8 meters above ground floor
B10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed dryer moved for survey

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		No	Stair static taken at 0.4 meters above ground floor
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	70% accessible, Stair static taken at 0.4 meters above ground floor
C10	3.2	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	80% accessible, installed washer moved for survey
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	95% accessible
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen			uR/hr			No	50% accessible, installed refrigerator moved for survey
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, surveyed inside base cabinets
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, survey inside base cabinets, installed stove
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1239 Northpoint Drive Unit A

Unit Summary :

Completion Date:	7/29/2014 10:01 AM		
Instrument:	193-6		
Serial #:	309127		
Layout:	Floor Plan 5		
Background Reading:	3.6	uR/hr	
Dimensions (m):	D 8.6	W 6.8	
Unit Furnished:	Yes		
Tenant Present:	Yes		

Unit Notes:


A4-F4 grids are less than 6 inch wide and were surveyed along with adjacent grids. D13-G13 grids are outside of floor plan. G1-G2, H1-H2 grids belong to 1239B.

Summary Statistics :

Total # of Readings:	96	
Average:	3.31	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
A9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible.
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room		No	Kitchen reading 12" from floor inside base cabinet.
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	Kitchen reading 12" from floor inside base cabinet.
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	20% accessible. Kitchen reading 12" from floor inside base cabinet.
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		3.2	uR/hr	Living Room		No	Stairs reading taken 12" from floor.
E9	3.6	uR/hr	Hallway		3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	90% accessible. Stairs reading taken 12" from floor.
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Stairs reading taken 44" from floor.
F9	3.2	uR/hr	Closet		2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	50% accessible. Stairs reading taken 44" from floor.
F10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	Stairs reading taken 68" from floor.
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	40% accessible
F13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1239B.
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1239B.
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 68" from floor.
G11	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.