Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Partial grid due to installed dryer.
G13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1239B.
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1239B.
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
I6	3.6	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	60% accessible.
I7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	70% accessible.
I8	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	90% accessible.
I9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible.
J6	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible. Partial grid due to installed furnace.
J7	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible. Partial grid due to installed water heater.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	65% accessible. Partial grid due to installed water heater.
J9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.


CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/29/2014 10:13 AM

Instrument: 193-6

Serial #: 309136

Layout: Floor Plan 5B

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: No

Unit Notes:


Bed located in living room- Grids A5-C5 and A6-C6 moved for survey. Grids A13-D13, E14-H14 are outside of floor plan. Grids A3 and B3 belong to unit 1239A.

Summary Statistics :

Total # of Readings:	109	
Average:	2.64	uR/hr
Standard Deviation:	0.29	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1239A
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground floor, 30% accessible
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Stair static taken at 1.5 meters above ground floor, 30% accessible
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Stair static taken at 1.7 meters above ground floor, 30% accessible
A11	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B2	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1239A
B4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Living Room		2.0	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground floor
B9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.1 meters above ground floor
B10	2.0	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	Stair static taken at 1.7 meters above ground floor
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, moved installed dryer

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		2.4	uR/hr	Stairs		No	Stair static taken at 0.5 meters above ground floor
C9	2.4	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	Stair static taken at 0.5 meters above ground floor
C10	2.4	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.4	uR/hr	Hallway			uR/hr			No	80% accessible, moved installed washer
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom		No	
D9	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
D10	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	static by toilet
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	static by toilet
E11	2.8	uR/hr	Hallway		2.8	uR/hr	Kitchen			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.4	uR/hr	Dining Room			uR/hr			No	90% accessible
E13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.4	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, moved refrigerator for survey
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Kitchen			uR/hr			No	50% accessible, moved refrigerator for survey
H9	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, surveyed in accessible cabinets
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed stove, surveyed in accessible cabinets
H11	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1239 Northpoint Drive Unit C

Unit Summary :

Completion Date: 7/29/2014 12:03 PM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 4

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.3 W 6.3

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A13, B13, C13, E13, F13, G13 less than 6" wide and surveyed with adjacent grid cells.

Summary Statistics :


Total # of Readings:	91	
Average:	3.15	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	70% accessible
A9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	installed refrigerator 40% accessible
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	3.2	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible

Summary Report
1239 Northpoint Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room	Installed base cabinets.		uR/hr			No	90% accessible
C9	3.6	uR/hr	Bathroom		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
C10	3.6	uR/hr	Bathroom		3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr			No	50% accessible
C11	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		2.8	uR/hr	Living Room		No	
D9	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		No	stairs static taken 12" above floor
E9	3.2	uR/hr	Hallway	Grid partially contained within wall construction.	3.2	uR/hr	Stairs			uR/hr			No	70% accessible stairs static taken 12" above floor
E10	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
E11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
E12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken 36" above floor
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible stairs static taken 36" above floor
F10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	stairs static taken 68" above floor
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	70% accessible
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1239 D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1239 D
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G4	3.2	uR/hr	Living Room		3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr			No	50% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	30% accessible stairs static taken 44" above floor
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible stairs static taken 44" above floor
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible stairs static taken 68" above floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed clothes dryer 10% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1239 D
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1239 D
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1239 Northpoint Drive Unit D

Unit Summary :

Completion Date: 7/29/2014 12:44 PM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 4B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.5 W 6.5

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4 to H4 and A5 to A13 were less than 6" and were scanned with adjacent grids. A3 and B3 belong to 1239 C. Grid D13 is outside of floor plan.

Summary Statistics :


Total # of Readings:	89	
Average:	2.84	uR/hr
Standard Deviation:	0.20	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage belongs to adjacent unit 1239C
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage belongs to adjacent unit 1239C
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40" from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
B10	2.0	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	static taken on stairs 56" from floor surface
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	moved installed dryer to survey grid
B13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1239 Northpoint Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		No	static taken on stairs 16" from floor surface
C9	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
C10	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	moved installed washer to survey grid
C13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway		No	
D9	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
D10	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom		2.8	uR/hr	Kitchen			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	3.6	uR/hr	Bathroom		2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr			No	40% accessible
E11	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
F9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	40% accessible, moved installed refrigerator to survey grid
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible


CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1239 Northpoint Drive Unit E

Unit Summary :

Completion Date: 7/29/2014 12:37 PM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.7 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-F4 partial grids (less than 6") were surveyed with A5-F5. D13-G13 grids are outside of unit interior boundary. Grids G1, G2, H1 and H2 belong to adjacent unit, 1239F.

Summary Statistics :


Total # of Readings:	82	
Average:	3.26	uR/hr
Standard Deviation:	0.22	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Living Room			uR/hr			No	moved refrigerator to survey grid
A9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	3.2	uR/hr	Dining Room		4.0	uR/hr	Dining Room	Survey performed on non-movable item.		uR/hr			No	20% of grid surveyed with Model 19 #267078 under non-movable unstable furniture. Optional static reading taken at 8" under furniture, results 4 µR/hr. Background 4 µR/hr at standard location.
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	moved 2nd refrigerator to survey grid.
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. moved 2nd refrigerator to survey grid
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	

Summary Report
1239 Northpoint Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room		No	
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	75% accessible
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	reading .6 meters from floor for stairs
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible. reading .6 meters from floor for stairs
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grids belong to 1239 F storage unit
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grids belong to 1239 F storage unit
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.8 meters from floor for stairs

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. moved dryer to survey grid
G13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grids belong to 1239 F storage unit
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grids belong to 1239 F storage unit
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1239 Northpoint Drive Unit F

Unit Summary :

Completion Date:	7/29/2014 12:35 PM			
Instrument:	193-6			
Serial #:	309119			
Layout:	Floor Plan 5B			
Background Reading:	3.2	uR/hr		
Dimensions (m):	D 8.6	W 6.8		
Unit Furnished:	Yes			
Tenant Present:	Yes			

Unit Notes:


Grids A4-H4, B1 and B2 less than 6"wide surveyed with adjacent grids. Grids A13-D13 and E14-H14 are outside unit interior floor plan.

Summary Statistics :

Total # of Readings:	94	
Average:	2.80	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1239 unit E
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs			uR/hr			No	30% accessible, Stair static taken at 1.1 meters above ground floor
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Stair static taken at 1.2 meters above ground floor
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, air static taken at 1.6 meters above ground floor
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1239. unit E
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.0 meters above ground floor
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 0.8 meters above ground floor
B10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed dryer moved for survey.
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs		2.8	uR/hr	Hallway		No	Stair static taken at 0.4 meters above ground floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.	2.8	uR/hr	Hallway			uR/hr			No	70% accessible, Stair static taken at 1.1 meters above ground floor
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	50% accessible, installed washer moved for survey
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	95% accessible
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	75% accessible partial access and scan inside base cabinets.
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room	Installed refrigerator.	2.8	uR/hr	Kitchen			uR/hr			No	95% accessible
G9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, installed refrigerator
H9	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, surveyed inside base cabinets
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed stove, surveyed inside base cabinets

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Steve Phelps

Signature :



Signoff Notes:

Senior Technician : Efraim Ramirez

Signature :



Summary Report
1239 Northpoint Drive Unit G

Unit Summary :

Completion Date: 7/29/2014 12:45 PM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 4

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.4 W 6.5

Unit Furnished: Yes

Tenant Present: No

Unit Notes:

A4-F4 grids are less than 6 inch wide and were surveyed along with adjacent grids. G1-G2, H1-H2 grids belong to 1239H.

Summary Statistics :


Total # of Readings:	90	
Average:	3.30	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible.
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1239 Northpoint Drive Unit G

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		No	Kitchen reading taken 12" from floor inside base cabinet.
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	Kitchen reading taken 12" from floor inside base cabinet.
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	30% accessible.
C11	3.6	uR/hr	Dining Room		3.6	uR/hr	Hallway			uR/hr			No	
C12	3.6	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	60% accessible. Stairs reading taken 12" from floor.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
E11	3.2	uR/hr	Hallway		3.6	uR/hr	Utility			uR/hr			No	
E12	3.6	uR/hr	Hallway		3.6	uR/hr	Utility	Washing machine within grid.		uR/hr			No	80% accessible.
E13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible. Partial grid due to installed washer.
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Stairs reading taken 28" from floor.
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible. Stairs reading taken 28" from floor.
F10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	Stairs reading taken 44" from floor.
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	60% accessible.
F13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible. Partial grid due to installed dryer.
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1239H.
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1239H.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	50% accessible. Stairs reading taken 44" from floor.
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Stairs reading taken 44" from floor.
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Stairs reading taken 68" from floor.
G11	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible. Partial grid due to installed dryer.
G13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible. Partial grid due to installed dryer.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1239H.
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1239H.
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.


CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1239 Northpoint Drive Unit H

Unit Summary :

Completion Date:	7/29/2014 12:53 PM			
Instrument:	193-6			
Serial #:	309136			
Layout:	Floor Plan 4B			
Background Reading:	2.8	uR/hr		
Dimensions (m):	D 8.3	W 6.4		
Unit Furnished:	Yes			
Tenant Present:	Yes			

Unit Notes:


Grids H4-H13 and A13-C13, E13-H13 are less than 6" wide and surveyed with adjacent grid. Grid D13 is outside of floor plan.

Summary Statistics :

Total # of Readings:	88	
Average:	2.70	uR/hr
Standard Deviation:	0.30	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent 1239 Unit G
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
A5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.4	uR/hr	Living Room	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs			uR/hr			No	30% accessible, Stair static taken at 1.1 meters above ground level
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Stair static taken at 1.1 meters above ground level, 30% accessible
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Stair static taken at 1.7 meters above ground level, 30% accessible
A11	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B2	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent 1239 Unit G
B4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground level
B9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.1 meters above ground level
B10	2.0	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	Stair static taken at 1.7 meters above ground level
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	70% accessible
C4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.4	uR/hr	Hallway		2.4	uR/hr	Stairs		No	Stair static taken at 0.5 meters above ground level
C9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.	2.8	uR/hr	Hallway			uR/hr			No	Stair static taken at 0.5 meters above ground level, 50% accessible
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.4	uR/hr	Hallway			uR/hr			No	90% accessible, installed washing machine moved for survey
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom		No	
D9	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
D10	2.8	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
E9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E12	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	80% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	refrigerator moved for survey
G10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	70% accessible
G11	2.8	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1240 Northpoint Drive Unit A

Unit Summary :

Completion Date:	7/29/2014 3:29 PM			
Instrument:	193-6			
Serial #:	309099			
Layout:	Floor Plan 5			
Background Reading:	3.2	uR/hr		
Dimensions (m):	D 8.6	W 6.8		
Unit Furnished:	Yes			
Tenant Present:	Yes			

Unit Notes:


A4 to F4, were less than 6" and were scanned with adjacent grids. G1, G2, and H1 H2 were outside floor plan and belong to unit 1240 B. Grid D13 is outside of floor plan.

Summary Statistics :

Total # of Readings:	81	
Average:	2.89	uR/hr
Standard Deviation:	0.23	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	moved installed refrigerator to survey grid.
A9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
A10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
C9	2.8	uR/hr	Bathroom		2.8	uR/hr	Kitchen			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10	3.2	uR/hr	Bathroom		2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr			No	30% accessible
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
D9	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
F9	2.8	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	moved installed dryer to survey grid
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1240B
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1240B
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 40" from floor surface, 80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 40" from floor surface, 80% accessible
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken on stairs 56" from floor surface, 80% accessible
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	moved installed washer to survey grid, 80% accessible
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1240B
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit, 1240B
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible


CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1240 Northpoint Drive Unit B

Unit Summary :

Completion Date: 7/29/2014 3:19 PM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.7 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-H4 partial grids (less than 6") were surveyed with A5-H5. A13-D13 and E14-H14 grids are outside unit interior boundary. Grid A3 and B3 belong to adjacent unit, 1240A.

Summary Statistics :


Total # of Readings:	98	
Average:	3.26	uR/hr
Standard Deviation:	0.22	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1240 A storage unit.
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible. reading 1.3 meters from floor for stairs
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. reading 1.3 meters from floor for stairs
A10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. reading 1.8 meters from floor for stairs
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1240 A storage unit.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs
B10	2.8	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	reading 1.8 meters from floor for stairs
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved dryer to survey grid
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		3.2	uR/hr	Hallway		No	reading .6 meters from floor for stairs

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	80% accessible. reading .6 meters from floor for stairs
C10	3.6	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	moved washer to survey grid
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Hallway			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	60% accessible. moved refrigerator to survey grid.
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible- installed stove
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible- installed stove
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :




Signoff Notes:

Summary Report
1240 Northpoint Drive Unit C

Unit Summary :

Completion Date:	6/25/2014 3:56 PM
Instrument:	193-6
Serial #:	309099
Layout:	Floor Plan 6
Background Reading:	3.2 uR/hr
Dimensions (m):	D 9.24 W 7.07
Unit Furnished:	No
Tenant Present:	No
Unit Notes:	



Summary Statistics :

Total # of Readings:	89	
Average:	2.93	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	60% accessible
A9	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	30% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	2.8	uR/hr	Dining Room	Installed base cabinets.		uR/hr				uR/hr			No	75% accessible
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
B10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
B11	3.2	uR/hr	Dining Room	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen	Installed base cabinets.	2.8	uR/hr	Living Room		2.8	uR/hr	Storage		No	60% accessible, static taken 6.5 inches from floor surface in kitchen cabinet
C9	3.2	uR/hr	Kitchen	Grid partially contained within wall construction.	3.2	uR/hr	Bathroom			uR/hr			No	40% accessible
C10	3.6	uR/hr	Bathroom	Grid partially contained within wall construction.		uR/hr				uR/hr			No	40% accessible
C11	2.8	uR/hr	Dining Room		2.8	uR/hr	Closet			uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C14	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
D4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
D9	2.8	uR/hr	Storage		2.8	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Closet		2.8	uR/hr	Closet		2.8	uR/hr	Living Room		No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
D13	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
D14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Storage		No	
E9	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken 24 inches from floor surface on stairs
F9	2.8	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	static taken 24 inches from floor surface on stairs
F10	2.8	uR/hr	Hallway			uR/hr	Storage			uR/hr			No	
F11	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
F12	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	

Summary Report
1240 Northpoint Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	3.2	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
G2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr			No	10% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static taken 52 inches from floor surface on stairs
G9	2.4	uR/hr	Stairs			uR/hr	Storage			uR/hr			No	static taken 72 inches from floor surface on stairs
G10	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Storage		2.8	uR/hr	Utility			uR/hr			No	
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan - belongs to 1240 unit D
H2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	
H8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	10% accessible static taken 52 inches from floor surface on stairs
H9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible static taken 52 inches from floor surface on stairs
H10	3.2	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr	Storage			uR/hr			No	10% accessible static taken 72 inches from floor surface on stairs
H11	2.8	uR/hr	Storage		2.4	uR/hr	Utility			uR/hr			No	
H12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Luguna

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/29/2014 5:21 PM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 6B

Background Reading: 3.2 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids A4-A13, B4-H4, B1-B2 and E14-H14 less than 6" wide, surveyed with adjacent grids. Grids in column I and A14-D14 are outside of floor plan

Summary Statistics :


Total # of Readings:	103	
Average:	3.00	uR/hr
Standard Deviation:	0.44	uR/hr
Minimum:	2.40	uR/hr
Maximum:	6.00	uR/hr
Median:	2.60	uR/hr
# Anomalies:	1	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1240 unit C
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1240 unit C
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 1 meter above ground floor
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1 meter above ground floor
B10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1 meter above ground floor
B11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed dryer/washer

Summary Report
1240 Northpoint Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs		2.8	uR/hr	Hallway		No	Stair static taken at 0.6 meter above ground floor
C9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.	2.8	uR/hr	Hallway			uR/hr			No	70% accessible, Stair static taken at 0.6 meter above ground floor
C10	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	80% accessible, installed washer
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
E9	2.8	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	95% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen		2.8	uR/hr	Storage		No	
F9	2.8	uR/hr	Kitchen		2.8	uR/hr	Storage		3.2	uR/hr	Bathroom		No	
F10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
F11	2.8	uR/hr	Kitchen	Installed base cabinets.	2.8	uR/hr	Closet			uR/hr			No	90% accessible
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Kitchen	Grid partially obstructed by installed.		uR/hr				uR/hr			No	95% accessible, installed base cabinets
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
H5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	6.0	uR/hr	Living Room			uR/hr				uR/hr			Yes	Static located 54" from unit back exterior wall and 36" from unit right exterior wall.
H7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	60% accessible
H9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	60% accessible, installed refrigerator
H10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
H11	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
H12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Secondary Readings : H6

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Static Reading - 4 inch height, Bullseye	193-6	309119	12.0	uR/hr	Location 0	
Static Reading - 4 inch height, Bullseye	193-6	309119	7.6	uR/hr	Location 1	
Static Reading - 4 inch height, Bullseye	193-6	309119	8.8	uR/hr	Location 2	
Static Reading - 4 inch height, Bullseye	193-6	309119	8.8	uR/hr	Location 3	
Static Reading - 4 inch height, Bullseye	193-6	309119	7.2	uR/hr	Location 4	
Static Reading - 4 inch height, Bullseye	193-6	309119	5.2	uR/hr	Location 5	
Static Reading - 4 inch height, Bullseye	193-6	309119	6.4	uR/hr	Location 6	
Static Reading - 4 inch height, Bullseye	193-6	309119	6.4	uR/hr	Location 7	
Static Reading - 4 inch height, Bullseye	193-6	309119	4.8	uR/hr	Location 8	
Static Reading - 36 inch height, Center	193-6	309119	3.6	uR/hr		
Static Reading - 12 inch height, Center	193-6	309119	6.0	uR/hr		
Static Reading - On Contact, Center	193-6	309119	16.0	uR/hr		
Inspector 1000 Spectrum	Canberra Falcon MCA	13000165				Radium

Secondary Type	Notes
Inspector 1000 Spectrum	File name Bldg1240D07292014

20140729_141427.jpg



CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1240 Northpoint Drive Unit E

Unit Summary :

Completion Date: 7/30/2014 10:10 AM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: No

Unit Notes:

D13 is outside of floor plan. G1, G2, H1, and H2 belong to 1240F.

Summary Statistics :


Total # of Readings:	86	
Average:	3.31	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Living Room			uR/hr			No	50% accessible
A9	3.6	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	installed base cabinet 40% accessible
A10	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	60% accessible installed stove
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	
C9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
C10	3.6	uR/hr	Bathroom		3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr			No	60% accessible
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken 20" above floor
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% Accessible stairs static taken 20" above floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1240-F
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1240-F
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	50% accessible
G5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	80% accessible stairs static taken 44" above floor
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible stair static taken at 44" above floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible stairs static taken 68" above floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1240-F
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1240-F
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1240 Northpoint Drive Unit F

Unit Summary :

Completion Date: 7/30/2014 10:46 AM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: No

Unit Notes:

Grids A4 to H4 and A5 to A12 are less than 6" and were surveyed along with adjacent grids. A3, B3 are outside floor plan and belong to 1240E storage shed. A13-D13 and E14-H14 outside of floor plan.

Summary Statistics :


Total # of Readings:	96	
Average:	2.90	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floorplan. storage shed belongs to 1240E
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan. storage shed belongs to 1240E
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	reading on stairs taken 40" from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken 40" from floor surface
B10	2.0	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	reading on stairs taken 56" from floor surface

Summary Report
1240 Northpoint Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, installed dryer
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr	Hallway		No	reading on stairs taken 16" from floor surface
C9	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	reading on stairs taken 16" from floor surface
C10	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	70% accessible, installed washer
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	90% accessible
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	installed base cabinets
F9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	20% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	70% accessible, refrigerator moved for scan
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, installed base cabinets

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed base cabinets and stove
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
J5	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible
J6	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible, installed furnace
J7	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	80% accessible
J8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, installed water heater
K6	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. installed water heater and furnace
K7	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, installed furnace

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
K8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1241 Northpoint Drive Unit A

Unit Summary :

Completion Date: 7/15/2014 1:59 PM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

D13-G13, H5-H13 grids are outside of floor plan.

Summary Statistics :

Total # of Readings:	87	
Average:	3.42	uR/hr
Standard Deviation:	0.23	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
A9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible.
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
B4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Kitchen		3.6	uR/hr	Living Room			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		No	Kitchen reading taken 12" from floor inside base cabinet.
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	Kitchen reading taken 12" from floor inside base cabinet.
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	40% accessible. Kitchen reading taken 12" from floor inside base cabinet.
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room		3.6	uR/hr	Hallway		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Storage		3.2	uR/hr	Living Room			uR/hr			No	Reading taken in storage under stairs.
F9	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible. Reading taken in storage under stairs.
F10	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	80% accessible.
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1241B.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1241B.
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	25% accessible.
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G8	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	80% accessible. Reading taken in storage under stairs.
G9	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Reading taken in storage under stairs.
G10	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Reading taken in storage under stairs.
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. Partial grid-partial grid due to installed dryer

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1241B.
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1241B.
H3	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.


CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/31/2014 10:08 AM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.7 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-H4 partial grids (less than 6"") were surveyed with A5-H5. A13-D13 and E14-H14 grids are outside unit interior boundary. There was a bed in living room; moved for survey. A3 and B3 belong to 1241A.

Summary Statistics :


Total # of Readings:	98	
Average:	3.22	uR/hr
Standard Deviation:	0.34	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.80	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1241 A storage shed
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. moved bed to survey grid
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible. reading 1.3 meters from floor for stairs. moved bed to survey grid
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. reading 1.3 meters from floor for stairs
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible-installed washer and dryer

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	4.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible. Elevated measurement in storage shed on concrete slab 8" thick, 84" from living room wall. Secondary reading performed (see page 8).
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1241 A storage shed
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
B8	3.2	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs. moved bed to survey grid
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	
B11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs		3.2	uR/hr	Hallway		No	reading .6 meters from floor for stairs. moved bed to survey grid
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	75% accessible. reading .6 meters from floor for stairs
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
G9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	60% accessible. moved refrigerator to survey grid.
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

Secondary Readings : B2

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Static Reading - 4 inch height, Bullseye	193-6	309110	6.8	uR/hr	Location 0	
Static Reading - 4 inch height, Bullseye	193-6	309110	6.0	uR/hr	Location 1	
Static Reading - 4 inch height, Bullseye	193-6	309110	6.0	uR/hr	Location 2	
Static Reading - 4 inch height, Bullseye	193-6	309110	6.0	uR/hr	Location 3	
Static Reading - 4 inch height, Bullseye	193-6	309110	5.5	uR/hr	Location 4	
Static Reading - 4 inch height, Bullseye	193-6	309110	4.8	uR/hr	Location 5	
Static Reading - 4 inch height, Bullseye	193-6	309110	6.0	uR/hr	Location 6	
Static Reading - 4 inch height, Bullseye	193-6	309110	5.2	uR/hr	Location 7	
Static Reading - 4 inch height, Bullseye	193-6	309110	4.4	uR/hr	Location 8	
Static Reading - On Contact, Center	193-6	309110	12.0	uR/hr		
Static Reading - 12 inch height, Center	193-6	309110	4.8	uR/hr		
Static Reading - 36 inch height, Center	193-6	309110	4.0	uR/hr		
	Inspector 1000 Spectrum	13000529				Radium

Secondary Type	Notes
Static Reading - 4 inch height, Bullseye	Point #2 offset 6" toward back fence due to wall construction. POint #6 taken outside shed wall.
Inspector 1000 Spectrum	20140730093956

WIN_20140730_091634.jpg



CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :




Signoff Notes:

Summary Report
1241 Northpoint Drive Unit C

Unit Summary :

Completion Date:	6/25/2014 3:48 PM
Instrument:	193-6
Serial #:	309136
Layout:	Floor Plan 6
Background Reading:	2.8 uR/hr
Dimensions (m):	D 8.93 W 7.09
Unit Furnished:	No
Tenant Present:	No
Unit Notes:	



Summary Statistics :

Total # of Readings:	82	
Average:	2.70	uR/hr
Standard Deviation:	0.22	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.20	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	Moved refrigerator to survey.
A9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	2.8	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B9	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Closet		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom	Elevated measurements due to NORM in toilet bowl a		uR/hr			No	
C10	2.8	uR/hr	Bathroom		3.6	uR/hr	Bathroom	Elevated measurements due to NORM in toilet bowl m	2.8	uR/hr	Kitchen	Installed Dishwasher.	No	
C11	2.8	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	2.4	uR/hr	Living Room		2.4	uR/hr	Storage			uR/hr			No	
D9	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	2.4	uR/hr	Closet			uR/hr				uR/hr			No	
D12	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Living Room			uR/hr				uR/hr	Hallway		No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.0	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible; measurement taken at 74 cm above ground level
F10	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	No washer or dryer; 40% accessible
G3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	10% accessible in storage shed
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible in living room; 10% accessible in storage shed
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Living Room		2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	10% accessible; measurement taken 1.1m above ground level on stairs
G9	2.0	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	75% accessible; measurement taken 1.1m above ground level
G10	2.8	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	15% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	No washer or dryer; 40% accessible
H3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr			No	10% accessible in living room
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	10% accessible.
H9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible; measurement taken 1.86m above ground level
H10	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
H11	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
H12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
H13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	No washer or dryer. 10% accessible.

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1241 Northpoint Drive Unit D

Unit Summary :

Completion Date:	7/30/2014 10:20 AM			
Instrument:	193-6			
Serial #:	309119			
Layout:	Floor Plan 6B			
Background Reading:	3.2	uR/hr		
Dimensions (m):	D	9.3	W	7.1
Unit Furnished:	Yes			
Tenant Present:	Yes			

Unit Notes:


A4-A13, B4-H4, E14 and B1-B2 less than 6" wide, surveyed with adjacent grids. A3 and B3 belong to 1241C.

Summary Statistics :

Total # of Readings:	101	
Average:	2.97	uR/hr
Standard Deviation:	0.29	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.00	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1241 unit C
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1241 unit C
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.0 meters above ground floor
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, Stair static taken at 1.0 meters above ground floor
B10	2.8	uR/hr	Storage		2.0	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.6 meters above ground floor
B11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed dryer moved for survey
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stair static taken at 0.4 meters above ground floor
C9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	50% accessible, Stair static taken at 0.4 meters above ground floor
C10	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	50% accessible, installed washer moved for survey.
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
E9	3.2	uR/hr	Storage		2.8	uR/hr	Bathroom			uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room	Installed base cabinets.	2.8	uR/hr	Storage			uR/hr			No	90% accessible
F9	3.6	uR/hr	Bathroom	Installed base cabinets.	3.2	uR/hr	Storage			uR/hr			No	60% accessible
F10	4.0	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
F11	2.8	uR/hr	Kitchen	Installed Dishwasher.	3.2	uR/hr	Closet			uR/hr			No	70% accessible
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Summary Report
1241 Northpoint Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	70% accessible
H9	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	70% accessible
H10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
H11	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
H12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/30/2014 9:41 AM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-F4 grids are less than 6 inch wide and were surveyed along with adjacent grids. Grid D13 is outside of floor plan. G1-G2, H1-H2 grids belong to 1241F.

Summary Statistics :


Total # of Readings:	84	
Average:	3.35	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible. Survey performed within accessible base cabinet.
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible. Survey performed within accessible base cabinet.
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom		No	Kitchen reading taken 12" from floor inside base cabinet.
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	Kitchen reading taken 12" from floor inside base cabinet.
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	20% accessible.
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.6	uR/hr	Living Room		3.6	uR/hr	Hallway		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.6	uR/hr	Hallway		3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.
E9	3.6	uR/hr	Hallway		3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	90% accessible. Stairs reading taken 12" from floor.
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Stairs reading taken 20" from floor.
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Closet			uR/hr			No	40% accessible. Stairs reading taken 20" from floor.
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible.
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1241F.
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1241F.
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 68" from floor.
G11	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Partial grid due to installed dryer.
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1241F.
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1241F.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1241 Northpoint Drive Unit F

Unit Summary :

Completion Date: 7/31/2014 10:15 AM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 5B

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A13-D13 and E14-H14 grids are outside of floor plan. A3-B3 storage shed belong to 1241 E

Summary Statistics :


Total # of Readings:	117	
Average:	3.38	uR/hr
Standard Deviation:	0.31	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.40	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1241 E
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	30% accessible stairs static taken at 44" above floor
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, stairs static taken at 44" above floor
A10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible stairs static taken at 68" above floor
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1241 E
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken at 44" above floor
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible stairs static taken at 44" above floor
B10	3.2	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken at 68" above floor
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed clothes dryer 60% accessible
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	stairs static taken at 12" above floor
C9	3.2	uR/hr	Hallway	Grid partially contained within wall construction.	3.2	uR/hr	Stairs			uR/hr			No	50% accessible stairs static taken at 12" above floor
C10	3.2	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
C11	3.6	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.6	uR/hr	Hallway			uR/hr			No	60% accessible installed washing machine
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		No	
D9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Bathroom		3.6	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Dining Room		3.6	uR/hr	Hallway			uR/hr			No	
E12	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Hallway			uR/hr			No	95% accessible
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Living Room		3.2	uR/hr	Bathroom		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.2	uR/hr	Bathroom		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F10	4.0	uR/hr	Bathroom		3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr			No	40% accessible
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	70% accessible
G9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed refrigerator 80% accessible
G10	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed stove 80% accessible
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible installed refrigerator
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed refrigerator 20% accessible, survey performed within accessible base cabinet
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed stove, 40% accessible, survey performed within accessible base cabinet.
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
J6	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	60% accessible
J7	3.6	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	70% accessible installed furnace
J8	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	80% accessible
J9	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K6	3.6	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible remainder of grid falls outside unit
K7	3.6	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	70% accessible remainder of grid falls outside unit, installed furnace
K8	3.6	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	70% accessible remainder of grid falls outside unit
K9	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/30/2014 10:31 AM

Instrument: 193-6

Serial #: 309136

Layout: Floor Plan 5

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:


Grid D13 is outside of unit floor plan. Grids G1, G2, H1 and H2 belong to unit 1242B.

Summary Statistics :

Total # of Readings:	98	
Average:	2.75	uR/hr
Standard Deviation:	0.33	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.40	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	Installed refrigerator moved for survey
A9	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible
A10	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room		No	
C9	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bathroom			uR/hr			No	
C10	2.8	uR/hr	Kitchen	Installed Dishwasher.	4.4	uR/hr	Bathroom			uR/hr			No	60% accessible
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
D9	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D10	4.4	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway		2.4	uR/hr	Living Room		2.4	uR/hr	Stairs		No	Stair static taken at 0.3 meters above ground floor
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Stairs		2.4	uR/hr	Living Room			uR/hr			No	Stair static taken at 0.7 meters above ground floor
F9	2.4	uR/hr	Closet	Grid partially contained within wall construction.	2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 0.7 meters above ground floor, 50% accessible
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, installed washing machine moved for survey
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1242B
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1242B
G3	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	40% accessible
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	80% accessible, Stair static taken at 1.1 meters above ground floor
G9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 1.1 meters above ground floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 1.5 meters above ground floor
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, installed dryer moved for survey
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shortage shed belongs to adjacent unit 1242B
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1242B
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
J5	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	65% accessible
J6	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
J7	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
J8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	65% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
K6	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
K7	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
K8	2.4	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/30/2014 12:00 PM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.7 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-H4 partial grids (less than 6"") were surveyed with A5-H5. A13-D13 and E14-H14 grids are outside unit interior boundary. There was a bed in living room; moved for survey. A3 and B3 belong to 1241A.

Summary Statistics :


Total # of Readings:	98	
Average:	3.22	uR/hr
Standard Deviation:	0.34	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.80	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1241 A storage shed
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. moved bed to survey grid
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible. reading 1.3 meters from floor for stairs. moved bed to survey grid
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. reading 1.3 meters from floor for stairs
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible-installed washer and dryer

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	4.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible. Elevated measurement in storage shed on concrete slab 8" thick, 84" from living room wall. Secondary reading performed (see page 8).
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1241 A storage shed
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
B8	3.2	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs. moved bed to survey grid
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	
B11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs		3.2	uR/hr	Hallway		No	reading .6 meters from floor for stairs. moved bed to survey grid
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	75% accessible. reading .6 meters from floor for stairs
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
G9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	60% accessible. moved refrigerator to survey grid.
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

Secondary Readings : B2

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Static Reading - 4 inch height, Bullseye	193-6	309110	6.8	uR/hr	Location 0	
Static Reading - 4 inch height, Bullseye	193-6	309110	6.0	uR/hr	Location 1	
Static Reading - 4 inch height, Bullseye	193-6	309110	6.0	uR/hr	Location 2	
Static Reading - 4 inch height, Bullseye	193-6	309110	6.0	uR/hr	Location 3	
Static Reading - 4 inch height, Bullseye	193-6	309110	5.5	uR/hr	Location 4	
Static Reading - 4 inch height, Bullseye	193-6	309110	4.8	uR/hr	Location 5	
Static Reading - 4 inch height, Bullseye	193-6	309110	6.0	uR/hr	Location 6	
Static Reading - 4 inch height, Bullseye	193-6	309110	5.2	uR/hr	Location 7	
Static Reading - 4 inch height, Bullseye	193-6	309110	4.4	uR/hr	Location 8	
Static Reading - On Contact, Center	193-6	309110	12.0	uR/hr		
Static Reading - 12 inch height, Center	193-6	309110	4.8	uR/hr		
Static Reading - 36 inch height, Center	193-6	309110	4.0	uR/hr		
	Inspector 1000 Spectrum	13000529				Radium

Secondary Type	Notes
Static Reading - 4 inch height, Bullseye	Point #2 offset 6" toward back fence due to wall construction. POint #6 taken outside shed wall.
Inspector 1000 Spectrum	20140730093956

WIN_20140730_091634.jpg



CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1242 Northpoint Drive Unit C

Unit Summary :

Completion Date:	7/30/2014 1:24 PM			
Instrument:	193-6			
Serial #:	309099			
Layout:	Floor Plan 6			
Background Reading:	3.2	uR/hr		
Dimensions (m):	D	9.3	W	7.1
Unit Furnished:	Yes			
Tenant Present:	Yes			

Unit Notes:

Grids A4 to G4 (living room portion) and H5 to H13 are less than 6" and were surveyed with adjacent grids. G1, H1, G2, H2, are outside floor plan and belong to 1242D

Summary Statistics :


Total # of Readings:	99	
Average:	2.86	uR/hr
Standard Deviation:	0.20	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	moved refrigerator
A9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	installed base cabinets, moved refrigerator
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	installed base cabinets
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room		2.8	uR/hr	Storage		No	
C9	2.8	uR/hr	Kitchen		2.8	uR/hr	Storage		3.2	uR/hr	Bathroom		No	installed base cabinets
C10	3.6	uR/hr	Bathroom		2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr			No	60% accessible, installed base cabinets
C11	2.8	uR/hr	Dining Room		2.8	uR/hr	Closet			uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Storage		2.8	uR/hr	Living Room			uR/hr			No	
D9	2.8	uR/hr	Bathroom		2.8	uR/hr	Storage			uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Closet		2.8	uR/hr	Closet		2.8	uR/hr	Dining Room		No	second closet reading in kitchen closet
D12	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
D13	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
D14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	reading on stairs taken 16" from floor surface
F9	2.8	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	reading on stairs taken 16" from floor surface
F10	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
F11	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
F12	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
F13	2.8	uR/hr	Utility	Installed Dishwasher.	2.8	uR/hr	Hallway			uR/hr			No	80% accessible
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan and belongs to 1242D
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan and belongs to 1242D
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	reading on stairs taken 40" from floor surface
G9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken 40" from floor surface
G10	2.8	uR/hr	Storage		2.0	uR/hr	Stairs			uR/hr			No	reading on stairs taken 56" from floor surface
G11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	60% accessible
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan and belongs to 1242D
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan and belongs to 1242D
H3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	95% accessible


CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1242 Northpoint Drive Unit D

Unit Summary :

Completion Date: 7/30/2014 3:22 PM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 6B

Background Reading: 3.6 uR/hr

Dimensions (m): D 9.4 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-H4, A5-A13 partial grids (less than 6") were surveyed with B5-H5, B5-B13. Grids A3 and B3 belong to 1242C. Grids in column I and A14-D14 are outside of floor plan.

Summary Statistics :


Total # of Readings:	100	
Average:	3.37	uR/hr
Standard Deviation:	0.29	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belong to 1242 C storage shed
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belong to 1242 C storage shed
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs
B10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading take on stairs at 1.8 meters from floor due to storage wall construction.
B11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	

Summary Report
1242 Northpoint Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved dryer to survey grid
B14		uR/hr	Mech Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading .6 meters from floor for stairs
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	75% accessible. reading .6 meters from floor for stairs
C10	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved washer to survey grid
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Storage			uR/hr			No	
E9	3.2	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Closet		3.6	uR/hr	Closet			uR/hr			No	2nd optional reading is kitchen closet.
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		3.2	uR/hr	Storage		No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	40% accessible
F11	3.2	uR/hr	Kitchen		3.6	uR/hr	Closet			uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	moved refrigerator to survey grid
H9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
H10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
H11	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
H12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1242 Northpoint Drive Unit E

Unit Summary :

Completion Date:	7/30/2014 12:34 PM			
Instrument:	193-6			
Serial #:	309119			
Layout:	Floor Plan 5			
Background Reading:	3.2	uR/hr		
Dimensions (m):	D 8.6	W 6.8		
Unit Furnished:	Yes			
Tenant Present:	Yes			

Unit Notes:

A4-F4 less than 6" wide, surveyed with adjacent grids. G1, G2, H1 and H2 belong to unit 1242F. Grid D13 is outside of floor plan.

Summary Statistics :


Total # of Readings:	77	
Average:	3.02	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	50% accessible
A9	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	70% accessible, survey inside base cabinets
A10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible, surveyed inside base cabinets
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Living Room	Installed base cabinets.	2.8	uR/hr	Bathroom			uR/hr			No	80% accessible due to base cabinet drawers
C9	2.8	uR/hr	Bathroom		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
C10	3.2	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	60% accessible
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		2.8	uR/hr	Living Room		3.2	uR/hr	Hallway		No	
D9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	Stair static taken at 0.4 meters above ground floor
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible, Stair static taken at 0.6 meters above ground floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed washer moved for survey.
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1242 unit F
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1242 unit F
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	80% accessible, Stair static taken at 1.1 meters above ground floor
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 1.1 meters above ground floor
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 1.6 meters above ground floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed dryer moved for survey
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1242 unit F
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1242 unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Unit Summary :

Completion Date:	7/30/2014 11:31 AM		
Instrument:	193-6		
Serial #:	309127		
Layout:	Floor Plan 5B		
Background Reading:	3.6	uR/hr	
Dimensions (m):	D 8.6	W 6.8	
Unit Furnished:	Yes		
Tenant Present:	Yes		

Unit Notes:

A4-H4, B1-B2 grids are less than 6 inch wide and were surveyed along with adjacent grids. A13-D13 and E14-H14 grids are outside of floor plan. A3 and B3 grids belong to 1242E.

Summary Statistics :


Total # of Readings:	96	
Average:	3.40	uR/hr
Standard Deviation:	0.31	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1242E.
A5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 68" from floor.
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1242E.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 44" from floor.
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible. Stairs reading taken 44" from floor.
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	Stairs reading taken 68" from floor.
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible.
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		3.6	uR/hr	Hallway		No	Stairs reading taken 12" from floor.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	25% accessible. Stairs reading taken 12" from floor.
C10	3.2	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility	Washing machine within grid.	3.6	uR/hr	Hallway			uR/hr			No	40% accessible.
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E12	3.6	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	10% accessible.
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
G9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H8	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Kitchen			uR/hr			No	50% accessible.
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Kitchen reading taken 12" from floor inside base cabinet. Partial grid due to installed stove.
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Kitchen reading taken 12" from floor inside base cabinet. Partial grid due to installed stove.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1243 Northpoint Drive Unit A

Unit Summary :

Completion Date: 7/11/2014 10:44 AM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 4

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.4 W 6.5

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A13, B13, C13, E13 ,F13 ,G13 less than 6 inches wide and scanned with adjacent grids, row 12.

Summary Statistics :


Total # of Readings:	86	
Average:	3.34	uR/hr
Standard Deviation:	0.31	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	60% accessible
A9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible (installed stove & refrigerator
A10	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible (installed stove)
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1243 Northpoint Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	(installed base cabinet) kitchen section
C9	3.6	uR/hr	Bathroom	Installed Stove.		uR/hr				uR/hr			No	40% accessible
C10	3.2	uR/hr	Dining Room	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	50% accessible
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D9	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.2	uR/hr	Hallway		4.0	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	65% accessible
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E9	3.2	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.6	uR/hr	Utility			uR/hr			No	80% accessible (installed washer)
F4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stair reading 32" above floor
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	stair reading 32" above floor (80% accessible)
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G3		uR/hr	Storage Shed			uR/hr				uR/hr			No	storage shed belongs to 1243 B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	10% accessible, storage shed belongs to 1243 B
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	50% accessible (stair reading 40" above floor)
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	stair reading 56" above floor (50% accessible)
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	stair reading 64" above floor (50% accessible)
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible (installed dryer)
H1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H3		uR/hr	Storage Shed			uR/hr				uR/hr			No	storage shed belongs to 1243 B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4		uR/hr	Storage Shed			uR/hr				uR/hr			No	storage shed belongs to 1243 B
J5	3.6	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	95% accessible
J6	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	65% accessible
J7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	80% accessible
J8	3.2	uR/hr	Mech Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	35% accessible ,grid percentage falls outside unit
K5	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed furnace (40% accessible)
K6	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed furnace & hot water heater (30% accessible)
K7	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed hot water heater (30% accessible)
K8	3.6	uR/hr	Mech Room	Grid partially contained within wall construction.		uR/hr				uR/hr			No	25% accessible ,grid percentage falls outside unit


CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1243 Northpoint Drive Unit B

Unit Summary :

Completion Date: 7/11/2014 10:37 AM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 4B

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.4 W 6.5

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

C4-H4 partial grids (less than 6") are surveyed with C5-H5.

Summary Statistics :


Total # of Readings:	97	
Average:	3.26	uR/hr
Standard Deviation:	0.23	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1243 A storage shed
A2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1243 A storage shed
A3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	80% accessible
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	25% accessible. reading 1.3 meters from floor for stairs
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible. reading 1.3 meters from floor
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible. reading 1.8 meters from floor
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible. moved clothes dryer to survey grid
A13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. moved clothes dryer to survey grid
B1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1243 A storage shed
B2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1243 A storage shed
B3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	reading 1.8 meters from floor
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved clothes dryer to survey grid
B13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. moved clothes dryer to survey grid
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	reading .6 meters from floor for stairs
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	80% accessible. reading .6 meters from floor for stairs
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	moved clothes washer to survey grid
C13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible. moved clothes washer to survey grid
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Summary Report
1243 Northpoint Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E12	3.2	uR/hr	Dining Room		3.6	uR/hr	Hallway			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F9	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	25% accessible
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible, refrigerator on grid
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible, stove on grid
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1243 Northpoint Drive Unit C

Unit Summary :


Completion Date:	7/11/2014 10:27 AM		
Instrument:	193-6		
Serial #:	309119		
Layout:	Floor Plan 6		
Background Reading:	3.2	uR/hr	
Dimensions (m):	D 9.2	W 7.1	
Unit Furnished:	Yes		
Tenant Present:	Yes		
Unit Notes:			

Summary Statistics :

Total # of Readings:	104	
Average:	2.85	uR/hr
Standard Deviation:	0.26	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	60% accessible
A9	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	40% accessible
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	2.8	uR/hr	Dining Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	100% accessible
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	90% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr			No	80% accessible, installed base cabinets in kitchen
C9	2.8	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	40% accessible, installed base cabinets in kitchen
C10	3.6	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible, installed base cabinets and dishwasher in kitchen
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

Summary Report
1243 Northpoint Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Storage			uR/hr			No	
D9	2.8	uR/hr	Storage		2.8	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet		2.8	uR/hr	Dining Room			uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	90% accessible
D14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F9	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	60% accessible, reading on stairs taken at .4 m from ground level
F10	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	80% accessible
G1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
G3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1243D
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible from living room, shed belongs to unit 1243D
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	reading on stairs taken at .8 m from ground level

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, reading on stairs taken at 1 m from ground level
G10	2.4	uR/hr	Storage		2.0	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 1.6 m from ground level
G11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	70% accessible
H1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1243D
H4	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	5% accessible from living room, shed belongs to unit 1243D
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	10% accessible, reading on stairs taken at 1 m from ground level

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, reading on stairs taken at 1 m from ground level
H10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, reading on stairs taken at 1.6 m from ground level
H11	2.8	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1243 Northpoint Drive Unit D

Unit Summary :

Completion Date: 7/11/2014 10:32 AM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 6B

Background Reading: 3.2 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A5-A13, C4-H4, I4-I14 grids are less than 6 inch and were surveyed along with adjacent grids. A14-D14 grids are outside of floor plan

Summary Statistics :


Total # of Readings:	103	
Average:	3.34	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.40	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1243C.
A2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1243C.
A3	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1243C.
B2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1243C.
B3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
B4	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 44" from floor.
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Storage			uR/hr			No	80% accessible. Stairs reading taken 44" from floor.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 68" from floor.
B11	3.2	uR/hr	Storage		3.2	uR/hr	Utility			uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. Partial grid-partial grid due to installed dryer.
B14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		3.2	uR/hr	Hallway		No	Stairs reading taken 12" from floor.
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	60% accessible. Stairs reading taken 12" from floor.
C10	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Storage		3.2	uR/hr	Utility		3.2	uR/hr	Hallway		No	
C12	3.6	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
C13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	70% accessible. Partial grid-partial grid due to installed washer.
C14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
D14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
E9	3.2	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Dining Room			uR/hr			No	90% accessible.
E14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		No	Kitchen reading taken 12" from floor inside base cabinet.
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		3.2	uR/hr	Bathroom	Survey performed within accessible base cabinet.	No	Kitchen and bathroom reading taken 12" from floor inside base cabinet.
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.	4.4	uR/hr	Bathroom			uR/hr			No	50% accessible. Kitchen reading taken 12" from floor inside base cabinet.
F11	3.2	uR/hr	Kitchen	Installed base cabinets.	3.2	uR/hr	Closet			uR/hr			No	70% accessible.
F12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
H9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
H10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible.
H11	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
H12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Mark Cafouras

Signature :



Signoff Notes:

Summary Report
1243 Northpoint Drive Unit E

Unit Summary :

Completion Date: 7/11/2014 9:58 AM

Instrument: 193-6

Serial #: 309136

Layout: Floor Plan 4

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.3 W 6.5

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

7.9 meters deep to entry

Summary Statistics :


Total # of Readings:	92	
Average:	2.80	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	Pulled out refrigerator and surveyed.
A9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible.
A11	2.8	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr	Bathroom		2.8	uR/hr	Living Room		No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C10	3.2	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr			No	50% accessible.
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway		2.8	uR/hr	Living Room		No	
D9	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10	2.8	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	Elevated measurement due to NORM in toilet bowl material.
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
E4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Stairs		2.8	uR/hr	Hallway		2.8	uR/hr	Living Room		No	Stairs static taken 0.5 meters above ground level.
E9	2.4	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	Stairs static taken 0.5 meters above ground level.
E10	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
E11	2.8	uR/hr	Hallway		2.8	uR/hr	Storage			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
E13		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	Stairs static taken 1.1 meters above ground level.
F9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken 1.1 meters above ground level.
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.4	uR/hr	Utility	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible.
F13	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
G1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
G2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
G3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1243 F.
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible for living room. Storage shed assigned to adjacent unit: 1243 F.
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	50% accessible. Stairs static taken 1.1 meters above ground level.
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Stairs static taken 1.1 meters above ground level.
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Stairs static taken 1.7 meters above ground level.
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	30% accessible.
G13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
H1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1243 F.
H4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1243 F.


CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :




Signoff Notes:

Summary Report
1243 Northpoint Drive Unit F

Unit Summary :

Completion Date:	7/11/2014 12:46 PM			
Instrument:	193-6			
Serial #:	293633			
Layout:	Floor Plan 4B			
Background Reading:	3.6	uR/hr		
Dimensions (m):	D 8.4	W 6.5		
Unit Furnished:	Yes			
Tenant Present:	Yes			
Unit Notes:				



Summary Statistics :

Total # of Readings:	95	
Average:	3.32	uR/hr
Standard Deviation:	0.25	uR/hr
Minimum:	2.80	uR/hr
Maximum:	3.60	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1243E
A2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1243E
A3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr			No	living room section 5% accessible (storage 85% accessible)
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	30% accessible (stair reading took 40" above floor)
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible (reading took 48" above floor)
A10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible (reading took 64" above floor)
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
B1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1243E
B2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1243E
B3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	(stair reading took 40" above floor)
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible (reading took 48" above floor)
B10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	80% accessible
B13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	(stair reading took 16" above floor)
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible (reading took 16" above floor)
C10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Utility	Washing machine within grid.	3.2	uR/hr	Hallway			uR/hr			No	80% accessible
C13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
E10	3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Grid partially contained within wall construction.		uR/hr			No	80% accessible (installed base cabinet in kitchen section)
E11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
F9	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	85%accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room	Installed refrigerator.		uR/hr				uR/hr			No	70% accessible
G9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	partial grid 70% accessible (scan base cabinet 5" above floor) & installed refrigerator
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	70% accessible (scan base cabinet 5" above floor)
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H8	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible (installed refrigerator on partial grid in kitchen)
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible (static taken in base cabinet 5" above floor)
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible installed stove (static taken in base cabinet 5" above floor)
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Unit Summary :

Completion Date:	7/11/2014 3:40 PM
Instrument:	193-6
Serial #:	309119
Layout:	Floor Plan 4
Background Reading:	3.2 uR/hr
Dimensions (m):	D 8.3 W 6.5
Unit Furnished:	Yes
Tenant Present:	Yes
Unit Notes:	


7.9 m depth from entry to back wall of unit

Summary Statistics :

Total # of Readings:	91	
Average:	3.01	uR/hr
Standard Deviation:	0.29	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Living Room			uR/hr			No	60% accessible
A9	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	50% accessible, survey also performed in installed base cabinets
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Living Room			uR/hr			No	
C9	3.2	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible from bath, installed base cabinets in kitchen inaccessible
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	60% accessible in combined kitchen & bath
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, length of unit from entry to back wall is 7.9
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	stairs scanned during survey
E9	2.8	uR/hr	Hallway	Grid partially contained within wall construction.	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	80% accessible, reading on stairs taken at .4 m from ground level
E10	3.2	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr			No	90% accessible, length of unit from entry to back wall is 7.9
E13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	reading on stairs taken at .6 m from ground level
F9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible, reading on stairs taken at .8 m from ground level
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	60% accessible, washer moved for survey
F13	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible, moved dryer for survey
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1244B
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1244B
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	50% accessible combined total with shed and living room
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room	Installed base cabinets.		uR/hr			No	50% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room	Installed base cabinets.		uR/hr			No	50% accessible, reading on stairs taken at 1 m from ground level
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, reading on stairs taken at 1 m from ground level
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, reading on stairs taken at 1.6 m from ground level
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible, moved dryer for survey
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1244B
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1244B
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1244 Northpoint Drive Unit B

Unit Summary :

Completion Date:	7/11/2014 1:01 PM		
Instrument:	193-6		
Serial #:	309110		
Layout:	Floor Plan 4B		
Background Reading:	3.2	uR/hr	
Dimensions (m):	D 8.5	W 6.5	
Unit Furnished:	Yes		
Tenant Present:	Yes		

Unit Notes:

A4-H4 partial grids (less than 6") are surveyed with adjacent grids, row 5

Summary Statistics :


Total # of Readings:	94	
Average:	3.30	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.40	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.4	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1244 A storage unit
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A8	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	25% accessible. reading 1.3 meters from floor for stairs
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible. reading 1.3 meters from floor for stairs
A10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible. reading 1.8 meters from floor for stairs
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible. moved clothes dryer to survey grid

Summary Report
1244 Northpoint Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible. moved clothes dryer to survey grid
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1244 A storage unit
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs
B10	2.8	uR/hr	Stairs		3.6	uR/hr	Closet			uR/hr			No	reading 1.8 meters from floor for stairs
B11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved clothes washer to survey grid
B13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. moved clothes washer to survey grid
C5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	reading .6 meters from floor for stairs
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	80% accessible. reading .6 meters from floor for stairs
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.6	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	moved clothes washer to survey grid
C13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. moved clothes washer to survey grid
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Dining Room		3.6	uR/hr	Hallway			uR/hr			No	
E12	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible
G9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	75% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible-installed refrigerator
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible-installed stove
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H12	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1244 Northpoint Drive Unit C

Unit Summary :

Completion Date:	7/16/2014 3:03 PM			
Instrument:	193-6			
Serial #:	309110			
Layout:	Floor Plan 5			
Background Reading:	3.6	uR/hr		
Dimensions (m):	D	8.7	W	6.7
Unit Furnished:	Yes			
Tenant Present:	Yes			

Unit Notes:

A4-F4 partial grids (less than 6") surveyed with adjacent to grids. D13 - G13 outside unit boundary.

Summary Statistics :


Total # of Readings:	75	
Average:	3.55	uR/hr
Standard Deviation:	0.23	uR/hr
Minimum:	2.80	uR/hr
Maximum:	4.00	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	moved refrigerator to survey grid
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	moved refrigerator to survey grid
A10	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Kitchen		3.6	uR/hr	Living Room			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	
C9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	4.0	uR/hr	Bathroom			uR/hr			No	
C10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	50% accessible from bathroom, kitchen half of grid installed dishwasher
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.6	uR/hr	Living Room			uR/hr			No	
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway		3.6	uR/hr	Living Room			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	reading .6 meters from floor for stairs
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible. reading .6 meters from floor for stairs
F10	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	moved clothes washer to survey grid
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1244 D storage shed
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1244 D storage shed
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G4	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G8	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. reading 1.3 meters from floor for stairs
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. reading 1.3 meters from floor for stairs
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. reading 1.8 meters from floor for stairs
G11	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible- installed dryer
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1244 D storage shed
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1244 D storage shed
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
H4	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/11/2014 12:48 PM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 5B

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Summary Statistics :


Total # of Readings:	105	
Average:	3.48	uR/hr
Standard Deviation:	0.34	uR/hr
Minimum:	2.80	uR/hr
Maximum:	5.20	uR/hr
Median:	3.20	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1244C.
A4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1244C
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 68" from floor.
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	4.4	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
B2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1244C.
B4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1244C
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 36" from floor.
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 36" from floor.
B10	2.8	uR/hr	Stairs		3.6	uR/hr	Closet			uR/hr			No	Stairs reading taken 68" from floor.
B11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	60% accessible.
B13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.
C9	3.6	uR/hr	Stairs	Grid partially contained within wall construction.	3.6	uR/hr	Hallway			uR/hr			No	60% accessible. Stairs reading taken 12" from floor.
C10	3.6	uR/hr	Closet		3.6	uR/hr	Hallway			uR/hr			No	
C11	3.6	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
C12	3.6	uR/hr	Utility	Washing machine within grid.	3.6	uR/hr	Hallway			uR/hr			No	50% accessible.
C13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	5.2	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurements due to NORM in toilet bowl materials.
E11	3.6	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	
E12	3.6	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
F4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible.
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
F14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
G14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	4.0	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Kitchen			uR/hr			No	60% accessible.
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. Kitchen reading taken 12" from floor inside base cabinet.
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Kitchen reading taken 12" from floor inside base cabinet. Partial grid-partial grid due to installed stove.
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H14		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Mark Cafouras

Signature :



Signoff Notes:

Summary Report
1244 Northpoint Drive Unit E

Unit Summary :


Completion Date:	7/11/2014 11:54 AM				
Instrument:	193-6				
Serial #:	309136				
Layout:	Floor Plan 4				
Background Reading:	2.8	uR/hr			
Dimensions (m):	D	8.3	W	6.5	
Unit Furnished:	Yes				
Tenant Present:	Yes				
Unit Notes:					

Summary Statistics :

Total # of Readings:	92	
Average:	2.69	uR/hr
Standard Deviation:	0.32	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.00	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	Pulled out refrigerator and surveyed.
A9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible.
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom		No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bathroom			uR/hr			No	
C10	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	4.0	uR/hr	Bathroom			uR/hr			No	Elevated measurements due to NORM in toilet bowl materials.
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Bathroom		2.4	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
D9	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10	4.0	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	Elevated measurements due to NORM in toilet bowl materials.
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway		2.8	uR/hr	Utility			uR/hr			No	
E12	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Utility			uR/hr			No	70% accessible.
E13		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	Stairs static taken 0.5 meters above ground level.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken 0.5 meters above ground level.
F10	2.4	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.4	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.4	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	40% accessible.
F13	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1244 F.
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1244 F.
G3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	15% accessible in living room.
G5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G8	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room			uR/hr			No	50% accessible. Stairs static taken 1.1 meters above ground level.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Stairs static taken 1.1 meters above ground level.
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Stairs static taken 1.7 meters above ground level.
G11	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G12	2.4	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	30% accessible.
G13	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1244 F.
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1244 F.
H3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1244 Northpoint Drive Unit F

Unit Summary :

Completion Date:	7/11/2014 1:45 PM			
Instrument:	193-6			
Serial #:	309136			
Layout:	Floor Plan 4B			
Background Reading:	2.8	uR/hr		
Dimensions (m):	D 8.3	W	6.5	
Unit Furnished:	No			
Tenant Present:	No			
Unit Notes:				

D13 outside of floor plan

Summary Statistics :


Total # of Readings:	103	
Average:	2.69	uR/hr
Standard Deviation:	0.34	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.80	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1244 E
A4	2.4	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
A5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A8	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible. Stairs static taken 1.1 meters above round level.
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs static taken 1.1 meters above round level.
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs static taken 1.7 meters above round level.
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
B1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1244 E
B4	2.8	uR/hr	Storage Shed	Grid partially obstructed by installed.		uR/hr				uR/hr			No	20% accessible.
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.0	uR/hr	Stairs		2.4	uR/hr	Living Room			uR/hr			No	Stairs static taken 1.1 meters above round level.
B9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken 1.1 meters above round level.
B10	2.0	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	Stairs static taken 1.7 meters above round level.
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.4	uR/hr	Stairs		No	Stairs static taken 0.5 meters above round level.
C9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Stairs static taken 0.5 meters above round level.
C10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.4	uR/hr	Utility	Washing machine within grid.	2.8	uR/hr	Hallway			uR/hr			No	40% accessible.
C13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.
D4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway		2.4	uR/hr	Living Room		2.8	uR/hr	Bathroom		No	
D9	2.8	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D10	2.8	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
D13		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.8	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurements due to NORM in toilet bowl material.
E11	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Hallway			uR/hr			No	70% accessible.
E13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.
F4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Living Room			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	60% accessible.
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	Pulled out refrigerator and surveyed.
G9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	80% accessible. Installed stove.
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Dining Room	Installed Stove.		uR/hr				uR/hr			No	60% accessible.
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
H5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible. Pulled out refrigerator and surveyed.
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Surveyed within base cabinets.
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Surveyed within base cabinets.
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1244 Northpoint Drive Unit G

Unit Summary :

Completion Date:	7/14/2014 9:42 AM
Instrument:	193-6
Serial #:	293633
Layout:	Floor Plan 5
Background Reading:	3.6 uR/hr
Dimensions (m):	D 8.6 W 6.8
Unit Furnished:	Yes
Tenant Present:	Yes
Unit Notes:	


5H-13H, D13, E13, F13, G13 falls outside unit

Summary Statistics :

Total # of Readings:	82	
Average:	3.34	uR/hr
Standard Deviation:	0.30	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Living Room			uR/hr			No	30% accessible
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	installed stove (40% accessible)
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
C9	3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
C10	4.0	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr			No	70% accessible
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	static taken 32" above floor on stair
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	(50% accessible) static taken 32" above floor on stair
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible (installed washing machine)
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	belongs to unit 1244H
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	belongs to unit 1244H
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	50% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	static taken 40" above floor on stair (80% accessible)
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken 56" above floor on stair (80% accessible)
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static taken 64" above floor on stair (80% accessible)
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible (installed dryer)
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	belongs to unit 1244H
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	belongs to unit 1244H
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1244 Northpoint Drive Unit H

Unit Summary :

Completion Date: 7/14/2014 10:57 AM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.6

Unit Furnished: Yes

Tenant Present: No

Unit Notes:

A3,B3,A4,B4 shed belongs to 1244 unit G. Grids A5 to A12, A4 to H4 less than 6" and scanned with adjacent grids. A13 to D13 fall outside floor plan.

Summary Statistics :


Total # of Readings:	98	
Average:	2.97	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.40	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed			uR/hr				uR/hr			No	outside floor plan
A4		uR/hr	Storage Shed			uR/hr				uR/hr			No	outside floor plan
A13		uR/hr	Utility			uR/hr				uR/hr			No	outside floor plan
B1	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B2	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Storage Shed			uR/hr				uR/hr			No	outside floor plan
B4		uR/hr	Storage Shed			uR/hr				uR/hr			No	outside floor plan
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40" from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
B10	2.4	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	static taken on stairs 64" from floor surface
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	scanned in dryer, 100% accessible
B13		uR/hr	Utility			uR/hr				uR/hr			No	outside floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		2.8	uR/hr	Living Room		No	static taken on stairs 16" from floor surface
C9	2.8	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	static taken on stairs 16" from floor surface
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	washer moved to obtain 100% scan
C13		uR/hr	Utility			uR/hr				uR/hr			No	outside floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway		No	
D9	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Hallway			uR/hr				uR/hr			No	outside floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E12	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
F9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.	2.8	uR/hr	Dining Room			uR/hr			No	50% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible
G9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	80% accessible
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	50% accessible
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
J5	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	80% accessible
J6	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	40% accessible
J7	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	75% accessible
J8	3.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	75% accessible
K6	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	65% accessible
K7	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	75% accessible
K8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible


CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1245 Northpoint Drive Unit A

Unit Summary :

Completion Date: 8/4/2014 2:36 PM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-F4 are less than 6" wide and surveyed with adjacent grid. Grids G1, G2, H1 and H2 storage shed belongs to 1245 B. D13 is outside of floor plan.

Summary Statistics :


Total # of Readings:	88	
Average:	3.37	uR/hr
Standard Deviation:	0.29	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room	Installed refrigerator.		uR/hr				uR/hr			No	70% accessible
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed refrigerator 50% accessible
A10	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed stove 40% accessible
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	

Summary Report
1245 Northpoint Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		No	
C9	3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
C10	4.0	uR/hr	Bathroom		3.6	uR/hr	Dining Room	Installed Dishwasher.		uR/hr			No	40% accessible
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.6	uR/hr	Hallway		3.2	uR/hr	Living Room		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

Summary Report
1245 Northpoint Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E5	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stairs static taken at 28" above floor
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible, stairs static taken at 28" above floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible installed washing machine
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1245 B
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1245 B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	80% accessible stairs static taken at 44" above floor
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, stairs static taken at 44" above floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, stairs static taken at 68" above floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible installed clothes dryer
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1245 B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1245 B
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
J5	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible installed furnace
J6	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible, installed hot water heater
J7	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	95% accessible, installed hot water heater
J8	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible installed furnace
K6	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed hot water heater
K7	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, installed hot water heater
K8	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

CBI Supervisor : Joyce McGee

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1245 Northpoint Drive Unit B

Unit Summary :

Completion Date: 7/30/2014 1:04 PM

Instrument: 193-6

Serial #: 309136

Layout: Floor Plan 5B

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids A13-D13 and E14-H14 are outside of survey unit. Grids A3 and B3 belong to unit 1245A.

Summary Statistics :


Total # of Readings:	113	
Average:	2.64	uR/hr
Standard Deviation:	0.26	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1245A
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
A5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	30% accessible, Stair static taken at 1.1 meters above floor level
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Stair static taken at 1.1 meters above floor level
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.4	uR/hr	Utility			uR/hr			No	30% accessible, Stair static taken at 1.1 meters above floor level

Summary Report
1245 Northpoint Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1245A
B4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above floor level
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.1 meters above floor level
B10	2.0	uR/hr	Stairs		2.4	uR/hr	Closet			uR/hr			No	Stair static taken at 1.1 meters above floor level
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	60% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		2.4	uR/hr	Stairs		No	Stair static taken at 0.5 meters above floor level
C9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.	2.8	uR/hr	Hallway		2.4	uR/hr	Closet		No	50% accessible, Stair static taken at 0.5 meters above floor level
C10	2.4	uR/hr	Closet		2.8	uR/hr	Hallway		2.4	uR/hr	Closet		No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	80% accessible, installed washer moved
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		2.8	uR/hr	Bathroom		No	
D9	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10	2.4	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
D11	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
E9	2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.4	uR/hr	Dining Room			uR/hr			No	80% accessible
E13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	
G9	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	45% accessible, static taken over attached mantle over 1" wood base
H7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H9	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, refrigerator moved for survey
H10	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed stove with survey inside installed cabinets
H11	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/30/2014 2:40 PM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 6

Background Reading: 3.6 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-G4, H5-H13, G3 grids are less than 6 inch wide and were surveyed along with adjacent grids. D14 grid outside of floor plan. Grids G1, G2, H1, and H2 belong to 1245D.

Summary Statistics :


Total # of Readings:	86	
Average:	3.43	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible.
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Living Room		3.2	uR/hr	Storage		No	Kitchen reading taken 12" from floor inside base cabinet.
C9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	4.0	uR/hr	Bathroom		3.2	uR/hr	Storage		No	Kitchen reading taken 12" from floor inside base cabinet.
C10	3.6	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	40% accessible. Kitchen reading taken 12" from floor inside base cabinet.
C11	3.6	uR/hr	Dining Room	Installed base cabinets.	3.2	uR/hr	Closet			uR/hr			No	70% accessible.
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Storage		3.6	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr			No	Stairs reading taken 12" from floor. Living room survey performed on bottom wooden shelf 4" from floor using Model 19 #267078 with bkgd of 5 µR/hr at standard location. Model 19 scan results 5 µR/hr.
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible. Stairs reading taken 12" from floor.
F10	3.2	uR/hr	Storage			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F13	3.6	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	30% accessible.
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1245D.
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1245D.
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Stairs		3.6	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr			No	Stairs reading taken 12" from floor. Living room survey performed on bottom wooden shelf 4" from floor using Model 19 #267078 with bkgd of 5 µR/hr at standard location. Model 19 scan results 5 µR/hr.
G9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 68" from floor.
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G13	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	30% accessible.
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1245D.
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1245D.
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible.
H4	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/30/2014 3:27 PM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 6B

Background Reading: 3.2 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A5-A13 are less than 6" & were surveyed with adjacent grids. Grids in column I and row 14 are outside of floor plan. Bed in living room moved for survey. A3, A4, and B3 belong to 1245C.

Summary Statistics :


Total # of Readings:	120	
Average:	3.26	uR/hr
Standard Deviation:	0.23	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1245 C
A4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1245 C
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1245 C
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	stairs static taken 44" above floor
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible stairs static taken 44" above floor

Summary Report
1245 Northpoint Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible
B11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible installed clothes dryer
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway		3.2	uR/hr	Stairs		No	stairs static taken 12" above floor
C9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	70% accessible stairs static taken 12" above floor
C10	3.2	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C11	3.2	uR/hr	Hallway		3.2	uR/hr	Storage			uR/hr			No	
C12	3.6	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
C13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	60% accessible installed washing machine

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Storage		No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		3.2	uR/hr	Storage		No	
D10	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
E9	3.2	uR/hr	Bathroom		3.2	uR/hr	Storage			uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Closet		3.2	uR/hr	Closet			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	80% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Storage		3.2	uR/hr	Living Room			uR/hr			No	
F9	3.6	uR/hr	Bathroom		3.2	uR/hr	Storage			uR/hr			No	
F10	3.6	uR/hr	Bathroom	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible
F11	3.2	uR/hr	Closet		3.2	uR/hr	Dining Room	Installed base cabinets.		uR/hr			No	70% accessible
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
G11	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	60% accessible
H9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed refrigerator 40% accessible
H10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
H11	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
H12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1245 Northpoint Drive Unit E

Unit Summary :

Completion Date:	7/30/2014 3:19 PM
Instrument:	193-6
Serial #:	309119
Layout:	Floor Plan 5
Background Reading:	3.2 uR/hr
Dimensions (m):	D 8.6 W 6.8
Unit Furnished:	Yes
Tenant Present:	Yes

Unit Notes:

Grids A4-F4 less than 6" wide, surveyed with adjacent grids. Grids G1-G2 and H1-H2 storage shed for 1245 unit F. D13 is outside of floor plan.

Summary Statistics :


Total # of Readings:	77	
Average:	2.92	uR/hr
Standard Deviation:	0.24	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	40% accessible
A9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	70% accessible, installed refrigerator
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible due to inaccessible base cabinets
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Living Room	Installed base cabinets.	2.8	uR/hr	Bathroom			uR/hr			No	80% accessible
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bathroom			uR/hr			No	
C10	2.8	uR/hr	Kitchen	Installed Dishwasher.	3.2	uR/hr	Bathroom			uR/hr			No	40% accessible
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
D9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	Stair static taken at 0.4 meters above ground floor
F9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible, Stair static taken at 0.6 meters above ground floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed washer
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1245 unit F.
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1245 unit F.
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	80% accessible, Stair static taken at 1.1 meters above ground floor
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 1.1 meters above ground floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 1.7 meters above ground floor
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed dryer
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1245 unit F.
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed for 1245 unit F.
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1245 Northpoint Drive Unit F

Unit Summary :

Completion Date: 7/31/2014 9:55 AM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids A4-H4 and A5-A12 are less than 6" and were surveyed with adjacent grids. Grids A3 and B3 are outside floor plan and belong to unit 1245E. Grids A13-D13 and E14-H14 are outside the floor plan.

Summary Statistics :


Total # of Readings:	89	
Average:	3.01	uR/hr
Standard Deviation:	0.27	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1245E
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1245E
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 40"
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 40"
B10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 56"
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	80% accessible. moved dryer

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		No	reading on stairs taken at 16"
C9	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 16"
C10	2.8	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility	Washing machine within grid.	2.8	uR/hr	Hallway			uR/hr			No	90% accessible, moved washing machine
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan


Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	installed base cabinets
F9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	installed base cabinets
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	70% accessible, moved refrigerator
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed stove and base cabinets
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, installed base cabinets
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1246 (1397) Gateview Court Unit A

Unit Summary :

Completion Date: 7/10/2014 10:44 AM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Surveyed biulding mechanical room, J5-J8 and K5-K8.

Summary Statistics :


Total # of Readings:	96	
Average:	3.08	uR/hr
Standard Deviation:	0.30	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	no measurement performed
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	40% accessible
A9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	no measurement performed
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Summary Report
1246 (1397) Gateview Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	no measurement performed
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom		No	
C9	3.2	uR/hr	Bathroom		3.6	uR/hr	Kitchen			uR/hr			No	
C10	4.0	uR/hr	Bathroom		3.6	uR/hr	Kitchen			uR/hr			No	
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	no measurement performed
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		No	
D9	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	no measurement performed
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1246 (1397) Gateview Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
F4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	no measurement performed
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static on stairs taken 24" from floor surface
F9	2.8	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	static on stairs taken 24" from floor surface
F10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	static on stairs taken 56" from floor surface
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1246B
G2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Rest of grid belongs to adjacent unit 1246B

Summary Report
1246 (1397) Gateview Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	80% accessible. static on stairs taken 40" from floor surface
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. static on stairs taken 48" from floor surface
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static on stairs taken 64" from floor surface, 80% accessible.
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	30% accessible.
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	10% accessible. Rest of grid belongs to adjacent unit 1246B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
J5	3.2	uR/hr	Mech Room			uR/hr				uR/hr			No	
J6	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	90% accessible.
J7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	95% accessible.
J8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
K5	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	80% accessible.
K6	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	25% accessible.
K7	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	50% accessible.
K8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible.

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1246 (1397) Gateview Court Unit B

Unit Summary :

Completion Date: 7/10/2014 11:24 AM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 5B

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.7 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

C4-H4 partial grids (less than 6") surveyed with C5-H5. A13-D13 are outside of floor plan

Summary Statistics :


Total # of Readings:	91	
Average:	3.36	uR/hr
Standard Deviation:	0.28	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1397 A storage shed
A4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1397 A storage shed
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	20% accessible reading at 1.3 meters from floor
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. reading at 1.3 meters from floor
A10	3.2	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. reading at 1.8 meters from floor
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Summary Report
1246 (1397) Gateview Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1397 A storage shed
B4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1397 A storage shed
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading at 1.3 meters from floor
B9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	reading at 1.3 meters from floor
B10	2.4	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	reading at 1.8 meters from floor
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		3.2	uR/hr	Hallway		No	reading at .6 meters from floor
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	75% accessible. reading at .6 meters from floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway		3.6	uR/hr	Kitchen			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Kitchen			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	

Summary Report
1246 (1397) Gateview Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	static reading taken at 4" within installed cabinet
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	70% accessible
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
G9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible- installed refrigerator

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible-installed stove
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible-installed stove
H11	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H12	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

CBI Supervisor : Carlos Bernal

Signature :



Senior Technician : Antonio Neotti

Signature :



Signoff Notes:

Summary Report
1246 (1397) Gateview Court Unit C

Unit Summary :

Completion Date:	7/10/2014 10:20 AM			
Instrument:	193-6			
Serial #:	309119			
Layout:	Floor Plan 4			
Background Reading:	3.2	uR/hr		
Dimensions (m):	D 8.3	W 6.5		
Unit Furnished:	Yes			
Tenant Present:	Yes			
Unit Notes:				

Summary Statistics :


Total # of Readings:	88	
Average:	2.96	uR/hr
Standard Deviation:	0.26	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.60	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room	Installed refrigerator.	2.8	uR/hr	Kitchen			uR/hr			No	80% accessible
A9	3.2	uR/hr	Kitchen	Installed refrigerator.	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	50% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
C9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	50% accessible. Partial grid in kitchen inaccessible due to base cabinet
C10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	50% accessible. Partial grid in kitchen inaccessible due to base cabinet
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
D9	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	

Summary Report
1246 (1397) Gateview Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, unit length is 7.8 m from entry to back of unit
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
E9	2.8	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Utility			uR/hr			No	80% accessible, unit length is 7.8 m from entry to back of unit
E13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible, reading on stairs taken at .6 m from ground level
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	80% accessible
F13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is in unit 1397D
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is in unit 1397D
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	40% accessible in living room, 30% of grid is in shed, remainder is outside of unit
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, reading on stairs taken at 1 m from ground level
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, reading on stairs taken at 1.6 m from ground level
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is in unit 1397D
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is in unit 1397D
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1246 (1397) Gateview Court Unit D

Unit Summary :

Completion Date: 7/10/2014 10:09 AM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 4B

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.3 W 6.5

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Bed in living room. C4-H4 were less than 6 inches wide and were surveyed along with adjacent cells, row 5.

Summary Statistics :


Total # of Readings:	101	
Average:	3.20	uR/hr
Standard Deviation:	0.30	uR/hr
Minimum:	2.40	uR/hr
Maximum:	4.00	uR/hr
Median:	2.80	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1397C.
A4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1397C.
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	25% accessible. Stairs reading taken 44" from floor.
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible. Stairs reading taken 44" from floor.
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible. Stairs reading taken 68" from floor.
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.

Summary Report
1246 (1397) Gateview Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
B2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	40% accessible.
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1397C.
B4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1397C.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in living room.
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in living room.
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stairs reading taken 36" from floor.
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
B10	2.4	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Closet			uR/hr			No	80% accessible. Stairs reading taken 68" from floor.
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	30% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid- partial grid due to installed dryer.
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in living room.
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	Bed in living room.
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	60% accessible. Stairs reading taken 12" from floor.
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	40% accessible. Partial grid- partial grid due to installed washer.
C13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid- partial grid due to installed washer.
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom		No	
D9	3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D13		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	Kitchen reading taken 12" from floor inside base cabinet.
E9	3.6	uR/hr	Bathroom		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	Kitchen reading taken 12" from floor inside base cabinet.
E10	3.2	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	Kitchen reading taken 12" from floor inside base cabinet.
E11	3.6	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	80% accessible.
E13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible.
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible. Kitchen reading taken 12" from floor inside base cabinet.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid-partial grid due to installed stove.
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.

CBI Supervisor : Garrick Anderson

Signature :



Senior Technician : Patricia Lozano

Signature :



Signoff Notes:

Summary Report
1246 (1397) Gateview Court Unit E

Unit Summary :

Completion Date:	7/10/2014 10:02 AM		
Instrument:	193-6		
Serial #:	309136		
Layout:	Floor Plan 5		
Background Reading:	2.8	uR/hr	
Dimensions (m):	D 8.6	W 6.8	
Unit Furnished:	Yes		
Tenant Present:	Yes		
Unit Notes:			

Summary Statistics :

Total # of Readings:	86	
Average:	2.67	uR/hr
Standard Deviation:	0.22	uR/hr
Minimum:	2.00	uR/hr
Maximum:	3.20	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.4	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	Pulled out refrigerator and surveyed.
A9	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible. Surveyed within base cabinets.
A10	2.4	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible. Surveyed within base cabinets.
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bathroom		2.4	uR/hr	Living Room		No	
C9	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bathroom			uR/hr			No	
C10	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Bathroom			uR/hr			No	
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom		No	
D9	2.8	uR/hr	Bathroom		2.8	uR/hr	Bathroom			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Stairs		2.4	uR/hr	Living Room			uR/hr			No	Stairs static taken at 0.5 meters above ground level.
F9	2.4	uR/hr	Closet			uR/hr				uR/hr			No	Stairs static taken at 0.5 meters above ground level.
F10	2.4	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F12	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	40% accessible.
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1397 F.
G2		uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1397 F.
G3	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Storage Shed			uR/hr			No	60% accessible.
G5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs static taken at 1.1 meters above ground level.
G9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	80% accessible. Stairs static taken at 1.1 meters above ground level.
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs static taken at 1.7 meters above ground level.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G12	2.4	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible.
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1397 F.
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1397 F.
H3	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.

CBI Supervisor : Adam Hickok

Signature :



Senior Technician : Phillip Perez

Signature :



Signoff Notes:

Summary Report
1246 (1397) Gateview Court Unit F

Unit Summary :

Completion Date:	7/10/2014 2:05 PM			
Instrument:	193-6			
Serial #:	309099			
Layout:	Floor Plan 5B			
Background Reading:	2.8	uR/hr		
Dimensions (m):	D	8.6	W	6.8
Unit Furnished:	Yes			
Tenant Present:	Yes			

Unit Notes:

Row 4 less than 6" wide and was scanned with row 5. A5 to A12 less than 6" wide an was scanned with column B.

Summary Statistics :


Total # of Readings:	86	
Average:	2.89	uR/hr
Standard Deviation:	0.20	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	2.8	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1246E
A4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1246E
A13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B2	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1246E
B4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1246E
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static on stairs 40" from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static on stairs 40" from floor surface

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	2.4	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	static on stairs 64" from floor surface
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible
B13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	static on stairs 16" from floor surface
C9	2.8	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	static on stairs 16" from floor surface
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Hallway		2.8	uR/hr	Utility	Washing machine within grid.		uR/hr			No	20% accessible
C13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	

Summary Report
1246 (1397) Gateview Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	70% accessible
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	70% accessible
F10	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	70% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	30% accessible
H9	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
H10	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	30% accessible
H11	2.8	uR/hr	Dining Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	5% accessible. Installed freezer.
H12	2.8	uR/hr	Dining Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	5% accessible, aquarium in grid
H13	2.8	uR/hr	Dining Room	Grid partially obstructed by installed.		uR/hr				uR/hr			No	5% accessible, aquarium in grid

CBI Supervisor : Natalie Rothell

Signature :



Senior Technician : Ricky Laguna

Signature :



Signoff Notes:

Summary Report
1246 (1397) Gateview Court Unit G

Unit Summary :

Completion Date:	7/10/2014 12:37 PM				
Instrument:	193-6				
Serial #:	309119				
Layout:	Floor Plan 4				
Background Reading:	3.2	uR/hr			
Dimensions (m):	D	8.3	W	6.5	
Unit Furnished:	Yes				
Tenant Present:	Yes				
Unit Notes:					

Summary Statistics :


Total # of Readings:	90	
Average:	2.92	uR/hr
Standard Deviation:	0.23	uR/hr
Minimum:	2.40	uR/hr
Maximum:	3.60	uR/hr
Median:	2.60	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	75% accessible
A9	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	50% accessible
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	2.8	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Summary Report
1246 (1397) Gateview Court Unit G

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	70% accessible. Partial grid in kitchen inaccessible due to installed base cabinet.
C9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	60% accessible due to installed base cabinets in kitchen portion of grid cell
C10	3.2	uR/hr	Bathroom		2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	70% accessible
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	80% accessible, reading on stairs taken at .4 m from ground level
E10	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
E11	2.8	uR/hr	Hallway		2.8	uR/hr	Utility			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Utility	Washing machine within grid.		uR/hr			No	80% accessible
E13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .4 m from ground level

Summary Report
1246 (1397) Gateview Court Unit G

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible, reading on stairs taken at .8 m from ground level
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	80% accessible
F13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is in unit 1397H
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is in unit 1397H
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	40% accessible from living room, 30% from shed
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	50% accessible, reading on stairs taken at .8 m from ground level
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, reading on stairs taken at 1 m from ground level
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, reading on stairs taken at 1.6 m from ground level
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G12	2.8	uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	50% accessible
G13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is in unit 1397H
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is in unit 1397H
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

CBI Supervisor : Steve Phelps

Signature :



Senior Technician : Efraim Ramirez

Signature :



Signoff Notes:

Summary Report
1246 (1397) Gateview Court Unit H

Unit Summary :

Completion Date:	7/10/2014 3:27 PM			
Instrument:	193-6			
Serial #:	293633			
Layout:	Floor Plan 4B			
Background Reading:	3.2	uR/hr		
Dimensions (m):	D	8.5	W	6.4
Unit Furnished:	No			
Tenant Present:	No			

Unit Notes:

Home was remodeled to be ADA compliant. Bedroom framed in living room. E9, E10 bathroom converted to wheel-in shower. Toilet added to utility room with stacked washer/dryer.

Summary Statistics :


Total # of Readings:	106	
Average:	3.53	uR/hr
Standard Deviation:	0.50	uR/hr
Minimum:	2.40	uR/hr
Maximum:	5.20	uR/hr
Median:	3.00	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Storage Shed			uR/hr				uR/hr			No	storage shed belongs to unit 1397 G
A2		uR/hr	Storage Shed			uR/hr				uR/hr			No	storage shed belongs to unit 1397 G
A3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Storage Shed		3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr			No	5% accessible (living room). 60% accessible in (storage shed)
A5	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	static reading taken on stairs at 44 inches from floor 30% accessible
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static reading taken on stairs at 60 inches from floor 30% accessible
A10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static reading taken on stairs at 64 inches from floor 30% accessible
A11	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Summary Report
1246 (1397) Gateview Court Unit H

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Exterior grid
B1		uR/hr	Storage Shed			uR/hr				uR/hr			No	storage shed belongs to unit 1397 G
B2		uR/hr	Storage Shed			uR/hr				uR/hr			No	storage shed belongs to unit 1397 G
B3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B4	3.6	uR/hr	Storage Shed		3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible
B5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	static reading taken on stairs at 44 inches from floor
B9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static reading taken on stairs at 60 inches from floor
B10	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static reading taken on stairs at 80 inches from floor
B11	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
B13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Exterior grid

Summary Report
1246 (1397) Gateview Court Unit H

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Bedroom		3.6	uR/hr	Living Room			uR/hr			No	
C8	3.2	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	static reading taken on stairs at 36 inches from floor
C9	3.2	uR/hr	Stairs		3.6	uR/hr	Hallway			uR/hr			No	static reading taken on stairs at 36 inches from floor
C10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static reading taken on stairs at 104 inches from floor
C11	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Bathroom	Clothes dryer within grid.		uR/hr				uR/hr			No	stacked washer/dryer 20% accessible
C13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Exterior grid
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D8	3.6	uR/hr	Living Room		4.4	uR/hr	Bathroom		3.6	uR/hr	Stairs		No	Living room static was taken on linoleum. Optional static was taken on 2 by 2 ceramic in bathroom. Static reading was taken on stairs at 12 inches from floor.
D9	3.6	uR/hr	Stairs		5.2	uR/hr	Bathroom			uR/hr			No	elevated measurements due to NORM in tile materials
D10	4.8	uR/hr	Bathroom		4.0	uR/hr	Hallway			uR/hr			No	elevated measurements due to NORM in tile materials. MCA measurement obtained. Identified K-40 (NORM); file name 20140710132821.
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Exterior grid
E4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.6	uR/hr	Living Room		4.8	uR/hr	Bathroom		4	uR/hr	Kitchen		No	Living room static was taken on linoleum. Optional static was taken on 2 by 2 ceramic in bathroom. Kitchen static taken in base cabinets 4 inches from floor
E9	5.2	uR/hr	Bathroom		4.8	uR/hr	Kitchen			uR/hr			No	elevated measurements due to NORM in tile materials. Kitchen static taken in base cabinets 4 inches from floor
E10	4.8	uR/hr	Bathroom		4.4	uR/hr	Kitchen		4	uR/hr	Dining Room		No	elevated measurements due to NORM in tile materials
E11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Exterior grid
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	4.0	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	no installed dishwasher
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Exterior grid
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	10% accessible
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Exterior grid
H4	4.0	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H8	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	10% accessible. Moved refrigerator for survey.
H9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	10% accessible. static taken in base cabinets 4 inches from floor. Installed stove
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. taken in base cabinets 4 inches from floor
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Exterior grid

CBI Supervisor : Tina Piquet

Signature :



Senior Technician : Daphne Degering

Signature :



Signoff Notes:

Summary Report
1247 Exposition Drive Unit A

Unit Summary :

Completion Date: 8/19/2014 10:20 AM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 5

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-G4 are less than 6" wide and surveyed with adjacent grids. Grid D13 falls outside unit. G3-G4, H3-H4 storage shed belongs to unit 1247B

Summary Statistics :


Total # of Readings:	77	
Average:	3.01	uR/hr
Standard Deviation:	0.31	uR/hr
Minimum:	2.00	uR/hr
Maximum:	4.00	uR/hr
Median:	2.40	uR/hr
# Anomalies:	0	

Grid Legend:

No anomalous measurements

Inaccessible (no measurement collected)

Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible
A9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	60% accessible, installed refrigerator
A10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	70% accessible installed stove
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Summary Report
1247 Exposition Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom		No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.2	uR/hr	Bathroom			uR/hr			No	40% accessible
C11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
D9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stair static taken at 20" above floor
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible, stair static taken at 20" above floor
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible installed washing machine
G1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1247B
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible