



**Summary Report
1247 Exposition Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs			uR/hr			No	80% accessible, stair static taken at 44" above floor
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, stair static taken at 44" above floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, stair static taken at 68" above floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed clothes dryer, 50% accessible
H1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1247B
H4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1247B



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

8/5/2014 12:19 PM

Instrument:

193-6

Serial #:

309136

Layout:

Floor Plan 5B

Background Reading:

2.8 uR/hr

Dimensions (m):

D 8.6 W 6.8

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

A13-D13 and E14-H14 are outside of survey unit.
Grids A1-2 and B1-2 belong to adjacent unit 1247-A.

Summary Statistics :

Total # of Readings:

108

Average:

2.55 uR/hr

Standard Deviation:

0.27 uR/hr

Minimum:

2.00 uR/hr

Maximum:

3.60 uR/hr

Median:


2.20 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1247-A
A2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1247-A
A3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage Shed			uR/hr			No	50% accessible
A5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs			uR/hr			No	30% accessible, Stair static taken at 1.1 meters above ground level
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Stair static taken at 1.3 meters above ground level
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Stair static taken at 1.7 meters above ground level

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
B1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1247-A
B2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1247-A
B3	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
B4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Storage Shed			uR/hr			No	15% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Living Room		2.0	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground level
B9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.3 meters above ground level
B10	2.0	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	Stair static taken at 1.7 meters above ground level
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, dryer moved for survey
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
C4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway		2.4	uR/hr	Stairs		No	Stair static taken at 0.5 meters above ground level
C9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.	2.4	uR/hr	Hallway			uR/hr			No	Stair static taken at 0.5 meters above ground level, 50% accessible
C10	2.4	uR/hr	Closet		2.4	uR/hr	Hallway			uR/hr			No	
C11	2.4	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.	2.4	uR/hr	Hallway			uR/hr			No	30% accessible, washer moved for survey
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1247 Exposition Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Living Room		2.4	uR/hr	Hallway			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
E9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway		2.4	uR/hr	Dining Room			uR/hr			No	
E12	2.4	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.4	uR/hr	Dining Room			uR/hr			No	50% accessible
E13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	2.4	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
G4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.
H4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
H5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Kitchen			uR/hr			No	50% accessible, refrigerator moved for survey
H9	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, survey inside installed cabinets
H10	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, survey inside installed cabinets with stove
H11	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1247 Exposition Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan.

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/5/2014 2:49 PM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 6

Background Reading: 3.6 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-G4, H4-H13, A14-D14 are less than 6" wide and surveyed with adjacent grids. G3, G4, H3, H4 storage shed belong to unit 1247 D.

Summary Statistics :

Total # of Readings: 92

Average: 3.28 uR/hr

Standard Deviation: 0.30 uR/hr

Minimum: 2.40 uR/hr


Maximum: 4.40 uR/hr

Median: 2.80 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accessible
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed refrigerator 60% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible
A11	3.2	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible
B11	3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1247 Exposition Drive Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		No	
C9	3.2	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		No	
C10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
C11	3.2	uR/hr	Closet		3.2	uR/hr	Dining Room	Installed Dishwasher.		uR/hr			No	60% accessible
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D9	3.6	uR/hr	Bathroom		3.2	uR/hr	Storage			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet		2.8	uR/hr	Closet		2.8	uR/hr	Dining Room		No	
D12	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
D13	3.2	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	



**Summary Report
1247 Exposition Drive Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		No	stairs static taken at 12" above the floor
F9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr			No	70% accessible, stairs static taken at 12" above the floor
F10	3.2	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
F11	3.2	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
F12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
F13	3.2	uR/hr	Utility	Clothes dryer within grid.	3.2	uR/hr	Hallway			uR/hr			No	50% accessible
G1	4.4	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1247 D
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1247 Exposition Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen		2.4	uR/hr	Stairs		No	stairs static taken at 44" above the floor
G9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, stairs static taken at 44" above the floor
G10	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	20% accessible
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.6	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible
H1	4.4	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1247 D

CBI Supervisor : Joyce McGee

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

8/5/2014 2:41 PM

Instrument:

193-6

Serial #:

309127

Layout:

Floor Plan 6B

Background Reading:

3.6 uR/hr

Dimensions (m):

D 9.2 W 7.1

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

Grids B3, B4-H4, E14-H14 are less than 6" wide and were surveyed along with adjacent grids. A1-A2, B1-B2 grids belong to 1247C. Grids in column I and A14-D14 are outside of floor plan.

Summary Statistics :

Total # of Readings:

118

Average:

3.28 uR/hr

Standard Deviation:

0.26 uR/hr

Minimum:

2.40 uR/hr

Maximum:

4.40 uR/hr

Median:


2.80 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to unit 1247C.
A2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to unit 1247C.
A3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A10	2.4	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 68" from floor.
A11	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid due to installed dryer.
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to unit 1247C.
B2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to unit 1247C.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 44" from floor.
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
B10	3.2	uR/hr	Storage		2.4	uR/hr	Stairs			uR/hr			No	Stairs reading taken 68" from floor.
B11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Partial grid due to installed dryer.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	40% accessible. Stairs reading taken 12" from floor.
C10	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	40% accessible. Partial grid due to installed washer.
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
E9	3.6	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Closet		3.2	uR/hr	Closet		3.6	uR/hr	Dining Room		No	
E12	3.2	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Dining Room			uR/hr			No	95% accessible.
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		No	Kitchen reading taken 12" from floor inside base cabinet.
F9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		3.6	uR/hr	Bathroom		No	Kitchen reading taken 12" from floor inside base cabinet.
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.	4.4	uR/hr	Bathroom			uR/hr			No	25% accessible. Kitchen reading taken 12" from floor inside base cabinet.



Summary Report
1247 Exposition Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F11	3.6	uR/hr	Kitchen	Installed base cabinets.	3.2	uR/hr	Closet			uR/hr			No	80% accessible.
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	90% accessible.
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible. Survey performed within accessible base cabinet.
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Partial grid due to installed stove.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H11	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible. Survey performed within accessible base cabinet.
H12	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



Summary Report
1247 Exposition Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

8/6/2014 10:04 AM

Instrument:

193-6

Serial #:

293633

Layout:

Floor Plan 5

Background Reading:

3.6 uR/hr

Dimensions (m):

D 8.6 W 6.8

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

Grid D13 falls outside unit, G1-2, H1-2 storage shed belongs to unit 1247 F.

Summary Statistics :

Total # of Readings:

89

Average:

3.25 uR/hr

Standard Deviation:

0.26 uR/hr

Minimum:

2.40 uR/hr

Maximum:

4.00 uR/hr

Median:

2.80 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	70% accessible
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed stove and refrigerator 50% accessible
A10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed stove 60% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room			uR/hr			No	



Summary Report
1247 Exposition Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		No	
C9	3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
C10	3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr			No	50% accessible
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		No	
D9	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	stairs static taken at 20" above floor



Summary Report
1247 Exposition Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible, stairs static taken at 28" above floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	50% accessible
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1247 F
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1247 F
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	60% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	80% accessible, stairs static taken at 44" above floor
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible stairs static taken at 44" above floor



Summary Report
1247 Exposition Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Closet			uR/hr			No	80% accessible, stairs static taken at 68" above floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed washing machine 50% accessible
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1247 F
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit 1247 F
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

8/6/2014 10:23 AM

Instrument:

193-6

Serial #:

309099

Layout:

Floor Plan 5B

Background Reading:

3.2 uR/hr

Dimensions (m):

D 8.6 W 6.8

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

A4 to A12 and B4 to H4 were less than 6" and were scanned with adjacent grids. A3 and B3 belong to unit 1247 E. Grids A13-D13 and E14-H14 are outside of floor plan.

Summary Statistics :

Total # of Readings:

97

Average:

2.91 uR/hr

Standard Deviation:

0.27 uR/hr

Minimum:

2.00 uR/hr

Maximum:

4.00 uR/hr

Median:


2.40 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1247 E
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1247 E
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40" from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
B10	2.8	uR/hr	Closet		2.0	uR/hr	Stairs			uR/hr			No	static taken on stairs 64" from floor surface
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	



**Summary Report
1247 Exposition Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible, moved installed dryer to survey grid
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		2.8	uR/hr	Living Room		No	static taken on stairs 16" from floor surface
C9	2.8	uR/hr	Hallway		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	90% accessible, moved installed washer to survey grid
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	



**Summary Report
1247 Exposition Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	static taken by toilet
E11	2.8	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	immovable bookcase static taken 2" from floor surface on particle board in living room
F9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1247 Exposition Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	immovable module closet system static taken 2" from floor surface on particle board in living room, 70% accessible



Summary Report
1247 Exposition Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	immovable module closet system static taken 2" from floor surface on particle board in living room 70% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, immovable module closet system static taken 2" from floor surface on particle board in living room
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	moved installed refrigerator to survey grid, 70% accessible
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed stove
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit



Summary Report
1247 Exposition Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
J5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	90% accessible
J6	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	40% accessible
J7	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	75% accessible
J8	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	35% accessible
K5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible
K6	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible
K7	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	75% accessible
K8	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	25% accessible


CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Unit Summary :


Completion Date: 7/9/2014 10:29 AM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 4
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.4 W 6.5
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 88
Average: 3.33 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	moved refrigerator to survey partial grid in kitchen
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	moved refrigerator to survey grid
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	

Summary Report
1248 (1395) Gateview Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1248 (1395) Gateview Court Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room			uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs			uR/hr			No	
E10	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
F4		uR/hr	Living Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading taken at .6 meters from floor for stairs
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. reading taken at .6 meters from floor

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved clothes washer to survey grid
F13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. moved clothes washer to survey grid
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1395 B storage shed
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1395 B storage shed
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	50% accessible. reading taken at 1.3 meters from floor for stairs



Summary Report
1248 (1395) Gateview Court Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. reading taken at 1.3 meters from floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. reading taken at 1.8 meters from floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. moved clothes dryer to survey grid
G13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. moved clothes dryer to survey grid
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1395 B storage shed
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1395 B storage shed
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:



Unit Summary :


Completion Date: 7/9/2014 10:40 AM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 4B
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.3 W 6.5
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 94
Average: 2.91 uR/hr
Standard Deviation: 0.22 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1395A
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible from living room, remainder of grid is shed for adjacent unit 1395A
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, reading on stairs taken at 1 m from ground level
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, reading on stairs taken at 1.6 m from ground level
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible



**Summary Report
1248 (1395) Gateview Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A13	2.8	uR/hr	Utility			uR/hr				uR/hr			No	10% accessible
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1395A
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible from living room, remainder of grid is shed for adjacent unit 1395A
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	reading on stairs taken at .8 m from ground level, 80% accessible
B10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	80% accessible
B13	3.2	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
C9	2.8	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	70% accessible
C10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
C11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	80% accessible
C13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible, depth from entry to back wall is only 7.9 m



**Summary Report
1248 (1395) Gateview Court Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	near toilet
E11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
F9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1248 (1395) Gateview Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	refrigerator in grid 80% accessible
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible



Summary Report
1248 (1395) Gateview Court Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	25% accessible
H10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	10% accessible, survey performed within installed base cabinets
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/9/2014 10:20 AM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 5
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.7 W 6.8
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A4-F4, D13-H13, H5-H12 are outside of floor plan

Summary Statistics :

Total # of Readings: 82
Average: 3.23 uR/hr
Standard Deviation: 0.25 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	70% accessible. Survey performed within accessible base cabinet.
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1248 (1395) Gateview Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	Kitchen reading taken 12" from floor inside base cabinet.
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	Kitchen reading taken 12" from floor inside base cabinet.
C10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	Kitchen reading taken 12" from floor inside base cabinet.
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1248 (1395) Gateview Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs			uR/hr			No	Stairs reading taken 12" from floor
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 20" from floor
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	40% accessible. Stairs reading taken 20" from floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible.
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1395D.
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1395D.
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.



**Summary Report
1248 (1395) Gateview Court Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	80% accessible. Stairs reading taken 44" from floor
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 68" from floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Partial grid-partial grid due to installed washer.
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1395D.
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1395D.
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.



Summary Report
1248 (1395) Gateview Court Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is cursive and appears to read "Garrick Anderson".

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is cursive and appears to read "Patricia Lozano".

Signoff Notes:



Unit Summary :


Completion Date: 7/9/2014 10:04 AM
Instrument: 193-6
Serial #: 309136
Layout: Floor Plan 5B
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 101
Average: 2.73 uR/hr
Standard Deviation: 0.32 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.40 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
A2	2.8	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to 1248C
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
A5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A8	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	Stairs static taken at 1.1 meters above ground level. 30% accessible.
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Stairs static taken at 1.1 meters above ground level. 30% accessible.
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Stairs static taken at 1.7 meters above ground level. 30% accessible.
A11	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.



**Summary Report
1248 (1395) Gateview Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed dimensions: 1.7m X 1.1m.
B2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed dimensions: 1.7m X 1.1m.
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.0	uR/hr	Stairs		2.4	uR/hr	Living Room			uR/hr			No	
B9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken at 1.1 meters above ground level.
B10	2.0	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	Stairs static taken at 1.7 meters above ground level.
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.4	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Hallway		2.4	uR/hr	Living Room		2.4	uR/hr	Stairs		No	Stairs static taken at 0.5 meters above ground level.
C9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken at 0.5 meters above ground level.
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.4	uR/hr	Utility	Washing machine within grid.	2.8	uR/hr	Hallway			uR/hr			No	30% accessible.
C13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
D4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	



**Summary Report
1248 (1395) Gateview Court Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated measurements due o NORM in toilet bowl material.
E11	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.4	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Living Room			uR/hr			No	
F9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible.
G11	3.2	uR/hr	Dining Room	Installed Stove.		uR/hr				uR/hr			No	60% accessible.
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Static reading taken at 4" due to fish tank obstruction.
H7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	50% accessible. Pulled out refrigerator and surveyed.



Summary Report
1248 (1395) Gateview Court Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Surveyed within base cabinets.
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Surveyed within base cabinets.
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Surveyed within base cabinets.
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.



CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature appears to be "AH", with a stylized, cursive "A" followed by a cursive "H".

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature appears to be "PB", with a stylized, cursive "P" followed by a cursive "B".

Signoff Notes:



Summary Report
1248 (1395) Gateview Court Unit E

Unit Summary :

Completion Date: 7/9/2014 2:12 PM
Instrument: 193-6
Serial #: 293633
Layout: Floor Plan 4
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.1 W 6.5
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
there was a bed in the living room, and elevated measurements due to NORM in toilet, A13 through C13 are outside

Summary Statistics :

Total # of Readings: 89
Average: 3.25 uR/hr
Standard Deviation: 0.30 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
A9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
A10	3.6	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	10% accessible
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Exterior grid
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Kitchen			uR/hr			No	doorway is walled in
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	90% accessible
B13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Exterior grid



**Summary Report
1248 (1395) Gateview Court Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen		3.6	uR/hr	Bathroom		No	optional kitchen static taken inside cabinet 4 inches above floor
C9	3.6	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	kitchen static taken inside cabinet 4 inches above floor
C10	3.6	uR/hr	Kitchen		4.0	uR/hr	Bathroom			uR/hr			No	kitchen static taken inside cabinet 4 inches above floor
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	90% accessible
C13		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Exterior grid
D4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
D9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	



**Summary Report
1248 (1395) Gateview Court Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr			No	30% accessible
E13		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Exterior grid
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static reading taken on stairs at 20 inches from floor
F9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	static reading taken on stairs at 20 inches from floor



**Summary Report
1248 (1395) Gateview Court Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	static reading taken on stairs at 68 inches from floor
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	20% accessible
F13		uR/hr	Utility			uR/hr				uR/hr			No	Exterior grid
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit (1248) 1395-F
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit (1248) 1395-F
G3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	80% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	static reading taken on stairs at 44 inches from floor, 50% accessible
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static reading taken on stairs at 52 inches from floor, 50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	static reading taken on stairs at 68 inches from floor, 50% accessible
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible
G13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Exterior grid
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit (1248) 1395-F
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to unit (1248) 1395-F
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/9/2014 2:21 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 5B
Background Reading: 2.8 uR/hr
Dimensions (m): D 8.4 W 6.5
Unit Furnished: Yes
Tenant Present: No


Unit Notes:
grids A5 to A12 less than 6". survey of grids combined with adjacent grids in column B. grids A4 to H4 less than 6". survey of grids combined with adjacent grids in row 5

Summary Statistics :

Total # of Readings: 85
Average: 2.86 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed			uR/hr				uR/hr			No	outside floor plan, storage shed for 1395E
A13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Storage Shed			uR/hr				uR/hr			No	outside floor plan, storage shed for 1395E
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 40 inches from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40 inches from floor surface
B10	2.4	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	static taken on stairs 64 inches from floor surface
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible



**Summary Report
1248 (1395) Gateview Court Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 16 inches from floor surface
C9	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16 inches from floor surface
C10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
C11	2.8	uR/hr	Hallway		2.8	uR/hr	Utility			uR/hr			No	
C12	2.8	uR/hr	Utility	Washing machine within grid.	2.8	uR/hr	Hallway			uR/hr			No	40% accessible
C13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D10	2.8	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible



Summary Report
1248 (1395) Gateview Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
E12	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
F9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen		2.8	uR/hr	Dining Room			uR/hr			No	
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	20% accessible



Summary Report
1248 (1395) Gateview Court Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible

CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Summary Report
1248 (1395) Gateview Court Unit G

Unit Summary :

Completion Date: 7/9/2014 12:30 PM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 5
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.7 W 6.8
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A4-G4 partials (less than 6") surveyed with A5-G5.

Summary Statistics :

Total # of Readings: 77
Average: 3.28 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	moved refrigerator to survey grid
A9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	moved refrigerator to survey grid
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1248 (1395) Gateview Court Unit G

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		No	
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	
C10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
D9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1248 (1395) Gateview Court Unit G**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading taken at .6 meters from floor for stairs
F9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	50% accessible. reading taken at .6 meters from floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved clothes washer to survey grid
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1395 H storage shed
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1395 H storage shed
G3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	



**Summary Report
1248 (1395) Gateview Court Unit G**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	80% accessible. reading taken at 1.3 meters from floor for stairs
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading taken at 1.3 meters from floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading taken at 1.8 meters from floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. moved clothes dryer to survey grid
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1395 H storage shed
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1395 H storage shed
H3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Unit Summary :


Completion Date: 7/9/2014 1:40 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 5B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes
Unit Notes:

Summary Statistics :

Total # of Readings: 104
Average: 2.98 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.40 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Installed Stove.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed in grid for unit 1395G
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible, shed in grid for unit 1395G
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, reading on stairs taken at 1 m from ground level
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, reading on stairs taken at 1.6 m from ground level
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length at this grid is 8.1 m
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed in grid for unit 1395G
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, shed in grid for 1395G
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	reading on stairs taken at .8 m from ground level
B10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length at this grid is 8.1 m
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
C9	2.8	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible
C10	3.2	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Washing machine within grid.	2.8	uR/hr	Hallway			uR/hr			No	50% accessible
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length at this grid is 8.1 m
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	length at this grid is 8.1 m
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1248 (1395) Gateview Court Unit H**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Kitchen	Installed base cabinets.	2.8	uR/hr	Living Room			uR/hr			No	40% accessible
F9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
F10	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	90% accessible
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H9	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible, survey performed within installed base cabinets
H10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	20% accessible, installed stove
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible



Summary Report
1248 (1395) Gateview Court Unit H

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
J4	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	95% accessible
J5	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed hot water heater
J6	2.8	uR/hr	Mech Room			uR/hr				uR/hr			No	
J7	3.2	uR/hr	Mech Room	Installed Stove.		uR/hr				uR/hr			No	35% accessible
K4	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
K5	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
K6	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
K7	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :

Signature :

Signoff Notes:



Unit Summary :


Completion Date: 6/18/2014 3:31 PM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 5
Background Reading: 3.2 uR/hr

Summary Statistics :

Total # of Readings: 73
Average: 3.13 uR/hr
Standard Deviation: 0.19 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A4	3.2	uR/hr	No		Living Room		uR/hr	Outside
A5	3.2	uR/hr	No		Living Room		uR/hr	
A6	3.2	uR/hr	No		Living Room		uR/hr	
A7	3.2	uR/hr	No		Living Room		uR/hr	
A8	2.8	uR/hr	No	fridge within 50% of grid	Living Room	2.8	uR/hr	Kitchen
A9	3.2	uR/hr	No		Kitchen		uR/hr	
A10	2.8	uR/hr	No		Kitchen		uR/hr	
A11	3.2	uR/hr	No		Dining Room		uR/hr	
A12	2.8	uR/hr	No		Dining Room		uR/hr	
A13	2.8	uR/hr	No		Dining Room		uR/hr	Outside
B4	3.2	uR/hr	No		Living Room		uR/hr	Outside
B5	3.2	uR/hr	No		Living Room		uR/hr	
B6	3.2	uR/hr	No		Living Room		uR/hr	
B7	3.2	uR/hr	No		Living Room		uR/hr	
B8	3.2	uR/hr	No		Kitchen	2.8	uR/hr	Living Room
B9	3.2	uR/hr	No		Kitchen		uR/hr	
B10	3.2	uR/hr	No		Kitchen		uR/hr	
B11	2.8	uR/hr	No		Dining Room		uR/hr	
B12	3.2	uR/hr	No		Dining Room		uR/hr	
B13	2.8	uR/hr	No		Dining Room		uR/hr	Outside
C4	3.2	uR/hr	No		Living Room		uR/hr	Outside
C5	3.2	uR/hr	No		Living Room		uR/hr	
C6	3.2	uR/hr	No		Living Room		uR/hr	
C7	3.2	uR/hr	No		Living Room		uR/hr	
C8	3.2	uR/hr	No		Bathroom	2.8	uR/hr	Living Room
C9	2.8	uR/hr	No		Kitchen	3.2	uR/hr	Bathroom
C10	2.8	uR/hr	No		Kitchen	3.6	uR/hr	Bathroom
C11	3.2	uR/hr	No		Dining Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C12	3.2	uR/hr	No		Dining Room	3.2	uR/hr	Hallway
C13	2.8	uR/hr	No		Dining Room		uR/hr	Outside
D4	3.2	uR/hr	No		Living Room		uR/hr	Outside
D5	3.2	uR/hr	No		Living Room		uR/hr	
D6	3.2	uR/hr	No		Living Room		uR/hr	
D7	3.2	uR/hr	No		Living Room		uR/hr	
D8	3.2	uR/hr	No		Living Room	3.2	uR/hr	Hallway
D9	3.2	uR/hr	No		Bathroom	3.2	uR/hr	Hallway
D10	4.0	uR/hr	No		Bathroom	3.2	uR/hr	Hallway
D11	3.2	uR/hr	No		Hallway		uR/hr	
D12	3.2	uR/hr	No		Hallway		uR/hr	
E4	3.2	uR/hr	No		Living Room		uR/hr	Outside
E5	3.2	uR/hr	No		Living Room		uR/hr	
E6	3.2	uR/hr	No		Living Room		uR/hr	
E7	3.2	uR/hr	No		Living Room		uR/hr	
E8	3.2	uR/hr	No		Hallway		uR/hr	
E9	3.2	uR/hr	No		Hallway		uR/hr	
E10	3.2	uR/hr	No		Hallway		uR/hr	
E11	3.2	uR/hr	No		Hallway	3.2	uR/hr	Utility
E12	3.2	uR/hr	No		Hallway	3.2	uR/hr	Utility
F4	3.2	uR/hr	No		Living Room		uR/hr	
F5	3.2	uR/hr	No		Living Room		uR/hr	
F6	3.2	uR/hr	No		Living Room		uR/hr	
F7	3.2	uR/hr	No		Living Room		uR/hr	
F8	2.8	uR/hr	No		Stairs	3.2	uR/hr	Living Room
F9	2.8	uR/hr	No		Stairs	3.2	uR/hr	Closet
F10	3.2	uR/hr	No		Closet		uR/hr	
F11	3.2	uR/hr	No		Utility		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F12	3.2	uR/hr	No		Utility		uR/hr	Outside
G1		uR/hr	No	Outside floor plan belongs to unit 1249 B	Storage Shed		uR/hr	
G2	3.2	uR/hr	No		Storage Shed		uR/hr	
G3	3.2	uR/hr	No		Storage Shed		uR/hr	
G4	2.8	uR/hr	No		Storage Shed		uR/hr	Outside
G5	3.2	uR/hr	No		Living Room		uR/hr	
G6	3.2	uR/hr	No		Living Room		uR/hr	
G7	3.2	uR/hr	No		Living Room		uR/hr	
G8	2.8	uR/hr	No		Living Room	2.4	uR/hr	Stairs
G9	2.8	uR/hr	No		Stairs		uR/hr	
G10	2.8	uR/hr	No		Stairs	3.2	uR/hr	Utility
G11	3.2	uR/hr	No		Utility		uR/hr	
G12	3.2	uR/hr	No		Utility		uR/hr	Outside
H1		uR/hr	No	Outside floor plan belongs to unit 1249 B	Storage Shed		uR/hr	
H2	3.2	uR/hr	No		Storage Shed		uR/hr	
H3	3.2	uR/hr	No		Storage Shed		uR/hr	
H4	3.2	uR/hr	No		Storage Shed	3.2	uR/hr	Living Room



CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Luguna

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is stylized and appears to read "N. Rothell".

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is written in a cursive style and clearly reads "Ricky Luguna".

Unit Summary :

Completion Date:

8/6/2014 10:00 AM

Instrument:

193-6

Serial #:

309110

Layout:

Floor Plan 5B

Background Reading:

3.6 uR/hr

Dimensions (m):

D 8.7 W 6.8

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

A4-H4, A5-A12 partial grids (less than 6") were surveyed with B5-H5, B5-B12. A13-D13 and E14-H14 grids are outside unit interior boundary. A3, B3, A4, B4 grids belong to 1249 A storage shed.

Summary Statistics :

Total # of Readings:

88

Average:

3.45 uR/hr

Standard Deviation:

0.26 uR/hr

Minimum:

2.80 uR/hr

Maximum:

4.00 uR/hr

Median:


3.20 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1249 A storage shed.
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1249 A storage shed.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs
B10	2.8	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	reading 1.8 meters from floor for stairs
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	moved dryer to survey grid



**Summary Report
1249 Exposition Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		3.2	uR/hr	Hallway		No	reading .6 meters from floor for stairs
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	75% accessible
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.6	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
C12	3.6	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	moved washer to survey grid
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1249 Exposition Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1249 Exposition Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
G9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Kitchen			uR/hr			No	70% accessible. moved refrigerator to survey grid.
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible-installed stove
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible-installed stove.
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible



Summary Report
1249 Exposition Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes	
H12	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible	
H13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible	
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit	



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

8/6/2014 10:24 AM

Instrument:

193-6

Serial #:

309119

Layout:

Floor Plan 6

Background Reading:

3.2 uR/hr

Dimensions (m):

D 9.2 W 7.1

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

Grids A4-F4, H5-H13, and A14-D14 are less than 6", survey included in adjacent Row/Column.

G1, G2, H1, H2 are shed belonging to Unit 1249D.

Summary Statistics :

Total # of Readings:

85

Average:

3.18 uR/hr

Standard Deviation:

0.26 uR/hr

Minimum:

2.40 uR/hr

Maximum:

4.00 uR/hr

Median:


2.80 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr			No	70% accessible
A9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	70% accessible, survey performed in base cabinets
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	3.2	uR/hr	Dining Room	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1249 Exposition Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Living Room		2.8	uR/hr	Storage		No	
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage			uR/hr			No	
C10	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	4.0	uR/hr	Bathroom			uR/hr			No	
C11	3.2	uR/hr	Dining Room	Installed Dishwasher.	3.2	uR/hr	Closet			uR/hr			No	80% accessible
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Storage		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
D13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	90% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	reading on stairs taken at .4 m from ground level
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible, reading on stairs taken at .4 m from ground level
F10	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, washer moved for survey
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1249D
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1249D
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	reading on stairs taken at 1 m from ground level
G9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, reading on stairs taken at 1 m from ground level
G10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1.6 m from ground level. Storage area inaccessible due to wall construction
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, dryer moved for survey
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1249D
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1249D
H3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	



Summary Report
1249 Exposition Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes	
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible	



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

8/6/2014 10:07 AM

Instrument:

193-6

Serial #:

309127

Layout:

Floor Plan 6B

Background Reading:

3.6 uR/hr

Dimensions (m):

D 9.3 W 7.1

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

A4-H4, B1, B2 grids are less than 6" wide and were surveyed along with adjacent grids. A3, B3 grids belong to 1249C. Grids in column I and A14-D14 are outside of floor plan.

Summary Statistics :

Total # of Readings:

118

Average:

3.54 uR/hr

Standard Deviation:

0.31 uR/hr

Minimum:

2.80 uR/hr

Maximum:

5.20 uR/hr

Median:


3.20 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1249C.
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	20% accessible. Stairs reading 44" from floor.
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading 44" from floor.
A10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading 68" from floor.
A11	3.2	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible. Partial grid due to installed dryer.



**Summary Report
1249 Exposition Drive Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1249C.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading 44" from floor.
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. Stairs reading 44" from floor.
B10	3.6	uR/hr	Storage		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading 68" from floor.
B11	3.6	uR/hr	Storage			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Partial grid due to installed dryer.
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs		3.6	uR/hr	Hallway		No	Stairs reading 12" from floor.
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.6	uR/hr	Hallway			uR/hr			No	40% accessible. Stairs reading 12" from floor.



**Summary Report
1249 Exposition Drive Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C10	4.0	uR/hr	Storage		3.6	uR/hr	Hallway			uR/hr			No	
C11	3.6	uR/hr	Storage		3.6	uR/hr	Hallway			uR/hr			No	
C12	3.6	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
C13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.	3.6	uR/hr	Hallway			uR/hr			No	40% accessible. Partial grid due to installed washer.
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
D9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.6	uR/hr	Storage			uR/hr			No	
E9	3.6	uR/hr	Storage		4.0	uR/hr	Bathroom			uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	



**Summary Report
1249 Exposition Drive Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E11	3.6	uR/hr	Closet		3.6	uR/hr	Kitchen			uR/hr			No	
E12	3.6	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	
E13	3.6	uR/hr	Hallway		3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr			No	85% accessible.
E14	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Storage		No	Kitchen reading taken 12" from floor inside base cabinet.
F9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Storage		4.0	uR/hr	Bathroom		No	Kitchen reading taken 12" from floor inside base cabinet.
F10	4.0	uR/hr	Kitchen	Installed Dishwasher.	5.2	uR/hr	Bathroom			uR/hr			No	20% accessible. Kitchen reading taken 12" from floor inside base cabinet. Elevated measurement due to NORM in toilet bowl materials.
F11	3.6	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	75% accessible.
F12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H8	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	90% accessible.
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H10	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid due to installed stove.
H11	3.6	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H12	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.



Summary Report
1249 Exposition Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
H14	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit



Summary Report
1249 Exposition Drive Unit D


Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit




CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

8/6/2014 9:45 AM

Instrument:

193-6

Serial #:

309136

Layout:

Floor Plan 5

Background Reading:

2.8 uR/hr

Dimensions (m):

D 8.6 W 6.8

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

Grids G1-2 and H1-2 belong to adjacent unit 1249-F. D13 is outside of unit floor plan.

Summary Statistics :

Total # of Readings:

92

Average:

2.86 uR/hr

Standard Deviation:

0.26 uR/hr

Minimum:

2.00 uR/hr

Maximum:

3.60 uR/hr

Median:

2.40 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	refrigerator moved for survey
A9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	40% accessible
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible with survey inside installed cabinets
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Living Room			uR/hr			No	
B9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom		No	
C9	2.4	uR/hr	Kitchen		2.8	uR/hr	Bathroom			uR/hr			No	
C10	2.8	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	40% accessible
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Bathroom		2.8	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	



**Summary Report
1249 Exposition Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room		2.4	uR/hr	Stairs		No	Stair static taken at 0.3 meters above ground level
E9	2.8	uR/hr	Hallway	Grid partially contained within wall construction.	2.8	uR/hr	Stairs			uR/hr			No	Stair static taken at 0.3 meters above ground level, 85% accessible
E10	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
E11	2.8	uR/hr	Hallway		2.8	uR/hr	Utility			uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	Stair static taken at 0.7 meters above ground level

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	2.8	uR/hr	Closet	Grid partially contained within wall construction.	2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 0.7 meters above ground level, 50% accessible
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, washer partially moved for survey
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1249-F
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1249-F
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage Shed			uR/hr			No	50% accessible
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room			uR/hr			No	80% accessible, Stair static taken at 1.1 meters above ground level



Summary Report
1249 Exposition Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 1.3 meters above ground level
G10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, Stair static taken at 1.7 meters above ground level
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, dryer moved for survey
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1249-F
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1249-F
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/6/2014 12:40 PM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4 to A12 and B4 to H4 were less than 6" and were scanned with adjacent grids. A3 and B3 belong to unit 1249E. Grids A13-D13 and E14-H14 are outside of floor plan.

Summary Statistics :

Total # of Readings: 89

Average: 3.13 uR/hr

Standard Deviation: 0.27 uR/hr

Minimum: 2.40 uR/hr


Maximum: 4.00 uR/hr

Median: 2.80 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1249 E
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B1	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1249 E
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40" from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
B10	2.8	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 64" from floor surface
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	



**Summary Report
1249 Exposition Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	moved installed washer to survey grid, 90% accessible
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		3.2	uR/hr	Living Room		No	static taken on stairs 16" from floor surface
C9	3.2	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
C10	2.8	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Utility			uR/hr			No	moved installed dryer to survey grid, 90% accessible
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	



**Summary Report
1249 Exposition Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	static taken by toilet
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
F9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	70% accessible, moved installed refrigerator
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed stove




Summary Report
1249 Exposition Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor unit


CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Completion Date: 8/6/2014 1:42 PM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.7 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Unit has been modified for ADA compliance. A4-H4 grids (less than 6") were surveyed with A5-G5. G3, H3, G4, H4 Grids belong to unit 1250B. Grid D13 is outside of floor plan.

Summary Statistics :

Total # of Readings: 88

Average: 3.44 uR/hr

Standard Deviation: 0.28 uR/hr

Minimum:	2.80	uR/hr
----------	------	-------

Maximum: 4.00 uR/hr

Median: 3.20 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	moved refrigerator to survey grid.
A9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.6	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1250 Exposition Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		No	
C9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	
C10	3.6	uR/hr	Kitchen	Installed Dishwasher.	3.2	uR/hr	Bathroom			uR/hr			No	60% accessible
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.6	uR/hr	Bedroom		3.6	uR/hr	Living Room			uR/hr			No	
E6	3.6	uR/hr	Bedroom		3.6	uR/hr	Living Room			uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E7	3.2	uR/hr	Bedroom		4.0	uR/hr	Living Room			uR/hr			No	living room partial grid surveyed with model 19 s/n 267078, due to unstable non-movable cabinet. Entry-1 meter background 4 μ R/hr.
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Bedroom		4.0	uR/hr	Living Room		No	living room partial grid surveyed with model 19 s/n 267078, due to unstable non-movable cabinet. Entry-1 meter background 4 μ R/hr.
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	ADA modified as bedroom
F6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	ADA modified as bedroom
F7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	ADA modified as bedroom
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Bedroom			uR/hr			No	reading .6 meters from floor for stairs
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	



**Summary Report
1250 Exposition Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F11	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	utility room was modified to bathroom
F12	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	utility room was modified to bathroom
G1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1250 B storage shed
G5	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	ADA modified as bedroom
G6	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	ADA modified as bedroom
G7	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	ADA modified as bedroom
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Bedroom			uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.8 meters from floor for stairs

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Utility room was modified to bathroom
G12	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Utility room was modified to bathroom
H1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1250 B storage shed
J5	3.6	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible
J6	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	95% accessible
J7	3.6	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	95% accessible
J8	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	75% accessible
K6	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	80% accessible
K7	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	40% accessible
K8	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/6/2014 12:57 PM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 5B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


Grids C4-H4 are under 6", included in survey for adjacent row. Grids A1, B1, A2, B2 are shed belonging to Unit 1250A. Grids A13-D13 and E14-H14 are outside of floor plan.

Summary Statistics :

Total # of Readings: 98
Average: 3.07 uR/hr
Standard Deviation: 0.32 uR/hr
Minimum: 2.00 uR/hr
Maximum: 3.60 uR/hr
Median: 2.60 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1250A
A2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1250A
A3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible, reading on stairs taken at 1.1 m from ground level
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, reading on stairs taken at 1.1 m from ground level
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, reading on stairs taken at 1.6 m from ground level
A11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1250A
B2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1250A
B3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading on stairs taken at 1 m from ground level
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, reading on stairs taken at 1 m from ground level
B10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, dryer moved for survey



**Summary Report
1250 Exposition Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		3.2	uR/hr	Hallway		2.8	uR/hr	Stairs		No	reading on stairs taken at .4 m from ground level
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr			No	60% accessible, reading on stairs taken at .4 m from ground level
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr			No	50% accessible, washer moved for survey
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible



**Summary Report
1250 Exposition Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Dining Room	Grid partially contained within wall construction.		uR/hr			No	95% accessible
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible



**Summary Report
1250 Exposition Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accessible
G9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	90% accessible
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	90% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible



Summary Report
1250 Exposition Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr			No	60% accessible, refrigerator moved for survey
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed refrigerator moved for survey and performed in base cabinets
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed stove, survey performed in base cabinets
H11	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, second refrigerator moved for survey
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/6/2014 2:51 PM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 6

Background Reading: 3.6 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: No

Unit Notes:

G1-G2, A4-G4, H4-H13, A14-C14 grids were less than 6" wide and were surveyed along with adjacent grids. D14 grid is outside of floor plan
G3-H3 grids belong to 1250D.

Summary Statistics :

Total # of Readings: 87

Average: 3.53 uR/hr

Standard Deviation: 0.29 uR/hr

Minimum: 2.40 uR/hr


Maximum: 4.00 uR/hr

Median: 3.00 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.6	uR/hr	Living Room			uR/hr			No	
A9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible.
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.6	uR/hr	Living Room			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Kitchen		3.6	uR/hr	Storage		3.6	uR/hr	Living Room		No	Kitchen reading taken 12" from floor inside base cabinet.



**Summary Report
1250 Exposition Drive Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	4.0	uR/hr	Bathroom		3.6	uR/hr	Storage		No	Kitchen reading taken 12" from floor inside base cabinet.
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	40% accessible. Kitchen reading taken 12" from floor inside base cabinet.
C11	3.6	uR/hr	Dining Room		3.2	uR/hr	Closet			uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Storage		3.6	uR/hr	Living Room			uR/hr			No	
D9	3.6	uR/hr	Storage		3.6	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Hallway		3.6	uR/hr	Living Room			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1250 Exposition Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		3.6	uR/hr	Hallway		3.6	uR/hr	Living Room		No	Stairs reading taken 12" from floor.
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	40% accessible. Stairs reading taken 12" from floor.
F10	3.6	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
F11	3.6	uR/hr	Storage		3.6	uR/hr	Hallway			uR/hr			No	
F12	3.6	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
F13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.	3.6	uR/hr	Hallway			uR/hr			No	40% accessible. Partial grid due to installed washer.
G3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1250D.
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Stairs		3.6	uR/hr	Living Room			uR/hr			No	Stairs reading taken 44" from floor.



Summary Report
1250 Exposition Drive Unit C


Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 12" from floor.
G10	2.4	uR/hr	Storage			uR/hr				uR/hr			No	Stairs reading taken 68" from floor.
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. Partial grid due to installed dryer.
H1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
H3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1250D.




CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/6/2014 2:10 PM

Instrument: 193-6

Serial #: 309136

Layout: Floor Plan 6B

Background Reading: 3.2 uR/hr

Dimensions (m): D 9.3 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids E14-H14 and B3 are less than 6", surveyed with adjacent grids. A1, A2, B1 and B2 grids belong to unit 1250C. Grids in column I and A14-D14 are outside of unit floor plan.

Summary Statistics :

Total # of Readings: 136

Average: 2.79 uR/hr

Standard Deviation: 0.25 uR/hr

Minimum: 2.00 uR/hr


Maximum: 3.60 uR/hr

Median: 2.40 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1250-C
A2		uR/hr	Outside	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1250-C
A3	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Storage Shed			uR/hr			No	60% accessible
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	30% accessible, Stair static taken at 0.5 meters above ground floor
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, Stair static taken at 1.1 meters above ground floor
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Storage			uR/hr			No	30% accessible, Stair static taken at 1.7 meters above ground floor
A11	2.4	uR/hr	Storage	Percentage of grid falls outside of unit.	2.4	uR/hr	Utility			uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1250-C
B2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to adjacent unit 1250-C
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.1 meters above ground floor
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stair static taken at 1.1 meters above ground floor
B10	2.8	uR/hr	Storage		2.0	uR/hr	Stairs			uR/hr			No	Stair static taken at 1.7 meters above ground floor
B11	2.8	uR/hr	Storage		2.8	uR/hr	Utility			uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	



Summary Report
1250 Exposition Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, dryer moved for survey
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs		2.8	uR/hr	Hallway		No	Stair static taken at 0.5 meters above ground floor
C9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.	2.8	uR/hr	Hallway			uR/hr			No	Stair static taken at 0.5 meters above ground floor, 50% accessible
C10	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Storage		2.8	uR/hr	Hallway		2.8	uR/hr	Utility		No	
C12	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway			uR/hr			No	50% accessible, washer partially moved for survey
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1250 Exposition Drive Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.4	uR/hr	Storage		2.8	uR/hr	Hallway		No	
D9	2.8	uR/hr	Hallway		2.8	uR/hr	Closet		2.8	uR/hr	Bathroom		No	
D10	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
D11	2.8	uR/hr	Hallway		2.8	uR/hr	Closet			uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.4	uR/hr	Storage			uR/hr			No	
E9	2.8	uR/hr	Storage		2.8	uR/hr	Bathroom			uR/hr			No	
E10	3.6	uR/hr	Bathroom		2.8	uR/hr	Storage			uR/hr			No	
E11	2.8	uR/hr	Closet		2.8	uR/hr	Closet		2.8	uR/hr	Dining Room		No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	70% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1250 Exposition Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Storage		2.4	uR/hr	Kitchen		No	
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Storage		2.8	uR/hr	Bathroom		No	
F10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
F11	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Closet			uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible



Summary Report
1250 Exposition Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	80% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Kitchen			uR/hr			No	80% accessible, refrigerator moved for survey
H9	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, surveyed inside installed cabinets
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed stove with survey inside installed cabinets
H11	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, survey inside installed cabinets
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



Summary Report
1250 Exposition Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/6/2014 3:01 PM

Instrument: 193-6

Serial #: 293633

Layout: Floor Plan 5

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Storage shed in grid G3, partial G4, H3 and H4 belongs to unit 1250F. Grid D13 falls outside of unit.

Summary Statistics :

Total # of Readings: 85

Average: 3.46 uR/hr

Standard Deviation: 0.34 uR/hr

Minimum: 2.40 uR/hr

Maximum: 4.40 uR/hr

Median: 3.00 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	60% accessible
A9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed refrigerator & stove 50% accessible
A10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	installed stove 60% accessible
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room			uR/hr			No	



**Summary Report
1250 Exposition Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room	Installed base cabinets.		uR/hr			No	90% accessible
C9	4.0	uR/hr	Bathroom	Installed base cabinets.		uR/hr				uR/hr			No	40% accessible
C10	4.0	uR/hr	Bathroom		3.6	uR/hr	Dining Room	Installed Dishwasher.		uR/hr			No	50% accessible
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway		3.2	uR/hr	Living Room		No	



Summary Report
1250 Exposition Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	4.4	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	stairs static taken 12" above floor



**Summary Report
1250 Exposition Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.2	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, stairs static taken 12" above floor
F10	3.6	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible installed clothes dryer
G1	4.4	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1250 F
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	80% accessible, stairs static taken 44" above floor



Summary Report
1250 Exposition Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, stairs static taken 44" above floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, stairs static taken 68" above floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	installed washing machine 50% accessible
H1	4.4	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H2	4.4	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1250 F
H4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1250 F

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/6/2014 3:56 PM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A5-A12, C4-H4 <6", scanned w/ adjacent grids.
A1,A2,B1,B2 belong to 1250E. Modified bath & utility rooms for handicap access. Living room used as bedroom. Grids A13-D13, E14-H14 are out side of unit

Summary Statistics :

Total # of Readings: 92

Average: 3.07 uR/hr

Standard Deviation: 0.28 uR/hr

Minimum: 2.40 uR/hr


Maximum: 4.00 uR/hr

Median: 2.80 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belong to adjacent unit, 1250E
A2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belong to adjacent unit, 1250E
A3	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
B1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belong to adjacent unit, 1250E
B2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belong to adjacent unit, 1250E
B3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	ADA modified as bedroom
B6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	ADA modified as bedroom
B7	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	ADA modified as bedroom



Summary Report
1250 Exposition Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Static taken on stairs 40" from floor surface. ADA modified as bedroom
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
B10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 64" from floor surface
B11	4.0	uR/hr	Utility			uR/hr				uR/hr			No	Utility room modified, handicap toilet installed.
B12	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
C5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	ADA modified as bedroom
C6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	ADA modified as bedroom
C7	2.8	uR/hr	Bedroom			uR/hr				uR/hr			No	ADA modified as bedroom
C8	2.8	uR/hr	Bedroom		2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		No	static taken on stairs 16" from floor surface. Living room modified as ADA bedroom.
C9	2.8	uR/hr	Hallway		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
C10	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	



**Summary Report
1250 Exposition Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, stacked washer/dryer installed
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
D5	3.2	uR/hr	Living Room		3.2	uR/hr	Living Room			uR/hr			No	Two static's taken due to grid modified with an installed wall partition.
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room		2.8	uR/hr	Living Room			uR/hr			No	Two static's taken due to grid modified with an installed wall partition.
D8	2.8	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	



Summary Report
1250 Exposition Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	Toilet removed, modified shower installed.
E11	3.2	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Dining Room			uR/hr			No	90% accessible
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
F9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	70% accessible. installed refrigerator moved for survey
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed stove
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible



Summary Report
1250 Exposition Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 7/15/2014 8:43 AM
Instrument: 193-6
Serial #: 309110
Layout: Floor Plan 5
Background Reading: 3.6 uR/hr
Dimensions (m): D 8.7 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:
A4-F4 partial grids (less than 6") surveyed adjacent to grids.

Summary Statistics :

Total # of Readings: 77
Average: 3.61 uR/hr
Standard Deviation: 0.33 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.80 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	moved refrigerator to survey grid
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	moved refrigerator to survey grid
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	80% accessible
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		No	
C9	3.6	uR/hr	Kitchen		4.0	uR/hr	Bathroom			uR/hr			No	
C10	4.8	uR/hr	Bathroom			uR/hr				uR/hr			No	50% accessible from bathroom, kitchen half of grid installed dishwasher
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	4.8	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated readings due to floor and wall ceramic tile. s/n 69550 file number 201407150836 15 Potassium 40 NORM.
D11	4.0	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	



**Summary Report
1251 Exposition Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E8	3.6	uR/hr	Living Room		3.6	uR/hr	Hallway			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	moved washer and dryer to survey grid.
F5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Closet		3.2	uR/hr	Stairs			uR/hr			No	reading .6 meters from floor for stairs
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible. reading .6 meters from floor
F10	3.2	uR/hr	Closet	Grid partially contained within wall construction.		uR/hr				uR/hr			No	30% accessible-static taken at .6 meters from the floor.
F11	4.0	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1251 B storage shed
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1251 B storage shed
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible



**Summary Report
1251 Exposition Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G4	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G5	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.6	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	3.2	uR/hr	Closet	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.3 meters from floor
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.8 meters from floor
G11	4.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	4.0	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1251 B storage shed
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1251 B storage shed



Summary Report
1251 Exposition Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

7/14/2014 1:18 PM

Instrument:

193-6

Serial #:

309119

Layout:

Floor Plan 5B

Background Reading:

3.6 uR/hr

Dimensions (m):

D 8.6 W 6.8

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

Unit length from entry to back is 8.2 m. Unit remodeled for ADA compliance. Toilet added to utility room with stack-on washer/dryer. Bedroom framed into living room.

Summary Statistics :

Total # of Readings:

102

Average:

3.27 uR/hr

Standard Deviation:

0.36 uR/hr

Minimum:

2.40 uR/hr

Maximum:

4.40 uR/hr

Median:


2.80 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to unit 1251 A
A4		uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr			No	5% accessible from bedroom, shed belongs to unit 1251 A
A5	2.8	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.8	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.8	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.8	uR/hr	Closet	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	30% accessible, reading on stairs taken at .8 m from ground level
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, reading on stairs taken at 1 m from ground level
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, reading on stairs taken at 1.6 m from ground level
A11	4.0	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A13	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	shed belongs to unit 1251 A
B4		uR/hr	Storage Shed	Grids are outside unit interior boundary.	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr			No	10% accessible, remainder in shed belongs to unit 1251 A
B5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Closet		2.8	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .8 m from ground level
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible, reading on stairs taken at .8 m from ground level
B10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1.6 m from ground level
B11	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	3.6	uR/hr	Bathroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C4	3.2	uR/hr	Bedroom	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Bedroom			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Closet		2.8	uR/hr	Stairs		2.8	uR/hr	Hallway		No	reading on stairs taken at .8 m from ground level
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	70% accessible, reading on stairs taken at .4 m from ground level
C10	3.2	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr				uR/hr			No	20% accessible
C11	3.6	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	50% accessible
C13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible, installed washer in grid
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom			uR/hr			No	2" tile in bathroom
D9	3.6	uR/hr	Hallway			uR/hr	Bathroom			uR/hr			No	



**Summary Report
1251 Exposition Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10	4.0	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed washer in grid
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	2" tile in bathroom
E9	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.4	uR/hr	Bathroom			uR/hr				uR/hr			No	2" tile in bathroom
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	unit does not have base cabinets installed under sink
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	50% accessible
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
H4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible



Summary Report
1251 Exposition Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed refrigerator
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, installed refrigerator and stove in grid
H10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	survey performed in installed base cabinets, 40% accessible
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/14/2014 10:06 AM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 4

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.3 W 6.5

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Summary Statistics :

Total # of Readings: 98

Average: 3.51 uR/hr

Standard Deviation: 0.32 uR/hr

Minimum: 2.40 uR/hr


Maximum: 4.40 uR/hr

Median: 3.00 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	4.0	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
A9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	30% accessible.
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
B4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Kitchen		3.6	uR/hr	Living Room			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Living Room		3.6	uR/hr	Bathroom		No	Kitchen reading taken 12" from floor inside base cabinet.
C9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	Kitchen reading taken 12" from floor inside base cabinet.
C10	3.6	uR/hr	Kitchen	Installed Dishwasher.	4.0	uR/hr	Bathroom			uR/hr			No	30% accessible.
C11	3.6	uR/hr	Dining Room		3.6	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Dining Room		3.2	uR/hr	Hallway			uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.
D4	4.0	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
D5	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room		3.6	uR/hr	Hallway		No	
D9	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	4.4	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.



Summary Report
1251 Exposition Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.6	uR/hr	Living Room		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.
E9	3.6	uR/hr	Hallway	Grid partially contained within wall construction.	3.2	uR/hr	Stairs			uR/hr			No	70% accessible. Stairs reading taken 12" from floor.
E10	3.2	uR/hr	Hallway		3.2	uR/hr	Closet			uR/hr			No	
E11	3.6	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
E13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.
F4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		3.6	uR/hr	Living Room			uR/hr			No	Stairs reading taken 28" from floor.
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	40% accessible. Stairs reading taken 28" from floor.
F10	3.2	uR/hr	Closet		2.4	uR/hr	Stairs			uR/hr			No	Stairs reading taken 68" from floor.
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	



Summary Report
1251 Exposition Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1251D.
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1251D.
G3	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
G4	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.	3.6	uR/hr	Living Room			uR/hr			No	75% accessible.
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	50% accessible. Stairs reading taken 44" from floor.
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Stairs reading taken 44" from floor.
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Stairs reading taken 68" from floor.



Summary Report
1251 Exposition Drive Unit C


Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G11	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible.
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1251D.
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1251D.
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
H4	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.




CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

7/14/2014 10:43 AM

Instrument:

193-6

Serial #:

309136

Layout:

Floor Plan 4B

Background Reading:

2.8 uR/hr

Dimensions (m):

D 8.4 W 6.5

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

Grids B1 and B2 6"accessible. Grids surveyed as part of adjacent A column.

Summary Statistics :

Total # of Readings:

99

Average:

2.72 uR/hr

Standard Deviation:

0.32 uR/hr

Minimum:

2.00 uR/hr

Maximum:

4.00 uR/hr

Median:


2.40 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1251 unit C
A4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible, storage shed belongs to 1251 unit C
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A11	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
A12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible, installed dryer
A13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, installed dryer



**Summary Report
1251 Exposition Drive Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed belongs to 1251 unit C
B4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, storage shed belongs to 1251 unit C
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Living Room		2.0	uR/hr	Stairs			uR/hr			No	stairs surveyed at 1.1 meters above ground level
B9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	stairs surveyed at 1.5 meters above ground level
B10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stairs surveyed at .5 meters above ground level

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs surveyed at .5 meters above ground level
C10	2.4	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible, installed washer
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom		2.8	uR/hr	Hallway		No	
D9	2.8	uR/hr	Hallway		2.8	uR/hr	Bathroom			uR/hr			No	
D10	2.8	uR/hr	Hallway		4.0	uR/hr	Bathroom			uR/hr			No	survey by toilet
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
D13		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		2.8	uR/hr	Bathroom			uR/hr			No	



Summary Report
1251 Exposition Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	survey by toilet
E11	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E12	2.8	uR/hr	Dining Room		2.4	uR/hr	Hallway			uR/hr			No	
E13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
F9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen			uR/hr			No	



**Summary Report
1251 Exposition Drive Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H6	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Kitchen			uR/hr			No	20% accessible
H9	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H10	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed base cabinets and stove
H11	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, static survey at 4" above ground level due to unmovable shelf



Summary Report
1251 Exposition Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible, static survey at 4" above ground level due to unmovable shelf

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

7/14/2014 11:55 AM

Instrument:

193-6

Serial #:

293633

Layout:

Floor Plan 5

Background Reading:

3.6 uR/hr

Dimensions (m):

D 8.6 W 6.8

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

H5-H13, D13, E13, F13, G13 falls outside unit

Summary Statistics :

Total # of Readings:

84

Average:

3.37 uR/hr

Standard Deviation:

0.34 uR/hr

Minimum:

2.40 uR/hr

Maximum:

4.40 uR/hr

Median:

3.00 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room			uR/hr			No	40% accessible
A9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	(installed stove) partial grid 50% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
C4	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room	Installed base cabinets.	3.2	uR/hr	Bathroom			uR/hr			No	
C9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
C10	4.0	uR/hr	Bathroom		3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr			No	30% accessible
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room		3.6	uR/hr	Dining Room			uR/hr			No	wall unit partially moveable, two statics taken
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Dining Room			uR/hr			No	(40% accessible) wall unit partially moveable, two statics taken
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.6	uR/hr	Living Room			uR/hr			No	



Summary Report
1251 Exposition Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	4.4	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
E4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
F4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	stair static taken 24" above floor
F9	3.6	uR/hr	Closet	Grid partially contained within wall construction.	2.8	uR/hr	Stairs			uR/hr			No	(60% accessible) stair static taken 24" above floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	



**Summary Report
1251 Exposition Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	40% accessible
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1251 F
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1251 F
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.6	uR/hr	Storage Shed			uR/hr			No	60% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	(80% accessible) stair static taken 40" above floor
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(80% accessible) stair static taken 48" above floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	(80% accessible) stair static taken 64" above floor
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible



Summary Report
1251 Exposition Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1251 F
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	shed belongs to 1251 F
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible

CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/14/2014 1:37 PM

Instrument: 193-6

Serial #: 309099

Layout: Floor Plan 5B

Background Reading: 2.8 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4 to H4, A5 to A12 less than 6" wide. Scanned with adjacent grids. Grids A13 to D13 outside of floor plan. A3, B3, A4, B4 belongs to 1251 unit E storage shed

Summary Statistics :

Total # of Readings: 89

Average: 2.94 uR/hr

Standard Deviation: 0.26 uR/hr

Minimum: 2.40 uR/hr


Maximum: 4.00 uR/hr

Median: 2.60 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed			uR/hr				uR/hr			No	outside floor plan
A4		uR/hr	Storage Shed			uR/hr				uR/hr			No	outside floor plan
A13		uR/hr	Utility			uR/hr				uR/hr			No	outside floor plan
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B2	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
B3		uR/hr	Storage Shed			uR/hr				uR/hr			No	outside floor plan
B4		uR/hr	Storage Shed			uR/hr				uR/hr			No	outside floor plan
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	static taken on stairs 40" from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
B10	2.4	uR/hr	Stairs		2.8	uR/hr	Closet			uR/hr			No	static taken on stairs 64" from floor surface
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B13		uR/hr	Utility			uR/hr				uR/hr			No	outside floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1251 Exposition Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		No	static taken on stairs 16" from floor surface
C9	2.8	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	static taken on stairs 16" from floor surface
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	washer moved, 100% scanned
C13		uR/hr	Utility			uR/hr				uR/hr			No	outside floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway		No	
D9	3.2	uR/hr	Hallway		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Hallway			uR/hr				uR/hr			No	outside floor plan
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	



**Summary Report
1251 Exposition Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	80% accessible
F9	3.2	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	80% accessible
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	50% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible



Summary Report
1251 Exposition Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	2.8	uR/hr	Living Room		3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	50% accessible
H9	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	50% accessible
H10	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr				uR/hr			No	50% accessible
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible


CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

7/14/2014 12:11 PM

Instrument:

193-6

Serial #:

309110

Layout:

Floor Plan 4

Background Reading:

3.6 uR/hr

Dimensions (m):

D 8.4 W 6.4

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

Grid cells A4-F4 less than 6 inches wide were surveyed with adjacent row.

Summary Statistics :

Total # of Readings:

84

Average:

3.45 uR/hr

Standard Deviation:

0.27 uR/hr

Minimum:

2.80 uR/hr

Maximum:

4.00 uR/hr

Median:


3.20 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	moved refrigerator to survey grid
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	moved refrigerator to survey grid
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
B9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	90% accessible
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1251 Exposition Drive Unit G**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		No	
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	
C10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	50% accessible from bathroom, kitchen half of grid installed dishwasher
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway		3.6	uR/hr	Bathroom		No	
D9	4.0	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D10	4.0	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1251 Exposition Drive Unit G**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.6	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
E12	3.6	uR/hr	Hallway		3.2	uR/hr	Utility			uR/hr			No	
E13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	reading .6 meters from floor for stairs
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible. reading .6 meters from floor for stairs
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved clothes washer to survey grid
F13	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. moved clothes washer to survey grid
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1251 H storage shed

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1251 H storage shed
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Stairs			uR/hr			No	40% accessible. reading 1.3 meters from floor for stairs
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. reading 1.3 meters from floor for stairs
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. reading 1.8 meters from floor for stairs
G11	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible. moved clothes dryer to survey grid



Summary Report
1251 Exposition Drive Unit G

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. moved clothes dryer to survey grid
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1251 H storage shed
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid belongs to 1251 H storage shed
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H4	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is written in a cursive style and appears to read "Carlos Bernal".

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature is written in a cursive style and appears to read "Antonio Neotti".

Signoff Notes:

Unit Summary :

Completion Date:

7/14/2014 1:17 PM

Instrument:

193-6

Serial #:

309119

Layout:

Floor Plan 4B

Background Reading:

3.2 uR/hr

Dimensions (m):

D 8.3 W 6.5

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

Summary Statistics :

Total # of Readings:

104

Average:

2.93 uR/hr

Standard Deviation:

0.28 uR/hr

Minimum:

2.40 uR/hr

Maximum:

4.00 uR/hr

Median:


2.60 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is unit 1251G
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible from living room, remainder of grid is unit 1251G shed
A5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	25% accessible, reading taken on stairs at .6 m from ground level
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, reading taken on stairs at 1 m from ground level
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, reading taken on stairs at 1.6 m from ground level

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
A13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	grid is unit 1251G
B4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible from living room, remainder of grid is unit 1251G shed
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading taken on stairs at 1 m from ground level
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	80% accessible, reading taken on stairs at 1 m from ground level

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading taken on stairs at 1.6 m from ground level
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	80% accessible
B13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
C4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	reading taken on stairs at .6 m from ground level
C9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible, reading taken on stairs at .4 m from ground level
C10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
C11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	70% accessible
C13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
D4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1251 Exposition Drive Unit H

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		2.8	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E12	2.8	uR/hr	Dining Room		2.8	uR/hr	Hallway			uR/hr			No	
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Living Room		2.8	uR/hr	Kitchen			uR/hr			No	
F9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	2.8	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	70% accessible
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Living Room	Installed refrigerator.	2.8	uR/hr	Kitchen	Grid partially contained within wall construction.		uR/hr			No	80% accessible
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	70% accessible
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H4	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H8	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr			No	25% accessible, refrigerator moved for survey
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, refrigerator moved for survey
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H11	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
J4	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	80% accessible
J5	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	25% accessible
J6	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	55% accessible
J7	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
K4	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	75% accessible
K5	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	65% accessible
K6	2.8	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	70% accessible
K7	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Summary Report
1252 Exposition Drive Unit A

Unit Summary :

Completion Date: 7/9/2014 12:40 PM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 5
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.7 W 6.8
Unit Furnished: Yes
Tenant Present: Yes


Unit Notes:
A4-F4, D13-G13, H5-H13 grids are outside of floor plan. Survey includes exterior Mechanical Room 3.8 x 1.8 meters

Summary Statistics :

Total # of Readings: 90
Average: 3.35 uR/hr
Standard Deviation: 0.26 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	4.0	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
A9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	20% accessible.
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1252 Exposition Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom		No	Kitchen reading taken 12" from floor inside base cabinet.
C9	4.0	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	Kitchen reading taken 12" from floor inside base cabinet.
C10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.6	uR/hr	Bathroom			uR/hr			No	Kitchen reading taken 12" from floor inside base cabinet.
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway		No	
D9	3.6	uR/hr	Bathroom		3.2	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		3.6	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.



**Summary Report
1252 Exposition Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs			uR/hr			No	Stairs reading taken 12" from floor.
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Stairs			uR/hr			No	Stairs reading taken 20" from floor.
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	40% accessible. Stairs reading taken 20" from floor.
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	40% accessible.
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252B.
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252B.
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.



**Summary Report
1252 Exposition Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Stairs			uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 44" from floor.
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Stairs reading taken 68" from floor.
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Partial grid-partial grid due to installed dryer
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252B.
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252B.
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.



Summary Report
1252 Exposition Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	95% accessible.
I6	3.6	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	90% accessible.
I7	3.6	uR/hr	Mech Room			uR/hr				uR/hr			No	
I8	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible.
J5	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. Partial grid-partial grid due to installed furnace.
J6	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Partial grid-partial grid due to installed furnace.
J7	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
J8	3.6	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.


CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

7/9/2014 12:17 PM

Instrument:

193-6

Serial #:

309136

Layout:

Floor Plan 5B

Background Reading:

2.4 uR/hr

Dimensions (m):

D 8.6 W 6.8

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

Summary Statistics :

Total # of Readings:

101

Average:

2.62 uR/hr

Standard Deviation:

0.27 uR/hr

Minimum:

2.00 uR/hr

Maximum:

4.00 uR/hr

Median:


2.40 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible.
A2	2.8	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed assigned to adjacent unit: 1252 A.
A4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. The rest of storage shed assigned to adjacent unit 1252A
A5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room			uR/hr			No	Stairs static taken at 1.1 meters above ground level. 30% accessible.
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Stairs static taken at 1.1 meters above ground level. 30% accessible.
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	Stairs static taken at 1.7 meters above ground level. 30% accessible.



**Summary Report
1252 Exposition Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Clothes dryer installed.
A13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage dimensions: 1.7 meters X 1.1 meters. 0.1 meters surveyed within adjacent cell: A1.
B2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage dimensions: 1.7 meters X 1.1 meters. 0.1 meters surveyed within adjacent cell: A2.
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
B4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stairs static taken at 1.1 meters above ground level.



**Summary Report
1252 Exposition Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken at 1.1 meters above ground level.
B10	2.4	uR/hr	Closet		2.0	uR/hr	Stairs			uR/hr			No	Stairs static taken at 1.7 meters above ground level.
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility	Washing machine within grid.		uR/hr				uR/hr			No	40% accessible.
B13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.4	uR/hr	Living Room		2.4	uR/hr	Stairs		2.4	uR/hr	Hallway		No	Stairs static taken at 0.5 meters above ground level.
C9	2.4	uR/hr	Hallway		2.4	uR/hr	Stairs			uR/hr			No	Stairs static taken at 0.5 meters above ground level.
C10	2.4	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.4	uR/hr	Utility	Washing machine within grid.	2.4	uR/hr	Hallway			uR/hr			No	40% accessible.
C13		uR/hr	Utility	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan



**Summary Report
1252 Exposition Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Hallway	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Bathroom		2.4	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	Elevated levels due to NORM in toilet bowl material.
E11	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.4	uR/hr	Hallway		2.4	uR/hr	Dining Room			uR/hr			No	
E13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible.



**Summary Report
1252 Exposition Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
F9	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.4	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.4	uR/hr	Kitchen		2.4	uR/hr	Living Room			uR/hr			No	
G9	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible.



Summary Report
1252 Exposition Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H4	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible.
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H8	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.	2.4	uR/hr	Living Room			uR/hr			No	50% accessible.
H9	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Surveyed under base cabinet.
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible. Surveyed under base cabinet.
H11	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
H13	2.4	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.



CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/10/2014 12:21 PM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 6

Background Reading: 3.6 uR/hr

Dimensions (m): D 9.2 W 7.1

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

A4-F4, H5-H13 are less than 6 inch and were surveyed along with the adjacent grids. E14-H14 grids are outside of floor plan.

Summary Statistics :

Total # of Readings: 96

Average: 3.28 uR/hr

Standard Deviation: 0.26 uR/hr

Minimum: 2.40 uR/hr


Maximum: 4.00 uR/hr

Median: 2.80 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
A9	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	25% accessible.
A11	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.



**Summary Report
1252 Exposition Drive Unit C**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.2	uR/hr	Storage		No	Reading taken 12" from floor inside base cabinet.
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom		3.2	uR/hr	Storage		No	Reading taken 12" from floor inside base cabinet.
C10	3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.	4.0	uR/hr	Bathroom			uR/hr			No	Reading taken 12" from floor inside base cabinet.
C11	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	2.8	uR/hr	Closet			uR/hr			No	Reading taken 12" from floor inside base cabinet.
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Storage		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.2	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	



Summary Report
1252 Exposition Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.	3.2	uR/hr	Dining Room			uR/hr			No	95% accessible.
D14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible.
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible.
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		2.8	uR/hr	Living Room		3.2	uR/hr	Hallway		No	Stairs reading taken 12" from floor.
F9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	70% accessible. Stairs reading taken 12" from floor.
F10	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
F11	3.2	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
F12	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	



Summary Report
1252 Exposition Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.	3.2	uR/hr	Hallway			uR/hr			No	70% accessible. Partial grid-partial grid due to installed washer
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252D.
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252D.
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	Stairs reading taken 44" from floor.
G9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 44" from floor.
G10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 68" from floor.
G11	3.2	uR/hr	Storage			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. Partial grid-partial grid due to installed dryer.



Summary Report
1252 Exposition Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252D.
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252D.
H3	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
H4	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

7/10/2014 12:41 PM

Instrument:

193-6

Serial #:

309136

Layout:

Floor Plan 6B

Background Reading:

2.8 uR/hr

Dimensions (m):

D 9.2 W 7.1

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

Grids I4-I14 and A14-D14 are outside of floor plan

Summary Statistics :

Total # of Readings:

112

Average:

2.66 uR/hr

Standard Deviation:

0.26 uR/hr

Minimum:

2.00 uR/hr

Maximum:

3.20 uR/hr

Median:


2.40 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.2	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed assigned to adjacent unit: 1252 C.
A4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	storage shed assigned to adjacent unit: 1252 C. 15% accessible in living room.
A5	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A7	2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.0	uR/hr	Stairs			uR/hr			No	30% accessible. Stairs static taken 1.1 meters above ground level.
A9	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs static taken 1.1 meters above ground level.
A10	2.0	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Stairs static taken 1.7 meters above ground level.

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A11	2.4	uR/hr	Storage	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A12	2.4	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
A13	2.8	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	20% accessible.
B1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage dimensions: 1.7 meters X 1.1 meters. Surveyed with A1.
B2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage dimensions: 1.7 meters X 1.1 meters. Surveyed with A2.
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	storage shed assigned to adjacent unit: 1252 C.
B4	2.8	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
B5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.4	uR/hr	Living Room		2.0	uR/hr	Stairs			uR/hr			No	Stairs static taken 1.1 meters above ground level.
B9	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken 1.1 meters above ground level.
B10	2.0	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs static taken 1.7 meters above ground level.



Summary Report
1252 Exposition Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B11	2.4	uR/hr	Storage			uR/hr				uR/hr			No	
B12	2.4	uR/hr	Utility			uR/hr				uR/hr			No	
B13	2.4	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	40% accessible.
C4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	Stairs static taken 0.5 meters above ground level.
C9	2.8	uR/hr	Stairs		2.8	uR/hr	Hallway			uR/hr			No	Stairs static taken 0.5 meters above ground level.
C10	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.4	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.4	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C13	2.4	uR/hr	Utility	Washing machine within grid.	2.8	uR/hr	Hallway			uR/hr			No	30% accessible.
D4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.4	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	



**Summary Report
1252 Exposition Drive Unit D**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D12	2.4	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
E5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.4	uR/hr	Storage		2.4	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Storage		2.8	uR/hr	Bathroom			uR/hr			No	
E10	2.8	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Closet		2.8	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Hallway		2.4	uR/hr	Dining Room			uR/hr			No	
E14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit depth is 9.2 meters.
F4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
F5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Storage		2.4	uR/hr	Living Room		2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	
F9	2.8	uR/hr	Storage		2.8	uR/hr	Bathroom		2.4	uR/hr	Kitchen	Survey performed within accessible base cabinet.	No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F10	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	
F11	2.8	uR/hr	Closet		2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F12	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.4	uR/hr	Dining Room			uR/hr				uR/hr			No	
F14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit depth is 9.2 meters.
G4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
G5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	2.4	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit depth is 9.2 meters.
H4	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.



Summary Report
1252 Exposition Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
H6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
H7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
H8	2.4	uR/hr	Kitchen		2.4	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	80% accessible. Pulled out refrigerator and surveyed.
H9	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Surveyed within base cabinets.
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible. Installed stove.
H11	2.4	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. Surveyed within base cabinets.
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible.
H14		uR/hr	Dining Room	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Unit depth is 9.2 meters.

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

7/10/2014 3:38 PM

Instrument:

193-6

Serial #:

309110

Layout:

Floor Plan 5

Background Reading:

3.6 uR/hr

Dimensions (m):

D 8.7 W 6.8

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

Summary Statistics :

Total # of Readings:

83

Average:

3.42 uR/hr

Standard Deviation:

0.33 uR/hr

Minimum:

2.40 uR/hr

Maximum:

5.00 uR/hr

Median:

3.00 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A4		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room	Survey performed on non-movable item.	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	60% accessible. static reading at 4" due to shelf, 1/4" thick solid wood.
A9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
B4		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



**Summary Report
1252 Exposition Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C4		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom		3.2	uR/hr	Kitchen		No	
C9	3.6	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	
C10	3.2	uR/hr	Kitchen		4.0	uR/hr	Bathroom			uR/hr			No	
C11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
D4		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E4		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan



**Summary Report
1252 Exposition Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F4		uR/hr		Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid is outside of floor plan
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	reading .6 meters from floor
F9	3.2	uR/hr	Closet	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible. reading .6 meters from floor
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.6	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved clothes washer to survey grid
G1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252 F storage shed
G2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252 F storage shed



**Summary Report
1252 Exposition Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G5	5.0	uR/hr	Living Room	Survey performed on non-movable item.		uR/hr				uR/hr			No	80% accessible. Surveyed with model 19 s/n 267078, background 1 meter 4 microR.
G6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.6	uR/hr	Living Room			uR/hr			No	80% accessible. reading 1.3 meters from floor. static reading taken at 4" due to shelf, shelf is 1/4" thick solid wood.
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.3 meters from floor
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.8 meters from floor
G11	3.6	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible



Summary Report
1252 Exposition Drive Unit E

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. moved clothes dryer to survey grid
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252 F storage shed
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252 F storage shed
H3	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date: 7/10/2014 3:18 PM

Instrument: 193-6

Serial #: 309127

Layout: Floor Plan 5B

Background Reading: 3.6 uR/hr

Dimensions (m): D 8.5 W 6.8

Unit Furnished: Yes

Tenant Present: No

Unit Notes:

A13-D13 grids are outside floor plan. C4-H4 grids less than 6 inches wide and were surveyed along with adjacent grids, row 5.

Summary Statistics :

Total # of Readings: 90

Average: 3.32 uR/hr

Standard Deviation: 0.31 uR/hr

Minimum: 2.40 uR/hr


Maximum: 4.00 uR/hr

Median: 2.80 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252E.
A4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252E.
A5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.
A8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs			uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 44" from floor.
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Stairs reading taken 68" from floor.
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.



**Summary Report
1252 Exposition Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible. Partial grid-partial grid due to installed dryer
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.
B3		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252E.
B4		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1252E.
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 36" from floor.
B9	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Stairs reading taken 36" from floor.
B10	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible. Stairs reading taken 68" from floor.
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Utility	Clothes dryer within grid.		uR/hr				uR/hr			No	70% accessible.
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1252 Exposition Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	Stairs reading taken 12" from floor.
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	70% accessible. Stairs reading taken 12" from floor.
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.2	uR/hr	Utility	Washing machine within grid.	3.6	uR/hr	Hallway			uR/hr			No	70% accessible.
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.6	uR/hr	Bathroom			uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible.



**Summary Report
1252 Exposition Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible.




Summary Report
1252 Exposition Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H6	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H7	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H8	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible. Kitchen reading taken 12" from floor inside base cabinet.
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible. Kitchen reading taken 12" from floor inside base cabinet. Partial grid-partial grid due to installed stove.
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H12	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible.
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible.

CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date: 8/6/2014 4:10 PM

Instrument: 193-6

Serial #: 309119

Layout: Floor Plan 5

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.6 W 6.8

Unit Furnished: Yes

Tenant Present: Yes

Unit Notes:

Grids G1, H1, G2, H2 are shed belonging to Unit 1253B. A4-F4 are less than 6" and surveyed with adjacent grids. D13 is outside of floor plan.

Summary Statistics :

Total # of Readings: 89

Average: 2.96 uR/hr

Standard Deviation: 0.24 uR/hr

Minimum: 2.40 uR/hr


Maximum: 3.60 uR/hr

Median: 2.60 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	2.8	uR/hr	Kitchen	Installed refrigerator.	2.8	uR/hr	Living Room	Grid partially contained within wall construction.		uR/hr			No	70% accessible
A9	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	30% accessible, installed base cabinets
A10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
A11	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Dining Room	Installed Stove.		uR/hr				uR/hr			No	50% accessible
B13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	



**Summary Report
1253 Exposition Drive Unit A**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	2.8	uR/hr	Kitchen		3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		No	
C9	2.8	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	
C10	2.8	uR/hr	Kitchen	Installed Dishwasher.	3.2	uR/hr	Bathroom	Grid partially contained within wall construction.		uR/hr			No	70% accessible
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Bathroom		2.8	uR/hr	Living Room		2.8	uR/hr	Hallway		No	
D9	3.2	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D10	3.6	uR/hr	Bathroom		2.8	uR/hr	Hallway			uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1253 Exposition Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.4	uR/hr	Stairs		2.8	uR/hr	Living Room			uR/hr			No	reading on stairs taken at .4 m from ground level
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible, reading on stairs taken at .4 m from ground level
F10	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
F11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, washer moved for survey
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1253B
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1253B
G3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, survey performed in base cabinet
G6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr			No	80% accessible, reading on stairs taken at 1.1 m from ground level
G9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, reading on stairs taken at 1.1 m from ground level
G10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible, reading on stairs taken at 1.6 m from ground level
G11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, dryer moved for survey
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1253B
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1253B



Summary Report
1253 Exposition Drive Unit A

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H3	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
J5	3.2	uR/hr	Mech Room	Installed furnace.		uR/hr				uR/hr			No	80% accessible
J6	3.2	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	65% accessible, installed furnace
J7	2.8	uR/hr	Mech Room	Installed water heater.		uR/hr				uR/hr			No	75% accessible
J8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
K5	3.2	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible, installed furnace
K6	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible, installed water heater and furnace
K7	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, installed water heater
K8	2.8	uR/hr	Mech Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:



Unit Summary :

Completion Date: 8/6/2014 3:41 PM

Instrument: 193-6

Serial #: 309110

Layout: Floor Plan 5B

Background Reading: 3.2 uR/hr

Dimensions (m): D 8.7 W 6.8

Unit Furnished: Yes

Tenant Present: No

Unit Notes:

Grids A5-A12, B4-H4 are less than 6", surveyed with adjacent grids. A13-D13 E14-H14 are outside of floor plan. A3, B3, A4, B4 belong to 1253A. Living room split into bedroom.

Summary Statistics :

Total # of Readings: 87

Average: 3.32 uR/hr

Standard Deviation: 0.26 uR/hr

Minimum: 2.80 uR/hr


Maximum: 4.00 uR/hr

Median: 3.00 uR/hr

Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1253 A storage shed
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1253 A storage shed
B5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	moved bed to survey grid
B7	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	moved bed to survey grid
B8	3.2	uR/hr	Bedroom		2.8	uR/hr	Stairs			uR/hr			No	reading 1.3 meters from floor for stairs. Moved bed to survey grid
B9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible. reading 1.3 meters from floor for stairs
B10	2.8	uR/hr	Stairs		3.2	uR/hr	Closet			uR/hr			No	reading 1.8 meters from floor for stairs
B11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	



**Summary Report
1253 Exposition Drive Unit B**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	moved dryer to survey grid.
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Bedroom			uR/hr				uR/hr			No	moved bed to survey grid
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	moved bed to survey grid
C8	3.2	uR/hr	Bedroom		3.2	uR/hr	Stairs			uR/hr			No	reading .6 meters from floor for stairs. Moved bed to survey grid
C9	3.2	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway			uR/hr			No	75% accessible. reading .6 meters from floor for stairs
C10	3.2	uR/hr	Closet		3.2	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	3.6	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	moved washer to survey grid
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.6	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	25% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.6	uR/hr	Living Room		3.6	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	40% accessible
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
G9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.6	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H8	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen			uR/hr			No	70% accessible. moved refrigerator to survey grid.
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible



Summary Report
1253 Exposition Drive Unit B

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H10	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible. moved second refrigerator to survey grid.
H12	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

Signature :

Signoff Notes:

Unit Summary :

Completion Date:

6/26/2014 3:23 PM

Instrument:

193-6

Serial #:

309127

Layout:

Floor Plan 6

Background Reading:

4.0 uR/hr

Dimensions (m):

D 9.33 W 7.06

Unit Furnished:

No

Tenant Present:

No

Unit Notes:

A4, B4, C4, D4, E4, F4, G4, G3 and H5-H14 grids are outside of floor plan. No installed appliances and no bathroom fixtures

Summary Statistics :

Total # of Readings:

71

Average:

3.39 uR/hr

Standard Deviation:

0.22 uR/hr

Minimum:

2.80 uR/hr

Maximum:

3.60 uR/hr

Median:


3.20 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr			No	
A9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	No refrigerator installed.
A10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	No stove installed.
A11	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr	Dining Room			uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
B5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		3.2	uR/hr	Kitchen			uR/hr			No	
B9	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Kitchen		3.2	uR/hr	Dining Room			uR/hr			No	
B12	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	



Summary Report
1253 Exposition Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B14	3.6	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
C5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.6	uR/hr	Living Room		3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		No	
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Storage		3.2	uR/hr	Bathroom		No	
C10	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	No sink installed
C11	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Dining Room		3.2	uR/hr	Closet		No	No dish washer installed.
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
C14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	35% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Storage			uR/hr			No	
D9	3.2	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	



Summary Report
1253 Exposition Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D10	3.2	uR/hr	Bathroom	Bathroom fixtures not installed.		uR/hr				uR/hr			No	
D11	3.2	uR/hr	Closet		3.2	uR/hr	Dining Room		3.2	uR/hr	Closet		No	
D12	3.6	uR/hr	Hallway		3.6	uR/hr	Dining Room			uR/hr			No	
D13	3.6	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
D14	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	5% accessible
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
E13	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		No	
F9	3.2	uR/hr	Hallway		3.2	uR/hr	Stairs		3.2	uR/hr	Storage		No	
F10	3.2	uR/hr	Storage		3.2	uR/hr	Hallway			uR/hr			No	
F11	3.2	uR/hr	Hallway		3.2	uR/hr	Hallway			uR/hr			No	
F12	3.6	uR/hr	Utility		3.6	uR/hr	Hallway			uR/hr			No	
F13	3.6	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	No washing machine installed.
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	



Summary Report
1253 Exposition Drive Unit C

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	Stairs reading taken 44" from floor
G9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	Reading taken 44" from floor. 60% accessible
G10	2.8	uR/hr	Stairs			uR/hr				uR/hr			No	Reading taken 68" from floor
G11	3.2	uR/hr	Storage	Grid partially contained within wall construction.		uR/hr				uR/hr			No	60% accessible
G12	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
G13	3.6	uR/hr	Utility			uR/hr				uR/hr			No	No clothes dryer installed.
H1		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to 1253D
H2		uR/hr	Storage Shed	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Storage shed belongs to 1253D
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible
H4	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	

CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

8/7/2014 10:23 AM

Instrument:

193-6

Serial #:

309099

Layout:

Floor Plan 6B

Background Reading:

3.2 uR/hr

Dimensions (m):

D 9.3 W 7.1

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

A4 to A13 and B4 to H4 were less than 6" and were scanned with adjacent grids. A3 and B3 outside floor plan, belong to unit 1253 C. Grids in column I and A14-D14 are outside of floor plan.

Summary Statistics :

Total # of Readings:

108

Average:

2.94 uR/hr

Standard Deviation:

0.26 uR/hr

Minimum:

2.00 uR/hr

Maximum:

3.60 uR/hr

Median:


2.40 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	3.6	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1253 C
A14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.2	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside floor plan, belongs to unit 1253 C
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Living Room		2.4	uR/hr	Stairs			uR/hr			No	static taken on stairs 40" from floor surface
B9	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 40" from floor surface
B10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	static taken on stairs 56" from floor surface
B11	2.8	uR/hr	Storage			uR/hr				uR/hr			No	
B12	2.8	uR/hr	Utility			uR/hr				uR/hr			No	



Summary Report
1253 Exposition Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B13	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	moved installed washer to survey grid, 90% accessible
B14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		2.8	uR/hr	Living Room		No	static taken on stairs 16" from floor surface
C9	2.8	uR/hr	Hallway		2.8	uR/hr	Stairs			uR/hr			No	static taken on stairs 16" from floor surface
C10	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C11	2.8	uR/hr	Storage		2.8	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility		2.8	uR/hr	Hallway			uR/hr			No	
C13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.	2.8	uR/hr	Utility			uR/hr			No	90% accessible, moved installed dryer to survey grid.
C14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	2.8	uR/hr	Hallway		2.8	uR/hr	Living Room			uR/hr			No	
D9	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	



Summary Report
1253 Exposition Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D11	2.8	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	2.8	uR/hr	Storage		2.8	uR/hr	Living Room			uR/hr			No	
E9	2.8	uR/hr	Storage		3.2	uR/hr	Bathroom			uR/hr			No	
E10	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	2.8	uR/hr	Closet			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E13	2.8	uR/hr	Hallway		2.8	uR/hr	Dining Room			uR/hr			No	
E14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Kitchen		3.2	uR/hr	Living Room		2.8	uR/hr	Storage		No	
F9	2.8	uR/hr	Kitchen		3.2	uR/hr	Bathroom			uR/hr			No	
F10	2.8	uR/hr	Kitchen		3.6	uR/hr	Bathroom			uR/hr			No	
F11	2.8	uR/hr	Closet		2.8	uR/hr	Kitchen			uR/hr			No	
F12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	2.0	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	
G9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
G14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
H5	2.8	uR/hr	Living Room			uR/hr				uR/hr			No	
H6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
H8	2.8	uR/hr	Kitchen		2.8	uR/hr	Living Room			uR/hr			No	moved installed refrigerator to survey grid
H9	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	
H10	2.8	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	40% accessible
H11	2.8	uR/hr	Kitchen			uR/hr				uR/hr			No	moved installed refrigerator to survey grid
H12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	moved installed refrigerator to survey grid
H13	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
H14	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible



Summary Report
1253 Exposition Drive Unit D

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
I4		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I5		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I6		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I7		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I8		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I9		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I10		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I11		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I12		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
I14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



CBI Supervisor : Natalie Rothell

Senior Technician : Ricky Laguna

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

8/7/2014 10:03 AM

Instrument:

193-6

Serial #:

309110

Layout:

Floor Plan 5

Background Reading:

3.2 uR/hr

Dimensions (m):

D 8.7 W 6.8

Unit Furnished:

Yes

Tenant Present:

Yes

Unit Notes:

A4-F4 grids (less than 6") were surveyed with A5-F5. G1, H1, G2, H2 grids belong to 1253 F storage shed. Grid D13 is outside of floor plan.

Summary Statistics :

Total # of Readings:

78

Average:

3.31 uR/hr

Standard Deviation:

0.23 uR/hr

Minimum:

2.80 uR/hr

Maximum:

3.60 uR/hr

Median:

3.00 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)

A1	B1	C1	D1	E1	F1	G1	H1	I1	J1	K1
A2	B2	C2	D2	E2	F2	G2	H2	I2	J2	K2
A3	B3	C3	D3	E3	F3	G3	H3	I3	J3	K3
A4	B4	C4	D4	E4	F4	G4	H4	I4	J4	K4
A5	B5	C5	D5	E5	F5	G5	H5	I5	J5	K5
A6	B6	C6	D6	E6	F6	G6	H6	I6	J6	K6
A7	B7	C7	D7	E7	F7	G7	H7	I7	J7	K7
A8	B8	C8	D8	E8	F8	G8	H8	I8	J8	K8
A9	B9	C9	D9	E9	F9	G9	H9	I9	J9	K9
A10	B10	C10	D10	E10	F10	G10	H10	I10	J10	K10
A11	B11	C11	D11	E11	F11	G11	H11	I11	J11	K11
A12	B12	C12	D12	E12	F12	G12	H12	I12	J12	K12
A13	B13	C13	D13	E13	F13	G13	H13	I13	J13	K13
A14	B14	C14	D14	E14	F14	G14	H14	I14	J14	K14

Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
A7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
A8	3.6	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	moved refrigerator to survey grid.
A9	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A10	3.2	uR/hr	Kitchen	Installed Stove.		uR/hr				uR/hr			No	60% accessible
A11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
A13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	3.2	uR/hr	Kitchen		3.2	uR/hr	Living Room			uR/hr			No	
B9	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B10	3.6	uR/hr	Kitchen			uR/hr				uR/hr			No	
B11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
B13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
C8	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom		No	
C9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.	3.2	uR/hr	Bathroom			uR/hr			No	
C10	3.2	uR/hr	Kitchen	Installed Dishwasher.	3.6	uR/hr	Bathroom			uR/hr			No	60% accessible
C11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
C13	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
D5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.6	uR/hr	Bathroom		3.2	uR/hr	Living Room			uR/hr			No	
D9	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D10	3.6	uR/hr	Bathroom			uR/hr				uR/hr			No	
D11	3.6	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	outside of floor plan
E5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Hallway		3.2	uR/hr	Living Room			uR/hr			No	
E9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	



**Summary Report
1253 Exposition Drive Unit E**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
E11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
E12	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
F5	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	2.8	uR/hr	Stairs		3.2	uR/hr	Living Room			uR/hr			No	reading .6 meters from floor for stairs
F9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	50% accessible. reading .6 meters from floor for stairs
F10	3.2	uR/hr	Closet			uR/hr				uR/hr			No	
F11	3.2	uR/hr	Utility			uR/hr				uR/hr			No	
F12	3.6	uR/hr	Utility			uR/hr				uR/hr			No	moved washer to survey grid
G1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1253 F storage shed.
G2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1253 F storage shed.
G3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
G4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible
G5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
G7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G8	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.	3.2	uR/hr	Living Room			uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
G9	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.3 meters from floor for stairs
G10	2.8	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. reading 1.8 meters from floor for stairs
G11	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
G12	3.2	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible. moved dryer to survey grid.
H1		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1253 F storage shed.
H2		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Grid belongs to 1253 F storage shed.
H3	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
H4	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	70% accessible



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :

A handwritten signature in black ink on a light blue background. The signature reads "Carlos Bernal" in a cursive, slightly stylized script.

Signature :

A handwritten signature in black ink on a light blue background. The signature is more stylized and abstract, with a prominent horizontal line across the middle.

Signoff Notes:



Unit Summary :

Completion Date: 8/7/2014 10:38 AM
Instrument: 193-6
Serial #: 309119
Layout: Floor Plan 5B
Background Reading: 3.2 uR/hr
Dimensions (m): D 8.6 W 6.8
Unit Furnished: Yes
Tenant Present: Yes

Unit Notes:


A4-H4 are less than 6", survey included in adjacent row. A3, B3, A4, B4 are shed for Unit 1253E. Grids A13-D13 and E14-H14 are outside of floor plan.

Summary Statistics :

Total # of Readings: 97
Average: 3.07 uR/hr
Standard Deviation: 0.33 uR/hr
Minimum: 2.40 uR/hr
Maximum: 4.00 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A1	4.0	uR/hr	Storage Shed			uR/hr				uR/hr			No	
A2	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	80% accessible
A3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1253E
A5	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A6	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A7	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
A8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr			No	20% accessible, reading on stairs taken at 1.1 m from ground level
A9	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, reading on stairs taken at 1.1 m from ground level
A10	2.4	uR/hr	Stairs	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, reading on stairs taken at 1.6 m from ground level
A11	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
A12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, installed dryer moved for survey
A13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
B1	4.0	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible
B2	3.6	uR/hr	Storage Shed	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	15% accessible
B3		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Shed belongs to Unit 1253E
B5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
B8	2.8	uR/hr	Living Room		2.8	uR/hr	Stairs			uR/hr			No	reading on stairs taken at .8 m from ground level
B9	2.4	uR/hr	Stairs	Grid partially contained within wall construction.		uR/hr				uR/hr			No	90% accessible, reading on stairs taken at 1 m from ground level
B10	2.4	uR/hr	Stairs			uR/hr				uR/hr			No	reading on stairs taken at 1.6 m from ground level
B11	2.8	uR/hr	Utility			uR/hr				uR/hr			No	

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
B12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	40% accessible, installed washer and dryer moved for survey
B13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
C5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
C8	3.2	uR/hr	Living Room		2.8	uR/hr	Hallway		2.8	uR/hr	Stairs		No	reading on stairs taken at .4 m from ground level
C9	2.8	uR/hr	Stairs	Grid partially contained within wall construction.	3.2	uR/hr	Hallway	Grid partially contained within wall construction.		uR/hr			No	80% accessible, reading on stairs taken at .4 m from ground level
C10	2.8	uR/hr	Closet		2.8	uR/hr	Hallway			uR/hr			No	
C11	3.2	uR/hr	Utility		3.2	uR/hr	Hallway			uR/hr			No	
C12	2.8	uR/hr	Utility	Percentage of grid falls outside of unit.	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr			No	90% accessible
C13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
D5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
D8	3.2	uR/hr	Living Room		3.2	uR/hr	Hallway			uR/hr			No	
D9	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D10	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	



**Summary Report
1253 Exposition Drive Unit F**

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
D11	3.2	uR/hr	Hallway			uR/hr				uR/hr			No	
D12	3.2	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	90% accessible
D13		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
E5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
E8	3.2	uR/hr	Living Room		3.2	uR/hr	Bathroom			uR/hr			No	
E9	3.2	uR/hr	Bathroom			uR/hr				uR/hr			No	
E10	4.0	uR/hr	Bathroom			uR/hr				uR/hr			No	
E11	3.2	uR/hr	Hallway		3.2	uR/hr	Dining Room			uR/hr			No	
E12	2.8	uR/hr	Dining Room	Grid partially contained within wall construction.	2.8	uR/hr	Hallway	Percentage of grid falls outside of unit.		uR/hr			No	95% accessible
E13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	10% accessible
E14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
F5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
F7	3.6	uR/hr	Living Room			uR/hr				uR/hr			No	
F8	3.2	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed base cabinets.		uR/hr			No	95% accessible, Survey performed in base cabinets



Summary Report
1253 Exposition Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
F9	3.2	uR/hr	Kitchen	Survey performed within accessible base cabinet.		uR/hr				uR/hr			No	
F10	3.2	uR/hr	Kitchen	Installed Dishwasher.		uR/hr				uR/hr			No	30% accessible
F11	3.6	uR/hr	Dining Room			uR/hr				uR/hr			No	
F12	2.8	uR/hr	Dining Room			uR/hr				uR/hr			No	
F13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
F14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
G5	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G6	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G7	3.2	uR/hr	Living Room			uR/hr				uR/hr			No	
G8	3.2	uR/hr	Living Room	Grid partially contained within wall construction.	2.8	uR/hr	Kitchen	Installed refrigerator.		uR/hr			No	90% accessible
G9	3.2	uR/hr	Kitchen	Installed refrigerator.		uR/hr				uR/hr			No	90% accessible
G10	3.2	uR/hr	Kitchen			uR/hr				uR/hr			No	
G11	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G12	3.2	uR/hr	Dining Room			uR/hr				uR/hr			No	
G13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	50% accessible
G14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan
H5	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible



Summary Report
1253 Exposition Drive Unit F

Grid	Primary Reading	Unit	Desc.	Cell Note	2nd Reading	Unit	Desc.	Cell Note	3rd Reading	Unit	Desc.	Cell Note	Anomaly	General Notes
H6	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H7	3.2	uR/hr	Living Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H8	2.8	uR/hr	Living Room	Percentage of grid falls outside of unit.	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr			No	60% accessible, refrigerator moved for survey
H9	3.2	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, refrigerator moved for survey
H10	2.8	uR/hr	Kitchen	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	20% accessible, survey performed in base cabinets, installed stove
H11	3.2	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible, second refrigerator moved for survey
H12	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	60% accessible
H13	2.8	uR/hr	Dining Room	Percentage of grid falls outside of unit.		uR/hr				uR/hr			No	30% accessible
H14		uR/hr	Outside	Grids are outside unit interior boundary.		uR/hr				uR/hr			No	Outside of floor plan



CBI Supervisor : Steve Phelps

Senior Technician : Efraim Ramirez

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

6/13/2014 11:37 AM

Instrument:

193-6

Serial #:

293633

Layout:

Floor Plan 5

Background Reading:

3.2 uR/hr

Summary Statistics :

Total # of Readings:

82

Average:

3.36 uR/hr

Standard Deviation:

0.21 uR/hr

Minimum:

3.20 uR/hr

Maximum:

4.00 uR/hr

Median:


3.20 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A4	3.6	uR/hr	No	partial grid, grid partially contained within wall construction	Living Room		uR/hr	
A5	3.6	uR/hr	No		Living Room		uR/hr	
A6	3.6	uR/hr	No		Living Room		uR/hr	
A7	3.6	uR/hr	No		Living Room		uR/hr	
A8	3.6	uR/hr	No	partial grid -Installed refrigerator on the bottom side of A8	Kitchen		uR/hr	
A9	3.6	uR/hr	No	partial grid due to base cabinets	Kitchen		uR/hr	
A10	3.2	uR/hr	No	partial grid installed oven within grid	Kitchen		uR/hr	
A11	3.2	uR/hr	No		Dining Room		uR/hr	
A12	3.2	uR/hr	No		Dining Room		uR/hr	
A13	3.2	uR/hr	No	partial grid, grid partially contained within wall construction	Dining Room		uR/hr	
B4	3.2	uR/hr	No	partial grid, grid partially contained within wall construction	Living Room		uR/hr	
B5	3.6	uR/hr	No		Living Room		uR/hr	
B6	3.6	uR/hr	No		Living Room		uR/hr	
B7	3.6	uR/hr	No		Living Room		uR/hr	
B8	3.2	uR/hr	No		Kitchen		uR/hr	
B9	3.2	uR/hr	No		Kitchen		uR/hr	
B10	3.2	uR/hr	No		Kitchen		uR/hr	
B11	3.2	uR/hr	No		Dining Room		uR/hr	
B12	3.2	uR/hr	No		Dining Room		uR/hr	
B13	3.2	uR/hr	No	partial grid, grid partially contained within wall construction	Dining Room		uR/hr	
C4	3.6	uR/hr	No	partial grid, grid partially contained within wall construction	Living Room		uR/hr	
C5	3.6	uR/hr	No		Living Room		uR/hr	
C6	3.6	uR/hr	No		Living Room		uR/hr	
C7	3.2	uR/hr	No		Living Room		uR/hr	
C8	3.2	uR/hr	No	partial grid due to base cabinets in bottom left of C8	Kitchen	3.2	uR/hr	Bathroom
C9	3.2	uR/hr	No	partial grid due to base cabinets	Kitchen		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C10	3.6	uR/hr	No	partial grid due to base cabinets	Bathroom		uR/hr	
C11	3.2	uR/hr	No		Dining Room		uR/hr	
C12	3.2	uR/hr	No		Dining Room		uR/hr	
C13	3.2	uR/hr	No	partial grid, grid partially contained within wall construction	Dining Room		uR/hr	
D4	3.6	uR/hr	No	partial grid, grid partially contained within wall construction	Living Room		uR/hr	
D5	3.6	uR/hr	No		Living Room		uR/hr	
D6	3.6	uR/hr	No		Living Room		uR/hr	
D7	3.2	uR/hr	No		Living Room		uR/hr	
D8	3.6	uR/hr	No		Bathroom	3.2	uR/hr	Bathroom
D9	3.2	uR/hr	No		Bathroom		uR/hr	
D10	4.0	uR/hr	No	elevated measurements due to NORM in toilet bowl materials. static reading taken on center line on right side of grid adjacent to E10.	Bathroom		uR/hr	
D11	3.2	uR/hr	No		Hallway		uR/hr	
D12	3.2	uR/hr	No		Hallway		uR/hr	
D13		uR/hr	No	unable to survey because actual dimensions are shorter than drawing			uR/hr	
E4		uR/hr	No	unable to scan due to air conditioning	Living Room		uR/hr	
E5	3.6	uR/hr	No		Living Room		uR/hr	
E6	3.6	uR/hr	No		Living Room		uR/hr	
E7	3.2	uR/hr	No		Living Room		uR/hr	
E8	3.2	uR/hr	No		Hallway		uR/hr	
E9	3.2	uR/hr	No		Hallway		uR/hr	
E10	3.2	uR/hr	No		Hallway		uR/hr	
E11	3.2	uR/hr	No		Hallway		uR/hr	
E12	3.2	uR/hr	No		Hallway		uR/hr	
E13		uR/hr	No	unable to survey because actual dimensions are shorter than drawing			uR/hr	
F4		uR/hr	No	unable to scan due to air conditioning	Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F5	3.2	uR/hr	No		Living Room		uR/hr	
F6	3.6	uR/hr	No		Living Room		uR/hr	
F7	3.6	uR/hr	No		Living Room		uR/hr	
F8	3.2	uR/hr	No	partial grid -stairs in grid template & higher than 36" from floor surface	Living Room	3.2	uR/hr	Stairs
F9	3.2	uR/hr	No	partial grid -stairs in grid template & higher than 36" from floor surface bottom half of F9	Closet		uR/hr	
F10	3.2	uR/hr	No	partial grid - closet is more narrow than the drawing	Closet		uR/hr	
F11	3.2	uR/hr	No		Utility		uR/hr	
F12	3.2	uR/hr	No	partial grid clothes washing machine within grid	Utility		uR/hr	
F13		uR/hr	No	unable to survey because actual dimensions are shorter than drawing			uR/hr	
G3	3.2	uR/hr	No		Storage Shed		uR/hr	
G4	3.6	uR/hr	No		Storage Shed	3.2	uR/hr	Living Room
G5	3.2	uR/hr	No		Living Room		uR/hr	
G6	3.2	uR/hr	No		Living Room		uR/hr	
G7	3.2	uR/hr	No		Living Room		uR/hr	
G8	3.2	uR/hr	No	partial grid - stairs in grid template & higher than 36" from floor surface bottom half of G8	Stairs		uR/hr	
G9		uR/hr	No	N/A stairway above floor >36"	Stairs		uR/hr	
G10		uR/hr	No	N/A stairway above floor >36"	Stairs		uR/hr	
G11	3.2	uR/hr	No		Utility		uR/hr	
G12	3.2	uR/hr	No	partial grid - clothes dryer within grid	Utility		uR/hr	
G13		uR/hr	No	unable to survey because actual dimensions are shorter than drawing			uR/hr	
H3	3.6	uR/hr	No		Storage Shed		uR/hr	
H4	3.6	uR/hr	No		Storage Shed		uR/hr	
H5		uR/hr	No	unable to survey because actual dimensions are shorter than drawing			uR/hr	
H6		uR/hr	No	unable to survey because actual dimensions are shorter than drawing			uR/hr	
H7		uR/hr	No	unable to survey because actual dimensions are shorter than drawing			uR/hr	



Summary Report
625 13th Street Unit A

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
H8		uR/hr	No	unable to survey because actual dimensions are shorter than drawing			uR/hr	
H9		uR/hr	No	unable to survey because actual dimensions are shorter than drawing			uR/hr	
H10		uR/hr	No	unable to survey because actual dimensions are shorter than drawing			uR/hr	
H11		uR/hr	No	unable to survey because actual dimensions are shorter than drawing			uR/hr	
H12		uR/hr	No	unable to survey because actual dimensions are shorter than drawing			uR/hr	
H13		uR/hr	No	unable to survey because actual dimensions are shorter than drawing			uR/hr	

Secondary Readings : E4

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Secondary Type	Notes					



WIN_20140613_084741.JPG

Secondary Readings : F4

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Secondary Type	Notes					



WIN_20140613_084741.JPG


CBI Supervisor : Tina Piquet

Senior Technician : Daphne Degering

Signature :



Signature :





Unit Summary :


Completion Date: 6/23/2014 9:37 AM
Instrument: 193-6
Serial #: 309099
Layout: Floor Plan 5B
Background Reading: 2.8 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings: 82
Average: 2.97 uR/hr
Standard Deviation: 0.24 uR/hr
Minimum: 2.80 uR/hr
Maximum: 3.60 uR/hr
Median: 2.80 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.6	uR/hr	No		Storage Shed		uR/hr	
A2	3.6	uR/hr	No		Storage Shed		uR/hr	
A3		uR/hr	No	N/A- Assigned to unit 625 A.	Storage Shed		uR/hr	
A4	2.8	uR/hr	No		Living Room		uR/hr	
A5	3.2	uR/hr	No		Living Room		uR/hr	
A6	2.8	uR/hr	No		Living Room		uR/hr	
A7	2.8	uR/hr	No		Living Room		uR/hr	
A8	2.8	uR/hr	No		Living Room		uR/hr	
A9		uR/hr	No	N/A-stairway above floor >36".	Stairs		uR/hr	
A10	2.8	uR/hr	No		Utility		uR/hr	
A11	2.8	uR/hr	No		Utility		uR/hr	
A12		uR/hr	No	Inaccessible-clothes dryer within grid.	Utility		uR/hr	
B1	3.6	uR/hr	No		Storage Shed		uR/hr	
B2	3.2	uR/hr	No		Storage Shed		uR/hr	
B3		uR/hr	No	N/A-Assigned to unit 625 A.	Storage Shed		uR/hr	
B4	2.8	uR/hr	No		Living Room		uR/hr	
B5	3.2	uR/hr	No		Living Room		uR/hr	
B6	3.2	uR/hr	No		Living Room		uR/hr	
B7	2.8	uR/hr	No		Living Room		uR/hr	
B8	2.8	uR/hr	No		Living Room		uR/hr	
B9	2.8	uR/hr	No		Closet		uR/hr	
B10	2.8	uR/hr	No		Closet	2.8	uR/hr	Utility
B11	2.8	uR/hr	No		Utility		uR/hr	
B12		uR/hr	No	Inaccessible- washing machine in grid. Adjacent scan 2.8 uR/hr.	Utility		uR/hr	
C4	3.2	uR/hr	No		Living Room		uR/hr	
C5	3.2	uR/hr	No		Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C6	3.2	uR/hr	No		Living Room		uR/hr	
C7	3.2	uR/hr	No		Living Room		uR/hr	
C8	2.8	uR/hr	No		Living Room	2.8	uR/hr	Stairs
C9	2.8	uR/hr	No		Closet	2.8	uR/hr	Hallway
C10	2.8	uR/hr	No		Closet	2.8	uR/hr	Utility
C11	2.8	uR/hr	No		Utility		uR/hr	
C12	2.8	uR/hr	No	Partial grid-washing machine within grid.	Hallway		uR/hr	
D4	3.2	uR/hr	No		Living Room		uR/hr	
D5	3.2	uR/hr	No		Living Room		uR/hr	
D6	3.2	uR/hr	No		Living Room		uR/hr	
D7	2.8	uR/hr	No		Living Room		uR/hr	
D8	3.2	uR/hr	No		Living Room	2.8	uR/hr	Bathroom
D9	2.8	uR/hr	No		Hallway	2.8	uR/hr	Bathroom
D10	2.8	uR/hr	No		Hallway	3.6	uR/hr	Bathroom
D11	2.8	uR/hr	No		Hallway		uR/hr	
D12	2.8	uR/hr	No		Hallway		uR/hr	
E4	3.2	uR/hr	No		Living Room		uR/hr	
E5	3.2	uR/hr	No		Living Room		uR/hr	
E6	3.2	uR/hr	No		Living Room		uR/hr	
E7	3.2	uR/hr	No		Living Room		uR/hr	
E8	2.8	uR/hr	No		Living Room	3.2	uR/hr	Bathroom
E9	2.8	uR/hr	No		Bathroom		uR/hr	
E10	3.6	uR/hr	No		Bathroom	3.2	uR/hr	Hallway
E11	2.8	uR/hr	No		Hallway		uR/hr	
E12	2.8	uR/hr	No		Hallway		uR/hr	
E13	2.8	uR/hr	No	Partial Grid	Dining Room		uR/hr	
F4	3.2	uR/hr	No		Living Room		uR/hr	
F5	3.2	uR/hr	No		Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F6	3.2	uR/hr	No		Living Room		uR/hr	
F7	3.2	uR/hr	No		Living Room		uR/hr	
F8	2.8	uR/hr	No		Living Room	2.8	uR/hr	Kitchen
F9	2.8	uR/hr	No		Kitchen		uR/hr	
F10	2.8	uR/hr	No		Kitchen		uR/hr	
F11	2.8	uR/hr	No		Dining Room		uR/hr	
F12	2.8	uR/hr	No		Dining Room		uR/hr	
F13	2.8	uR/hr	No		Dining Room		uR/hr	
G4	2.8	uR/hr	No		Living Room		uR/hr	
G5	3.2	uR/hr	No		Living Room		uR/hr	
G6	3.2	uR/hr	No		Living Room		uR/hr	
G7	3.2	uR/hr	No		Living Room		uR/hr	
G8	2.8	uR/hr	No		Living Room	2.8	uR/hr	Kitchen
G9	2.8	uR/hr	No		Kitchen		uR/hr	
G10	2.8	uR/hr	No		Kitchen		uR/hr	
G11	2.8	uR/hr	No		Dining Room		uR/hr	
G12	2.8	uR/hr	No		Dining Room		uR/hr	
G13	2.8	uR/hr	No		Dining Room		uR/hr	
H4	3.2	uR/hr	No		Living Room		uR/hr	
H5	2.8	uR/hr	No		Living Room		uR/hr	
H6	2.8	uR/hr	No		Living Room		uR/hr	
H7	2.8	uR/hr	No		Living Room		uR/hr	
H8	2.8	uR/hr	No	partial grid. Inaccessible due to refrigerator installed.	Living Room		uR/hr	
H9	2.8	uR/hr	No		Kitchen		uR/hr	
H10	2.8	uR/hr	No		Kitchen		uR/hr	
H11	2.8	uR/hr	No		Dining Room		uR/hr	
H12	2.8	uR/hr	No		Dining Room		uR/hr	
H13	2.8	uR/hr	No		Dining Room		uR/hr	



CBI Supervisor : Natalie Rothell

Senior Technician : Mark Cafouras

Signature :



Signature :



Signoff Notes:

Unit Summary :

Completion Date:

6/13/2014 3:58 PM

Instrument:

193-6

Serial #:

309110

Layout:

Floor Plan 6

Background Reading:

3.2 uR/hr

Summary Statistics :

Total # of Readings:

95

Average:

3.33 uR/hr

Standard Deviation:

0.22 uR/hr

Minimum:

2.80 uR/hr

Maximum:

4.00 uR/hr

Median:


3.20 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A4	3.6	uR/hr	No	partial grid, grid partially contained within wall construction	Living Room		uR/hr	
A5	3.6	uR/hr	No		Living Room		uR/hr	
A6	3.6	uR/hr	No		Living Room		uR/hr	
A7	3.6	uR/hr	No		Living Room		uR/hr	
A8	3.2	uR/hr	No	spit grid between kitchen and living room	Kitchen	3.6	uR/hr	Living Room
A9	3.2	uR/hr	No	partial grid-installed refrigerator	Kitchen		uR/hr	
A10	3.2	uR/hr	No	partial grid -installed stove	Kitchen		uR/hr	
A11	3.2	uR/hr	No		Dining Room		uR/hr	
A12	3.2	uR/hr	No		Dining Room		uR/hr	
A13	3.2	uR/hr	No		Dining Room		uR/hr	
A14	3.2	uR/hr	No	partial grid, grid partially contained within wall construction	Dining Room		uR/hr	
B4	3.6	uR/hr	No	partial grid, grid partially contained within wall construction	Living Room		uR/hr	
B5	3.6	uR/hr	No		Living Room		uR/hr	
B6	3.6	uR/hr	No		Living Room		uR/hr	
B7	3.6	uR/hr	No		Living Room		uR/hr	
B8	3.2	uR/hr	No	split grid between kitchen living room	Kitchen	3.2	uR/hr	Living Room
B9	3.6	uR/hr	No		Kitchen		uR/hr	
B10	3.2	uR/hr	No		Kitchen		uR/hr	
B11	3.2	uR/hr	No		Dining Room		uR/hr	
B12	3.2	uR/hr	No		Dining Room		uR/hr	
B13	3.2	uR/hr	No		Dining Room		uR/hr	
B14	3.2	uR/hr	No	partial grid, grid partially contained within wall construction	Dining Room		uR/hr	
C4	3.6	uR/hr	No	partial grid, grid partially contained within wall construction	Living Room		uR/hr	
C5	3.6	uR/hr	No		Living Room		uR/hr	
C6	3.6	uR/hr	No		Living Room		uR/hr	
C7	3.2	uR/hr	No		Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C8	2.8	uR/hr	No	split grid between kitchen, living room, and storage	Kitchen	3.2	uR/hr	Living Room
C9	3.2	uR/hr	No	split grid between kitchen, storage, and bathroom	Kitchen	3.2	uR/hr	Storage
C10	3.2	uR/hr	No	split grid between kitchen and bathroom	Kitchen	3.6	uR/hr	Bathroom
C11	3.2	uR/hr	No	split grid between kitchen and closet	Dining Room	3.2	uR/hr	Closet
C12	3.2	uR/hr	No		Dining Room		uR/hr	
C13	3.2	uR/hr	No		Dining Room		uR/hr	
C14	3.2	uR/hr	No	partial grid, grid partially contained within wall construction	Dining Room		uR/hr	
D4	3.6	uR/hr	No	partial grid, grid partially contained within wall construction	Living Room		uR/hr	
D5	3.2	uR/hr	No		Living Room		uR/hr	
D6	3.6	uR/hr	No		Living Room		uR/hr	
D7	3.6	uR/hr	No		Living Room		uR/hr	
D8	3.2	uR/hr	No	split grid between living room and storage	Living Room	3.2	uR/hr	Storage
D9	3.6	uR/hr	No	split grid between storage and bathroom	Storage	3.6	uR/hr	Bathroom
D10	3.2	uR/hr	No		Bathroom		uR/hr	
D11	3.2	uR/hr	No	split grid between kitchen closet, dining room and hallway closet	Closet	3.2	uR/hr	Dining Room
D12	3.2	uR/hr	No	split grid between kitchen and hallway	Dining Room	3.2	uR/hr	Hallway
D13	3.2	uR/hr	No	split grid between kitchen and hallway	Kitchen	3.2	uR/hr	Hallway
D14	3.2	uR/hr	No	partial grid, grid partially contained within wall construction	Dining Room		uR/hr	
E4	3.6	uR/hr	No	partial grid, grid partially contained within wall construction	Living Room		uR/hr	
E5	3.2	uR/hr	No		Living Room		uR/hr	
E6	3.2	uR/hr	No		Living Room		uR/hr	
E7	3.2	uR/hr	No		Living Room		uR/hr	
E8	3.2	uR/hr	No	split grid between living room and hallway	Living Room	3.2	uR/hr	Hallway
E9	3.2	uR/hr	No	split grid between hallway and storage	Hallway	3.6	uR/hr	Storage
E10	3.2	uR/hr	No	split grid between hallway and bathroom	Hallway	3.2	uR/hr	Bathroom
E11	3.2	uR/hr	No	split grid between hallway and closet	Hallway	3.2	uR/hr	Closet

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E12	3.2	uR/hr	No		Hallway		uR/hr	
E13	3.6	uR/hr	No		Hallway		uR/hr	
E14		uR/hr	No	N/A-Grid is outside unit interior boundary			uR/hr	
F4	3.6	uR/hr	No	partial grid, grid partially contained within wall construction	Living Room		uR/hr	
F5	3.2	uR/hr	No		Living Room		uR/hr	
F6	3.6	uR/hr	No		Living Room		uR/hr	
F7	3.6	uR/hr	No		Living Room		uR/hr	
F8	3.2	uR/hr	No	split grid between living room, hallway, and stairs	Living Room	3.2	uR/hr	Hallway
F9	3.2	uR/hr	No	split grid between stairs and hallway	Hallway	2.8	uR/hr	Stairs
F10	3.2	uR/hr	No	split grid between storage and hallway	Storage	3.6	uR/hr	Hallway
F11	3.2	uR/hr	No	split grid between storage and hallway	Storage	3.2	uR/hr	Hallway
F12	3.2	uR/hr	No	split grid between utility and hallway	Utility	3.2	uR/hr	Hallway
F13	3.2	uR/hr	No	split grid between utility room and hallway. partial grid-clothes dryer within grid	Utility	3.2	uR/hr	Hallway
F14		uR/hr	No	N/A-Grid is outside unit interior boundary			uR/hr	
G2		uR/hr	No	N/A-Grid is outside unit interior boundary	Storage Shed		uR/hr	
G3	4.0	uR/hr	No	partial grid is exterior	Storage Shed		uR/hr	
G4	3.2	uR/hr	No	partial grid partially contained within wall construction	Living Room	3.6	uR/hr	Storage Shed
G5	3.2	uR/hr	No		Living Room		uR/hr	
G6	3.6	uR/hr	No		Living Room		uR/hr	
G7	3.2	uR/hr	No		Living Room		uR/hr	
G8	3.2	uR/hr	No	split grid between living room and non accessible stairs	Living Room		uR/hr	
G9		uR/hr	No	N/A-Stairway above floor 36"	Stairs		uR/hr	
G10		uR/hr	No	full grid inaccessible due to interior stairwell within storage room	Storage		uR/hr	
G11	3.2	uR/hr	No		Storage		uR/hr	
G12	3.2	uR/hr	No		Utility		uR/hr	
G13	3.2	uR/hr	No	partial grid-clothes washer and dryer within grid	Utility		uR/hr	
G14		uR/hr	No	N/A-Grid is outside unit interior boundary			uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
H2		uR/hr	No	N/A-Grid is outside unit interior boundary	Storage Shed		uR/hr	
H3	4.0	uR/hr	No		Storage Shed		uR/hr	
H4	3.2	uR/hr	No	split grid partially contained within wall construction	Living Room	3.6	uR/hr	Storage Shed
H5	3.6	uR/hr	No	partial grid, grid partially contained within wall construction	Living Room		uR/hr	
H6	3.2	uR/hr	No	partial grid, grid partially contained within wall construction	Living Room		uR/hr	
H7	3.2	uR/hr	No	partial grid, grid partially contained within wall construction	Living Room		uR/hr	
H8	3.2	uR/hr	No	split grid between stairs and living room. partial grid partially contained within wall construction	Living Room		uR/hr	
H9		uR/hr	No	partial grid partially contained within wall construction and stairs are above 36"	Stairs		uR/hr	
H10		uR/hr	No	partial grid, grid partially contained within wall construction	Storage		uR/hr	
H11	3.2	uR/hr	No	partial grid, grid partially contained within wall construction	Storage		uR/hr	
H12	3.2	uR/hr	No	partial grid, grid partially contained within wall construction	Utility		uR/hr	
H13	3.2	uR/hr	No	partial grid partially contained within wall construction. clothes washer within grid	Utility		uR/hr	
H14		uR/hr	No	N/A-Grid is outside unit interior boundary			uR/hr	
I2		uR/hr	No	N/A-Grid is outside unit interior boundary			uR/hr	
I3		uR/hr	No	N/A-Grid is outside unit interior boundary			uR/hr	
I4		uR/hr	No	N/A-Grid is outside unit interior boundary			uR/hr	



CBI Supervisor : Carlos Bernal

Senior Technician : Antonio Neotti

Signature :



Signature :



Unit Summary :

Completion Date:

6/13/2014 4:14 PM

Instrument:

193-6

Serial #:

309119

Layout:

Floor Plan 6B

Background Reading:

2.8 uR/hr

Summary Statistics :

Total # of Readings:

105

Average:

2.96 uR/hr

Standard Deviation:

0.26 uR/hr

Minimum:

2.80 uR/hr

Maximum:

3.60 uR/hr

Median:


2.80 uR/hr

Anomalies:

0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	3.6	uR/hr	No		Storage Shed		uR/hr	
A2	3.6	uR/hr	No		Storage Shed		uR/hr	
A3		uR/hr	No	unit C shed	Storage Shed		uR/hr	
A4		uR/hr	No	N/A wall sticks out over partial grid /shed part of grid belongs to unit C	Storage Shed		uR/hr	
A5	2.8	uR/hr	No		Living Room		uR/hr	
A6	2.8	uR/hr	No		Living Room		uR/hr	
A7	2.8	uR/hr	No		Living Room		uR/hr	
A8		uR/hr	No	N/A wall sticks out over partial grid	Living Room		uR/hr	
A9		uR/hr	No	N/A understairs	Stairs		uR/hr	
A10		uR/hr	No	N/A under stairs	Storage		uR/hr	
A11		uR/hr	No	grid outside exterior wall	Storage		uR/hr	
A12		uR/hr	No	grid outside exterior wall	Utility		uR/hr	
A13		uR/hr	No	grid outside exterior wall	Utility		uR/hr	
A14		uR/hr	No	grid outside exterior wall			uR/hr	
B1	3.6	uR/hr	No		Storage Shed		uR/hr	
B2	3.6	uR/hr	No		Storage Shed		uR/hr	
B3		uR/hr	No	unit C shed	Storage Shed		uR/hr	
B4	2.8	uR/hr	No	shed part of grid belongs to unit C	Living Room		uR/hr	
B5	2.8	uR/hr	No		Living Room		uR/hr	
B6	3.2	uR/hr	No		Living Room		uR/hr	
B7	2.8	uR/hr	No		Living Room		uR/hr	
B8	2.8	uR/hr	No	partial grid/ stairs are above 36"	Living Room		uR/hr	
B9		uR/hr	No	N/A stairs above 36"	Stairs		uR/hr	
B10		uR/hr	No	N/A under stair (picture shows wall that covers grid under stairs)	Storage		uR/hr	
B11	2.8	uR/hr	No		Storage	2.8	uR/hr	Utility
B12	2.8	uR/hr	No		Utility		uR/hr	
B13	2.8	uR/hr	No	partial grid only 0.5ft-2ft. Clothes dryer covers remainder of grid.	Utility		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
B14		uR/hr	No	grid outside exterior wall			uR/hr	
C4	2.8	uR/hr	No		Living Room		uR/hr	
C5	2.8	uR/hr	No		Living Room		uR/hr	
C6	3.2	uR/hr	No		Living Room		uR/hr	
C7	2.8	uR/hr	No		Living Room		uR/hr	
C8	2.8	uR/hr	No		Stairs	2.8	uR/hr	Living Room
C9	2.8	uR/hr	No		Stairs		uR/hr	
C10	2.8	uR/hr	No		Storage		uR/hr	
C11	2.8	uR/hr	No		Storage		uR/hr	
C12	2.8	uR/hr	No		Utility		uR/hr	
C13		uR/hr	No	washing machine covers entire grid/ grid fully inside utility room	Utility		uR/hr	
C14		uR/hr	No	grid outside exterior wall			uR/hr	
D4	3.2	uR/hr	No		Living Room		uR/hr	
D5	3.2	uR/hr	No		Living Room		uR/hr	
D6	2.8	uR/hr	No		Living Room		uR/hr	
D7	2.8	uR/hr	No		Living Room		uR/hr	
D8	2.8	uR/hr	No		Hallway		uR/hr	
D9	2.8	uR/hr	No		Hallway		uR/hr	
D10	2.8	uR/hr	No		Hallway		uR/hr	
D11	2.8	uR/hr	No		Hallway		uR/hr	
D12	2.8	uR/hr	No		Hallway		uR/hr	
D13	3.2	uR/hr	No		Hallway		uR/hr	
D14		uR/hr	No	grid outside exterior wall			uR/hr	
E4	3.2	uR/hr	No		Living Room		uR/hr	
E5	3.6	uR/hr	No		Living Room		uR/hr	
E6	2.8	uR/hr	No		Living Room		uR/hr	
E7	2.8	uR/hr	No		Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E8	2.8	uR/hr	No		Living Room	2.8	uR/hr	Storage
E9	2.8	uR/hr	No		Storage	3.2	uR/hr	Bathroom
E10	2.8	uR/hr	No		Bathroom		uR/hr	
E11	2.8	uR/hr	No		Closet		uR/hr	
E12	2.8	uR/hr	No		Hallway		uR/hr	
E13	2.8	uR/hr	No		Hallway		uR/hr	
E14		uR/hr	No	grid outside exterior wall	Dining Room		uR/hr	
F4	3.2	uR/hr	No		Living Room		uR/hr	
F5	3.2	uR/hr	No		Living Room		uR/hr	
F6	3.2	uR/hr	No		Living Room		uR/hr	
F7	2.8	uR/hr	No		Living Room		uR/hr	
F8	2.8	uR/hr	No		Living Room	2.8	uR/hr	Storage
F9	2.8	uR/hr	No	kitchen section of grid is covered by kitchen cabinets	Storage	3.6	uR/hr	Bathroom
F10	3.6	uR/hr	No	bathroom scan next to toilet, kitchen section on grid is cover by kitchen cabinet/sink	Bathroom		uR/hr	
F11	2.8	uR/hr	No	kitchen cabinet covers kitchen section of grid	Dining Room	2.8	uR/hr	Closet
F12	2.8	uR/hr	No		Dining Room		uR/hr	
F13	2.8	uR/hr	No		Dining Room		uR/hr	
F14		uR/hr	No	grid outside exterior wall	Dining Room		uR/hr	
G4	3.2	uR/hr	No		Living Room		uR/hr	
G5	3.2	uR/hr	No		Living Room		uR/hr	
G6	2.8	uR/hr	No		Living Room		uR/hr	
G7	2.8	uR/hr	No		Living Room		uR/hr	
G8	2.8	uR/hr	No	scan in kitchen covered by cabinet partial net	Kitchen	2.8	uR/hr	Living Room
G9	3.2	uR/hr	No	partial scan in kitchen covered by sink/cabinet	Kitchen		uR/hr	
G10	2.8	uR/hr	No	partial scan kitchen dishwasher covers grid	Kitchen		uR/hr	
G11	2.8	uR/hr	No		Kitchen		uR/hr	
G12	3.2	uR/hr	No		Dining Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
G13	2.8	uR/hr	No		Dining Room		uR/hr	
G14		uR/hr	No	grid outside exterior wall	Dining Room		uR/hr	
H4	3.6	uR/hr	No		Living Room		uR/hr	
H5	3.2	uR/hr	No		Living Room		uR/hr	
H6	3.2	uR/hr	No		Living Room		uR/hr	
H7	2.8	uR/hr	No		Living Room		uR/hr	
H8	2.8	uR/hr	No	kitchen section of grid is cover by refrigerator	Living Room	2.8	uR/hr	Kitchen
H9	2.8	uR/hr	No	partial grid-kitchen section covered by cabinet	Kitchen		uR/hr	
H10	2.8	uR/hr	No	partial grid-kitchen section covered by stove/cabinet	Kitchen		uR/hr	
H11	2.8	uR/hr	No		Kitchen		uR/hr	
H12	2.8	uR/hr	No		Dining Room		uR/hr	
H13	2.8	uR/hr	No		Dining Room		uR/hr	
H14		uR/hr	No	grid outside exterior wall	Dining Room		uR/hr	
I4		uR/hr	No	grid outside exterior wall			uR/hr	
I5		uR/hr	No	grid outside exterior wall			uR/hr	
I6		uR/hr	No	grid outside exterior wall			uR/hr	
I7		uR/hr	No	grid outside exterior wall			uR/hr	
I8		uR/hr	No	grid outside exterior wall			uR/hr	
I9		uR/hr	No	grid outside exterior wall			uR/hr	
I10		uR/hr	No	grid outside exterior wall			uR/hr	
I11		uR/hr	No	grid outside exterior wall			uR/hr	
I12		uR/hr	No	grid outside exterior wall			uR/hr	
I13		uR/hr	No	grid outside exterior wall			uR/hr	
I14		uR/hr	No	grid outside exterior wall			uR/hr	

Secondary Readings : A8

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Secondary Type	Notes					



WIN_20140613_101654.JPG

Secondary Readings : A4

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Secondary Type	Notes					



WIN_20140613_101641.JPG

Secondary Readings : B10

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Secondary Type	Notes					



WIN_20140613_101214.JPG



CBI Supervisor : Joyce McGee

Senior Technician : Efraim Ramirez

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature appears to be "J McGee".

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature appears to be "Ef Ramirez".

Unit Summary :


Completion Date: 6/13/2014 3:54 PM
Instrument: 193-6
Serial #: 309127
Layout: Floor Plan 5
Background Reading: 3.2 uR/hr

Summary Statistics :

Total # of Readings: 69
Average: 3.30 uR/hr
Standard Deviation: 0.21 uR/hr
Minimum: 3.20 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A4	3.6	uR/hr	No	partial grid- outside unit interior boundary	Living Room		uR/hr	
A5	3.2	uR/hr	No		Living Room		uR/hr	
A6	3.2	uR/hr	No		Living Room		uR/hr	
A7	3.2	uR/hr	No		Living Room		uR/hr	
A8	3.2	uR/hr	No	partial grid- installed refrigerator	Kitchen		uR/hr	
A9	3.2	uR/hr	No	partial grid- installed base cabinets and stove	Kitchen		uR/hr	
A10	3.2	uR/hr	No	partial grid- installed base cabinets and stove	Kitchen		uR/hr	
A11	3.2	uR/hr	No		Dining Room		uR/hr	
A12	3.2	uR/hr	No		Dining Room		uR/hr	
A13	3.2	uR/hr	No	partial grid- outside unit interior boundary	Dining Room		uR/hr	
B4	3.2	uR/hr	No	partial grid- outside unit interior boundary	Living Room		uR/hr	
B5	3.6	uR/hr	No		Living Room		uR/hr	
B6	3.2	uR/hr	No		Living Room		uR/hr	
B7	3.2	uR/hr	No		Living Room		uR/hr	
B8	3.2	uR/hr	No		Kitchen		uR/hr	
B9	3.2	uR/hr	No		Kitchen		uR/hr	
B10	3.2	uR/hr	No		Kitchen		uR/hr	
B11	3.6	uR/hr	No		Dining Room		uR/hr	
B12	3.6	uR/hr	No		Dining Room		uR/hr	
B13	3.2	uR/hr	No	partial grid- outside unit interior boundry	Dining Room		uR/hr	
C4	3.2	uR/hr	No	partial grid- outside unit interior boundary	Living Room		uR/hr	
C5	3.2	uR/hr	No		Living Room		uR/hr	
C6	3.6	uR/hr	No		Living Room		uR/hr	
C7	3.2	uR/hr	No		Living Room		uR/hr	
C8	3.2	uR/hr	No	partial grid- installed base cabinet and interior wall	Kitchen	3.2	uR/hr	Bathroom
C9	3.6	uR/hr	No	partial kitchen grid- installed base cabinets and interior wall	Kitchen		uR/hr	
C10	4.0	uR/hr	No	partial kitchen grid- installed dishwasher and interior wall	Kitchen		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C11	3.2	uR/hr	No		Dining Room		uR/hr	
C12	3.2	uR/hr	No		Dining Room		uR/hr	
C13	3.2	uR/hr	No	partial grid- outside unit interior boundary	Dining Room		uR/hr	
D4	3.6	uR/hr	No	partial grid- outside unit interior boundary	Living Room		uR/hr	
D5	3.6	uR/hr	No		Living Room		uR/hr	
D6	3.2	uR/hr	No		Living Room		uR/hr	
D7	3.2	uR/hr	No		Living Room		uR/hr	
D8	3.2	uR/hr	No		Bathroom	3.2	uR/hr	Hallway
D9	3.6	uR/hr	No	elevated measurements due to Norm in toilet bowl and tile material	Bathroom		uR/hr	
D10	3.2	uR/hr	No	reading taken at corner adj to grid c10 and d11.. elevated measurements due to Norm in toilet bowl and tile material	Bathroom	4.0	uR/hr	Bathroom
D11	3.2	uR/hr	No		Hallway		uR/hr	
D12	3.2	uR/hr	No	map shows full grid but is actually a partial grid- outside unit interior boundary	Hallway		uR/hr	
E4	3.6	uR/hr	No	partial grid- outside unit interior boundary	Living Room		uR/hr	
E5	3.2	uR/hr	No		Living Room		uR/hr	
E6	3.2	uR/hr	No		Living Room		uR/hr	
E7	3.2	uR/hr	No		Living Room		uR/hr	
E8	3.2	uR/hr	No	4 inch of grid is 1st stair	Hallway	3.2	uR/hr	Hallway
E9	3.2	uR/hr	No		Hallway		uR/hr	
E10	3.2	uR/hr	No		Hallway		uR/hr	
E11	3.2	uR/hr	No		Hallway		uR/hr	
E12	3.2	uR/hr	No		Hallway		uR/hr	
F4	3.2	uR/hr	No	partial grid- outside unit interior boundary	Living Room		uR/hr	
F5	3.2	uR/hr	No		Living Room		uR/hr	
F6	3.2	uR/hr	No		Living Room		uR/hr	
F7	3.2	uR/hr	No		Living Room		uR/hr	
F8	3.2	uR/hr	No	optional reading taken at 19 and a half inches high	Stairs	3.2	uR/hr	Stairs
F9	3.2	uR/hr	No	reading taken at 19 and a half inches high	Closet		uR/hr	



Summary Report
625 13th Street Unit E

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
F10	3.2	uR/hr	No		Closet		uR/hr	
F11	3.2	uR/hr	No		Utility	3.2	uR/hr	Hallway
F12	3.2	uR/hr	No	partial grid- washing machine within grid	Utility		uR/hr	
G3	3.6	uR/hr	No	partial grid- outside unit interior boundary	Storage Shed		uR/hr	
G4	3.2	uR/hr	No	partial grid- outside unit interior boundary	Storage Shed	3.6	uR/hr	Storage Shed
G5	3.2	uR/hr	No		Living Room		uR/hr	
G6	3.2	uR/hr	No		Living Room		uR/hr	
G7	3.2	uR/hr	No		Living Room		uR/hr	
G8	3.2	uR/hr	No	optional reading N/A -stairway above floor > 36	Stairs		uR/hr	
G9		uR/hr	No	N/A grid contained within wall construction	Stairs		uR/hr	
G10		uR/hr	No	N/A grid contained within wall construction	Stairs		uR/hr	
G11	3.2	uR/hr	No		Utility		uR/hr	
G12	3.2	uR/hr	No	partial grid- clothes dryer within grid	Utility		uR/hr	
H3	4.0	uR/hr	No	partial grid- outside unit interior boundary	Storage Shed		uR/hr	
H4	4.0	uR/hr	No	partial grid- outside unit interior boundary	Storage Shed		uR/hr	



CBI Supervisor : Garrick Anderson

Senior Technician : Patricia Lozano

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature appears to read "Garrick Anderson" in a cursive script.

Signature :

A handwritten signature in black ink on a light blue rectangular background. The signature appears to read "Patricia Lozano" in a cursive script.



Unit Summary :


Completion Date: 6/23/2014 9:54 AM
Instrument: 193-6
Serial #: 309128
Layout: Floor Plan 5B
Background Reading: 3.6 uR/hr
Dimensions (m): D W
Unit Furnished:
Tenant Present:
Unit Notes:

Summary Statistics :

Total # of Readings: 92
Average: 3.31 uR/hr
Standard Deviation: 0.22 uR/hr
Minimum: 2.80 uR/hr
Maximum: 4.00 uR/hr
Median: 3.20 uR/hr
Anomalies: 0

Grid Legend:

- No anomalous measurements
- Inaccessible (no measurement collected)
- Anomaly (elevated measurement)



Survey Information:

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
A1	4.0	uR/hr	No		Storage Shed		uR/hr	
A2	3.6	uR/hr	No		Storage Shed		uR/hr	
A3		uR/hr	No	Storage shed grid part of unit 1254 (625) D	Storage Shed		uR/hr	
A4	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	
A5	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	
A6	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	
A7	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	
A8	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	
A9		uR/hr	No	inaccessible due to staircase	Stairs		uR/hr	
A10	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Stairs		uR/hr	
A11	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Utility		uR/hr	
A12	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Utility		uR/hr	
A13		uR/hr	No	N/A- Grids are outside unit interior boundary	Utility		uR/hr	
B1		uR/hr	No	N/A- Grids are outside unit interior boundary	Storage Shed		uR/hr	
B2		uR/hr	No	N/A- Grids are outside unit interior boundary	Storage Shed		uR/hr	
B3		uR/hr	No	N/A- Grids are outside unit interior boundary	Storage Shed		uR/hr	
B4	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Storage Shed		uR/hr	
B5	3.2	uR/hr	No		Living Room		uR/hr	
B6	3.6	uR/hr	No		Living Room		uR/hr	
B7	3.2	uR/hr	No		Living Room		uR/hr	
B8	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	
B9		uR/hr	No	inaccessible due to staircase and walls	Stairs		uR/hr	
B10	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Stairs		uR/hr	
B11	3.6	uR/hr	No		Utility		uR/hr	
B12	3.6	uR/hr	No	Partial grid due to washing machine.	Utility		uR/hr	
B13		uR/hr	No	N/A- Grids are outside unit interior boundary	Utility		uR/hr	
C4	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
C5	3.6	uR/hr	No		Living Room		uR/hr	
C6	3.2	uR/hr	No		Living Room		uR/hr	
C7	3.2	uR/hr	No		Living Room		uR/hr	
C8	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room	3.2	uR/hr	Hallway
C9	3.2	uR/hr	No		Stairs	3.2	uR/hr	Hallway
C10	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Closet		uR/hr	
C11	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Utility		uR/hr	
C12	3.6	uR/hr	No	partial grid- grid is partially outside of building floor plan	Utility		uR/hr	
C13		uR/hr	No	N/A- Grids are outside unit interior boundary	Utility		uR/hr	
D4	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	
D5	3.2	uR/hr	No		Living Room		uR/hr	
D6	3.2	uR/hr	No		Living Room		uR/hr	
D7	3.2	uR/hr	No		Living Room		uR/hr	
D8	3.2	uR/hr	No		Living Room	3.2	uR/hr	Hallway
D9	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Hallway	3.2	uR/hr	Bathroom
D10	3.6	uR/hr	No	partial grid- grid is partially outside of building floor plan	Hallway		uR/hr	
D11	3.2	uR/hr	No		Hallway		uR/hr	
D12	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Hallway		uR/hr	
D13	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Hallway		uR/hr	
E4	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	
E5	3.6	uR/hr	No		Living Room		uR/hr	
E6	3.6	uR/hr	No		Living Room		uR/hr	
E7	3.2	uR/hr	No		Living Room		uR/hr	
E8	3.2	uR/hr	No		Living Room	3.2	uR/hr	Bathroom
E9	3.6	uR/hr	No		Bathroom		uR/hr	
E10	4.0	uR/hr	No	Elevated measurements due to NORM in toilet bowl and tile materials	Bathroom		uR/hr	
E11	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Hallway	3.2	uR/hr	Dining Room

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
E12	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Hallway	3.2	uR/hr	Dining Room
E13	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Dining Room		uR/hr	
F4	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	
F5	3.2	uR/hr	No		Living Room		uR/hr	
F6	3.6	uR/hr	No		Living Room		uR/hr	
F7	3.2	uR/hr	No		Living Room		uR/hr	
F8	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	
F9	3.2	uR/hr	No	partial grid- grid partially contained within wall construction. Static 12 inch reading offset from center due to base cabinets	Kitchen		uR/hr	
F10	3.2	uR/hr	No	partial grid- grid partially contained within wall construction. Static 12 inch reading offset from center due to base cabinets	Kitchen		uR/hr	
F11	3.6	uR/hr	No		Dining Room		uR/hr	
F12	3.6	uR/hr	No	partial grid- grid is partially outside of building floor plan	Dining Room		uR/hr	
F13	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Dining Room		uR/hr	
G4	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	
G5	3.6	uR/hr	No		Living Room		uR/hr	
G6	3.2	uR/hr	No		Living Room		uR/hr	
G7	3.6	uR/hr	No		Living Room		uR/hr	
G8	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Kitchen	3.2	uR/hr	Living Room
G9	3.2	uR/hr	No	Partial grid- Installed refrigerator	Kitchen		uR/hr	
G10	3.2	uR/hr	No		Kitchen		uR/hr	
G11	3.6	uR/hr	No		Dining Room		uR/hr	
G12	3.2	uR/hr	No		Dining Room		uR/hr	
G13	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Dining Room		uR/hr	
H4	3.6	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room	3.6	uR/hr	Living Room
H5	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	
H6	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	
H7	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	



Summary Report
1254 13th Street Unit F

Grid	Reading	Reading Units	Anomaly	Notes	Cell Description	Second Reading	Second Reading Units	Second Reading Cell Description
H8	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Living Room		uR/hr	
H9	3.2	uR/hr	No	Partial grid, due to installed refrigerator.	Kitchen		uR/hr	
H10	3.2	uR/hr	No	Partial grid- Installed base cabinets and stove. Static 12 inch reading offset due to shelves	Kitchen		uR/hr	
H11	3.2	uR/hr	No	Partial grid- Installed base cabinets	Dining Room		uR/hr	
H12	3.6	uR/hr	No	partial grid- grid is partially outside of building floor plan	Dining Room		uR/hr	
H13	3.2	uR/hr	No	partial grid- grid is partially outside of building floor plan	Dining Room		uR/hr	
I5		uR/hr	No	Exterior building 625 mechanical room. Inaccessible due to installed furnace.	Mech Room		uR/hr	
I6	3.6	uR/hr	No	Exterior building 625 mechanical room. Partial grid- Installed water heater	Mech Room		uR/hr	
I7	2.8	uR/hr	No	Exterior building 625 mechanical room. Partial grid- Installed furnace.	Mech Room		uR/hr	
J5	3.6	uR/hr	No	Exterior building 625 mechanical room. Partial grid- grid is partially outside of building floor plan.	Mech Room		uR/hr	
J6	3.2	uR/hr	No	Exterior building 625 mechanical room. Partial grid- grid is partially outside of building floor plan	Mech Room		uR/hr	
J7	2.8	uR/hr	No	Exterior building 625 mechanical room. Partial grid- grid is partially outside of building floor plan.	Mech Room		uR/hr	

Secondary Readings : A3

Secondary Type	Instrument ID	Instrument Serial	Reading	Reading Unit	Bulls Eye Location	ROC
Secondary Type	Notes					



WIN_20140613_115101.JPG

CBI Supervisor : Adam Hickok

Senior Technician : Phillip Perez

Signature :



Signature :



Signoff Notes: