

USARC G-6 Addendum to ARNEC CHG3

Telcommunications Outlet Table

NOTE: Provide Wireless Access Point (WAP) and Wireless Intrusion Detection (WID) Outlets for each building/space Per ARNEC Section 2.4.9

Training Building

| Space Name/Type/Function | Outlet Type | Jack Qty. | Outlet Qty. | Notes |
|--|---------------|-------------------------------|-------------|---|
| Administrative Offices (Full-Time and Exclusive) | Standard | 1 | 2 | 1 outlet for workstation and one outlet on opposite or adjacent wall |
| General Officer Suite | Standard | 1 | 2 | 1 outlet for workstation and one outlet on opposite or adjacent wall |
| Unit Commons (Full-Time Cubicle) | Standard | 1 | Varies | 1 outlet per workstation |
| Unit Commons (Benching Table) | Standard | 1 | 1 | Located on nearest wall |
| Unit Commons (Printer-Copier) | MFD | 2 | Varies | 1 outlet for each Printer/MFD device |
| Retention Office | Standard | 1 | 2 | 1 outlet for workstation and one outlet on opposite or adjacent wall |
| Career Counselor Office (ARCC) | Standard | 1 | 2 | 1 outlet per workstation |
| Family Support Office | Standard | 1 | 2 | 1 outlet for workstation and one outlet on opposite or adjacent wall |
| Mail Distribution Room | Standard | 2 | 1 | Located adjacent to mail machine |
| Entrance Facility | None Required | N/A | N/A | N/A |
| Telecommunications Equipment Room | None Required | N/A | N/A | N/A |
| Telecommunications Room | None Required | N/A | N/A | N/A |
| IT Work Space | Standard | 1 | Varies | Continuous metal raceway extending the full length of the work surface with telecommunications outlets at 6 in (150 mm) on center |
| Lobby | Wall Phone | 1 | 1 | Located just inside main door on side wall |
| Assembly Hall | Standard | 2 | 1 | Located near instructor location |
| Chair and Table Storage | None Required | N/A | N/A | N/A |
| Kitchen Administrative Office | Standard | 1 | 2 | 1 outlet for workstation and one outlet on opposite or adjacent wall |
| Arms Vault | IDS | Provide per ARNEC section 2.8 | | |
| Armors Room | Standard | 1 | 2 | 1 outlet for workstation and one outlet on opposite or adjacent wall |
| Main Classroom | Standard | 1 | Varies | 1 outlet per student location (located on wall if wall outlets can be located within 12 feet laterally of student seats, otherwise provide floor boxes (combined with power) for each student seat) |
| Main Classroom | Standard | 2 | 1 | Located near instructor location |
| Secondary Classroom | Standard | 2 | 1 | Located near instructor location |
| Team Room | Standard | 1 | 1 | Located on same wall as television |
| Team Room (SIPR-In-A-Box) | Standard | 1 | 1 | Located immediately adjacent to planned location of IPS container |
| Learning Center | Standard | 1 | Varies | 1 outlet per workstation |
| Comsec Storage | Standard | 1 | 1 | Located immediately adjacent to planned location of IPS container |
| Unit Storage | Wall Phone | 1 | 1 | Located just inside main interior door to adjacent hallway |
| Staging Area | None Required | N/A | N/A | N/A |
| Supply Office | Standard | 1 | 4 | 1 outlet for workstation |
| Custodial/Janitorial | None Required | N/A | N/A | N/A |
| Flammable Storage | None Required | N/A | N/A | N/A |
| Controlled Waste Storage | None Required | N/A | N/A | N/A |

Training Building

| Space Name/Type/Function | Outlet Type | Jack Qty. | Outlet Qty. | Notes |
|---------------------------------|------------------------------------|-----------|-------------|---|
| Facility Maintenance Storage | None Required | N/A | N/A | N/A |
| Simulator Room | Standard | 1 | 2 | One outlet located near the simulator pump and one on the wall behind the table |
| Conference Room | Standard | 1 | 1 | Located on same wall as television |
| Physical Readiness Training | Wall Phone | 1 | 1 | Located just inside main entry door |
| Distance Learning Center | Standard | 1 | Varies | Coordinate locations and quantities with Distance Learning Manager |
| Male and Female Toilets/Showers | None Required | N/A | N/A | N/A |
| Male and Female Locker Rooms | Wall Phone | 1 | 1 | Located just inside main entry door |
| Vending Alcove | None Required | N/A | N/A | N/A |
| Break Area | None Required | N/A | N/A | N/A |
| Mechanical Room | DDC | 1 | 1 | Located near JACE device |
| Mechanical Room | Standard | 1 | 1 | 1 outlet per workstation |
| Electrical | None Required | N/A | N/A | N/A |
| Circulation | None Required | N/A | N/A | N/A |
| Stairs | None Required | N/A | N/A | N/A |
| Secret - Controlled Access Area | Provide per ARNEC Section 2.7 | | | |
| Lactation Room | None Required | N/A | N/A | N/A |
| Elevator | Provide per UFC 3-490-06 Elevators | | | |
| Elevator Equipment Room | Provide per UFC 3-490-06 Elevators | | | |

Vehicle Maintenance Shop (VMS)

| Space Name/Function | Outlet Type | Jack Qty. | Outlet Qty. | Notes |
|--------------------------|---------------|-----------|-------------|--|
| Shop Office | Standard | 1 | Varies | 1 outlet per workstation |
| Shop Office | MFD | 1 | Varies | 1 outlet for each Printer/MFD device |
| Male and Female Toilets | None Required | N/A | N/A | N/A |
| Tool and Parts Room | Standard | 1 | 1 | Located near automated inventory device |
| Storage Room | Standard | 1 | 1 | Located near automated inventory device |
| Special Equipment Alcove | None Required | N/A | N/A | N/A |
| Battery Room | None Required | N/A | N/A | N/A |
| Flammable Storage | None Required | N/A | N/A | N/A |
| Controlled Waste Storage | None Required | N/A | N/A | N/A |
| Workbays | Wall Phone | 1 | 1 | Located just inside main interior door to adjacent hallway |
| Mechanical/Electrical | DDC | 1 | 1 | Located near JACE device |
| Telecommunications Room | None Required | N/A | N/A | N/A |
| Custodial/Janitorial | None Required | N/A | N/A | N/A |
| Fluid Distribution Room | None Required | N/A | N/A | N/A |